

Subject Index Vol. 988

Adsorption energy distributions

Determination of single component isotherms and affinity energy distribution by chromatography 988(2003)185

Adsorption isotherms

Determination of single component isotherms and affinity energy distribution by chromatography 988(2003)185

Influence of pressure on the chromatographic behavior of insulin variants under nonlinear conditions 988(2003)205

Affinity chromatography

Current and prospective applications of metal ion–protein binding (Review) 988(2003)1

Air analysis

“Cold” solid-phase microextraction method for the determination of volatile halocarbons present in the atmosphere at ultra-trace levels 988(2003)167

Aldehydes

Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25

Antibiotics

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Average linkage dendrogram

Determining orthogonal chromatographic systems prior to the development of methods to characterise impurities in drug substances 988(2003)77

Background electrolyte composition

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Benzene

Competitive extraction of multi-component contaminants in water by Carboxen–polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177

Benzoyl chloride

Determination of major phenolic compounds in water by reversed-phase liquid chromatography after pre-column derivatization with benzoyl chloride 988(2003)151

Binary solvents

Lowering the molecular mass limit of thermal field-flow fractionation for polymer separations 988(2003)285

Bisphenol A

Trace analysis of technical nonylphenol, bisphenol A and 17 α -ethinylestradiol in wastewater using solid-phase microextraction and gas chromatography–mass spectrometry 988(2003)41

Caffeine

Determination of single component isotherms and affinity energy distribution by chromatography 988(2003)185

Central composite design

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Chemometrics

Using second-order calibration to identify and quantify aromatic sulfonates in water by high-performance liquid chromatography in the presence of coeluting interferences 988(2003)277

Chlorofluorocarbons

“Cold” solid-phase microextraction method for the determination of volatile halocarbons present in the atmosphere at ultra-trace levels 988(2003)167

Chromium

Determination of hexavalent chromium by on-line dialysis–ion chromatography in a matrix of strong colourants and trivalent chromium 988(2003)157

Clean-up methods

Solid-phase clean-up in the liquid chromatographic determination of polycyclic aromatic hydrocarbons in edible oils 988(2003)33

Column stability

Explanation for the enhanced dissolution of silica column packing in high pH phosphate and carbonate buffers 988(2003)309

Comprehensive chromatography

Comprehensive two-dimensional liquid chromatography×gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 988(2003)117

Counter-current chromatography

Isolation and identification of four flavonoid constituents from the seeds of *Oroxylum indicum* by high-speed counter-current chromatography 988(2003)95

Co-elution

Using second-order calibration to identify and quantify aromatic sulfonates in water by high-performance liquid chromatography in the presence of coeluting interferences 988(2003)277

Critical mobile phase composition

Application of the reversed-phase liquid chromatographic model to describe the retention behaviour of polydisperse macromolecules in gradient and isocratic liquid chromatography 988(2003)53

Dendrogram color map

Determining orthogonal chromatographic systems prior to the development of methods to characterise impurities in drug substances 988(2003)77

Derivatization, LC

Determination of major phenolic compounds in water by reversed-phase liquid chromatography after pre-column derivatization with benzoyl chloride 988(2003)151

Dialysis

Determination of hexavalent chromium by on-line dialysis–ion chromatography in a matrix of strong colourants and trivalent chromium 988(2003)157

Dibutylphthalate

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Diethylphthalate

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Dimethylphthalate

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Diphenylamine

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Drug substance impurities

Determining orthogonal chromatographic systems prior to the development of methods to characterise impurities in drug substances 988(2003)77

Edible oils

Solid-phase clean-up in the liquid chromatographic determination of polycyclic aromatic hydrocarbons in edible oils 988(2003)33

Enantiomer separation

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Endocrine disruptors

Trace analysis of technical nonylphenol, bisphenol A and 17 α -ethinylestradiol in wastewater using solid-phase microextraction and gas chromatography–mass spectrometry 988(2003)41

Environmental analysis

“Cold” solid-phase microextraction method for the determination of volatile halocarbons present in the atmosphere at ultra-trace levels 988(2003)167

17 α -Ethinylestradiol

Trace analysis of technical nonylphenol, bisphenol A and 17 α -ethinylestradiol in wastewater using solid-phase microextraction and gas chromatography–mass spectrometry 988(2003)41

Ethylbenzene

Competitive extraction of multi-component contaminants in water by Carboxen–polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177

Ethyl centralite

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Explosives

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Fats

Comprehensive two-dimensional liquid chromatography×gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 988(2003)117

Field-flow fractionation

Lowering the molecular mass limit of thermal field-flow fractionation for polymer separations 988(2003)285

Flavonoids

Isolation and identification of four flavonoid constituents from the seeds of *Oroxylum indicum* by high-speed counter-current chromatography 988(2003)95

Fluoroquinolones

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Frontal analysis

Determination of single component isotherms and affinity energy distribution by chromatography 988(2003)185

Generalized rank annihilation method

Using second-order calibration to identify and quantify aromatic sulfonates in water by high-performance liquid chromatography in the presence of coeluting interferences 988(2003)277

Halogenated compounds

“Cold” solid-phase microextraction method for the determination of volatile halocarbons present in the atmosphere at ultra-trace levels 988(2003)167

Headspace analysis

Competitive extraction of multi-component contaminants in water by Carboxen-polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177

Hydroxybenzaldehyde

Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25

Immobilized metal affinity chromatography

Current and prospective applications of metal ion-protein binding (Review) 988(2003)1

Insulin

Influence of pressure on the chromatographic behavior of insulin variants under nonlinear conditions 988(2003)205

Interaction chromatography

Elution behavior of polyethylene in polar mobile phases on a non-polar sorbent 988(2003)69

Liquid chromatography×gas chromatography, comprehensive two-dimensional

Comprehensive two-dimensional liquid chromatography×gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 988(2003)117

Mass spectrometry

Analysis of low-molecular-mass organic acids using capillary zone electrophoresis-electrospray ionization mass spectrometry 988(2003)133

Mass transport kinetics

Modeling of preparative chromatography processes with slow intraparticle mass transport kinetics 988(2003)219

Mathematical modeling

Modeling of preparative chromatography processes with slow intraparticle mass transport kinetics 988(2003)219

Mathematical modelling

Determination of single component isotherms and affinity energy distribution by chromatography 988(2003)185

Methyl centralite

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Mobile phase composition

Elution behavior of polyethylene in polar mobile phases on a non-polar sorbent 988(2003)69

Molecular descriptors

Classification and regression tree analysis for molecular descriptor selection and retention prediction in chromatographic quantitative structure-retention relationship studies 988(2003)261

Molecular mass limit

Lowering the molecular mass limit of thermal field-flow fractionation for polymer separations 988(2003)285

Naphthol

Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25

Naphthylamine

Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25

Nitrosodiphenylamine

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Nonlinear chromatography

Influence of pressure on the chromatographic behavior of insulin variants under nonlinear conditions 988(2003)205

Nonylphenol

Trace analysis of technical nonylphenol, bisphenol A and 17 α -ethinylestradiol in wastewater using solid-phase microextraction and gas chromatography-mass spectrometry 988(2003)41

Ofloxacin

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Oils

Solid-phase clean-up in the liquid chromatographic determination of polycyclic aromatic hydrocarbons in edible oils 988(2003)33

Comprehensive two-dimensional liquid chromatography×gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 988(2003)117

Oligodimethylsiloxane

Elution behavior of polyethylene in polar mobile phases on a non-polar sorbent 988(2003)69

OPTICS color map

Determining orthogonal chromatographic systems prior to the development of methods to characterise impurities in drug substances 988(2003)77

Organic acids

Analysis of low-molecular-mass organic acids using capillary zone electrophoresis–electrospray ionization mass spectrometry 988(2003)133

Oroxylum indicum

Isolation and identification of four flavonoid constituents from the seeds of *Oroxylum indicum* by high-speed counter-current chromatography 988(2003)95

Orthogonal chromatographic systems

Determining orthogonal chromatographic systems prior to the development of methods to characterise impurities in drug substances 988(2003)77

Paeonol

Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25

Parcel model

Parcel model for peak shapes in chromatography. Numerical verification of the temporal distortion effect to peak asymmetry 988(2003)233

Peak shape

Parcel model for peak shapes in chromatography. Numerical verification of the temporal distortion effect to peak asymmetry 988(2003)233

Peak tailing

Parcel model for peak shapes in chromatography. Numerical verification of the temporal distortion effect to peak asymmetry 988(2003)233

Pharmaceutical analysis

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Systematic development and validation of stability indicating micellar electrokinetic chromatography methods for early stage drug candidates 988(2003)297

Phenols

Determination of major phenolic compounds in water by reversed-phase liquid chromatography after pre-column derivatization with benzoyl chloride 988(2003)151

Determination of single component isotherms and affinity energy distribution by chromatography 988(2003)185

Plant materials

Isolation and identification of four flavonoid constituents from the seeds of *Oroxylum indicum* by high-speed counter-current chromatography 988(2003)95

Polydispersive macromolecules

Application of the reversed-phase liquid chromatographic model to describe the retention behaviour of polydisperse macromolecules in gradient and isocratic liquid chromatography 988(2003)53

Polyethylene

Elution behavior of polyethylene in polar mobile phases on a non-polar sorbent 988(2003)69

Polymers

Lowering the molecular mass limit of thermal field-flow fractionation for polymer separations 988(2003)285

Polynuclear aromatic hydrocarbons

Solid-phase clean-up in the liquid chromatographic determination of polycyclic aromatic hydrocarbons in edible oils 988(2003)33

Pore diffusion

Influence of pressure on the chromatographic behavior of insulin variants under nonlinear conditions 988(2003)205

Preparative chromatography

Modeling of preparative chromatography processes with slow intraparticle mass transport kinetics 988(2003)219

Pressure-induced retention

Influence of pressure on the chromatographic behavior of insulin variants under nonlinear conditions 988(2003)205

Proteins

Current and prospective applications of metal ion–protein binding (Review) 988(2003)1

Quinolones

Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)141

Regression analysis

Classification and regression tree analysis for molecular descriptor selection and retention prediction in chromatographic quantitative structure–retention relationship studies 988(2003)261

Retention behaviour

Application of the reversed-phase liquid chromatographic model to describe the retention behaviour of polydisperse macromolecules in gradient and isocratic liquid chromatography 988(2003)53

Retention models

Application of the reversed-phase liquid chromatographic model to describe the retention behaviour of polydisperse macromolecules in gradient and isocratic liquid chromatography 988(2003)53

Retention prediction

Classification and regression tree analysis for molecular descriptor selection and retention prediction in chromatographic quantitative structure–retention relationship studies 988(2003)261

Review

Current and prospective applications of metal ion–protein binding (Review) 988(2003)1

Sample preparation

Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25

Second-order calibration

Using second-order calibration to identify and quantify aromatic sulfonates in water by high-performance liquid chromatography in the presence of coeluting interferences 988(2003)277

Silica dissolution

Explanation for the enhanced dissolution of silica column packing in high pH phosphate and carbonate buffers 988(2003)309

Smokeless powders

Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107

Solid-phase extraction

Solid-phase clean-up in the liquid chromatographic determination of polycyclic aromatic hydrocarbons in edible oils 988(2003)33

Solid-phase microextraction

Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25

Trace analysis of technical nonylphenol, bisphenol A and 17 α -ethinylestradiol in wastewater using solid-phase microextraction and gas chromatography–mass spectrometry 988(2003)41

“Cold” solid-phase microextraction method for the determination of volatile halocarbons present in the atmosphere at ultra-trace levels 988(2003)167

Competitive extraction of multi-component contaminants in water by Carboxen–polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177

Stability studies

Systematic development and validation of stability indicating micellar electrokinetic chromatography methods for early stage drug candidates 988(2003)297

Stationary phases, LC

Determining orthogonal chromatographic systems prior to the development of methods to characterise impurities in drug substances 988(2003)77

Sterol esters

Comprehensive two-dimensional liquid chromatography \times gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 988(2003)117

Structure–retention relationships

Classification and regression tree analysis for molecular descriptor selection and retention prediction in chromatographic quantitative structure–retention relationship studies 988(2003)261

Sulfonates

Using second-order calibration to identify and quantify aromatic sulfonates in water by high-performance liquid chromatography in the presence of coeluting interferences 988(2003)277

Surface diffusion

Modeling of preparative chromatography processes with slow intraparticle mass transport kinetics 988(2003)219

Temporal distortion effect

Parcel model for peak shapes in chromatography. Numerical verification of the temporal distortion effect to peak asymmetry 988(2003)233

Thermal field-flow fractionation

Lowering the molecular mass limit of thermal field-flow fractionation for polymer separations 988(2003)285

Toluene

Competitive extraction of multi-component contaminants in water by Carboxen–polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177

Triglycerides

Comprehensive two-dimensional liquid chromatography \times gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 988(2003)117

Validation

Systematic development and validation of stability indicating micellar electrokinetic chromatography methods for early stage drug candidates 988(2003)297

Volatile organic compounds

“Cold” solid-phase microextraction method for the determination of volatile halocarbons present in the atmosphere at ultra-trace levels 988(2003)167

Water analysis

Trace analysis of technical nonylphenol, bisphenol A and 17 α -ethinylestradiol in wastewater using solid-phase microextraction and gas chromatography–mass spectrometry 988(2003)41

Competitive extraction of multi-component contaminants in water by Carboxen–polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177

Wax esters

Comprehensive two-dimensional liquid chromatography×gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 988(2003)117

Xylenes

Competitive extraction of multi-component contaminants in water by Carboxen–polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177