

Subject Index Vol. 989

Adenine nucleotides

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Adsorbents

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Adsorption

Direct enzyme adsorption from an unclarified microbial feedstock using suspended bed chromatography 989(2003)109

Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131

Adsorptive membrane chromatography for purification of plasmid DNA 989(2003)165

Adsorption isotherms

Linear two-step gradient counter-current chromatography. Analysis based on a recursive solution of an equilibrium stage model 989(2003)31

Modeling of adsorption in hydrophobic interaction chromatography systems using a preferential interaction quadratic isotherm 989(2003)47

Evaluation of protein-A chromatography media 989(2003)139

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Affinity adsorbents

Evaluation of protein-A chromatography media 989(2003)139

Air analysis

Determination of carbon monoxide, methane and carbon dioxide in refinery hydrogen gases and air by gas chromatography 989(2003)277

Alkenones

Pressurized liquid extraction of selected molecular biomarkers in deep sea sediments used as proxies in paleoceanography 989(2003)197

Amino acids

Preparative-scale isoelectric trapping enantiomer separations 989(2003)73

Aminomethylphosphonic acid

Condensation nucleation light scattering detection with ion chromatography for direct determination of glyphosate and its metabolite in water 989(2003)231

Anthrolylnitriles

Determination of T-2 toxin in cereal grains by liquid chromatography with fluorescence detection after immunoaffinity column clean-up and derivatization with 1-anthrolylnitrile 989(2003)257

Antibodies

Evaluation of protein-A chromatography media 989(2003)139

Aqueous two-phase systems

Tobacco protein separation by aqueous two-phase extraction 989(2003)119

Archeological analysis

Identification of natural dyes in archeological Coptic textiles by liquid chromatography with diode array detection 989(2003)239

Bacillus subtilis

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Band profiles

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Binding capacity

Adsorptive membrane chromatography for purification of plasmid DNA 989(2003)165

Binding studies

Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131

Borate complexation

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Bromopyridylazopropylsulfopropylaminophenol

Nonaqueous-based microchip separation of toxic metal ions using 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropylamino)phenol 989(2003)311

Buffer composition

Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303

Carbon columns

Separation of polar compounds using carbon columns (Review) 989(2003)183

Carbon dioxide

Determination of carbon monoxide, methane and carbon dioxide in refinery hydrogen gases and air by gas chromatography 989(2003)277

Carbon monoxide

Determination of carbon monoxide, methane and carbon dioxide in refinery hydrogen gases and air by gas chromatography 989(2003)277

Cereals

Determination of T-2 toxin in cereal grains by liquid chromatography with fluorescence detection after immunoaffinity column clean-up and derivatization with 1-anthrolylnitrile 989(2003)257

Chip technology

Nonaqueous-based microchip separation of toxic metal ions using 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropylamino)phenol 989(2003)311

Column characterization

Comparison of preparative characteristics of micro open parallel plate separators and microbore columns for concentration of trace species by displacement chromatography 989(2003)3

Complexation

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Computer simulations

Effects of solvent density on retention in gas-liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265

Condensation nucleation light scattering detection

Condensation nucleation light scattering detection with ion chromatography for direct determination of glyphosate and its metabolite in water 989(2003)231

Counter-current chromatography

Linear two-step gradient counter-current chromatography. Analysis based on a recursive solution of an equilibrium stage model 989(2003)31

Purification of quinoline yellow components using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 989(2003)249

Cyclodextrins

Monitoring dediazonation product formation by high-performance liquid chromatography after derivatization 989(2003)221

Dediazonation

Monitoring dediazonation product formation by high-performance liquid chromatography after derivatization 989(2003)221

Deep sea sediments

Pressurized liquid extraction of selected molecular biomarkers in deep sea sediments used as proxies in paleoceanography 989(2003)197

Density

Effects of solvent density on retention in gas-liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265

Derivatization, LC

Monitoring dediazonation product formation by high-performance liquid chromatography after derivatization 989(2003)221

Determination of T-2 toxin in cereal grains by liquid chromatography with fluorescence detection after immunoaffinity column clean-up and derivatization with 1-anthrolylnitrile 989(2003)257

Detection, LC

Condensation nucleation light scattering detection with ion chromatography for direct determination of glyphosate and its metabolite in water 989(2003)231

Dialkyl phthalates

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Diffusivity

Evaluation of protein-A chromatography media 989(2003)139

Displacement chromatography

Comparison of preparative characteristics of micro open parallel plate separators and microbore columns for concentration of trace species by displacement chromatography 989(2003)3

DNA

Adsorptive membrane chromatography for purification of plasmid DNA 989(2003)165

Dyes

Identification of natural dyes in archeological Coptic textiles by liquid chromatography with diode array detection 989(2003)239

Purification of quinoline yellow components using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 989(2003)249

Dynamic capacity

Evaluation of protein-A chromatography media 989(2003)139

Dynamic pH junction

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Efficiency

Adsorptive membrane chromatography for purification of plasmid DNA 989(2003)165

Enantiomer separation

Preparative-scale isoelectric trapping enantiomer separations 989(2003)73

Enzymes

Direct enzyme adsorption from an unclarified microbial feedstock using suspended bed chromatography 989(2003)109

Equilibrium stage model

Linear two-step gradient counter-current chromatography. Analysis based on a recursive solution of an equilibrium stage model 989(2003)31

Eucommia ulmoides

Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303

Ethylenediaminetetramethylenephosphonic acid

Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131

Extraction methods

Tobacco protein separation by aqueous two-phase extraction 989(2003)119

Factorial analysis

Tobacco protein separation by aqueous two-phase extraction 989(2003)119

Fatty acids

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Flavonoids

Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303

Flow-rate

Purification of quinoline yellow components using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 989(2003)249

Food analysis

Determination of T-2 toxin in cereal grains by liquid chromatography with fluorescence detection after immunoaffinity column clean-up and derivatization with 1-anthrolylnitrile 989(2003)257

Frontal analysis

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Glyceraldehyde-3-phosphate dehydrogenase

Direct enzyme adsorption from an unclarified microbial feedstock using suspended bed chromatography 989(2003)109

Glyphosate

Condensation nucleation light scattering detection with ion chromatography for direct determination of glyphosate and its metabolite in water 989(2003)231

Gradient elution

Linear two-step gradient counter-current chromatography. Analysis based on a recursive solution of an equilibrium stage model 989(2003)31

Gradiflow

Preparative-scale isoelectric trapping enantiomer separations 989(2003)73

Height equivalent to a theoretical plate

Separation of vanadium isotopes by ion-exchange chromatography 989(2003)175

Hydrogen

Determination of carbon monoxide, methane and carbon dioxide in refinery hydrogen gases and air by gas chromatography 989(2003)277

Hydrophobic interaction chromatography

Modeling of adsorption in hydrophobic interaction chromatography systems using a preferential interaction quadratic isotherm 989(2003)47

Immunoglobulins

Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131

Evaluation of protein-A chromatography media 989(2003)139

Instrumentation

Design of a new, twelve-channel electrophoretic apparatus based on the Gradiflow technology 989(2003)65

Iridoids

Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303

Isoelectric focusing

Preparative-scale isoelectric trapping enantiomer separations 989(2003)73

Isoelectric trapping

Preparative-scale isoelectric trapping enantiomer separations 989(2003)73

Isotope ratio

Separation of vanadium isotopes by ion-exchange chromatography 989(2003)175

Kinetic studies

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Lysozyme

Tobacco protein separation by aqueous two-phase extraction 989(2003)119

Mass transfer

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Mathematic modelling

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Mathematical modeling

Linear two-step gradient counter-current chromatography. Analysis based on a recursive solution of an equilibrium stage model 989(2003)31

Mathematical modelling

Comparison of preparative characteristics of micro open parallel plate separators and microbore columns for concentration of trace species by displacement chromatography 989(2003)3

Modeling of adsorption in hydrophobic interaction

chromatography systems using a preferential interaction quadratic isotherm 989(2003)47

Multiobjective optimization of simulated moving bed and Varicol processes using a genetic algorithm 989(2003)95

Membranes

Preparative-scale isoelectric trapping enantiomer separations 989(2003)73

Adsorptive membrane chromatography for purification of plasmid DNA 989(2003)165

Metabolomes

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Metal cations

Nonaqueous-based microchip separation of toxic metal ions using 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropylamino)phenol 989(2003)311

Metals

Separation of vanadium isotopes by ion-exchange chromatography 989(2003)175

Methane

Determination of carbon monoxide, methane and carbon dioxide in refinery hydrogen gases and air by gas chromatography 989(2003)277

Micro open parallel plate separator

Comparison of preparative characteristics of micro open parallel plate separators and microbore columns for concentration of trace species by displacement chromatography 989(2003)3

Molecular biomarkers

Pressurized liquid extraction of selected molecular biomarkers in deep sea sediments used as proxies in paleoceanography 989(2003)197

Molecular dynamics

Effects of solvent density on retention in gas-liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265

Monoclonal antibodies

Use of ultrasound to monitor the packing of large scale columns, the monitoring of medium compression and the passage of molecules, such as monoclonal antibodies, through the column bed during chromatography 989(2003)79

Identification of protein A media performance attributes that can be monitored as surrogates for retrovirus clearance during extended re-use 989(2003)155

Monolithic columns

Influence of the particle porosity on chromatographic band profiles 989(2003)207

4-Nitrobenzenediazonium ion

Monitoring dediazonation product formation by high-performance liquid chromatography after derivatization 989(2003)221

Nonaqueous capillary electrophoresis

Nonaqueous-based microchip separation of toxic metal ions using 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropylamino)phenol 989(2003)311

Nonlinear peaks

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Nucleotides

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Optimization

Multiobjective optimization of simulated moving bed and Varicol processes using a genetic algorithm 989(2003)95

Organic acids

Development and optimization of a method for the analysis of low-molecular-mass organic acids in plants by capillary electrophoresis with indirect UV detection 989(2003)285

Partition coefficients

Effects of solvent density on retention in gas-liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265

Pesticides

Condensation nucleation light scattering detection with ion chromatography for direct determination of glyphosate and its metabolite in water 989(2003)231

Permeability

Evaluation of protein-A chromatography media 989(2003)139

Perturbation chromatography

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Pharmaceutical analysis

Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303

Phenolic compounds

Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303

Phthalates

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Phytoalexins

Erratum to "Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny". [J. Chromatogr. A, 915 (2001) 61-74] 989(2003)317

Plant materials

Development and optimization of a method for the analysis of low-molecular-mass organic acids in plants by capillary electrophoresis with indirect UV detection 989(2003)285

Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303

Erratum to "Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny". [J. Chromatogr. A, 915 (2001) 61-74] 989(2003)317

Polar compounds

Separation of polar compounds using carbon columns (Review) 989(2003)183

Poly(ethylene oxide)

Effects of solvent density on retention in gas-liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265

Porosity

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Preparative chromatography

Comparison of preparative characteristics of micro open parallel plate separators and microbore columns for concentration of trace species by displacement chromatography 989(2003)3

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Linear two-step gradient counter-current chromatography. Analysis based on a recursive solution of an equilibrium stage model 989(2003)31

Use of ultrasound to monitor the packing of large scale columns, the monitoring of medium compression and the passage of molecules, such as monoclonal antibodies, through the column bed during chromatography 989(2003)79

Multiobjective optimization of simulated moving bed and Varicol processes using a genetic algorithm 989(2003)95

Direct enzyme adsorption from an unclarified microbial feedstock using suspended bed chromatography 989(2003)109

Evaluation of protein-A chromatography media 989(2003)139

Preparative electrophoresis

Design of a new, twelve-channel electrophoretic apparatus based on the Gradiflow technology 989(2003)65

Preparative-scale isoelectric trapping enantiomer separations 989(2003)73

Pressurized liquid extraction

Pressurized liquid extraction of selected molecular biomarkers in deep sea sediments used as proxies in paleoceanography 989(2003)197

Production rate

Evaluation of protein-A chromatography media 989(2003)139

Protein A

Use of ultrasound to monitor the packing of large scale columns, the monitoring of medium compression and the passage of molecules, such as monoclonal antibodies, through the column bed during chromatography 989(2003)79

Evaluation of protein-A chromatography media 989(2003)139

Identification of protein A media performance attributes that can be monitored as surrogates for retrovirus clearance during extended re-use 989(2003)155

Proteins

Design of a new, twelve-channel electrophoretic apparatus based on the Gradiflow technology 989(2003)65

Tobacco protein separation by aqueous two-phase extraction 989(2003)119

Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131

Identification of protein A media performance attributes that can be monitored as surrogates for retrovirus clearance during extended re-use 989(2003)155

Pyridine nucleotides

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Quinoline yellow

Purification of quinoline yellow components using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 989(2003)249

Rate constants

Monitoring dediazonium product formation by high-performance liquid chromatography after derivatization 989(2003)221

Retention

Modeling of adsorption in hydrophobic interaction chromatography systems using a preferential interaction quadratic isotherm 989(2003)47

Retention mechanism

Separation of polar compounds using carbon columns (Review) 989(2003)183

Reverse transcriptase

Identification of protein A media performance attributes that can be monitored as surrogates for retrovirus clearance during extended re-use 989(2003)155

Reviews

Separation of polar compounds using carbon columns (Review) 989(2003)183

Salt effects

Modeling of adsorption in hydrophobic interaction chromatography systems using a preferential interaction quadratic isotherm 989(2003)47

Sample preparation

Determination of T-2 toxin in cereal grains by liquid chromatography with fluorescence detection after immunoaffinity column clean-up and derivatization with 1-anthroylnitrile 989(2003)257

Schisandra chinensis

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Schizandrin

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Simulated moving bed chromatography

Multiobjective optimization of simulated moving bed and Varicol processes using a genetic algorithm 989(2003)95

Soybean

Erratum to "Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny". [J. Chromatogr. A, 915 (2001) 61–74] 989(2003)317

Stability studies

Studies on the long-term thermal stability of stationary phases in subcritical water chromatography 989(2003)55

Stationary phases, GC

Effects of solvent density on retention in gas-liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265

Stationary phases, LC

Studies on the long-term thermal stability of stationary phases in subcritical water chromatography 989(2003)55

Influence of the particle porosity on chromatographic band profiles 989(2003)207

Subcritical water chromatography

Studies on the long-term thermal stability of stationary phases in subcritical water chromatography 989(2003)55

Sulfonates

Purification of quinoline yellow components using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 989(2003)249

Suspended bed chromatography

Direct enzyme adsorption from an unclarified microbial feedstock using suspended bed chromatography 989(2003)109

Sweeping

Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293

Temperature effects

Studies on the long-term thermal stability of stationary phases in subcritical water chromatography 989(2003)55

Textiles

Identification of natural dyes in archeological Coptic textiles by liquid chromatography with diode array detection 989(2003)239

Thermodynamic parameters

Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131

Effects of solvent density on retention in gas-liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265

Tobacco

Tobacco protein separation by aqueous two-phase extraction 989(2003)119

Tocopherols

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Tocotrienols

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Toxins

Determination of T-2 toxin in cereal grains by liquid chromatography with fluorescence detection after immunoaffinity column clean-up and derivatization with 1-anthroylnitrile 989(2003)257

Ultrasound techniques

Use of ultrasound to monitor the packing of large scale columns, the monitoring of medium compression and the passage of molecules, such as monoclonal antibodies, through the column bed during chromatography 989(2003)79

 $U_{37}^{K'}$ index

Pressurized liquid extraction of selected molecular biomarkers in deep sea sediments used as proxies in paleoceanography 989(2003)197

Var splendens

Development and optimization of a method for the analysis of low-molecular-mass organic acids in plants by capillary electrophoresis with indirect UV detection 989(2003)285

Vanadyl carboxylate

Separation of vanadium isotopes by ion-exchange chromatography 989(2003)175

Varicol process

Multiobjective optimization of simulated moving bed and Varicol processes using a genetic algorithm 989(2003)95

Vegetable oils

Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19

Viruses

Identification of protein A media performance attributes that can be monitored as surrogates for retrovirus clearance during extended re-use 989(2003)155

Zirconia

Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131