


Available online at www.sciencedirect.com



Journal of Chromatography A, 991 (2003) 291-296

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 991

Adsorption isotherms

Theoretical and experimental study of binary perturbation peaks with focus on peculiar retention behaviour and vanishing peaks in chiral liquid chromatography 991(2003)31

Aglycones

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Air-driven pumps

Safety concerns in ultrahigh pressure capillary liquid chromatography using air-driven pumps 991(2003)189

Allicin

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Alliin

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Amines, aromatic

New technique using solid-phase extraction for the analysis of aromatic amines in mainstream cigarette smoke 991(2003)99

Apigenin

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Background electrolyte composition

Performance of capillary gel electrophoretic analysis of oligonucleotides coupled on-line with electrospray mass spectrometry 991(2003)129

Band broadening

Computational fluid dynamics simulations yielding guidelines for the ideal internal structure of monolithic liquid chromatography columns 991(2003)169

Betahistine dihydrochloride

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

Caragana Jubata

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

Carbon composite electrodes

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

Carbon dioxide

Chemical compositional separation of styrene–methyl methacrylate copolymers using high-performance liquid chromatography with liquefied carbon dioxide as eluent 991(2003)197

Catechins

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Cation-exchange chromatofocusing

High-performance cation-exchange chromatofocusing of proteins 991(2003)117

Chloride

Efficiency and characteristics of solid-phase (ion-exchange) extraction for removal of Cl^- matrix 991(2003)23

Chromatofocusing

High-performance cation-exchange chromatofocusing of proteins 991(2003)117

Cigarette smoke

New technique using solid-phase extraction for the analysis of aromatic amines in mainstream cigarette smoke 991(2003)99

Color additives

Separation and quantitation of components in FD&C Red No. 3 using capillary electrophoresis 991(2003)275

0021-9673/03/\$ – see front matter @ 2003 Elsevier Science B.V. All right reserved doi:10.1016/ S0021-9673(03)00377-7

292

Column packing

Computational fluid dynamics simulations yielding guidelines for the ideal internal structure of monolithic liquid chromatography columns 991(2003)169

Computational fluid dynamics simulations

Computational fluid dynamics simulations yielding guidelines for the ideal internal structure of monolithic liquid chromatography columns 991(2003)169

Computer simulation

Computer-assisted method development and optimization in HPLC 991(2003)281

Computer-assisted optimization

Computer-assisted method development and optimization in HPLC 991(2003)281

Deoxyalliin

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Derivatisation, GC

Derivatisation and gas chromatography-chemical ionisation mass spectrometry of selected synthetic and natural endocrine disruptive chemicals 991(2003)77

Derivatization, GC

Determination of ethylene oxide by solid-phase microextraction device with on-fiber derivatization 991(2003)1

Detection, electrophoresis

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

Dihydroxyflavone

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Dopamine

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

DryLab

Computer-assisted method development and optimization in HPLC 991(2003)281

Dyes

Separation and quantitation of components in FD&C Red No. 3 using capillary electrophoresis 991(2003)275

Electrochemical detection

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

Electrodes

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

Elution temperature

Extending the range of compounds amenable for gas chromatography-mass spectometric analysis 991(2003)217

Enantiomer separation

Theoretical and experimental study of binary perturbation peaks with focus on peculiar retention behaviour and vanishing peaks in chiral liquid chromatography 991(2003)31

Endocrine disruptive chemicals

Derivatisation and gas chromatography-chemical ionisation mass spectrometry of selected synthetic and natural endocrine disruptive chemicals 991(2003)77

Environmental analysis

Microscale solid-phase extraction system for explosives 991(2003)159

Enzyme inhibitors

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

Epidermal growth factor receptor

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

Epinephrine

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

Erythrosine

Separation and quantitation of components in FD&C Red No. 3 using capillary electrophoresis 991(2003)275

Estrogens

Derivatisation and gas chromatography-chemical ionisation mass spectrometry of selected synthetic and natural endocrine disruptive chemicals 991(2003)77

Ethylene oxide

Determination of ethylene oxide by solid-phase microextraction device with on-fiber derivatization 991(2003)1

Explosives

Microscale solid-phase extraction system for explosives 991(2003)159

Extraction methods

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Fatty acids

Comparison of gas chromatography-mass spectrometry and liquid chromatography-mass spectrometry for the determination of fatty and resin acids in paper mill process waters 991(2003)205

FD&C Red No. 3

Separation and quantitation of components in FD&C Red No. 3 using capillary electrophoresis 991(2003)275

Flavanols

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Flavones

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Flavonoids

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

Flow simulations

Computational fluid dynamics simulations yielding guidelines for the ideal internal structure of monolithic liquid chromatography columns 991(2003)169

Food analysis

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Garlic

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Gas chromatography-mass spectrometry

Extending the range of compounds amenable for gas chromatography-mass spectometric analysis 991(2003)217

Ginger

Analysis of a ginger extract by high-performance liquid chromatography coupled to nuclear magnetic resonance spectroscopy using superheated deuterium oxide as the mobile phase 991(2003)143

Glycosides

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Gradient elution

Chemical compositional separation of styrene–methyl methacrylate copolymers using high-performance liquid chromatography with liquefied carbon dioxide as eluent 991(2003)197

Headspace analysis

Determination of major compounds in sweet wines by headspace solid-phase microextraction and gas chromatography 991(2003)13

Hydrocarbon group type analysis

Optimized conditions for hydrocarbon group type analysis of base oils by thin-layer chromatography-flame ionisation detection 991(2003)255

Hydrocarbons

Optimized conditions for hydrocarbon group type analysis of base oils by thin-layer chromatography–flame ionisation detection 991(2003)255

Injection methods

Large-volume programmed-temperature vaporiser injection for fast gas chromatography with electron capture and mass specrometric detection of polybrominated diphenyl ethers 991(2003)241

Inorganic anions

Efficiency and characteristics of solid-phase (ion-exchange) extraction for removal of Cl^- matrix 991(2003)23

Instrumentation

Microscale solid-phase extraction system for explosives 991(2003)159

Ion-pairing reagents

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Isoflavones

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Luteolin

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Mathematical modelling

Computational fluid dynamics simulations yielding guidelines for the ideal internal structure of monolithic liquid chromatography columns 991(2003)169

Mobile phase composition

Chemical compositional separation of styrene–methyl methacrylate copolymers using high-performance liquid chromatography with liquefied carbon dioxide as eluent 991(2003)197

Molecular imprinting

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

Monolithic columns

Computational fluid dynamics simulations yielding guidelines for the ideal internal structure of monolithic liquid chromatography columns 991(2003)169

Natural products

Analysis of a ginger extract by high-performance liquid chromatography coupled to nuclear magnetic resonance spectroscopy using superheated deuterium oxide as the mobile phase 991(2003)143

Net analyte signal

Net analyte signal as a deconvolution-oriented resolution criterion in the optimisation of chromatographic techniques 991(2003)47

Nuclear magnetic resonance spectroscopy

Analysis of a ginger extract by high-performance liquid chromatography coupled to nuclear magnetic resonance spectroscopy using superheated deuterium oxide as the mobile phase 991(2003)143

Objective function

Net analyte signal as a deconvolution-oriented resolution criterion in the optimisation of chromatographic techniques 991(2003)47

Oligonucleotides

Performance of capillary gel electrophoretic analysis of oligonucleotides coupled on-line with electrospray mass spectrometry 991(2003)129

Oils

Optimized conditions for hydrocarbon group type analysis of base oils by thin-layer chromatography-flame ionisation detection 991(2003)255

Optimisation

Net analyte signal as a deconvolution-oriented resolution criterion in the optimisation of chromatographic techniques 991(2003)47

Organosulfur compounds

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Paper mill

Comparison of gas chromatography-mass spectrometry and liquid chromatography-mass spectrometry for the determination of fatty and resin acids in paper mill process waters 991(2003)205

Peak deconvolution

Net analyte signal as a deconvolution-oriented resolution criterion in the optimisation of chromatographic techniques 991(2003)47

Peptides

High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69

Perturbation method

Theoretical and experimental study of binary perturbation peaks with focus on peculiar retention behaviour and vanishing peaks in chiral liquid chromatography 991(2003)31

Petroleum

Optimized conditions for hydrocarbon group type analysis of base oils by thin-layer chromatography–flame ionisation detection 991(2003)255

Pharmaceutical analysis

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

pH gradients

High-performance cation-exchange chromatofocusing of proteins 991(2003)117

Phosphodiesters

Performance of capillary gel electrophoretic analysis of oligonucleotides coupled on-line with electrospray mass spectrometry 991(2003)129

Planar extraction

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Plant materials

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Polybrominated diphenyl ethers

Large-volume programmed-temperature vaporiser injection for fast gas chromatography with electron capture and mass specrometric detection of polybrominated diphenyl ethers 991(2003)241

Polymers

Chemical compositional separation of styrene–methyl methacrylate copolymers using high-performance liquid chromatography with liquefied carbon dioxide as eluent 991(2003)197

Poly(styrene-methyl methacrylate)

Chemical compositional separation of styrene–methyl methacrylate copolymers using high-performance liquid chromatography with liquefied carbon dioxide as eluent 991(2003)197

Proteins

High-performance cation-exchange chromatofocusing of proteins 991(2003)117

PTV injection

Large-volume programmed-temperature vaporiser injection for fast gas chromatography with electron capture and mass specrometric detection of polybrominated diphenyl ethers 991(2003)241

Quercetin

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

Quercus robur

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Resin acids

Comparison of gas chromatography-mass spectrometry and liquid chromatography-mass spectrometry for the determination of fatty and resin acids in paper mill process waters 991(2003)205

Resolution

Net analyte signal as a deconvolution-oriented resolution criterion in the optimisation of chromatographic techniques 991(2003)47

Retention behaviour

Theoretical and experimental study of binary perturbation peaks with focus on peculiar retention behaviour and vanishing peaks in chiral liquid chromatography 991(2003)31

Rotation planar chromatography

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Rotation planar extraction

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Safety concerns

Safety concerns in ultrahigh pressure capillary liquid chromatography using air-driven pumps 991(2003)189

Sample preparation

Efficiency and characteristics of solid-phase (ion-exchange) extraction for removal of Cl^- matrix 991(2003)23

Sheath liquid effects

Performance of capillary gel electrophoretic analysis of oligonucleotides coupled on-line with electrospray mass spectrometry 991(2003)129

Solid-liquid extraction

Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267

Solid-phase extraction

Efficiency and characteristics of solid-phase (ion-exchange) extraction for removal of Cl^- matrix 991(2003)23

Selective separation of active inhibitors of epidermal growth factor receptor from Caragana Jubata by molecularly imprinted solid-phase extraction 991(2003)151

Microscale solid-phase extraction system for explosives 991(2003)159

Solid-phase microextraction

Determination of ethylene oxide by solid-phase microextraction device with on-fiber derivatization 991(2003)1

Determination of major compounds in sweet wines by headspace solid-phase microextraction and gas chromatography 991(2003)13

Sol-gel

Evaluation of a sol-gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109

Soybean

Identification of flavone aglycones and glycosides in soybean pods by liquid chromatography-tandem mass spectrometry 991(2003)61

Superheated water chromatography

Analysis of a ginger extract by high-performance liquid chromatography coupled to nuclear magnetic resonance spectroscopy using superheated deuterium oxide as the mobile phase 991(2003)143

Supersonic GC-MS

Extending the range of compounds amenable for gas chromatography-mass spectometric analysis 991(2003)217

Temperature programming

Extending the range of compounds amenable for gas chromatography-mass spectometric analysis 991(2003)217

Thermally labile compounds

Extending the range of compounds amenable for gas chromatography-mass spectometric analysis 991(2003)217

Ultrahigh-pressure liquid chromatography

Safety concerns in ultrahigh pressure capillary liquid chromatography using air-driven pumps 991(2003)189

296

Volatile organic compounds

Determination of major compounds in sweet wines by headspace solid-phase microextraction and gas chromatography 991(2003)13

Water analysis

Microscale solid-phase extraction system for explosives 991(2003)159

Comparison of gas chromatography-mass spectrometry and liquid chromatography-mass spectrometry for the determination of fatty and resin acids in paper mill process waters 991(2003)205

Wine

Determination of major compounds in sweet wines by headspace solid-phase microextraction and gas chromatography 991(2003)13