

Subject Index Vol. 992

Abamectin

Determination of abamectin and azadirachtin residues in orange samples by liquid chromatography–electrospray tandem mass spectrometry 992(2003)133

Accuracy

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Adsorption equilibrium

Modeling of the salt effects on hydrophobic adsorption equilibrium of protein 992(2003)29

Affinity chromatography

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Albumin

Modeling of the salt effects on hydrophobic adsorption equilibrium of protein 992(2003)29

Amino acids

New ligand exchange chiral stationary phase for the liquid chromatographic resolution of α - and β -amino acids 992(2003)47

Aminophthalhydrazide

Determination of carbohydrates as their 3-aminophthalhydrazide derivatives by capillary zone electrophoresis with on-line chemiluminescence detection 992(2003)181

Angiotensins

Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169

Aroma compounds

Changes in the order of elution of some organic compounds in high-resolution gas chromatography on polar columns depending on the injection method and water content in the sample 992(2003)199

Arylcarbinols

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

Astragalus membranaceus

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Axial compression

Reproducible preparative liquid chromatography columns 992(2003)41

Azadirachtin

Determination of abamectin and azadirachtin residues in orange samples by liquid chromatography–electrospray tandem mass spectrometry 992(2003)133

Benzoic acid

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Bis(diisopropylaminoethyl)disulfide

Detection of VX contamination in soil through solid-phase microextraction sampling and gas chromatography/mass spectrometry of the VX degradation product bis(diisopropylaminoethyl)disulfide 992(2003)1

Calycosin glycoside

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Capillary electrophoresis

Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169

Carbohydrates

Characterisation of legumes by enzymatic hydrolysis, microdialysis sampling, and micro-high-performance anion-exchange chromatography with electrospray ionisation mass spectrometry 992(2003)67

Fractionation of starch hydrolysates into dextrins with narrow molecular mass distribution and their detection by high-performance anion-exchange chromatography with pulsed amperometric detection 992(2003)75

Determination of carbohydrates as their 3-aminophthalhydrazide derivatives by capillary zone electrophoresis with on-line chemiluminescence detection 992(2003)181

Chemiluminescence detection

Determination of carbohydrates as their 3-aminophthalhydrazide derivatives by capillary zone electrophoresis with on-line chemiluminescence detection 992(2003)181

Chemometrics

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Chiral stationary phases, GC

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

Chiral stationary phases, LC

New ligand exchange chiral stationary phase for the liquid chromatographic resolution of α - and β -amino acids 992(2003)47

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

Counter-current chromatography

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Derivatization, electrophoresis

Determination of carbohydrates as their 3-aminophthalhydrazide derivatives by capillary zone electrophoresis with on-line chemiluminescence detection 992(2003)181

Detection, electrophoresis

Determination of carbohydrates as their 3-aminophthalhydrazide derivatives by capillary zone electrophoresis with on-line chemiluminescence detection 992(2003)181

Dextrins

Fractionation of starch hydrolysates into dextrins with narrow molecular mass distribution and their detection by high-performance anion-exchange chromatography with pulsed amperometric detection 992(2003)75

Dialysis

Characterisation of legumes by enzymatic hydrolysis, microdialysis sampling, and micro-high-performance anion-exchange chromatography with electrospray ionisation mass spectrometry 992(2003)67

Fractionation of starch hydrolysates into dextrins with narrow molecular mass distribution and their detection by high-performance anion-exchange chromatography with pulsed amperometric detection 992(2003)75

1,2-Dimethoxyethane

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

Dinophysis acuta

Liquid chromatography–mass spectrometry of spiroketal stereoisomers of pectenotoxins and the analysis of novel pectenotoxin isomers in the toxic dinoflagellate *Dinophysis acuta* from New Zealand 992(2003)141

Efficiency

Reproducible preparative liquid chromatography columns 992(2003)41

Enantiomer separation

New ligand exchange chiral stationary phase for the liquid chromatographic resolution of α - and β -amino acids 992(2003)47

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

Enzymes

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Fibrinolysis

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Field analysis

Detection of VX contamination in soil through solid-phase microextraction sampling and gas chromatography/mass spectrometry of the VX degradation product bis(diisopropylaminoethyl)disulfide 992(2003)1

Food analysis

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Multiresidue method for fourteen fungicides in white grapes by liquid–liquid and solid-phase extraction followed by liquid chromatography–diode array detection 992(2003)121

Determination of abamectin and azadirachtin residues in orange samples by liquid chromatography–electrospray tandem mass spectrometry 992(2003)133

Liquid chromatography–mass spectrometry of spiroketal stereoisomers of pectenotoxins and the analysis of novel pectenotoxin isomers in the toxic dinoflagellate *Dinophysis acuta* from New Zealand 992(2003)141

Formononetin glycoside

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Fruits

Multiresidue method for fourteen fungicides in white grapes by liquid–liquid and solid-phase extraction followed by liquid chromatography–diode array detection 992(2003)121

Determination of abamectin and azadirachtin residues in orange samples by liquid chromatography–electrospray tandem mass spectrometry 992(2003)133

Glucooligosaccharides

Fractionation of starch hydrolysates into dextrans with narrow molecular mass distribution and their detection by high-performance anion-exchange chromatography with pulsed amperometric detection 992(2003)75

Glycosides

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Grapes

Multiresidue method for fourteen fungicides in white grapes by liquid–liquid and solid-phase extraction followed by liquid chromatography–diode array detection 992(2003)121

Heteroarylcarbinols

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

Hydrazine

Determination of 3-nitrobenzanthrone in surface soil by normal-phase high-performance liquid chromatography with fluorescence detection 992(2003)101

Hydrophobic adsorption

Modeling of the salt effects on hydrophobic adsorption equilibrium of protein 992(2003)29

Hydrosilation

Synthesis and evaluation of a C₈ stationary phase on a silica hydride surface by hydrosilation of 1-octyne 992(2003)57

Hydroxyprogesterones

Use of liquid chromatography–diode-array detection and mass spectrometry for rapid product identification in biotechnological synthesis of a hydroxyprogesterone 992(2003)85

Injection methods

Changes in the order of elution of some organic compounds in high-resolution gas chromatography on polar columns depending on the injection method and water content in the sample 992(2003)199

Interfaces, electrophoresis-MS

Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169

Isoflavones

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Isotachopheresis

Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169

Isotachopheresis–capillary electrophoresis, comprehensive

Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169

Ligand exchange

New ligand exchange chiral stationary phase for the liquid chromatographic resolution of α - and β -amino acids 992(2003)47

Luminol

Determination of carbohydrates as their 3-aminophthalhydrazide derivatives by capillary zone electrophoresis with on-line chemiluminescence detection 992(2003)181

Mass spectrometry

Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169

Microcystins

Further improvements in the application of high-performance liquid chromatography, capillary electrophoresis and capillary electrochromatography to the analysis of algal toxins in the aquatic environment 992(2003)159

Monolithic disks

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Naphthalene

Reproducible preparative liquid chromatography columns 992(2003)41

3-Nitrobenzanthrone

Determination of 3-nitrobenzanthrone in surface soil by normal-phase high-performance liquid chromatography with fluorescence detection 992(2003)101

1-Octyne

Synthesis and evaluation of a C₈ stationary phase on a silica hydride surface by hydrosilation of 1-octyne 992(2003)57

Oligolysines

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Organic acids

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Pectenotoxins

Liquid chromatography–mass spectrometry of spiroketal stereoisomers of pectenotoxins and the analysis of novel pectenotoxin isomers in the toxic dinoflagellate *Dinophysis acuta* from New Zealand 992(2003)141

Peptides

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169

Pesticides

Multiresidue method for fourteen fungicides in white grapes by liquid–liquid and solid-phase extraction followed by liquid chromatography–diode array detection 992(2003)121

Determination of abamectin and azadirachtin residues in orange samples by liquid chromatography–electrospray tandem mass spectrometry 992(2003)133

1-Phenyl-2-butanol

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

1-Phenyl-2-propanol

Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151

***Phaseolus* spp**

Characterisation of legumes by enzymatic hydrolysis, microdialysis sampling, and micro-high-performance anion-exchange chromatography with electrospray ionisation mass spectrometry 992(2003)67

Plant materials

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Plasminogen activator

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Polylysines

In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109

Preparative chromatography

Reproducible preparative liquid chromatography columns 992(2003)41

Use of liquid chromatography–diode-array detection and mass spectrometry for rapid product identification in biotechnological synthesis of a hydroxyprogesterone 992(2003)85

Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193

Progesterones

Use of liquid chromatography–diode-array detection and mass spectrometry for rapid product identification in biotechnological synthesis of a hydroxyprogesterone 992(2003)85

Proteins

Modeling of the salt effects on hydrophobic adsorption equilibrium of protein 992(2003)29

Raney nickel

Determination of 3-nitrobenzanthrone in surface soil by normal-phase high-performance liquid chromatography with fluorescence detection 992(2003)101

Regression analysis

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Reproducibility

Reproducible preparative liquid chromatography columns 992(2003)41

Retention times

Reproducible preparative liquid chromatography columns 992(2003)41

Robust testing

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Salt effects

Modeling of the salt effects on hydrophobic adsorption equilibrium of protein 992(2003)29

Sample preparation

Characterisation of legumes by enzymatic hydrolysis, microdialysis sampling, and micro-high-performance anion-exchange chromatography with electrospray ionisation mass spectrometry 992(2003)67

Shellfish poisoning

Liquid chromatography–mass spectrometry of spiroketal stereoisomers of pectenotoxins and the analysis of novel pectenotoxin isomers in the toxic dinoflagellate *Dinophysis acuta* from New Zealand 992(2003)141

Further improvements in the application of high-performance liquid chromatography, capillary electrophoresis and capillary electrochromatography to the analysis of algal toxins in the aquatic environment 992(2003)159

Soft drinks

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Solid-phase microextraction

Detection of VX contamination in soil through solid-phase microextraction sampling and gas chromatography/mass spectrometry of the VX degradation product bis(diisopropylaminoethyl)disulfide 992(2003)1

Sorbic acid

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Starch

Fractionation of starch hydrolysates into dextrans with narrow molecular mass distribution and their detection by high-performance anion-exchange chromatography with pulsed amperometric detection 992(2003)75

Stationary phases, GC

Changes in the order of elution of some organic compounds in high-resolution gas chromatography on polar columns depending on the injection method and water content in the sample 992(2003)199

Stationary phases, LC

Reproducible preparative liquid chromatography columns 992(2003)41

Synthesis and evaluation of a C₈ stationary phase on a silica hydride surface by hydrosilation of 1-octyne 992(2003)57

Steroids

Use of liquid chromatography–diode-array detection and mass spectrometry for rapid product identification in biotechnological synthesis of a hydroxyprogesterone 992(2003)85

Stereoisomer separation

Liquid chromatography–mass spectrometry of spiroketal stereoisomers of pectenotoxins and the analysis of novel pectenotoxin isomers in the toxic dinoflagellate *Dinophysis acuta* from New Zealand 992(2003)141

Surface soil

Determination of 3-nitrobenzanthrone in surface soil by normal-phase high-performance liquid chromatography with fluorescence detection 992(2003)101

Toxins

Liquid chromatography–mass spectrometry of spiroketal stereoisomers of pectenotoxins and the analysis of novel pectenotoxin isomers in the toxic dinoflagellate *Dinophysis acuta* from New Zealand 992(2003)141

Further improvements in the application of high-performance liquid chromatography, capillary electrophoresis and capillary electrochromatography to the analysis of algal toxins in the aquatic environment 992(2003)159

Validation

Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11

Vegetables

Characterisation of legumes by enzymatic hydrolysis, microdialysis sampling, and micro-high-performance anion-exchange chromatography with electrospray ionisation mass spectrometry 992(2003)67

Volatile organic compounds

Changes in the order of elution of some organic compounds in high-resolution gas chromatography on polar columns depending on the injection method and water content in the sample 992(2003)199

VX

Detection of VX contamination in soil through solid-phase microextraction sampling and gas chromatography/mass spectrometry of the VX degradation product bis(diisopropylaminoethyl)disulfide 992(2003)1

Warfare agents

Detection of VX contamination in soil through solid-phase microextraction sampling and gas chromatography/mass spectrometry of the VX degradation product bis(diisopropylaminoethyl)disulfide 992(2003)1

Water

Changes in the order of elution of some organic compounds in high-resolution gas chromatography on polar columns depending on the injection method and water content in the sample 992(2003)199