


Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 994 (2003) 235-239

www.elsevier.com/locate/chroma

Subject Index Vol. 994

Alcohole

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Algal toxins

Liquid chromatography-electrospray ionisation-mass spectrometry based method for the simultaneous determination of algal and cyanobacterial toxins in phytoplankton from marine waters and lakes followed by tentative structural elucidation of microcystins 994(2003)45

Alkanes

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Amino acids

Mixed chiral stationary phase containing modified resorcinarene and β -cyclodextrin selectors bonded to a polysiloxane for enantioselective gas chromatography 994(2003)127

Antibiotics

Determination of the antibiotic chloramphenicol in meat and seafood products by liquid chromatography-electrospray ionization tandem mass spectrometry 994(2003)75

Avidin

Determination of biotin on a protein by quantitative sodium dodecyl sulfate-capillary gel electrophoresis of monomeric avidin 994(2003)213

Bacillus thuringiensis

Determination of spore concentration in *Bacillus thuringiensis* through the analysis of dipicolinate by capillary zone electrophoresis 994(2003)207

Background electrolyte composition

Mathematical representation of electrophoretic mobility of basic drugs in ternary solvent buffers in capillary zone electrophoresis 994(2003)191

Barbiturates

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography—ion trap mass spectrometry and library searching 994(2003)93

Benzodiazepines

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography-ion trap mass spectrometry and library searching 994(2003)93

Beta-blockers

Mathematical representation of electrophoretic mobility of basic drugs in ternary solvent buffers in capillary zone electrophoresis 994(2003)191

Biotin

Determination of biotin on a protein by quantitative sodium dodecyl sulfate-capillary gel electrophoresis of monomeric avidin 994(2003)213

Butvlbenzene

Determination of uracil in 5-fluorouracil substance by highperformance liquid chromatography 994(2003)221

Capillary columns

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Carrier gas

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Caseins

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Cheese

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Chiral stationary phases, GC

Mixed chiral stationary phase containing modified resorcinarene and β-cyclodextrin selectors bonded to a polysiloxane for enantioselective gas chromatography 994(2003)127

0021-9673/03/\$ – see front matter © 2003 Elsevier Science B.V. All right reserved doi:10.1016/S0021-9673(03)00596-X

Chloramphenicol

Determination of the antibiotic chloramphenicol in meat and seafood products by liquid chromatography-electrospray ionization tandem mass spectrometry 994(2003)75

Chlorophyllides

Rapid separation of chlorophylls a and b and their demetallated and dephytylated derivatives using a monolithic silica C_{18} column and a pyridine-containing mobile phase 994(2003)85

Chlorophylls

Rapid separation of chlorophylls a and b and their demetallated and dephytylated derivatives using a monolithic silica C_{18} column and a pyridine-containing mobile phase 994(2003)85

Column characterization

Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns using principal component analysis 994(2003)13

Computer simulation

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Counter-current chromatography

Preparative separation and purification of squalene from the microalga *Thraustochytrium* **ATCC 26185** by high-speed counter-current chromatography 994(2003)37

Cyanobacterial toxins

Liquid chromatography—electrospray ionisation-mass spectrometry based method for the simultaneous determination of algal and cyanobacterial toxins in phytoplankton from marine waters and lakes followed by tentative structural elucidation of microcystins 994(2003)45

Cyclodextrins

Mixed chiral stationary phase containing modified resorcinarene and β -cyclodextrin selectors bonded to a polysiloxane for enantioselective gas chromatography 994(2003)127

Detection, GC

Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137

Diffusion coefficients

Axial and radial diffusion coefficients in a liquid chromatography column and bed heterogeneity 994(2003)1

Dipicolinic acid

Determination of spore concentration in *Bacillus thuringiensis* through the analysis of dipicolinate by capillary zone electrophoresis 994(2003)207

Electrophoretic mobility

Determination of the absolute mobility and the equivalent ionic conductivity of NpO_2^+ at 25 °C and at infinite dilution by capillary electrophoresis-inductively coupled plasma-mass spectrometry 994(2003)199

Electrophoretic mobility prediction

Mathematical representation of electrophoretic mobility of basic drugs in ternary solvent buffers in capillary zone electrophoresis 994(2003)191

Enantiomer separation

Mixed chiral stationary phase containing modified resorcinarene and β -cyclodextrin selectors bonded to a polysiloxane for enantioselective gas chromatography 994(2003)127

Enantiomeric separation of acidic compounds of pharmaceutical interest by capillary electrochromatography employing glycopeptide antibiotic stationary phases 994(2003)227

Environmental analysis

Automated fast extraction of nitrated polycyclic aromatic hydrocarbons from soil by focused microwave-assisted Soxhlet extraction prior to gas chromatography-electron-capture detection 994(2003)159

Screening and determination of pesticides in soil using continuous subcritical water extraction and gas chromatography—mass spectrometry 994(2003)169

Extraction methods

Automated fast extraction of nitrated polycyclic aromatic hydrocarbons from soil by focused microwave-assisted Soxhlet extraction prior to gas chromatography-electron-capture detection 994(2003)159

Screening and determination of pesticides in soil using continuous subcritical water extraction and gas chromatography—mass spectrometry 994(2003)169

Fatty acids

Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137

Fish

Determination of the antibiotic chloramphenicol in meat and seafood products by liquid chromatography-electrospray ionization tandem mass spectrometry 994(2003)75

Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137

Flow-rate

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Fluorouracil

Determination of uracil in 5-fluorouracil substance by highperformance liquid chromatography 994(2003)221

Focused microwave-assisted Soxhlet extraction

Automated fast extraction of nitrated polycyclic aromatic hydrocarbons from soil by focused microwave-assisted Soxhlet extraction prior to gas chromatography-electron-capture detection 994(2003)159

Food analysis

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Determination of the antibiotic chloramphenicol in meat and seafood products by liquid chromatography-electrospray ionization tandem mass spectrometry 994(2003)75

Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137

Forensic analysis

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography-ion trap mass spectrometry and library searching 994(2003)93

Gas chromatography, comprehensive two-dimensional

Attempt to unravel the composition of toxaphene by comprehensive two-dimensional gas chromatography with selective detection 994(2003)179

Glycoproteins

Determination of biotin on a protein by quantitative sodium dodecyl sulfate-capillary gel electrophoresis of monomeric avidin 994(2003)213

Gradient elution

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography-ion trap mass spectrometry and library searching 994(2003)93

Guanidine thiocyanate

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Halogen-specific detection

Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137

Hydrophobic interaction chromatography

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Inlet pressure

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Iodine

Axial and radial diffusion coefficients in a liquid chromatography column and bed heterogeneity 994(2003)1

Ionic strength

Determination of the absolute mobility and the equivalent ionic conductivity of NpO_2^+ at 25 °C and at infinite dilution by capillary electrophoresis-inductively coupled plasma-mass spectrometry 994(2003)199

Kraft pulp

Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137

Libraries, MS

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography-ion trap mass spectrometry and library searching 994(2003)93

Lysergic acid diethylamide

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography-ion trap mass spectrometry and library searching 994(2003)93

Mathematical modelling

Mathematical representation of electrophoretic mobility of basic drugs in ternary solvent buffers in capillary zone electrophoresis 994(2003)191

Meat

Determination of the antibiotic chloramphenicol in meat and seafood products by liquid chromatography-electrospray ionization tandem mass spectrometry 994(2003)75

Microcystins

Liquid chromatography-electrospray ionisation-mass spectrometry based method for the simultaneous determination of algal and cyanobacterial toxins in phytoplankton from marine waters and lakes followed by tentative structural elucidation of microcystins 994(2003)45

Milk

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Mobile phase composition

Determination of uracil in 5-fluorouracil substance by highperformance liquid chromatography 994(2003)221

Monolithic columns

Rapid separation of chlorophylls a and b and their demetallated and dephytylated derivatives using a monolithic silica C_{18} column and a pyridine-containing mobile phase 994(2003)85

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography-ion trap mass spectrometry and library searching 994(2003)93

Neptunium

Determination of the absolute mobility and the equivalent ionic conductivity of NpO_2^+ at 25 °C and at infinite dilution by capillary electrophoresis-inductively coupled plasma-mass spectrometry 994(2003)199

Nonsteroidal anti-inflammatory drugs

Enantiomeric separation of acidic compounds of pharmaceutical interest by capillary electrochromatography employing glycopeptide antibiotic stationary phases 994(2003)227

Opiates

Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography-ion trap mass spectrometry and library searching 994(2003)93

Organochlorine compounds

Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137

Attempt to unravel the composition of toxaphene by comprehensive two-dimensional gas chromatography with selective detection 994(2003)179

Packed columns

Axial and radial diffusion coefficients in a liquid chromatography column and bed heterogeneity 994(2003)1

Packing density

Axial and radial diffusion coefficients in a liquid chromatography column and bed heterogeneity 994(2003)1

Peak width

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Pesticides

Screening and determination of pesticides in soil using continuous subcritical water extraction and gas chromatography—mass spectrometry 994(2003)169

Pharmaceutical analysis

Enantiomeric separation of acidic compounds of pharmaceutical interest by capillary electrochromatography employing glycopeptide antibiotic stationary phases 994(2003)227

Pheophorbides

Rapid separation of chlorophylls a and b and their demetallated and dephytylated derivatives using a monolithic silica C_{18} column and a pyridine-containing mobile phase 994(2003)85

Pheophytins

Rapid separation of chlorophylls a and b and their demetallated and dephytylated derivatives using a monolithic silica C_{18} column and a pyridine-containing mobile phase 994(2003)85

Polynuclear aromatic hydrocarbons, nitrated

Automated fast extraction of nitrated polycyclic aromatic hydrocarbons from soil by focused microwave-assisted Soxhlet extraction prior to gas chromatography-electron-capture detection 994(2003)159

Plate height

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Pressure programming

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Principal component analysis

Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns using principal component analysis 994(2003)13

Proteins

Separation and determination of denatured α_{s_1} -, α_{s_2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Determination of biotin on a protein by quantitative sodium dodecyl sulfate-capillary gel electrophoresis of monomeric avidin 994(2003)213

Pyrimidines

Determination of uracil in 5-fluorouracil substance by highperformance liquid chromatography 994(2003)221

Resorcinarene

Mixed chiral stationary phase containing modified resorcinarene and β -cyclodextrin selectors bonded to a polysiloxane for enantioselective gas chromatography 994(2003)127

Retention models

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Retention time

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Soil

Automated fast extraction of nitrated polycyclic aromatic hydrocarbons from soil by focused microwave-assisted Soxhlet extraction prior to gas chromatography-electron-capture detection 994(2003)159

Screening and determination of pesticides in soil using continuous subcritical water extraction and gas chromatography—mass spectrometry 994(2003)169

Squalene

Preparative separation and purification of squalene from the microalga *Thraustochytrium* ATCC 26185 by high-speed counter-current chromatography 994(2003)37

Stationary phases, electrochromatography

Enantiomeric separation of acidic compounds of pharmaceutical interest by capillary electrochromatography employing glycopeptide antibiotic stationary phases 994(2003)227

Stationary phases, LC

Axial and radial diffusion coefficients in a liquid chromatography column and bed heterogeneity 994(2003)1

Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns using principal component analysis 994(2003)13

Subcritical water extraction

Screening and determination of pesticides in soil using continuous subcritical water extraction and gas chromatography—mass spectrometry 994(2003)169

Temperature effects

Determination of the absolute mobility and the equivalent ionic conductivity of NpO_2^+ at 25 °C and at infinite dilution by capillary electrophoresis-inductively coupled plasma-mass spectrometry 994(2003)199

Terpenes

Preparative separation and purification of squalene from the microalga *Thraustochytrium* ATCC 26185 by high-speed counter-current chromatography 994(2003)37

Attempt to unravel the composition of toxaphene by comprehensive two-dimensional gas chromatography with selective detection 994(2003)179

Thermodynamic parameters

Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103

Thraustochytrium ATCC 26185

Preparative separation and purification of squalene from the microalga *Thraustochytrium* ATCC 26185 by high-speed counter-current chromatography 994(2003)37

Toxaphene

Attempt to unravel the composition of toxaphene by comprehensive two-dimensional gas chromatography with selective detection 994(2003)179

Toxins

Liquid chromatography-electrospray ionisation-mass spectrometry based method for the simultaneous determination of algal and cyanobacterial toxins in phytoplankton from marine waters and lakes followed by tentative structural elucidation of microcystins 994(2003)45

Uracil

Determination of uracil in 5-fluorouracil substance by highperformance liquid chromatography 994(2003)221

Urea

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59

Water analysis

Liquid chromatography-electrospray ionisation-mass spectrometry based method for the simultaneous determination of algal and cyanobacterial toxins in phytoplankton from marine waters and lakes followed by tentative structural elucidation of microcystins 994(2003)45

Whey proteins

Separation and determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by hydrophobic interaction chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses 994(2003)59