



ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SCIENCE @ DIRECT®

Journal of Chromatography A, 997 (2003) 295–301

JOURNAL OF  
CHROMATOGRAPHY A

[www.elsevier.com/locate/chroma](http://www.elsevier.com/locate/chroma)

## Subject Index Vol. 997

### Acetic acids

Vacancy ion-exclusion chromatography of haloacetic acids on a weakly acidic cation-exchange resin 997(2003)133

Determination of trace levels of haloacetic acids and perchlorate in drinking water by ion chromatography with direct injection 997(2003)225

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

### Alcohols

Ion-exclusion chromatographic behavior of aliphatic carboxylic acids and benzenecarboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with sulfuric acid containing various alcohols as eluent 997(2003)95

### Amines

Novel cation-exchange column for the separation of hydrophobic and/or polyvalent amines 997(2003)199

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

### Amino acids

Use of disposable gold working electrodes for cation chromatography–integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

Some factors affecting separation and detection of amino acids by high-performance anion-exchange chromatography with integrated pulsed amperometric detection 997(2003)145

Off-line elimination of carbohydrates for amino acid analysis of samples with high carbohydrate content by ion-exchange chromatography 997(2003)155

### Ammonium ions

Selective determination of ammonium ions by high-speed ion-exclusion chromatography on a weakly basic anion-exchange resin column 997(2003)191

### Anilines

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

### Benzenecarboxylic acids

Ion-exclusion chromatographic behavior of aliphatic carboxylic acids and benzenecarboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with sulfuric acid containing various alcohols as eluent 997(2003)95

Separation of aliphatic carboxylic acids and benzenecarboxylic acids by ion-exclusion chromatography with various cation-exchange resin columns and sulfuric acid as eluent 997(2003)117

### Benzoic acid

Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on a weakly acidic cation-exchange resin by elution with benzoic acid– $\beta$ -cyclodextrin 997(2003)127

### Biogenic amines

Novel cation-exchange column for the separation of hydrophobic and/or polyvalent amines 997(2003)199

### Capacity gradients

Environmental applications of a cryptand adjustable-capacity anion-exchange separator 997(2003)33

### Carbohydrates

Off-line elimination of carbohydrates for amino acid analysis of samples with high carbohydrate content by ion-exchange chromatography 997(2003)155

### Carboxylic acids

Ion-exclusion chromatographic behavior of aliphatic carboxylic acids and benzenecarboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with sulfuric acid containing various alcohols as eluent 997(2003)95

Ion-exclusion chromatographic separations of  $C_1$ – $C_6$  aliphatic carboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with 5-methylhexanoic acid as eluent 997(2003)107

Separation of aliphatic carboxylic acids and benzenecarboxylic acids by ion-exclusion chromatography with various cation-exchange resin columns and sulfuric acid as eluent 997(2003)117

Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on a weakly acidic cation-exchange resin by elution with benzoic acid- $\beta$ -cyclodextrin 997(2003)127

Vacancy ion-exclusion chromatography of aromatic carboxylic acids on a weakly acidic cation-exchange resin 997(2003)139

Ion chromatographic identification and quantification of glycol degradation products 997(2003)279

#### **Cation exchangers**

Novel cation-exchange column for the separation of hydrophobic and/or polyvalent amines 997(2003)199

#### **Chelation**

Selectivity behaviour of a bonded phosphonate-carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3

#### **Chloride**

Monitoring trace anion contamination in disk drive components 997(2003)259

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

#### **Coated columns**

Modification of ion chromatographic separations by ionic and nonionic surfactants 997(2003)21

#### **Colorimetric solid-phase extraction**

Rapid determination of ions by combined solid-phase extraction-diffuse reflectance spectroscopy 997(2003)41

#### **Corrosion inhibitors**

Determination of inorganic corrosion inhibitors in heat transfer systems by ion chromatography 997(2003)285

#### **Cyclodextrins**

Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on a weakly acidic cation-exchange resin by elution with benzoic acid- $\beta$ -cyclodextrin 997(2003)127

#### **Cysteine**

Use of disposable gold working electrodes for cation chromatography-integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

#### **Detection, electrophoresis**

Highly sensitive indirect photometric detection of cations by capillary electrophoresis with the cationic dye chrysoidine 997(2003)87

#### **Detection, LC**

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

Use of disposable gold working electrodes for cation chromatography-integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

Some factors affecting separation and detection of amino acids by high-performance anion-exchange chromatography with integrated pulsed amperometric detection 997(2003)145

#### **Detection, solid-phase extraction**

Rapid determination of ions by combined solid-phase extraction-diffuse reflectance spectroscopy 997(2003)41

#### **Dextrins**

Dextrin characterization by high-performance anion-exchange chromatography-pulsed amperometric detection and size-exclusion chromatography-multi-angle light scattering-refractive index detection 997(2003)79

#### **Dextrose equivalents**

Dextrin characterization by high-performance anion-exchange chromatography-pulsed amperometric detection and size-exclusion chromatography-multi-angle light scattering-refractive index detection 997(2003)79

#### **Diffuse reflectance spectroscopy**

Rapid determination of ions by combined solid-phase extraction-diffuse reflectance spectroscopy 997(2003)41

#### **Dimyristolylphosphatidylcholine**

Creation and characteristics of phosphatidylcholine stationary phases for the chromatographic separation of inorganic anions 997(2003)237

#### **Disk drive components**

Monitoring trace anion contamination in disk drive components 997(2003)259

#### **Dodecyl sulfate**

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

#### **Dyes, Chrysoidine**

Highly sensitive indirect photometric detection of cations by capillary electrophoresis with the cationic dye chrysoidine 997(2003)87

#### **Dynamic coating**

Modification of ion chromatographic separations by ionic and nonionic surfactants 997(2003)21

**Electrochemical detection**

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

Use of disposable gold working electrodes for cation chromatography-integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

Some factors affecting separation and detection of amino acids by high-performance anion-exchange chromatography with integrated pulsed amperometric detection 997(2003)145

**Electrodes**

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

Use of disposable gold working electrodes for cation chromatography-integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

**Electrokinetic chromatography**

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

**Electrostatic ion chromatography**

Mechanistic studies on the separation of cations in zwitterionic ion chromatography 997(2003)13

**Environmental analysis**

Selective determination of ammonium ions by high-speed ion-exclusion chromatography on a weakly basic anion-exchange resin column 997(2003)191

High-speed simultaneous ion-exclusion/cation-exchange chromatography of anions and cations on a weakly acidic cation-exchange resin column 997(2003)219

**Etchants**

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

**Ethylene glycol**

Ion chromatographic identification and quantification of glycol degradation products 997(2003)279

**Experimental design**

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

**Extraction methods**

Rapid determination of ions by combined solid-phase extraction-diffuse reflectance spectroscopy 997(2003)41

**Food analysis**

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

**Geochemistry**

Determination of lanthanides in synthetic standards by reversed-phase high-performance liquid chromatography with the aid of a weighted least-squares regression model. Estimation of method sensitivities and detection limits 997(2003)171

**Glycols**

Ion chromatographic identification and quantification of glycol degradation products 997(2003)279

**Gradient elution**

Novel cation-exchange column for the separation of hydrophobic and/or polyvalent amines 997(2003)199

**Haloacetic acids**

Determination of trace levels of haloacetic acids and perchlorate in drinking water by ion chromatography with direct injection 997(2003)225

**Heat transfer**

Ion chromatographic identification and quantification of glycol degradation products 997(2003)279

**Heptanol**

Ion-exclusion chromatographic behavior of aliphatic carboxylic acids and benzenecarboxylic acids on a sulfonated styrene-divinylbenzene co-polymer resin column with sulfuric acid containing various alcohols as eluent 997(2003)95

**Homocysteine**

Use of disposable gold working electrodes for cation chromatography-integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

**Indirect detection**

Highly sensitive indirect photometric detection of cations by capillary electrophoresis with the cationic dye chrysoidine 997(2003)87

**Inorganic anions**

Modification of ion chromatographic separations by ionic and nonionic surfactants 997(2003)21

Environmental applications of a cryptand adjustable-capacity anion-exchange separator 997(2003)33

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

High-speed simultaneous ion-exclusion/cation-exchange chromatography of anions and cations on a weakly acidic cation-exchange resin column 997(2003)219

Determination of trace levels of haloacetic acids and perchlorate in drinking water by ion chromatography with direct injection 997(2003)225

Creation and characteristics of phosphatidylcholine stationary phases for the chromatographic separation of inorganic anions 997(2003)237

Monitoring trace anion contamination in disk drive components 997(2003)259

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

### **Inorganic cations**

Mechanistic studies on the separation of cations in zwitterionic ion chromatography 997(2003)13

Modification of ion chromatographic separations by ionic and nonionic surfactants 997(2003)21

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

Highly sensitive indirect photometric detection of cations by capillary electrophoresis with the cationic dye chrysoidine 997(2003)87

High-speed ion chromatographic separation of cations at elevated temperature 997(2003)161

Monolithic octadecylsilyl-silica gel column for the high-speed ion chromatographic determination of acidity 997(2003)183

Selective determination of ammonium ions by high-speed ion-exclusion chromatography on a weakly basic anion-exchange resin column 997(2003)191

High-speed simultaneous ion-exclusion/cation-exchange chromatography of anions and cations on a weakly acidic cation-exchange resin column 997(2003)219

### **Integrated pulsed amperometric detection**

Use of disposable gold working electrodes for cation chromatography-integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

Some factors affecting separation and detection of amino acids by high-performance anion-exchange chromatography with integrated pulsed amperometric detection 997(2003)145

### **Ion chromatography**

Mechanistic studies on the separation of cations in zwitterionic ion chromatography 997(2003)13

### **Ion exchangers**

Selectivity behaviour of a bonded phosphonate-carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3

Environmental applications of a cryptand adjustable-capacity anion-exchange separator 997(2003)33

### **Lanthanides**

Determination of lanthanides in synthetic standards by reversed-phase high-performance liquid chromatography with the aid of a weighted least-squares regression model. Estimation of method sensitivities and detection limits 997(2003)171

### **Maleic acid**

Selectivity behaviour of a bonded phosphonate-carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3

### **Maltodextrins**

Dextrin characterization by high-performance anion-exchange chromatography-pulsed amperometric detection and size-exclusion chromatography-multi-angle light scattering-refractive index detection 997(2003)79

### **Matrix removal**

Ion chromatography with inductively coupled plasma mass spectrometry, a powerful analytical tool for complex matrices. Estimation of Pt and Pd in environmental samples 997(2003)51

### **Metal cations**

Selectivity behaviour of a bonded phosphonate-carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3

Rapid determination of ions by combined solid-phase extraction-diffuse reflectance spectroscopy 997(2003)41

### **Metals**

Ion chromatography with inductively coupled plasma mass spectrometry, a powerful analytical tool for complex matrices. Estimation of Pt and Pd in environmental samples 997(2003)51

### **Methionine**

Use of disposable gold working electrodes for cation chromatography-integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

### **Methylhexanoic acid**

Ion-exclusion chromatographic separations of C<sub>1</sub>-C<sub>6</sub> aliphatic carboxylic acids on a sulfonated styrene-divinylbenzene copolymer resin column with 5-methylhexanoic acid as eluent 997(2003)107

### **Mixed-mode separations**

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

**Mobile phase composition**

Selectivity behaviour of a bonded phosphonate–carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3

Ion-exclusion chromatographic behavior of aliphatic carboxylic acids and benzenecarboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with sulfuric acid containing various alcohols as eluent 997(2003)95

Ion-exclusion chromatographic separations of C<sub>1</sub>–C<sub>6</sub> aliphatic carboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with 5-methylhexanoic acid as eluent 997(2003)107

Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on a weakly acidic cation-exchange resin by elution with benzoic acid–β-cyclodextrin 997(2003)127

Some factors affecting separation and detection of amino acids by high-performance anion-exchange chromatography with integrated pulsed amperometric detection 997(2003)145

**Molybdate**

Determination of inorganic corrosion inhibitors in heat transfer systems by ion chromatography 997(2003)285

**Monoethylene glycol**

Determination of inorganic corrosion inhibitors in heat transfer systems by ion chromatography 997(2003)285

**Monolithic columns**

Monolithic octadecylsilyl-silica gel column for the high-speed ion chromatographic determination of acidity 997(2003)183

**Neural networks, artificial**

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

**Nitric acid**

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

**Nitrite**

Determination of inorganic corrosion inhibitors in heat transfer systems by ion chromatography 997(2003)285

**Oligosaccharides**

Dextrin characterization by high-performance anion-exchange chromatography–pulsed amperometric detection and size-exclusion chromatography–multi-angle light scattering–refractive index detection 997(2003)79

**Organic acids**

Modification of ion chromatographic separations by ionic and nonionic surfactants 997(2003)21

Environmental applications of a cryptand adjustable-capacity anion-exchange separator 997(2003)33

Highly sensitive indirect photometric detection of cations by capillary electrophoresis with the cationic dye chrysoidine 997(2003)87

Vacancy ion-exclusion chromatography of haloacetic acids on a weakly acidic cation-exchange resin 997(2003)133

**Organochlorine compounds**

Vacancy ion-exclusion chromatography of haloacetic acids on a weakly acidic cation-exchange resin 997(2003)133

**Organoselenium compounds**

Determination of selenium compounds in urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry 997(2003)249

**Organosulfur compounds**

Use of disposable gold working electrodes for cation chromatography–integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73

**Palladium**

Ion chromatography with inductively coupled plasma mass spectrometry, a powerful analytical tool for complex matrices. Estimation of Pt and Pd in environmental samples 997(2003)51

**Perchlorates**

Determination of trace levels of haloacetic acids and perchlorate in drinking water by ion chromatography with direct injection 997(2003)225

Trace perchlorates in a radiological liquid-waste treatment facility 997(2003)243

**Phosphatidylcholine stationary phases**

Creation and characteristics of phosphatidylcholine stationary phases for the chromatographic separation of inorganic anions 997(2003)237

**Phosphonates**

Selectivity behaviour of a bonded phosphonate–carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3

**Phosphoric acids**

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

**Picoline**

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

**Platinum**

Ion chromatography with inductively coupled plasma mass spectrometry, a powerful analytical tool for complex matrices. Estimation of Pt and Pd in environmental samples 997(2003)51

**Polydiphenylamine**

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

**Pseudo-stationary phases**

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

**Pyridines**

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

**Quinoline**

Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207

**Regression analysis**

Determination of lanthanides in synthetic standards by reversed-phase high-performance liquid chromatography with the aid of a weighted least-squares regression model. Estimation of method sensitivities and detection limits 997(2003)171

**Retention mechanisms**

Creation and characteristics of phosphatidylcholine stationary phases for the chromatographic separation of inorganic anions 997(2003)237

**Selectivity**

Selectivity behaviour of a bonded phosphonate-carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3

**Selenium compounds**

Determination of selenium compounds in urine by high-performance liquid chromatography-inductively coupled plasma mass spectrometry 997(2003)249

**Silica, octadecylsilyl-bonded**

Monolithic octadecylsilyl-silica gel column for the high-speed ion chromatographic determination of acidity 997(2003)183

**Starch**

Dextrin characterization by high-performance anion-exchange chromatography-pulsed amperometric detection and size-exclusion chromatography-multi-angle light scattering-refractive index detection 997(2003)79

**Stationary phases, LC**

Environmental applications of a cryptand adjustable-capacity anion-exchange separator 997(2003)33

Separation of aliphatic carboxylic acids and benzenecarboxylic acids by ion-exclusion chromatography with various cation-exchange resin columns and sulfuric acid as eluent 997(2003)117

Monolithic octadecylsilyl-silica gel column for the high-speed ion chromatographic determination of acidity 997(2003)183

Creation and characteristics of phosphatidylcholine stationary phases for the chromatographic separation of inorganic anions 997(2003)237

**Statistical analysis**

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

**Sulfate**

Monitoring trace anion contamination in disk drive components 997(2003)259

Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269

**Sulfuric acid**

Separation of aliphatic carboxylic acids and benzenecarboxylic acids by ion-exclusion chromatography with various cation-exchange resin columns and sulfuric acid as eluent 997(2003)117

**Surfactants**

Modification of ion chromatographic separations by ionic and nonionic surfactants 997(2003)21

**Tartaric acid**

High-speed simultaneous ion-exclusion/cation-exchange chromatography of anions and cations on a weakly acidic cation-exchange resin column 997(2003)219

**Temperature effects**

Some factors affecting separation and detection of amino acids by high-performance anion-exchange chromatography with integrated pulsed amperometric detection 997(2003)145

High-speed ion chromatographic separation of cations at elevated temperature 997(2003)161

**Tetrabutylammonium hydroxide**

Selective determination of ammonium ions by high-speed ion-exclusion chromatography on a weakly basic anion-exchange resin column 997(2003)191

**Vacancy ion-exclusion chromatography**

Vacancy ion-exclusion chromatography of haloacetic acids on a weakly acidic cation-exchange resin 997(2003)133

Vacancy ion-exclusion chromatography of aromatic carboxylic acids on a weakly acidic cation-exchange resin 997(2003)139

**Validation**

Ion chromatography with inductively coupled plasma mass spectrometry, a powerful analytical tool for complex matrices. Estimation of Pt and Pd in environmental samples 997(2003)51

**Water analysis**

Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65

Selective determination of ammonium ions by high-speed ion-exclusion chromatography on a weakly basic anion-exchange resin column 997(2003)191

High-speed simultaneous ion-exclusion/cation-exchange chromatography of anions and cations on a weakly acidic cation-exchange resin column 997(2003)219

Determination of trace levels of haloacetic acids and perchlorate in drinking water by ion chromatography with direct injection 997(2003)225

**Zwitterionic ion chromatography**

Mechanistic studies on the separation of cations in zwitterionic ion chromatography 997(2003)13