


Available online at www.sciencedirect.com



Journal of Chromatography A, 998 (2003) 245-249

# JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

# Subject Index Vol. 998

#### Affinity sorbents

 $\kappa$ -Carrageenan as a new smart macroaffinity ligand for the purification of pullulanase 998(2003)103

## **Alcoholic beverages**

Ion-pair high-performance liquid chromatographic determination of biogenic amines and polyamines in wine and other alcoholic beverages 998(2003)235

#### Alkanes

Two-step multivariate adaptive regression splines for modeling a quantitative relationship between gas chromatography retention indices and molecular descriptors 998(2003)155

## Alternariol

Liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry of the *Alternaria* mycotoxins alternariol and alternariol monomethyl ether in fruit juices and beverages 998(2003)119

#### Alternariol monomethyl ether

Liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry of the *Alternaria* mycotoxins alternariol and alternariol monomethyl ether in fruit juices and beverages 998(2003)119

#### Amides

Fast enantioseparation of arylglycine amides by capillary electrophoresis with highly sulfated-β-cyclodextrin as a chiral selector 998(2003)221

#### Amines

Ion-pair high-performance liquid chromatographic determination of biogenic amines and polyamines in wine and other alcoholic beverages 998(2003)235

#### Amino acids

Design of chiral monochloro-s-triazine reagents for the liquid chromatographic separation of amino acid enantiomers 998(2003)73

## Aminoalkanephosphonic acids

Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183

#### Aminophosphinic acids

Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183

## Aminophosphonic acids

Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183

#### Amphetamine

Liquid-phase microextraction of hydrophilic drugs by carriermediated transport 998(2003)61

#### Aroma compounds

Identification of aroma active compounds in orange essence oil using gas chromatography–olfactometry and gas chromatography– mass spectrometry 998(2003)201

## Arylglycine amides

Fast enantioseparation of arylglycine amides by capillary electrophoresis with highly sulfated-β-cyclodextrin as a chiral selector 998(2003)221

#### Automation

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41

#### **Biogenic** amines

Determination of biogenic amines by 3-(2-furoyl)quinoline-2carboxaldehyde and capillary electrophoresis with laser-induced fluorescence detection 998(2003)213

Ion-pair high-performance liquid chromatographic determination of biogenic amines and polyamines in wine and other alcoholic beverages 998(2003)235

#### Carrageenan

 $\kappa$ -Carrageenan as a new smart macroaffinity ligand for the purification of pullulanase 998(2003)103

#### **Carrier-mediated transport**

Liquid-phase microextraction of hydrophilic drugs by carriermediated transport 998(2003)61

0021-9673/03/\$ – see front matter © 2003 Elsevier Science B.V. All right reserved doi:10.1016/S0021-9673(03)00831-8

## **Cholesterol reducers**

Determination of cholesterol-lowering statin drugs in aqueous samples using liquid chromatography–electrospray ionization tandem mass spectrometry 998(2003)133

## Citrus deliciosa

Use of solid-phase micro-extraction as a sampling technique in the determination of volatiles emitted by flowers, isolated flower parts and pollen 998(2003)229

## **Cloud-point extraction**

Mixed aggregate-based acid-induced cloud-point extraction and ion-trap liquid chromatography-mass spectrometry for the determination of cationic surfactants in sewage sludge 998(2003)143

## Continuous ultrasound-assisted extraction

Continuous ultrasound-assisted extraction coupled to on line filtration–solid-phase extraction–column liquid chromatography–post column derivatisation–fluorescence detection for the determination of *N*-methylcarbamates in soil and food 998(2003)51

#### Cyclodextrins

Fast enantioseparation of arylglycine amides by capillary electrophoresis with highly sulfated- $\beta$ -cyclodextrin as a chiral selector 998(2003)221

## Derivatization, electrophoresis

Determination of biogenic amines by 3-(2-furoyl)quinoline-2carboxaldehyde and capillary electrophoresis with laser-induced fluorescence detection 998(2003)213

## **Derivatization**, GC

Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183

#### **Derivatization**, LC

Determination of dissolved thiols using solid-phase extraction and liquid chromatographic determination of fluorescently derivatized thiolic compounds 998(2003)31

Continuous ultrasound-assisted extraction coupled to on line filtration-solid-phase extraction-column liquid chromatography-post column derivatisation-fluorescence detection for the determination of *N*-methylcarbamates in soil and food 998(2003)51

Design of chiral monochloro-*s*-triazine reagents for the liquid chromatographic separation of amino acid enantiomers 998(2003)73

## **Detection**, GC

Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183

Identification of aroma active compounds in orange essence oil using gas chromatography–olfactometry and gas chromatography–mass spectrometry 998(2003)201

#### **Diastereomer separation**

Design of chiral monochloro-s-triazine reagents for the liquid chromatographic separation of amino acid enantiomers 998(2003)73

## DNA

Assessment of purity and quantification of plasmid DNA in process solutions using high-performance hydrophobic interaction chromatography 998(2003)109

#### **Enantiomer separation**

Fast enantioseparation of arylglycine amides by capillary electrophoresis with highly sulfated-β-cyclodextrin as a chiral selector 998(2003)221

## Enantiomer separation, indirect

Design of chiral monochloro-*s*-triazine reagents for the liquid chromatographic separation of amino acid enantiomers 998(2003)73

#### **Endocrine disruptors**

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41

#### **Environmental analysis**

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41

Determination of cholesterol-lowering statin drugs in aqueous samples using liquid chromatography–electrospray ionization tandem mass spectrometry 998(2003)133

Mixed aggregate-based acid-induced cloud-point extraction and ion-trap liquid chromatography-mass spectrometry for the determination of cationic surfactants in sewage sludge 998(2003)143

#### Enzymes

Miniaturized on-line proteolysis-capillary liquid chromatography-mass spectrometry for peptide mapping of lactate dehydrogenase 998(2003)83

 $\kappa$ -Carrageenan as a new smart macroaffinity ligand for the purification of pullulanase 998(2003)103

## Escherichia coli

Optimization of immobilized metal ion affinity chromatography for single-step purification of recombinant ovine growth hormone expressed in *Escherichia coli* 998(2003)93

#### **Extraction methods**

Extraction of polychlorinated biphenyls from soils by automated focused microwave-assisted Soxhlet extraction 998(2003)21

Liquid-phase microextraction of hydrophilic drugs by carriermediated transport 998(2003)61

## Flowers

Use of solid-phase micro-extraction as a sampling technique in the determination of volatiles emitted by flowers, isolated flower parts and pollen 998(2003)229

#### Focused microwave-assisted Soxhlet extraction

Extraction of polychlorinated biphenyls from soils by automated focused microwave-assisted Soxhlet extraction 998(2003)21

## Food analysis

Continuous ultrasound-assisted extraction coupled to on line filtration–solid-phase extraction–column liquid chromatography–post column derivatisation–fluorescence detection for the determination of *N*-methylcarbamates in soil and food 998(2003)51

Liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry of the *Alternaria* mycotoxins alternariol and alternariol monomethyl ether in fruit juices and beverages 998(2003)119

Identification of aroma active compounds in orange essence oil using gas chromatography–olfactometry and gas chromatography–mass spectrometry 998(2003)201

## Fruit juices

Liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry of the *Alternaria* mycotoxins alternariol and alternariol monomethyl ether in fruit juices and beverages 998(2003)119

#### **Fulvic acids**

Capillary zone electrophoresis of natural organic matter (Review) 998(2003)1

#### 3-(2-Furoyl)quinoline-2-carboxaldehyde

Determination of biogenic amines by 3-(2-furoyl)quinoline-2carboxaldehyde and capillary electrophoresis with laser-induced fluorescence detection 998(2003)213

## Glutathione

Determination of dissolved thiols using solid-phase extraction and liquid chromatographic determination of fluorescently derivatized thiolic compounds 998(2003)31

#### Growth hormone

Optimization of immobilized metal ion affinity chromatography for single-step purification of recombinant ovine growth hormone expressed in *Escherichia coli* 998(2003)93

# Halogenated compounds

New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169

#### Humic acids

Capillary zone electrophoresis of natural organic matter (Review) 998(2003)1

## Humic substances

Capillary zone electrophoresis of natural organic matter (Review) 998(2003)1

## Hydrophobic interaction chromatography

Assessment of purity and quantification of plasmid DNA in process solutions using high-performance hydrophobic interaction chromatography 998(2003)109

## Iminodiacetic acid

Optimization of immobilized metal ion affinity chromatography for single-step purification of recombinant ovine growth hormone expressed in *Escherichia coli* 998(2003)93

## Immobilized metal ion affinity chromatography

Optimization of immobilized metal ion affinity chromatography for single-step purification of recombinant ovine growth hormone expressed in *Escherichia coli* 998(2003)93

## **Injection methods**

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41

## Lactate dehydrogenase

Miniaturized on-line proteolysis-capillary liquid chromatography-mass spectrometry for peptide mapping of lactate dehydrogenase 998(2003)83

#### Liquid-phase microextraction

Liquid-phase microextraction of hydrophilic drugs by carriermediated transport 998(2003)61

#### N-methylcarbamates

Continuous ultrasound-assisted extraction coupled to on line filtration-solid-phase extraction-column liquid chromatography-post column derivatisation-fluorescence detection for the determination of *N*-methylcarbamates in soil and food 998(2003)51

#### Microwave-assisted extraction

Extraction of polychlorinated biphenyls from soils by automated focused microwave-assisted Soxhlet extraction 998(2003)21

#### Molecular descriptors

Two-step multivariate adaptive regression splines for modeling a quantitative relationship between gas chromatography retention indices and molecular descriptors 998(2003)155

## Monobromobimane

Determination of dissolved thiols using solid-phase extraction and liquid chromatographic determination of fluorescently derivatized thiolic compounds 998(2003)31

## Monochloro-s-triazine reagents, chiral

Design of chiral monochloro-*s*-triazine reagents for the liquid chromatographic separation of amino acid enantiomers 998(2003)73

248

# Morphine

Liquid-phase microextraction of hydrophilic drugs by carriermediated transport 998(2003)61

## Multivariate adaptive regression splines

Two-step multivariate adaptive regression splines for modeling a quantitative relationship between gas chromatography retention indices and molecular descriptors 998(2003)155

## Mycotoxins

Liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry of the *Alternaria* mycotoxins alternariol and alternariol monomethyl ether in fruit juices and beverages 998(2003)119

#### Natural organic matter

Capillary zone electrophoresis of natural organic matter (Review) 998(2003)1

## Oils

Identification of aroma active compounds in orange essence oil using gas chromatography–olfactometry and gas chromatography–mass spectrometry 998(2003)201

## Olfactometry

Identification of aroma active compounds in orange essence oil using gas chromatography–olfactometry and gas chromatography–mass spectrometry 998(2003)201

#### Organobromine compounds

New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169

## Organochlorine compounds

New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169

## Organophosphorus compounds

Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183

## Peptide mapping

Miniaturized on-line proteolysis-capillary liquid chromatography-mass spectrometry for peptide mapping of lactate dehydrogenase 998(2003)83

#### Pesticides

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41 Continuous ultrasound-assisted extraction coupled to on line filtration-solid-phase extraction-column liquid chromatography-post column derivatisation-fluorescence detection for the determination of *N*-methylcarbamates in soil and food 998(2003)51

Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183

## Phthalates

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction–programmedtemperature vaporisation–gas chromatography–mass spectrometry 998(2003)41

# Pollen

Use of solid-phase micro-extraction as a sampling technique in the determination of volatiles emitted by flowers, isolated flower parts and pollen 998(2003)229

## Polyamines

Ion-pair high-performance liquid chromatographic determination of biogenic amines and polyamines in wine and other alcoholic beverages 998(2003)235

# Polybrominated diphenyl ethers

New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169

## **Polychlorinated biphenyls**

Extraction of polychlorinated biphenyls from soils by automated focused microwave-assisted Soxhlet extraction 998(2003)21

New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169

## Polychlorinated dibenzodioxins

New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169

## Polychlorinated dibenzofurans

New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169

#### Practolol

Liquid-phase microextraction of hydrophilic drugs by carriermediated transport 998(2003)61

## Programmed-temperature vaporiser

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41

## Proteins

Optimization of immobilized metal ion affinity chromatography for single-step purification of recombinant ovine growth hormone expressed in *Escherichia coli* 998(2003)93

## Proteolysis

Miniaturized on-line proteolysis-capillary liquid chromatography-mass spectrometry for peptide mapping of lactate dehydrogenase 998(2003)83

## Pullulanase

 $\kappa\text{-Carrageenan}$  as a new smart macroaffinity ligand for the purification of pullulanase -998(2003)103

#### **Regression analysis**

Two-step multivariate adaptive regression splines for modeling a quantitative relationship between gas chromatography retention indices and molecular descriptors 998(2003)155

# **Retention indices**

Two-step multivariate adaptive regression splines for modeling a quantitative relationship between gas chromatography retention indices and molecular descriptors 998(2003)155

#### Reviews

Capillary zone electrophoresis of natural organic matter (Review) 998(2003)1

#### Sample preparation

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41

## Sodium octanoate

Liquid-phase microextraction of hydrophilic drugs by carriermediated transport 998(2003)61

#### Soil

Extraction of polychlorinated biphenyls from soils by automated focused microwave-assisted Soxhlet extraction 998(2003)21

# Soil analysis

Continuous ultrasound-assisted extraction coupled to on line filtration–solid-phase extraction–column liquid chromatography–post column derivatisation–fluorescence detection for the determination of *N*-methylcarbamates in soil and food 998(2003)51

## Solid phase micro-extraction

Use of solid-phase micro-extraction as a sampling technique in the determination of volatiles emitted by flowers, isolated flower parts and pollen 998(2003)229

#### Statins

Determination of cholesterol-lowering statin drugs in aqueous samples using liquid chromatography–electrospray ionization tandem mass spectrometry 998(2003)133

#### Surfactants

Mixed aggregate-based acid-induced cloud-point extraction and ion-trap liquid chromatography-mass spectrometry for the determination of cationic surfactants in sewage sludge 998(2003)143

#### Thiols

Determination of dissolved thiols using solid-phase extraction and liquid chromatographic determination of fluorescently derivatized thiolic compounds 998(2003)31

# Volatile organic compounds

Identification of aroma active compounds in orange essence oil using gas chromatography–olfactometry and gas chromatography– mass spectrometry 998(2003)201

## Volatiles

Use of solid-phase micro-extraction as a sampling technique in the determination of volatiles emitted by flowers, isolated flower parts and pollen 998(2003)229

## Water analysis

Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmedtemperature vaporisation-gas chromatography-mass spectrometry 998(2003)41

#### Wine

Ion-pair high-performance liquid chromatographic determination of biogenic amines and polyamines in wine and other alcoholic beverages 998(2003)235