



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Chromatography A, 999 (2003) 205–210

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 999

Affinity sorbents

Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3

Alkyl benzenesulfonates, linear

Determination of linear alkylbenzenesulfonates in aqueous matrices by ion-pair solid-phase microextraction–in-port derivatization–gas chromatography–mass spectrometry 999(2003)51

Amino acids

Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165

Anisoles

Simultaneous determination of “earthy-musty” odorous haloanisoles and their corresponding halophenols in water samples using solid-phase microextraction coupled to gas chromatography with electron-capture detection 999(2003)135

Atomic emission detection

Determination of methyl *tert.*-butyl ether and *tert.*-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection 999(2003)81

Benzene

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Butanol

Determination of methyl *tert.*-butyl ether and *tert.*-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection 999(2003)81

Calibration

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Carboxylic acids

Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165

Chlorobenzenes

Solid-phase microextraction fibre–water distribution constants of more hydrophobic organic compounds and their correlations with octanol–water partition coefficients 999(2003)35

CL-20

Cyclodextrin-assisted capillary electrophoresis for determination of the cyclic nitramine explosives RDX, HMX and CL-20. Comparison with high-performance liquid chromatography 999(2003)17

Cyclohexane

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Derivatization, GC

Determination of linear alkylbenzenesulfonates in aqueous matrices by ion-pair solid-phase microextraction–in-port derivatization–gas chromatography–mass spectrometry 999(2003)51

Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165

Environmental analysis

Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23

Determination of linear alkylbenzenesulfonates in aqueous matrices by ion-pair solid-phase microextraction–in-port derivatization–gas chromatography–mass spectrometry 999(2003)51

Determination of methyl *tert.*-butyl ether and *tert.*-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to

gas chromatography with atomic emission and mass spectrometric detection 999(2003)81

Solid-phase microextraction for herbicide determination in environmental samples (Review) 999(2003)103

Determination of musk compounds in sewage treatment plant sludge samples by solid-phase microextraction 999(2003)185

Ethanol

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Ethylbenzene

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Ethyl ethoxybenzoate

Hollow-fibre liquid-phase microextraction of phthalate esters from water 999(2003)145

Experimental design

Physico-chemical approach to study organotin sorption-desorption during solid-phase microextraction 999(2003)61

Rapid determination of organotin compounds by headspace solid-phase microextraction 999(2003)123

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Explosives

Cyclodextrin-assisted capillary electrophoresis for determination of the cyclic nitramine explosives RDX, HMX and CL-20. Comparison with high-performance liquid chromatography 999(2003)17

Extraction methods

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry. I. Method optimisation 999(2003)91

Hollow-fibre liquid-phase microextraction of phthalate esters from water 999(2003)145

Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165

Rapid determination of polycyclic aromatic hydrocarbons in sewage sludges using microwave-assisted solvent extraction. Comparison with other extraction methods 999(2003)175

Factorial design

Rapid determination of polycyclic aromatic hydrocarbons in sewage sludges using microwave-assisted solvent extraction. Comparison with other extraction methods 999(2003)175

Fibre-water distribution constants

Solid-phase microextraction fibre-water distribution constants of more hydrophobic organic compounds and their correlations with octanol-water partition coefficients 999(2003)35

Field extraction methods

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Haloanisoles

Simultaneous determination of "earthy-musty" odorous haloanisoles and their corresponding halophenols in water samples using solid-phase microextraction coupled to gas chromatography with electron-capture detection 999(2003)135

Halophenols

Simultaneous determination of "earthy-musty" odorous haloanisoles and their corresponding halophenols in water samples using solid-phase microextraction coupled to gas chromatography with electron-capture detection 999(2003)135

Headspace analysis

Multiple headspace solid-phase microextraction for the quantitative determination of volatile organic compounds in multilayer packagings 999(2003)155

Determination of musk compounds in sewage treatment plant sludge samples by solid-phase microextraction 999(2003)185

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Hollow-fibre membranes

Hollow-fibre liquid-phase microextraction of phthalate esters from water 999(2003)145

HMX

Cyclodextrin-assisted capillary electrophoresis for determination of the cyclic nitramine explosives RDX, HMX and CL-20. Comparison with high-performance liquid chromatography 999(2003)17

Humic substances

Physico-chemical approach to study organotin sorption-desorption during solid-phase microextraction 999(2003)61

Immunoextraction

Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3

Interlaboratory studies

Rapid determination of polycyclic aromatic hydrocarbons in sewage sludges using microwave-assisted solvent extraction. Comparison with other extraction methods 999(2003)175

Kinetic studies

Physico-chemical approach to study organotin sorption-desorption during solid-phase microextraction 999(2003)61

Liquid-phase microextraction

Hollow-fibre liquid-phase microextraction of phthalate esters from water 999(2003)145

Martian samples

Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165

Methyl butyl ether

Determination of methyl *tert.*-butyl ether and *tert.*-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection 999(2003)81

Microwave-assisted extraction

Rapid determination of polycyclic aromatic hydrocarbons in sewage sludges using microwave-assisted solvent extraction. Comparison with other extraction methods 999(2003)175

Molecular imprinting

Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23

Molecular modeling

Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3

Monoclonal antibodies

Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3

Musk compounds

Determination of musk compounds in sewage treatment plant sludge samples by solid-phase microextraction 999(2003)185

Nitramines

Cyclodextrin-assisted capillary electrophoresis for determination of the cyclic nitramine explosives RDX, HMX and CL-20. Comparison with high-performance liquid chromatography 999(2003)17

Octanol-water partition coefficients

Solid-phase microextraction fibre-water distribution constants of more hydrophobic organic compounds and their correlations with octanol-water partition coefficients 999(2003)35

Optimization

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry. I. Method optimisation 999(2003)91

Organochlorine compounds

Solid-phase microextraction fibre-water distribution constants of more hydrophobic organic compounds and their correlations with octanol-water partition coefficients 999(2003)35

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry. I. Method optimisation 999(2003)91

Organophosphorus compounds

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry. I. Method optimisation 999(2003)91

Organotin compounds

Physico-chemical approach to study organotin sorption-desorption during solid-phase microextraction 999(2003)61

Rapid determination of organotin compounds by headspace solid-phase microextraction 999(2003)123

Packaging materials

Multiple headspace solid-phase microextraction for the quantitative determination of volatile organic compounds in multilayer packagings 999(2003)155

Pesticides

Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23

Solid-phase microextraction fibre–water distribution constants of more hydrophobic organic compounds and their correlations with octanol–water partition coefficients 999(2003)35

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction–thermal desorption–gas chromatography–mass spectrometry. I. Method optimisation 999(2003)91

Solid-phase microextraction for herbicide determination in environmental samples (Review) 999(2003)103

Pharmaceutical analysis

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Phenols

Simultaneous determination of “earthy-musty” odorous haloanisoles and their corresponding halophenols in water samples using solid-phase microextraction coupled to gas chromatography with electron-capture detection 999(2003)135

Phenylureas

Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23

Phthalates

Hollow-fibre liquid-phase microextraction of phthalate esters from water 999(2003)145

Polychlorinated biphenyls

Solid-phase microextraction fibre–water distribution constants of more hydrophobic organic compounds and their correlations with octanol–water partition coefficients 999(2003)35

Polynuclear aromatic hydrocarbons

Solid-phase microextraction fibre–water distribution constants of more hydrophobic organic compounds and their correlations with octanol–water partition coefficients 999(2003)35

Polynuclear aromatic hydrocarbons

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction–thermal desorption–gas chromatography–mass spectrometry. I. Method optimisation 999(2003)91

Rapid determination of polycyclic aromatic hydrocarbons in sewage sludges using microwave-assisted solvent extraction. Comparison with other extraction methods 999(2003)175

Principal component analysis

Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3

Purge-and-trap methods

Determination of methyl *tert.*-butyl ether and *tert.*-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection 999(2003)81

Pyridine

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Reviews

Solid-phase microextraction for herbicide determination in environmental samples (Review) 999(2003)103

RDX

Cyclodextrin-assisted capillary electrophoresis for determination of the cyclic nitramine explosives RDX, HMX and CL-20. Comparison with high-performance liquid chromatography 999(2003)17

Sewage sludge

Determination of musk compounds in sewage treatment plant sludge samples by solid-phase microextraction 999(2003)185

Soil

Solid-phase microextraction for herbicide determination in environmental samples (Review) 999(2003)103

Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165

Solid–liquid extraction

Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165

Solid-phase extraction

Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3

Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23

Solid-phase microextraction

Solid-phase microextraction fibre–water distribution constants of more hydrophobic organic compounds and their correlations with octanol–water partition coefficients 999(2003)35

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Physico-chemical approach to study organotin sorption-desorption during solid-phase microextraction 999(2003)61

Development of a quantification method for the analysis of malodorous sulphur compounds in gaseous industrial effluents by solid-phase microextraction and gas chromatography-pulsed flame photometric detection 999(2003)71

Solid-phase microextraction for herbicide determination in environmental samples (Review) 999(2003)103

Simultaneous determination of "earthy-musty" odorous haloanisoles and their corresponding halophenols in water samples using solid-phase microextraction coupled to gas chromatography with electron-capture detection 999(2003)135

Multiple headspace solid-phase microextraction for the quantitative determination of volatile organic compounds in multilayer packagings 999(2003)155

Determination of musk compounds in sewage treatment plant sludge samples by solid-phase microextraction 999(2003)185

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Stepwise solid-phase microextraction

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Stir bar sorptive extraction

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry. I. Method optimisation 999(2003)91

Sulfur compounds

Development of a quantification method for the analysis of malodorous sulphur compounds in gaseous industrial effluents by solid-phase microextraction and gas chromatography-pulsed flame photometric detection 999(2003)71

Surfactants

Determination of linear alkylbenzenesulfonates in aqueous matrices by ion-pair solid-phase microextraction-in-port derivatization-gas chromatography-mass spectrometry 999(2003)51

Tetrachloroethylene

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Thermal desorption

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry. I. Method optimisation 999(2003)91

Toluene

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43

Triazines

Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3

Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry. I. Method optimisation 999(2003)91

Triethylamine

Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195

Validation

Rapid determination of polycyclic aromatic hydrocarbons in sewage sludges using microwave-assisted solvent extraction. Comparison with other extraction methods 999(2003)175

Volatile organic compounds

Development of a quantification method for the analysis of malodorous sulphur compounds in gaseous industrial effluents by solid-phase microextraction and gas chromatography-pulsed flame photometric detection 999(2003)71

Multiple headspace solid-phase microextraction for the quantitative determination of volatile organic compounds in multilayer packagings 999(2003)155

Water analysis

Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23

Determination of linear alkylbenzenesulfonates in aqueous matrices by ion-pair solid-phase microextraction-in-port derivatization-gas chromatography-mass spectrometry 999(2003)51

Determination of methyl *tert.*-butyl ether and *tert.*-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection 999(2003)81

Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction–thermal desorption–gas chromatography–mass spectrometry. I. Method optimisation 999(2003)91

Solid-phase microextraction for herbicide determination in environmental samples (Review) 999(2003)103

Simultaneous determination of “earthy-musty” odorous haloanisoles and their corresponding halophenols in water samples using solid-phase microextraction coupled to gas chromatography with electron-capture detection 999(2003)135

Hollow-fibre liquid-phase microextraction of phthalate esters from water 999(2003)145

Xylenes

On-site calibration method based on stepwise solid-phase microextraction 999(2003)43