

Available online at www.sciencedirect.com



Journal of Chromatography A, 1022 (2004) 225-229

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 1022

Acronychia pedunculata

Isolation of high purity 1-[2',4'-dihydroxy-3',5'-di-(3"-methylbut-2"-enyl)-6'-methoxy] phenylethanone from *Acronychia pedunculata* (L.) Miq. by high-speed counter-current chromatography 1022(2004)213

Adipic acid

Development of a solid-phase extraction method for simultaneous extraction of adipic acid, succinic acid and 1,4-butanediol formed during hydrolysis of poly(butylene adipate) and poly(butylene succinate) 1022(2004)171

Aerosols

Identification of organic compounds in atmospheric aerosol particles by online supercritical fluid extraction–liquid chromatography–gas chromatography–mass spectrometry 1022(2004)151

Agarose

Separation and purification of puerarin using β-cyclodextrin-coupled agarose gel media 1022(2004)77

Air analysis

Identification of organic compounds in atmospheric aerosol particles by online supercritical fluid extraction–liquid chromatography–gas chromatography–mass spectrometry 1022(2004)151

Alachlor

High-performance liquid chromatographic-nuclear magnetic resonance investigation of the isomerization of alachlor-ethanesulfonic acid 1022(2004)131

Alachlor-ethanesulfonic acid

High-performance liquid chromatographic-nuclear magnetic resonance investigation of the isomerization of alachlor-ethanesulfonic acid 1022(2004)131

Alkanes

Identification of organic compounds in atmospheric aerosol particles by online supercritical fluid extraction–liquid chromatography–gas chromatography–mass spectrometry 1022(2004)151

Alkylphenols

Determination of endocrine disrupting chemicals in environmental solid matrices by extraction with a non-ionic surfactant (Tween 80) 1022(2004)1

Ammonium

Simultaneous separation of nine metal ions and ammonium with nonaqueous capillary electrophoresis 1022(2004)217

Amperometric detection

Microchip capillary electrophoresis with a boron-doped diamond electrode for rapid separation and detection of purines 1022(2004)207

Annular chromatography

Continuous chromatographic protein refolding 1022(2004)103

Antibiotics

Liquid chromatography with ultraviolet absorbance detection for the analysis of tetracycline residues in honey 1022(2004)125

Antibodies

Comparative study of thiophilic functionalised matrices for polyclonal $F(ab')_2$ purification 1022(2004)41

Antioxidants

Analysis of polyphenolic antioxidants in star fruit using liquid chromatography and mass spectrometry 1022(2004)67

Aspartimide formation

Analysis of aspartyl peptide degradation products by high-performance liquid chromatography and high-performance liquid chromatography-mass spectrometry 1022(2004)95

Aspartyl peptides

Analysis of aspartyl peptide degradation products by high-performance liquid chromatography and high-performance liquid chromatography-mass spectrometry 1022(2004)95

Atmospheric pressure photoionization

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization 1022(2004)145

Bisphenol A

Determination of endocrine disrupting chemicals in environmental solid matrices by extraction with a non-ionic surfactant (Tween 80) 1022(2004)1

Boron-doped diamond electrodes

Microchip capillary electrophoresis with a boron-doped diamond electrode for rapid separation and detection of purines 1022(2004)207

Butanediol

Development of a solid-phase extraction method for simultaneous extraction of adipic acid, succinic acid and 1,4-butanediol formed during hydrolysis of poly(butylene adipate) and poly(butylene succinate) 1022(2004)171

Carbonyls compounds

Identification of organic compounds in atmospheric aerosol particles by online supercritical fluid extraction–liquid chromatography–gas chromatography–mass spectrometry 1022(2004)151

Chip technology

Microchip capillary electrophoresis with a boron-doped diamond electrode for rapid separation and detection of purines 1022(2004)207

Citrus fruits

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization 1022(2004)145

Counter-current chromatography

Comparison of high-speed counter-current chromatography and high-performance liquid chromatography on fingerprinting of Chinese traditional medicine 1022(2004)139

Isolation of high purity 1-[2',4'-dihydroxy-3',5'-di-(3"-methylbut-2"-enyl)-6'-methoxy] phenylethanone from *Acronychia pedunculata* (L.) Miq. by high-speed counter-current chromatography 1022(2004)213

Cyclodextrin

Separation and purification of puerarin using β -cyclodextrin-coupled agarose gel media 1022(2004)77

Derivatization, electrophoresis

Post-column fluorescence derivatization of proteins and peptides in capillary electrophoresis with a sheath flow reactor and 488 nm argon ion laser excitation 1022(2004)201

Detection, electrophoresis

Microchip capillary electrophoresis with a boron-doped diamond electrode for rapid separation and detection of purines 1022(2004)207

Dihydroxydimethylbutenylmethoxyl phenylethanone

Isolation of high purity 1-[2',4'-dihydroxy-3',5'-di-(3"-methylbut-2"-enyl)-6'-methoxy] phenylethanone from *Acronychia pedunculata* (L.) Miq. by high-speed counter-current chromatography 1022(2004)213

Diphenyl

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization 1022(2004)145

Diuretics

Prediction of peak shape as a function of retention in reversed-phase liquid chromatography 1022(2004)17

Effects of pH and the presence of micelles on the resolution of diuretics by reversed-phase liquid chromatography 1022(2004)51

Efficiency

Prediction of peak shape as a function of retention in reversed-phase liquid chromatography 1022(2004)17

Electrodes

Microchip capillary electrophoresis with a boron-doped diamond electrode for rapid separation and detection of purines 1022(2004)207

Endocrine disrupters

Determination of endocrine disrupting chemicals in environmental solid matrices by extraction with a non-ionic surfactant (Tween 80) 1022(2004)1

Simultaneous determination of endocrine disrupting phenolic compounds and steroids in water by solid-phase extraction–gas chromatography–mass spectrometry 1022(2004)179

Environmental analysis

Determination of endocrine disrupting chemicals in environmental solid matrices by extraction with a non-ionic surfactant (Tween 80) 1022(2004)1

Use of reversed-phase high-performance liquid chromatography-diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Identification of organic compounds in atmospheric aerosol particles by on-line supercritical fluid extraction–liquid chromatography–gas chromatography–mass spectrometry 1022(2004)151

EPA Method 8330

Use of reversed-phase high-performance liquid chromatography-diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Epicatechin

Analysis of polyphenolic antioxidants in star fruit using liquid chromatography and mass spectrometry 1022(2004)67

Explosives

Use of reversed-phase high-performance liquid chromatography-diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Finger printing

Comparison of high-speed counter-current chromatography and high-performance liquid chromatography on fingerprinting of Chinese traditional medicine 1022(2004)139

Food analysis

Analysis of polyphenolic antioxidants in star fruit using liquid chromatography and mass spectrometry 1022(2004)67

Simultaneous quantification of Vitamins A, D₃ and E in fortified infant formulae by liquid chromatography–mass spectrometry 1022(2004)115

Liquid chromatography with ultraviolet absorbance detection for the analysis of tetracycline residues in honey 1022(2004)125

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization 1022(2004)145

Honey

Liquid chromatography with ultraviolet absorbance detection for the analysis of tetracycline residues in honey 1022(2004)125

Hydroxylaminodinitrotoluene

Use of reversed-phase high-performance liquid chromatography-diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Imazalil

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization 1022(2004)145

Immunoglobulin G

Comparative study of thiophilic functionalised matrices for polyclonal $F(ab^\prime)_2\ purification \ 1022(2004)41$

Inorganic anions

Evaluation of weak ion association between tetraalkylammonium ions and inorganic anions in aqueous solutions by capillary zone electrophoresis 1022(2004)191

Instrumentation

Determination of trace metallic impurities in high-purity quartz by ion chromatography 1022(2004)25

Interferon

Preparation of hydrophobic interaction chromatographic packings based on monodisperse poly(glycidylmethacrylate-*co*-ethylenedimethacrylate) beads and their application 1022(2004)33

Ion association constants

Evaluation of weak ion association between tetraalkylammonium ions and inorganic anions in aqueous solutions by capillary zone electrophoresis 1022(2004)191

Isoflavonoids

Separation and purification of puerarin using β -cyclodextrin-coupled agarose gel media 1022(2004)77

Kinetic studies

High-performance liquid chromatographic–nuclear magnetic resonance investigation of the isomerization of alachlor–ethanesulfonic acid 1022(2004)131

Liquid-phase microextraction

Application of liquid-phase microextraction and gas chromatography-mass spectrometry for the determination of polychlorinated biphenyls in blood plasma 1022(2004)161

Metal cations

Determination of trace metallic impurities in high-purity quartz by ion chromatography 1022(2004)25

Simultaneous separation of nine metal ions and ammonium with nonaqueous capillary electrophoresis 1022(2004)217

Micelles

Effects of pH and the presence of micelles on the resolution of diuretics by reversed-phase liquid chromatography 1022(2004)51

Mobile phase composition

Effects of pH and the presence of micelles on the resolution of diuretics by reversed-phase liquid chromatography 1022(2004)51

Nonaqueous capillary electrophoresis

Simultaneous separation of nine metal ions and ammonium with nonaqueous capillary electrophoresis 1022(2004)217

Non-Gaussian peak model

Prediction of peak shape as a function of retention in reversed-phase liquid chromatography 1022(2004)17

Nuclear magnetic resonance spectrometry

High-performance liquid chromatographic-nuclear magnetic resonance investigation of the isomerization of alachlor-ethanesulfonic acid 1022(2004)131

Organic acids

Development of a solid-phase extraction method for simultaneous extraction of adipic acid, succinic acid and 1,4-butanediol formed during hydrolysis of poly(butylene adipate) and poly(butylene succinate) 1022(2004)171

Parabolic variance

Prediction of peak shape as a function of retention in reversed-phase liquid chromatography 1022(2004)17

Peak shape

Prediction of peak shape as a function of retention in reversed-phase liquid chromatography 1022(2004)17

Peptides

Analysis of aspartyl peptide degradation products by high-performance liquid chromatography and high-performance liquid chromatography-mass spectrometry 1022(2004)95

Post-column fluorescence derivatization of proteins and peptides in capillary electrophoresis with a sheath flow reactor and 488 nm argon ion laser excitation 1022(2004)201

Pesticides

High-performance liquid chromatographic–nuclear magnetic resonance investigation of the isomerization of alachlor–ethanesulfonic acid 1022(2004)131

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization 1022(2004)145

pH effects

Effects of pH and the presence of micelles on the resolution of diuretics by reversed-phase liquid chromatography 1022(2004)51

Pharmaceutical analysis

Separation and purification of puerarin using β -cyclodextrin-coupled agarose gel media 1022(2004)77

Comparison of high-speed counter-current chromatography and high-performance liquid chromatography on fingerprinting of Chinese traditional medicine 1022(2004)139

Isolation of high purity 1-[2',4'-dihydroxy-3',5'-di-(3"-methylbut-2"-enyl)-6'-methoxy] phenylethanone from *Acronychia pedunculata* (L.) Miq. by high-speed counter-current chromatography 1022(2004)213

Phenolic compounds

Comparison of gas chromatography-mass spectrometry and capillary electrophoresis in analysis of phenolic compounds extracted from solid matrices with pressurized hot water 1022(2004)9

Simultaneous determination of endocrine disrupting phenolic compounds and steroids in water by solid-phase extraction–gas chromatography–mass spectrometry 1022(2004)179

o-Phenylphenol

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization 1022(2004)145

Poly(butylene adipate)

Development of a solid-phase extraction method for simultaneous extraction of adipic acid, succinic acid and 1,4-butanediol formed during hydrolysis of poly(butylene adipate) and poly(butylene succinate) 1022(2004)171

Poly(butylene succinate)

Development of a solid-phase extraction method for simultaneous extraction of adipic acid, succinic acid and 1,4-butanediol formed during hydrolysis of poly(butylene adipate) and poly(butylene succinate) 1022(2004)171

Poly(glycidylmethacrylate-co-ethylenedimethacrylate)

Preparation of hydrophobic interaction chromatographic packings based on monodisperse poly(glycidylmethacrylate-*co*-ethylenedimethacrylate) beads and their application 1022(2004)33

Polychlorinated biphenyls

Application of liquid-phase microextraction and gas chromatography-mass spectrometry for the determination of polychlorinated biphenyls in blood plasma 1022(2004)161

Polyclonal F(ab')₂

Comparative study of thiophilic functionalised matrices for polyclonal $F(ab')_2$ purification 1022(2004)41

Polynuclear aromatic hydrocarbons

Identification of organic compounds in atmospheric aerosol particles by online supercritical fluid extraction–liquid chromatography–gas chromatography–mass spectrometry 1022(2004)151

Polyphenols

Analysis of polyphenolic antioxidants in star fruit using liquid chromatography and mass spectrometry 1022(2004)67

Positional isomers

High-performance liquid chromatographic-nuclear magnetic resonance investigation of the isomerization of alachlor-ethanesulfonic acid 1022(2004)131

Pressurized hot water extraction

Comparison of gas chromatography-mass spectrometry and capillary electrophoresis in analysis of phenolic compounds extracted from solid matrices with pressurized hot water 1022(2004)9

Proanthocyanidins

Analysis of polyphenolic antioxidants in star fruit using liquid chromatography and mass spectrometry 1022(2004)67

Protein folding

Continuous chromatographic protein refolding 1022(2004)103

Proteins

Preparation of hydrophobic interaction chromatographic packings based on monodisperse poly(glycidylmethacrylate-*co*-ethylenedimethacrylate) beads and their application 1022(2004)33

Comparative study of thiophilic functionalised matrices for polyclonal $F(ab')_2$ purification 1022(2004)41

Continuous chromatographic protein refolding 1022(2004)103

Post-column fluorescence derivatization of proteins and peptides in capillary electrophoresis with a sheath flow reactor and 488 nm argon ion laser excitation 1022(2004)201

Puerarin

Separation and purification of puerarin using β -cyclodextrin-coupled agarose gel media 1022(2004)77

Purines

Microchip capillary electrophoresis with a boron-doped diamond electrode for rapid separation and detection of purines 1022(2004)207

Pyridine

Comparative study of thiophilic functionalised matrices for polyclonal $F(ab')_2$ purification 1022(2004)41

Pyrimidine

Comparative study of thiophilic functionalised matrices for polyclonal $F(ab')_2$ purification 1022(2004)41

Quartz

Determination of trace metallic impurities in high-purity quartz by ion chromatography 1022(2004)25

Resolution

Effects of pH and the presence of micelles on the resolution of diuretics by reversed-phase liquid chromatography 1022(2004)51

Salvia miltiorrhiza

Comparison of high-speed counter-current chromatography and high-performance liquid chromatography on fingerprinting of Chinese traditional medicine 1022(2004)139

Selectivity

Effects of pH and the presence of micelles on the resolution of diuretics by reversed-phase liquid chromatography 1022(2004)51

Sheath flow reactor

Post-column fluorescence derivatization of proteins and peptides in capillary electrophoresis with a sheath flow reactor and 488 nm argon ion laser excitation 1022(2004)201

Solid-matrix extraction

Determination of endocrine disrupting chemicals in environmental solid matrices by extraction with a non-ionic surfactant (Tween 80) 1022(2004)1

Star fruit

Analysis of polyphenolic antioxidants in star fruit using liquid chromatography and mass spectrometry 1022(2004)67

Stationary phases, LC

Preparation of hydrophobic interaction chromatographic packings based on monodisperse poly(glycidylmethacrylate-*co*-ethylenedimethacrylate) beads and their application 1022(2004)33

Separation and purification of puerarin using β -cyclodextrin-coupled agarose gel media 1022(2004)77

Stationary phases, CC

Comparative study of thiophilic functionalised matrices for polyclonal $F(ab')_2$ purification 1022(2004)41

Steroids

Simultaneous determination of endocrine disrupting phenolic compounds and steroids in water by solid-phase extraction–gas chromatography–mass spectrometry 1022(2004)179

Stokes' radius

Evaluation of weak ion association between tetraalkylammonium ions and inorganic anions in aqueous solutions by capillary zone electrophoresis 1022(2004)191

Succinic acid

Development of a solid-phase extraction method for simultaneous extraction of adipic acid, succinic acid and 1,4-butanediol formed during hydrolysis of poly(butylene adipate) and poly(butylene succinate) 1022(2004)171

Temperature selectivity

Use of reversed-phase high-performance liquid chromatography-diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Tetraalkylammonium ions

Evaluation of weak ion association between tetraalkylammonium ions and inorganic anions in aqueous solutions by capillary zone electrophoresis 1022(2004)191

Tetracycline

Liquid chromatography with ultraviolet absorbance detection for the analysis of tetracycline residues in honey 1022(2004)125

Tetranitroazotoluene

Use of reversed-phase high-performance liquid chromatography-diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Tetranitroazoxytoluene

Use of reversed-phase high-performance liquid chromatography–diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Thiabendazole

Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry

using atmospheric pressure photoionization 1022(2004)145

2,4,6-Trinitrotoluene

Use of reversed-phase high-performance liquid chromatography-diode array detection for complete separation of 2,4,6-trinitrotoluene metabolites and EPA Method 8330 explosives: influence of temperature and an ion-pair reagent 1022(2004)83

Tween 80

Determination of endocrine disrupting chemicals in environmental solid matrices by extraction with a non-ionic surfactant (Tween 80) 1022(2004)1

Vapour phase digestion

Determination of trace metallic impurities in high-purity quartz by ion chromatography 1022(2004)25

Vitamins

Simultaneous quantification of Vitamins A, D₃ and E in fortified infant formulae by liquid chromatography–mass spectrometry 1022(2004)115

Water analysis

Simultaneous determination of endocrine disrupting phenolic compounds and steroids in water by solid-phase extraction–gas chromatography–mass spectrometry 1022(2004)179

Weak ion association

Evaluation of weak ion association between tetraalkylammonium ions and inorganic anions in aqueous solutions by capillary zone electrophoresis 1022(2004)191