

Available online at www.sciencedirect.com



Journal of Chromatography A, 1024 (2004) 283-287

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

## Subject Index Vol. 1024

## Absorbent particles

New insights in the spatially resolved dynamic pH measurement in macroscopic large absorbent particles by confocal laser scanning microscopy 1024(2004)45

#### Adsorption

Improved model of multicomponent adsorption in reversed-phase liquid chromatography 1024(2004)9

## Adsorption isotherms

General model for the achiral chromatography of enantiomers forming dimers: application to binaphthol 1024(2004)15

Repeatability and reproducibility of high-concentration data in reversed-phase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18}$  1024(2004)21

#### Affinity chromatography

Effect of the detergent Tween-20 on the DNA affinity chromatography of Gal4, C/EBPα, and lac repressor with observations on column regeneration 1024(2004)71

#### Alcohols

Improved model of multicomponent adsorption in reversed-phase liquid chromatography 1024(2004)9

## Aniline

Repeatability and reproducibility of high-concentration data in reversed-phase liquid chromatography. III. Isotherm reproducibility on Kromasil C\_{18} 1024(2004)21

#### Antibodies

Factorial screening of antibody purification processes using three chromatography steps without protein A 1024(2004)79

## Aqueous two-phase systems

Extraction of plasmid DNA from *Escherichia coli* cell lysate in a thermoseparating aqueous two-phase system 1024(2004)95

#### Aroma compounds

Automated headspace solid-phase dynamic extraction to analyse the volatile fraction of food matrices 1024(2004)217

#### Arsenic

Simultaneous determination of twelve inorganic and organic arsenic compounds by liquid chromatography–ultraviolet irradiation–hydride generation atomic fluorescence spectrometry 1024(2004)105

## Art analysis

Identification of diterpenes in canvas painting varnishes by gas chromatography-mass spectrometry with combined derivatisation 1024(2004)187 Analysis of drying oils used as binding media for objects of art by capillary electrophoresis with indirect UV and conductivity detection 1024(2004)245

#### Atomic fluorescence spectrometry

Simultaneous determination of twelve inorganic and organic arsenic compounds by liquid chromatography–ultraviolet irradiation–hydride generation atomic fluorescence spectrometry 1024(2004)105

#### Automation

Automated headspace solid-phase dynamic extraction to analyse the volatile fraction of food matrices 1024(2004)217

## Azaspiracids

Liquid chromatography—multiple tandem mass spectrometry for the determination of ten azaspiracids, including hydroxyl analogues in shell-fish 1024(2004)63

#### Binaphthol

General model for the achiral chromatography of enantiomers forming dimers: application to binaphthol 1024(2004)15

## Caffeine

Repeatability and reproducibility of high-concentration data in reversed-phase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18}$  1024(2004)21

## Chemometrics

Characterization and determination of fatty acids in fish oil using gas chromatography-mass spectrometry coupled with chemometric resolution techniques 1024(2004)165

Identification of diterpenes in canvas painting varnishes by gas chromatography-mass spectrometry with combined derivatisation 1024(2004)187

## Chiral stationary phases, LC

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

#### Chlordane

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

#### Chlorophenols

Optimization of a microwave-assisted derivatization–extraction procedure for the determination of chlorophenols in ash samples 1024(2004)155

#### Chlorophylls

Determination of chlorophyll in plant samples by liquid chromatography using zinc-phthalocyanine as an internal standard 1024(2004)123

#### Chromium

# Retention of Cr(III) by high-performance chelation ion chromatography interfaced to inductively-coupled plasma mass spectrometric detection with collision cell 1024(2004)129

## Coal tar

Thin-layer chromatography of pitch and a petroleum vacuum residue. Relation between mobility and molecular size shown by size-exclusion chromatography 1024(2004)227

## **Collision cell**

Retention of Cr(III) by high-performance chelation ion chromatography interfaced to inductively-coupled plasma mass spectrometric detection with collision cell 1024(2004)129

### Confocal laser scanning microscopy

New insights in the spatially resolved dynamic pH measurement in macroscopic large absorbent particles by confocal laser scanning microscopy 1024(2004)45

## **Cooperative binding**

<sup>1</sup>H Nuclear magnetic resonance study of the molecular imprinting of (–)nicotine: template self-association, a molecular basis for cooperative ligand binding 1024(2004)39

## **Curve resolution**

Characterization and determination of fatty acids in fish oil using gas chromatography-mass spectrometry coupled with chemometric resolution techniques 1024(2004)165

## Derivatization, GC

Determination of natural and synthetic estrogens in water by gas chromatography with mass spectrometric detection 1024(2004)177

Determination of methylmercury in fish using focused microwave digestion following by  $Cu^{2+}$  addition, sodium tetrapropylborate derivatization, *n*-heptane extraction, and gas chromatography–mass spectrometry 1024(2004)209

## **Derivatization, SPME**

Solid-phase microextraction with on-fiber derivatization for the analysis of anti-inflammatory drugs in water samples 1024(2004)1

## **Dicarboxylic acids**

Analysis of drying oils used as binding media for objects of art by capillary electrophoresis with indirect UV and conductivity detection 1024(2004)245

## Direct resistively heated columns

Direct resistively heated column gas chromatography (Ultrafast module-GC) for high-speed analysis of essential oils of differing complexities 1024(2004)195

## Diterpenes

Identification of diterpenes in canvas painting varnishes by gas chromatography-mass spectrometry with combined derivatisation 1024(2004)187

## DNA

Effect of the detergent Tween-20 on the DNA affinity chromatography of Gal4, C/EBPa, and lac repressor with observations on column regeneration 1024(2004)71

Extraction of plasmid DNA from *Escherichia coli* cell lysate in a thermoseparating aqueous two-phase system 1024(2004)95

## **Electrophoretic mobility**

Applicability of predictive models to the peptide mobility analysis by capillary electrophoresis–electrospray mass spectrometry 1024(2004)255

## **Elution order**

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

#### **Enantiomer separation**

General model for the achiral chromatography of enantiomers forming dimers: application to binaphthol 1024(2004)15

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

## **Endocrine disruptors**

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

#### **Environmental analysis**

Determination of natural and synthetic estrogens in water by gas chromatography with mass spectrometric detection 1024(2004)177

## **Enzyme inhibitors**

Quantitation of SU11248, an oral multi-target tyrosine kinase inhibitor, and its metabolite in monkey tissues by liquid chromatograph with tandem mass spectrometry following semi-automated liquid–liquid extraction 1024(2004)87

#### Escherichia coli

Extraction of plasmid DNA from *Escherichia coli* cell lysate in a thermoseparating aqueous two-phase system 1024(2004)95

## Essential oils

Direct resistively heated column gas chromatography (Ultrafast module-GC) for high-speed analysis of essential oils of differing complexities 1024(2004)195

## Estrogens

Determination of natural and synthetic estrogens in water by gas chromatography with mass spectrometric detection 1024(2004)177

## Ethyl chloroformate

Identification of diterpenes in canvas painting varnishes by gas chromatography-mass spectrometry with combined derivatisation 1024(2004)187

#### Ethylbenzene

Repeatability and reproducibility of high-concentration data in reversedphase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18}$  1024(2004)21

## **Extraction methods**

Optimization of a microwave-assisted derivatization–extraction procedure for the determination of chlorophenols in ash samples 1024(2004)155

Automated headspace solid-phase dynamic extraction to analyse the volatile fraction of food matrices 1024(2004)217

#### **Factorial screening**

Factorial screening of antibody purification processes using three chromatography steps without protein A 1024(2004)79

## Fatty acid methyl esters

Characterization and determination of fatty acids in fish oil using gas chromatography-mass spectrometry coupled with chemometric resolution techniques 1024(2004)165

## Fatty acids

Analysis of drying oils used as binding media for objects of art by capillary electrophoresis with indirect UV and conductivity detection 1024(2004)245

## Fish

Determination of methylmercury in fish using focused microwave digestion following by  $Cu^{2+}$  addition, sodium tetrapropylborate derivatization, *n*-heptane extraction, and gas chromatography–mass spectrometry 1024(2004)209

## Food analysis

Determination of methylmercury in fish using focused microwave digestion following by  $Cu^{2+}$  addition, sodium tetrapropylborate derivatization, *n*-heptane extraction, and gas chromatography–mass spectrometry 1024(2004)209

Automated headspace solid-phase dynamic extraction to analyse the volatile fraction of food matrices 1024(2004)217

## Headspace analysis

Automated headspace solid-phase dynamic extraction to analyse the volatile fraction of food matrices 1024(2004)217

## Heptachlor

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

## Heptachlor epoxide

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

## α-Hexachlorocyclohexane

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

## High-performance chelation ion chromatography

Retention of Cr(III) by high-performance chelation ion chromatography interfaced to inductively-coupled plasma mass spectrometric detection with collision cell 1024(2004)129

## Hydrocarbons

Quality assurance of commercial beeswax. Part I. Gas chromatography– electron impact ionization mass spectrometry of hydrocarbons and monoesters 1024(2004)147

## Lacidipine

Development and validation of a liquid chromatographic method for determination of lacidipine residues on surfaces in the manufacture of pharmaceuticals 1024(2004)115

## Lavandula luisieri

Analysis of volatile components of *Lavandula luisieri* L. by direct thermal desorption–gas chromatography–mass spectrometry 1024(2004)139

## Ligand binding

<sup>1</sup>H Nuclear magnetic resonance study of the molecular imprinting of (–)nicotine: template self-association, a molecular basis for cooperative ligand binding 1024(2004)39

## Marine samples

Simultaneous determination of twelve inorganic and organic arsenic compounds by liquid chromatography–ultraviolet irradiation–hydride generation atomic fluorescence spectrometry 1024(2004)105

## Mathematical modelling

Improved model of multicomponent adsorption in reversed-phase liquid chromatography 1024(2004)9

General model for the achiral chromatography of enantiomers forming dimers: application to binaphthol 1024(2004)15

Applicability of predictive models to the peptide mobility analysis by capillary electrophoresis–electrospray mass spectrometry 1024(2004)255

## Microtox

Application of solid-phase extraction and micellar electrokinetic capillary chromatography to the study of hydrolytic and photolytic degradation of phenoxy acid and phenylurea herbicides 1024(2004)267

## Microwave-assisted extraction

Optimization of a microwave-assisted derivatization–extraction procedure for the determination of chlorophenols in ash samples 1024(2004)155

## Mixed-mode chromatography

Factorial screening of antibody purification processes using three chromatography steps without protein A 1024(2004)79

## Molecular imprinting

<sup>1</sup>H Nuclear magnetic resonance study of the molecular imprinting of (–)nicotine: template self-association, a molecular basis for cooperative ligand binding 1024(2004)39

## Monoesters

Quality assurance of commercial beeswax. Part I. Gas chromatography– electron impact ionization mass spectrometry of hydrocarbons and monoesters 1024(2004)147

## Mycotoxins

Reversed-phase liquid chromatographic method for the determination of ochratoxin A in wine 1024(2004)275

## Necrodanes

Analysis of volatile components of *Lavandula luisieri* L. by direct thermal desorption–gas chromatography–mass spectrometry 1024(2004)139

## Nicotine

<sup>1</sup>H Nuclear magnetic resonance study of the molecular imprinting of (–)nicotine: template self-association, a molecular basis for cooperative ligand binding 1024(2004)39

## Nonsteroidal anti-inflammatory drugs

Solid-phase microextraction with on-fiber derivatization for the analysis of anti-inflammatory drugs in water samples 1024(2004)1

## Nuclear magnetic resonance spectroscopy

<sup>1</sup>H Nuclear magnetic resonance study of the molecular imprinting of (–)nicotine: template self-association, a molecular basis for cooperative ligand binding 1024(2004)39

## **Ochratoxin A**

Reversed-phase liquid chromatographic method for the determination of ochratoxin A in wine 1024(2004)275

## Oils

Characterization and determination of fatty acids in fish oil using gas chromatography-mass spectrometry coupled with chemometric resolution techniques 1024(2004)165

Analysis of drying oils used as binding media for objects of art by capillary electrophoresis with indirect UV and conductivity detection 1024(2004)245

## **On-fiber derivatization**

Solid-phase microextraction with on-fiber derivatization for the analysis of anti-inflammatory drugs in water samples 1024(2004)1

## Organochlorine compounds

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

#### Organomercury compounds

Determination of methylmercury in fish using focused microwave digestion following by  $Cu^{2+}$  addition, sodium tetrapropylborate derivatization, *n*-heptane extraction, and gas chromatography–mass spectrometry 1024(2004)209

#### Peptides

Applicability of predictive models to the peptide mobility analysis by capillary electrophoresis–electrospray mass spectrometry 1024(2004)255

## Pesticides

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

Application of solid-phase extraction and micellar electrokinetic capillary chromatography to the study of hydrolytic and photolytic degradation of phenoxy acid and phenylurea herbicides 1024(2004)267

#### Petroleum

Thin-layer chromatography of pitch and a petroleum vacuum residue. Relation between mobility and molecular size shown by size-exclusion chromatography 1024(2004)227

## pH imaging

New insights in the spatially resolved dynamic pH measurement in macroscopic large absorbent particles by confocal laser scanning microscopy 1024(2004)45

## Pharmaceutical analysis

Development and validation of a liquid chromatographic method for determination of lacidipine residues on surfaces in the manufacture of pharmaceuticals 1024(2004)115

## Phenol

Repeatability and reproducibility of high-concentration data in reversed-phase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18}$  1024(2004)21

## Phenoxy acids

Application of solid-phase extraction and micellar electrokinetic capillary chromatography to the study of hydrolytic and photolytic degradation of phenoxy acid and phenylurea herbicides 1024(2004)267

## Phenylureas

Application of solid-phase extraction and micellar electrokinetic capillary chromatography to the study of hydrolytic and photolytic degradation of phenoxy acid and phenylurea herbicides 1024(2004)267

#### Photodegradation

Application of solid-phase extraction and micellar electrokinetic capillary chromatography to the study of hydrolytic and photolytic degradation of phenoxy acid and phenylurea herbicides 1024(2004)267

#### **Polychlorinated hydrocarbons**

Liquid chromatographic separation of the enantiomers of *trans*-chlordane, *cis*-chlordane, heptachlor, heptachlor epoxide and  $\alpha$ -hexachlorocyclohexane with application to small-scale preparative separation 1024(2004)55

#### Propranolol

Repeatability and reproducibility of high-concentration data in reversedphase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18}$  1024(2004)21

## Protein chromatography

New insights in the spatially resolved dynamic pH measurement in macroscopic large absorbent particles by confocal laser scanning microscopy 1024(2004)45

## Proteins

Effect of the detergent Tween-20 on the DNA affinity chromatography of Gal4, C/EBPα, and lac repressor with observations on column regeneration 1024(2004)71

### Repeatability

Repeatability and reproducibility of high-concentration data in reversedphase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18}$  1024(2004)21

#### Reproducibility

Repeatability and reproducibility of high-concentration data in reversed-phase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18}$  1024(2004)21

## **Retention mechanisms**

Retention of Cr(III) by high-performance chelation ion chromatography interfaced to inductively-coupled plasma mass spectrometric detection with collision cell 1024(2004)129

## Self-association

<sup>1</sup>H Nuclear magnetic resonance study of the molecular imprinting of (–)nicotine: template self-association, a molecular basis for cooperative ligand binding 1024(2004)39

## **Shellfish Poisoning**

Liquid chromatography—multiple tandem mass spectrometry for the determination of ten azaspiracids, including hydroxyl analogues in shell-fish 1024(2004)63

## Solid-phase dynamic extraction

Automated headspace solid-phase dynamic extraction to analyse the volatile fraction of food matrices 1024(2004)217

#### Solid-phase microextraction

Solid-phase microextraction with on-fiber derivatization for the analysis of anti-inflammatory drugs in water samples 1024(2004)1

#### Speciation

Simultaneous determination of twelve inorganic and organic arsenic compounds by liquid chromatography–ultraviolet irradiation–hydride generation atomic fluorescence spectrometry 1024(2004)105

Retention of Cr(III) by high-performance chelation ion chromatography interfaced to inductively-coupled plasma mass spectrometric detection with collision cell 1024(2004)129

## Steroids

Determination of natural and synthetic estrogens in water by gas chromatography with mass spectrometric detection 1024(2004)177

## SU11248

Quantitation of SU11248, an oral multi-target tyrosine kinase inhibitor, and its metabolite in monkey tissues by liquid chromatograph with tandem mass spectrometry following semi-automated liquid–liquid extraction 1024(2004)87

## Surfactants

Effect of the detergent Tween-20 on the DNA affinity chromatography of Gal4, C/EBPa, and lac repressor with observations on column regeneration 1024(2004)71

## Target testing

Characterization and determination of fatty acids in fish oil using gas chromatography-mass spectrometry coupled with chemometric resolution techniques 1024(2004)165

#### Terpenes

Identification of diterpenes in canvas painting varnishes by gas chromatography-mass spectrometry with combined derivatisation 1024(2004)187

#### Theophylline

Repeatability and reproducibility of high-concentration data in reversed-phase liquid chromatography. III. Isotherm reproducibility on Kromasil  $C_{18} = 1024(2004)21$ 

#### Thermal desorption

Analysis of volatile components of *Lavandula luisieri* L. by direct thermal desorption–gas chromatography–mass spectrometry 1024(2004)139

#### Thermoseparation

Extraction of plasmid DNA from *Escherichia coli* cell lysate in a thermoseparating aqueous two-phase system 1024(2004)95

#### Toxicity

Application of solid-phase extraction and micellar electrokinetic capillary chromatography to the study of hydrolytic and photolytic degradation of phenoxy acid and phenylurea herbicides 1024(2004)267

#### Toxins

Liquid chromatography—multiple tandem mass spectrometry for the determination of ten azaspiracids, including hydroxyl analogues in shell-fish 1024(2004)63

## **Transcription factors**

Effect of the detergent Tween-20 on the DNA affinity chromatography of Gal4, C/EBPα, and lac repressor with observations on column regeneration 1024(2004)71

#### Triglycerides

Analysis of drying oils used as binding media for objects of art by capillary electrophoresis with indirect UV and conductivity detection 1024(2004)245

## Trimethylsilylimidazole

Identification of diterpenes in canvas painting varnishes by gas chromatography-mass spectrometry with combined derivatisation 1024(2004)187

## Turpentine

Identification of diterpenes in canvas painting varnishes by gas chromatography-mass spectrometry with combined derivatisation 1024(2004)187

## Tween-20

Effect of the detergent Tween-20 on the DNA affinity chromatography of Gal4, C/EBP $\alpha$ , and lac repressor with observations on column regeneration 1024(2004)71

## Ultrafast module gas chromatography

Direct resistively heated column gas chromatography (Ultrafast module-GC) for high-speed analysis of essential oils of differing complexities 1024(2004)195

## Validation

Development and validation of a liquid chromatographic method for determination of lacidipine residues on surfaces in the manufacture of pharmaceuticals 1024(2004)115

## Volatile organic compounds

Analysis of volatile components of *Lavandula luisieri* L. by direct thermal desorption–gas chromatography–mass spectrometry 1024(2004)139

Automated headspace solid-phase dynamic extraction to analyse the volatile fraction of food matrices 1024(2004)217

#### Water analysis

Determination of natural and synthetic estrogens in water by gas chromatography with mass spectrometric detection 1024(2004)177

#### Waxes

Quality assurance of commercial beeswax. Part I. Gas chromatography– electron impact ionization mass spectrometry of hydrocarbons and monoesters 1024(2004)147

## Wine

Reversed-phase liquid chromatographic method for the determination of ochratoxin A in wine 1024(2004)275

#### Zinc-phthalocyanine

Determination of chlorophyll in plant samples by liquid chromatography using zinc-phthalocyanine as an internal standard 1024(2004)123