

Available online at www.sciencedirect.com



Journal of Chromatography A, 1025 (2004) 323-329

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 1025

Acetylsalicylic acid

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Acyclic octenes

Capillary gas chromatography-mass spectrometry of all 93 acyclic octenes and their identification in fluid catalytic cracked gasoline 1025(2004)237

Affinity extraction

Purification of phospholipase D by two-phase affinity extraction 1025(2004)297

Air analysis

System for the generation of standard gas mixtures of volatile and semivolatile organic compounds for calibrations of solid-phase microextraction and other sampling devices 1025(2004)3

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Sampling and analysis of volatile organic compounds in bovine breath by solid-phase microextraction and gas chromatography–mass spectrometry 1025(2004)63

Alginate

Purification of phospholipase D by two-phase affinity extraction 1025(2004)297

Alkanes

Fast solid-phase extraction–gas chromatography–mass spectrometry procedure for oil fingerprinting. Application to the Prestige oil spill 1025(2004)133

Alkyldiol

Monitoring of drugs and metabolites in whole blood by restricted-access solid-phase microextraction coupled to liquid chromatography-mass spectrometry 1025(2004)85

Alkylpyrazines

Studies on the aroma of cupuassu liquor by headspace solid-phase microextraction and gas chromatography 1025(2004)115

Amino acids

Simultaneous analysis of amino acid and biogenic polyamines by highperformance liquid chromatography after pre-column derivatization with *N*-(9-fluorenylmethoxycarbonyloxy)succinimide 1025(2004)201

Suppression of pigment interference in the gas chromatographic analysis of proteinaceous binding media in paintings with EDTA 1025(2004)277

Effects of the length and modification of the separation channel on microchip electrophoresis-mass spectrometry for analysis of bioactive compounds 1025(2004)287

Antioxidants

Comparison of different extraction methods for the analysis of volatile secondary metabolites of *Lippia alba* (Mill.) N.E. Brown, grown in Colombia, and evaluation of its in vitro antioxidant activity 1025(2004)93

Aqueous two-phase systems

Purification of phospholipase D by two-phase affinity extraction 1025(2004)297

Aroma compounds

Studies on the aroma of cupuassu liquor by headspace solid-phase microextraction and gas chromatography 1025(2004)115

Art analysis

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Suppression of pigment interference in the gas chromatographic analysis of proteinaceous binding media in paintings with EDTA 1025(2004)277

Atomic fluorescence spectrometry

Improvements in the methylmercury extraction from human hair by headspace solid-phase microextraction followed by gas-chromatography cold-vapour atomic fluorescence spectrometry 1025(2004)71

Automation

Full automation of derivatization—solid-phase microextraction–gas chromatography–mass spectrometry with a dual-arm system for the determination of organometallic compounds in aqueous samples 1025(2004)77

Benzene

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, *p*-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Benzo[a]pyrene

Gas chromatographic-mass spectrometric determination of polycyclic aromatic hydrocarbons formed during the pyrolysis of phenylalanine 1025(2004)255

Bile acids

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Biogenic amines

Simultaneous analysis of amino acid and biogenic polyamines by highperformance liquid chromatography after pre-column derivatization with *N*-(9-fluorenylmethoxycarbonyloxy)succinimide 1025(2004)201

Calibration

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, p-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Carvone

Comparison of different extraction methods for the analysis of volatile secondary metabolites of *Lippia alba* (Mill.) N.E. Brown, grown in Colombia, and evaluation of its in vitro antioxidant activity 1025(2004)93

Centrifugal partition chromatography

Effect of Coriolis force on counter-current chromatographic separation by centrifugal partition chromatography 1025(2004)169

Chemometrics

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Chip technology

Effects of the length and modification of the separation channel on microchip electrophoresis-mass spectrometry for analysis of bioactive compounds 1025(2004)287

Chlorobenzenes

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, p-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Cholesterol

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Chromatographic tests

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Cigarette smoke

Gas chromatographic-mass spectrometric determination of polycyclic aromatic hydrocarbons formed during the pyrolysis of phenylalanine 1025(2004)255

CL-20

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Cold-vapour atomic fluorescence spectrometry

Improvements in the methylmercury extraction from human hair by headspace solid-phase microextraction followed by gas-chromatography cold-vapour atomic fluorescence spectrometry 1025(2004)71

Column characterisation

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Column performance

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Copper

Permeation liquid membrane for trace metal speciation in natural waters. Transport of liposoluble Cu(II) complexes 1025(2004)33

Coriolis force

Effect of Coriolis force on counter-current chromatographic separation by centrifugal partition chromatography 1025(2004)169

Derivatisation, GC

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Suppression of pigment interference in the gas chromatographic analysis of proteinaceous binding media in paintings with EDTA 1025(2004)277

Derivatization, LC

Simultaneous analysis of amino acid and biogenic polyamines by highperformance liquid chromatography after pre-column derivatization with *N*-(9-fluorenylmethoxycarbonyloxy)succinimide 1025(2004)201

Detection, GC

Improvements in the methylmercury extraction from human hair by headspace solid-phase microextraction followed by gas-chromatography cold-vapour atomic fluorescence spectrometry 1025(2004)71

Diffusion

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, p-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Drugs

Monitoring of drugs and metabolites in whole blood by restricted-access solid-phase microextraction coupled to liquid chromatography-mass spectrometry 1025(2004)85

Efficiency

Effect of Coriolis force on counter-current chromatographic separation by centrifugal partition chromatography 1025(2004)169

Electroosmotic flow

Mobility-based selective on-line preconcentration of proteins in capillary electrophoresis by controlling electroosmotic flow 1025(2004)139

Environmental analysis

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Permeation liquid membrane for trace metal speciation in natural waters. Transport of liposoluble Cu(II) complexes 1025(2004)33

Comparison of different trapping methods for pressurised hot water extraction 1025(2004)41

Fast solid-phase extraction-gas chromatography-mass spectrometry procedure for oil fingerprinting. Application to the Prestige oil spill 1025(2004)133

Enzymes

Purification of phospholipase D by two-phase affinity extraction 1025(2004)297

Ephedra sinica

Steam distillation–solid-phase microextraction for the detection of *Ephedra sinica* in herbal preparations 1025(2004)51

Essential oils

Steam distillation–solid-phase microextraction for the detection of *Ephedra sinica* in herbal preparations 1025(2004)51

Ethyl chloroformate

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Suppression of pigment interference in the gas chromatographic analysis of proteinaceous binding media in paintings with EDTA 1025(2004)277

Ethylbenzene

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, p-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Explosives

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Extraction methods

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Development of miniaturized sample preparation with fibrous extraction media 1025(2004)27

Steam distillation–solid-phase microextraction for the detection of *Ephedra sinica* in herbal preparations 1025(2004)51

Comparison of different extraction methods for the analysis of volatile secondary metabolites of *Lippia alba* (Mill.) N.E. Brown, grown in Colombia, and evaluation of its in vitro antioxidant activity 1025(2004)93

Analysis of volatile secondary metabolites from Colombian *Xylopia aromatica* (Lamarck) by different extraction and headspace methods and gas chromatography 1025(2004)105

Optimisation of stir bar sorptive extraction for the analysis of volatile phenols in wines 1025(2004)263

Fatty acids

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Fingerprinting

Fast solid-phase extraction-gas chromatography-mass spectrometry procedure for oil fingerprinting. Application to the Prestige oil spill 1025(2004)133

N-(9-Fluorenylmethoxycarbonyloxy)succinimide

Simultaneous analysis of amino acid and biogenic polyamines by high-performance liquid chromatography after pre-column derivatization with *N*-(9-fluorenylmethoxycarbonyloxy)succinimide 1025(2004)201

Food analysis

Isoelectric point separation of proteins by capillary pH-gradient ionexchange chromatography 1025(2004)217

Optimisation of stir bar sorptive extraction for the analysis of volatile phenols in wines 1025(2004)263

Simultaneous determination of Vitamin E homologs in chicken meat by liquid chromatography with fluorescence detection 1025(2004)313

Food and lysis

Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Application to the determination of aliphatic lactones in wine 1025(2004)147

Gases

System for the generation of standard gas mixtures of volatile and semivolatile organic compounds for calibrations of solid-phase microextraction and other sampling devices 1025(2004)3

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Gasoline

Capillary gas chromatography-mass spectrometry of all 93 acyclic octenes and their identification in fluid catalytic cracked gasoline 1025(2004)237

Headspace analysis

Improvements in the methylmercury extraction from human hair by headspace solid-phase microextraction followed by gas-chromatography cold-vapour atomic fluorescence spectrometry 1025(2004)71

Comparison of different extraction methods for the analysis of volatile secondary metabolites of *Lippia alba* (Mill.) N.E. Brown, grown in Colombia, and evaluation of its in vitro antioxidant activity 1025(2004)93

Analysis of volatile secondary metabolites from Colombian *Xylopia aromatica* (Lamarck) by different extraction and headspace methods and gas chromatography 1025(2004)105

HMX

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Instrumentation

Development of miniaturized sample preparation with fibrous extraction media 1025(2004)27

Full automation of derivatization—solid-phase microextraction–gas chromatography–mass spectrometry with a dual-arm system for the determination of organometallic compounds in aqueous samples 1025(2004)77

Effects of the length and modification of the separation channel on microchip electrophoresis-mass spectrometry for analysis of bioactive compounds 1025(2004)287

Isoelectric points

Isoelectric point separation of proteins by capillary pH-gradient ionexchange chromatography 1025(2004)217

Lactoglobulins

Isoelectric point separation of proteins by capillary pH-gradient ionexchange chromatography 1025(2004)217

Lactones

Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Application to the determination of aliphatic lactones in wine 1025(2004)147

Lippia alba

Comparison of different extraction methods for the analysis of volatile secondary metabolites of *Lippia alba* (Mill.) N.E. Brown, grown in Colombia, and evaluation of its in vitro antioxidant activity 1025(2004)93

Liquid-phase microextraction

Determination of ochratoxin A in wine using liquid-phase microextraction combined with liquid chromatography with fluorescence detection 1025(2004)163

Meat

Simultaneous determination of Vitamin E homologs in chicken meat by liquid chromatography with fluorescence detection 1025(2004)313

Membranes

Permeation liquid membrane for trace metal speciation in natural waters. Transport of liposoluble Cu(II) complexes 1025(2004)33

Metal cations

Permeation liquid membrane for trace metal speciation in natural waters. Transport of liposoluble Cu(II) complexes 1025(2004)33

Methylmercury

Improvements in the methylmercury extraction from human hair by headspace solid-phase microextraction followed by gas-chromatography cold-vapour atomic fluorescence spectrometry 1025(2004)71

Microporous membrane liquid-liquid extraction

Comparison of different trapping methods for pressurised hot water extraction 1025(2004)41

Microwave-assisted hydrodistillation

Analysis of volatile secondary metabolites from Colombian *Xylopia aromatica* (Lamarck) by different extraction and headspace methods and gas chromatography 1025(2004)105

Milk

Isoelectric point separation of proteins by capillary pH-gradient ionexchange chromatography 1025(2004)217

Multiple ionic polymer layers coating

Effects of the length and modification of the separation channel on microchip electrophoresis–mass spectrometry for analysis of bioactive compounds 1025(2004)287

Mycotoxins

Determination of ochratoxin A in wine using liquid-phase microextraction combined with liquid chromatography with fluorescence detection 1025(2004)163

Nitramines

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Ochratoxin A

Determination of ochratoxin A in wine using liquid-phase microextraction combined with liquid chromatography with fluorescence detection 1025(2004)163

Octanol-water partition coefficients

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Oils

Fast solid-phase extraction–gas chromatography–mass spectrometry procedure for oil fingerprinting. Application to the Prestige oil spill 1025(2004)133

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Optimization

Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Application to the determination of aliphatic lactones in wine 1025(2004)147

Organomercury compounds

Improvements in the methylmercury extraction from human hair by headspace solid-phase microextraction followed by gas-chromatography cold-vapour atomic fluorescence spectrometry 1025(2004)71

Organometallic compounds

Full automation of derivatization—solid-phase microextraction–gas chromatography–mass spectrometry with a dual-arm system for the determination of organometallic compounds in aqueous samples 1025(2004)77

Ox bile

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Ozone

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Paints

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Suppression of pigment interference in the gas chromatographic analysis of proteinaceous binding media in paintings with EDTA 1025(2004)277

Paraffins, chlorinated

Solid-phase extraction versus solid-phase microextraction for the determination of chlorinated paraffins in water using gas chromatography– negative chemical ionisation mass spectrometry 1025(2004)157

Peptides

Enrichment of proteinaceous materials on a strong cation-exchange diol silica restricted access material: protein–protein displacement and interaction effects 1025(2004)209

Effects of the length and modification of the separation channel on microchip electrophoresis–mass spectrometry for analysis of bioactive compounds 1025(2004)287

Permeation liquid membranes

Permeation liquid membrane for trace metal speciation in natural waters. Transport of liposoluble Cu(II) complexes 1025(2004)33

Pharmaceutical analysis

Steam distillation–solid-phase microextraction for the detection of *Ephedra sinica* in herbal preparations 1025(2004)51

Phellandrene

Analysis of volatile secondary metabolites from Colombian *Xylopia aromatica* (Lamarck) by different extraction and headspace methods and gas chromatography 1025(2004)105

Phenols

Optimisation of stir bar sorptive extraction for the analysis of volatile phenols in wines 1025(2004)263

Phenylalanine

Gas chromatographic-mass spectrometric determination of polycyclic aromatic hydrocarbons formed during the pyrolysis of phenylalanine 1025(2004)255

pH-gradients

Isoelectric point separation of proteins by capillary pH-gradient ionexchange chromatography 1025(2004)217

Phospholipases

Purification of phospholipase D by two-phase affinity extraction 1025(2004)297

Phthalates

Development of miniaturized sample preparation with fibrous extraction media 1025(2004)27

Pigments

Suppression of pigment interference in the gas chromatographic analysis of proteinaceous binding media in paintings with EDTA 1025(2004)277

Plant materials

Steam distillation–solid-phase microextraction for the detection of *Ephedra sinica* in herbal preparations 1025(2004)51

Studies on the aroma of cupuassu liquor by headspace solid-phase microextraction and gas chromatography 1025(2004)115

Polyamines

Simultaneous analysis of amino acid and biogenic polyamines by highperformance liquid chromatography after pre-column derivatization with *N*-(9-fluorenylmethoxycarbonyloxy)succinimide 1025(2004)201

Polychlorinated biphenyls

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Polychlorinated hydroxybiphenyls

Using new structurally related additive schemes in the precalculation of gas chromatographic retention indices of polychlorinated hydroxybiphenyls on HP-5 stationary phase 1025(2004)227

Polydimethylsiloxane rod extraction

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Polynuclear aromatic hydrocarbons

Comparison of different trapping methods for pressurised hot water extraction 1025(2004)41

Fast solid-phase extraction–gas chromatography–mass spectrometry procedure for oil fingerprinting. Application to the Prestige oil spill 1025(2004)133

Gas chromatographic-mass spectrometric determination of polycyclic aromatic hydrocarbons formed during the pyrolysis of phenylalanine 1025(2004)255

Preconcentration

Mobility-based selective on-line preconcentration of proteins in capillary electrophoresis by controlling electroosmotic flow 1025(2004)139

Pressurised hot water extraction

Principal component analysis

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Proteins

Mobility-based selective on-line preconcentration of proteins in capillary electrophoresis by controlling electroosmotic flow 1025(2004)139

Enrichment of proteinaceous materials on a strong cation-exchange diol silica restricted access material: protein–protein displacement and interaction effects 1025(2004)209

Isoelectric point separation of proteins by capillary pH-gradient ionexchange chromatography 1025(2004)217

Suppression of pigment interference in the gas chromatographic analysis of proteinaceous binding media in paintings with EDTA 1025(2004)277

Pyrolysis

Gas chromatographic-mass spectrometric determination of polycyclic aromatic hydrocarbons formed during the pyrolysis of phenylalanine 1025(2004)255

Quaternary ammonium compounds

Determination of homologues of quaternary ammonium surfactants by capillary electrophoresis using indirect UV detection 1025(2004)303

RDX

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Reference material

Development of standard operation procedures for the manufacture of *n*-octadecyl bonded silicas as packing material in certified reference columns for reversed-phase liquid chromatography 1025(2004)177

Restricted access media

Monitoring of drugs and metabolites in whole blood by restricted-access solid-phase microextraction coupled to liquid chromatography-mass spectrometry 1025(2004)85

Enrichment of proteinaceous materials on a strong cation-exchange diol silica restricted access material: protein–protein displacement and interaction effects 1025(2004)209

Retention indices

Using new structurally related additive schemes in the precalculation of gas chromatographic retention indices of polychlorinated hydroxybiphenyls on HP-5 stationary phase 1025(2004)227

Capillary gas chromatography-mass spectrometry of all 93 acyclic octenes and their identification in fluid catalytic cracked gasoline 1025(2004)237

Retention prediction

Using new structurally related additive schemes in the precalculation of gas chromatographic retention indices of polychlorinated hydroxybiphenyls on HP-5 stationary phase 1025(2004)227

Sample preparation

Development of miniaturized sample preparation with fibrous extraction media 1025(2004)27

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Enrichment of proteinaceous materials on a strong cation-exchange diol silica restricted access material: protein–protein displacement and interaction effects 1025(2004)209

Sediments

Comparison of different trapping methods for pressurised hot water extraction 1025(2004)41

Selectivity

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Semi-volatile organic compounds

System for the generation of standard gas mixtures of volatile and semivolatile organic compounds for calibrations of solid-phase microextraction and other sampling devices 1025(2004)3

Silica

Monitoring of drugs and metabolites in whole blood by restricted-access solid-phase microextraction coupled to liquid chromatography-mass spectrometry 1025(2004)85

Silica, n-octadecyl bonded

Development of standard operation procedures for the manufacture of *n*-octadecyl bonded silicas as packing material in certified reference columns for reversed-phase liquid chromatography 1025(2004)177

Soil

Comparison of different trapping methods for pressurised hot water extraction 1025(2004)41

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Solid-liquid distribution coefficients

Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Application to the determination of aliphatic lactones in wine 1025(2004)147

Solid-phase extraction

Fast solid-phase extraction–gas chromatography–mass spectrometry procedure for oil fingerprinting. Application to the Prestige oil spill 1025(2004)133 Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Application to the determination of aliphatic lactones in wine 1025(2004)147

Solid-phase extraction versus solid-phase microextraction for the determination of chlorinated paraffins in water using gas chromatography– negative chemical ionisation mass spectrometry 1025(2004)157

Solid-phase microextraction

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, p-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Full automation of derivatization—solid-phase microextraction–gas chromatography–mass spectrometry with a dual-arm system for the determination of organometallic compounds in aqueous samples 1025(2004)77

Monitoring of drugs and metabolites in whole blood by restricted-access solid-phase microextraction coupled to liquid chromatography-mass spectrometry 1025(2004)85

Solid-phase extraction versus solid-phase microextraction for the determination of chlorinated paraffins in water using gas chromatography– negative chemical ionisation mass spectrometry 1025(2004)157

Solubility

Physico-chemical measurements of CL-20 for environmental applications. Comparison with RDX and HMX 1025(2004)125

Standard operation procedure

Development of standard operation procedures for the manufacture of *n*-octadecyl bonded silicas as packing material in certified reference columns for reversed-phase liquid chromatography 1025(2004)177

Stationary phases, LC

Development of standard operation procedures for the manufacture of *n*octadecyl bonded silicas as packing material in certified reference columns for reversed-phase liquid chromatography 1025(2004)177

Characterisation of reversed-phase liquid-chromatographic columns by chromatographic tests. Comparing column classification based on chromatographic parameters and column performance for the separation of acetylsalicylic acid and related compounds 1025(2004)189

Steam distillation

Steam distillation–solid-phase microextraction for the detection of *Ephedra sinica* in herbal preparations 1025(2004)51

Stir bar sorptive extraction

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Optimisation of stir bar sorptive extraction for the analysis of volatile phenols in wines 1025(2004)263

Structure-retention relationships

Capillary gas chromatography-mass spectrometry of all 93 acyclic octenes and their identification in fluid catalytic cracked gasoline 1025(2004)237

Surfactants

Determination of homologues of quaternary ammonium surfactants by capillary electrophoresis using indirect UV detection 1025(2004)303

Theobroma grandiflorum

Studies on the aroma of cupuassu liquor by headspace solid-phase microextraction and gas chromatography 1025(2004)115

Thermal desorption

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Tocopherols

Simultaneous determination of Vitamin E homologs in chicken meat by liquid chromatography with fluorescence detection 1025(2004)313

Tocotrienols

Simultaneous determination of Vitamin E homologs in chicken meat by liquid chromatography with fluorescence detection 1025(2004)313

Toluene

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, *p*-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Trimethylsilylimidazole

Characterization of bile acids and fatty acids from ox bile in oil paintings by gas chromatography-mass spectrometry 1025(2004)269

Vinylanisole

Steam distillation–solid-phase microextraction for the detection of *Ephedra sinica* in herbal preparations 1025(2004)51

Vitamins

Simultaneous determination of Vitamin E homologs in chicken meat by liquid chromatography with fluorescence detection 1025(2004)313

Volatile organic compounds

System for the generation of standard gas mixtures of volatile and semivolatile organic compounds for calibrations of solid-phase microextraction and other sampling devices 1025(2004)3

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

Sampling and analysis of volatile organic compounds in bovine breath by solid-phase microextraction and gas chromatography–mass spectrometry 1025(2004)63

Comparison of different extraction methods for the analysis of volatile secondary metabolites of *Lippia alba* (Mill.) N.E. Brown, grown in Colombia, and evaluation of its in vitro antioxidant activity 1025(2004)93

Analysis of volatile secondary metabolites from Colombian *Xylopia aromatica* (Lamarck) by different extraction and headspace methods and gas chromatography 1025(2004)105 Studies on the aroma of cupuassu liquor by headspace solid-phase microextraction and gas chromatography 1025(2004)115

Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Application to the determination of aliphatic lactones in wine 1025(2004)147

Optimisation of stir bar sorptive extraction for the analysis of volatile phenols in wines 1025(2004)263

Water analysis

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, p-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Polydimethylsiloxane rod extraction, a novel technique for the determination of organic micropollutants in water samples by thermal desorption– capillary gas chromatography–mass spectrometry 1025(2004)17

Development of miniaturized sample preparation with fibrous extraction media 1025(2004)27

Permeation liquid membrane for trace metal speciation in natural waters. Transport of liposoluble Cu(II) complexes 1025(2004)33

Solid-phase extraction versus solid-phase microextraction for the determination of chlorinated paraffins in water using gas chromatography– negative chemical ionisation mass spectrometry 1025(2004)157

Wine

Simple strategy for the optimization of solid-phase extraction procedures through the use of solid–liquid distribution coefficients. Application to the determination of aliphatic lactones in wine 1025(2004)147

Determination of ochratoxin A in wine using liquid-phase microextraction combined with liquid chromatography with fluorescence detection 1025(2004)163

Optimisation of stir bar sorptive extraction for the analysis of volatile phenols in wines 1025(2004)263

Xylenes

Air sampling of aromatic hydrocarbons in the presence of ozone by solidphase microextraction 1025(2004)57

p-Xylenes

Diffusion-based calibration for solid-phase microextraction of benzene, toluene, ethylbenzene, p-xylene and chlorobenzenes from aqueous samples 1025(2004)11

Xylopia aromatica

Analysis of volatile secondary metabolites from Colombian *Xylopia aromatica* (Lamarck) by different extraction and headspace methods and gas chromatography 1025(2004)105