

Subject Index Vol. 1033

Acarbose

Combined use of liquid chromatography–nuclear magnetic resonance spectroscopy and liquid chromatography–mass spectrometry for the characterization of an acarbose degradation product 1033(2004)299

Acetaldoxime

Molecular interconversion behaviour in comprehensive two-dimensional gas chromatography 1033(2004)135

Adsorption equilibrium

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography.

I. XTerra-C₁₈ 1033(2004)43

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography.

II. Symmetry-C₁₈ 1033(2004)57

Adsorption isotherm

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography.

I. XTerra-C₁₈ 1033(2004)43

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography.

II. Symmetry-C₁₈ 1033(2004)57

Aerosols

On-line high-performance liquid chromatography method for analyte quantitation from pressurized metered dose inhalers 1033(2004)101

Affinity sorbents

Characterization of drug interactions with soluble β -cyclodextrin by high-performance affinity chromatography 1033(2004)115

Air sampling

Assaying particle-bound polycyclic aromatic hydrocarbons from archived PM_{2.5} filters 1033(2004)9

Amino acids

Comparison of the chromatographic behavior of monolithic capillary columns in capillary electrochromatography and nano-high-performance liquid chromatography 1033(2004)267

Evaluation of the enantiomeric selectivity in the chiral ligand-exchange chromatography of amino acids by a computational model 1033(2004)363

Aminooctadecanol hydrochloride

Erratum to “Development and validation of a liquid chromatography–ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285-HCl [(2*S*,3*R*)-2-amino-3-octadecanol

hydrochloride] and its pharmaceutical dosage form” [J. Chromatogr. A 1020 (2003) 251–258] 1033(2004)191

Amphetamines

Effect of the eluent on enantiomer separation of controlled drugs by liquid chromatography–ultraviolet absorbance detection–electrospray ionisation tandem mass spectrometry using vancomycin and native β -cyclodextrin chiral stationary phases 1033(2004)91

Antibody purification

Methodologies for model calibration to assist the design of a preparative ion-exchange step for antibody purification 1033(2004)71

Antidepressants

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

Antipsychotics

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Automation

Automated high-capacity sorption probe for extraction of organic compounds in aqueous samples followed by gas chromatographic analysis 1033(2004)339

Bacteria

Comprehensive analysis system using liquid chromatography–mass spectrometry for the biosynthetic study of peptides produced by cyanobacteria 1033(2004)107

Band broadening

Comparison between different sheathless electrospray emitter configurations regarding the performance of nanoscale liquid chromatography–time-of-flight mass spectrometry analysis 1033(2004)257

Beclomethasone dipropionate

On-line high-performance liquid chromatography method for analyte quantitation from pressurized metered dose inhalers 1033(2004)101

Benzodiazepines

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

Berberine

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

β -Blockers

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

BTEX

Determination of fuel dialkyl ethers and BTEX in water using headspace solid-phase microextraction and gas chromatography–flame ionization detection 1033(2004)193

Butyraldoxime

Molecular interconversion behaviour in comprehensive two-dimensional gas chromatography 1033(2004)135

Caffeine

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Calcium

Simultaneous determination of inorganic anions, calcium and magnesium by suppressed ion chromatography 1033(2004)127

Calibration curves

Application of off-line size-exclusion chromatographic fractionation–matrix assisted laser desorption ionization time of flight mass spectrometry for proanthocyanidin characterization 1033(2004)291

Capacitively coupled microplasma

Capacitively coupled microplasma for on-column detection of chromatographically separated inorganic gases by optical emission spectrometry 1033(2004)333

Capillary columns

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

Cheese

Alternative reversed-phase high-performance liquid chromatography method to analyse organic acids in dairy products 1033(2004)305

Chemical modification

New procedure of silica gel surface modification. Preparation of gaseous standard mixtures for calibration purposes 1033(2004)145

Chiral stationary phases, LC

Effect of the eluent on enantiomer separation of controlled drugs by liquid chromatography–ultraviolet absorbance detection–electrospray ionisation tandem mass spectrometry using vancomycin and native β -cyclodextrin chiral stationary phases 1033(2004)91

Chloroanisoles

Stir bar sorptive extraction for the analysis of wine cork taint 1033(2004)173

Chlorophenols

Stir bar sorptive extraction for the analysis of wine cork taint 1033(2004)173

Clothiapine

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Clozapine

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Cnidium monnieri

Preparative isolation of osthol and xanthotoxol from Common Cnidium Fruit (Chinese traditional herb) using stepwise elution by high-speed counter-current chromatography 1033(2004)373

Coated columns

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

Computational model

Evaluation of the enantiomeric selectivity in the chiral ligand-exchange chromatography of amino acids by a computational model 1033(2004)363

Conical columns

Study on conical columns with different conical angles for semi-preparative liquid chromatography 1033(2004)275

Cork taint

Stir bar sorptive extraction for the analysis of wine cork taint 1033(2004)173

Corticosteroids

On-line high-performance liquid chromatography method for analyte quantitation from pressurized metered dose inhalers 1033(2004)101

Counter-current chromatography

Preparative purification of glycyrrhizin extracted from the root of liquorice using high-speed counter-current chromatography 1033(2004)183

Preparative isolation of osthol and xanthotoxol from Common Cnidium Fruit (Chinese traditional herb) using stepwise elution by high-speed counter-current chromatography 1033(2004)373

 β -Cyclodextrin

Effect of the eluent on enantiomer separation of controlled drugs by liquid chromatography–ultraviolet absorbance detection–electrospray ionisation tandem mass spectrometry using vancomycin and native β -cyclodextrin chiral stationary phases 1033(2004)91

Cyclodextrins

Chiral separation of highly negatively charged enantiomers by capillary electrophoresis 1033(2004)349

Derivatization, LC

Measuring naphthenic acids concentrations in aqueous environmental samples by liquid chromatography 1033(2004)83

Erratum to “Development and validation of a liquid chromatography–ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285-HCl [(2*S*,3*R*)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form” [J. Chromatogr. A 1020 (2003) 251–258] 1033(2004)191

Design of experiments

Erratum to “Development and validation of a liquid chromatography–ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285-HCl [(2*S*,3*R*)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form” [J. Chromatogr. A 1020 (2003) 251–258] 1033(2004)191

Detection, GC

Capacitively coupled microplasma for on-column detection of chromatographically separated inorganic gases by optical emission spectrometry 1033(2004)333

Dialkyl ethers

Determination of fuel dialkyl ethers and BTEX in water using headspace solid-phase microextraction and gas chromatography–flame ionization detection 1033(2004)193

Displacement chromatography

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Downstream processing

Methodologies for model calibration to assist the design of a preparative ion-exchange step for antibody purification 1033(2004)71

Dynamic gas chromatography

Molecular interconversion behaviour in comprehensive two-dimensional gas chromatography 1033(2004)135

Dynamic simulation

Methodologies for model calibration to assist the design of a preparative ion-exchange step for antibody purification 1033(2004)71

Electrochromatography, ion-exchange

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

Electroosmotic flow

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

Electrospray ionization

Comparison between different sheathless electrospray emitter configurations regarding the performance of nanoscale liquid chromatography–time-of-flight mass spectrometry analysis 1033(2004)257

Elution order

Evaluation of the enantiomeric selectivity in the chiral ligand-exchange chromatography of amino acids by a computational model 1033(2004)363

Enantiomer separation

Effect of the eluent on enantiomer separation of controlled drugs by liquid chromatography–ultraviolet absorbance detection–electrospray ionisation tandem mass spectrometry using vancomycin and native β -cyclodextrin chiral stationary phases 1033(2004)91

Chiral separation of highly negatively charged enantiomers by capillary electrophoresis 1033(2004)349

Evaluation of the enantiomeric selectivity in the chiral ligand-exchange chromatography of amino acids by a computational model 1033(2004)363

Environmental analysis

Development of a solid-phase extraction method for the determination of polychlorinated biphenyls in water 1033(2004)1

Measuring naphthenic acids concentrations in aqueous environmental samples by liquid chromatography 1033(2004)83

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Automated high-capacity sorption probe for extraction of organic compounds in aqueous samples followed by gas chromatographic analysis 1033(2004)339

ES-285-HCl

Erratum to “Development and validation of a liquid chromatography–ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285-HCl [(2*S*,3*R*)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form” [J. Chromatogr. A 1020 (2003) 251–258] 1033(2004)191

Essential oils

Analysis by gas chromatography–mass spectrometry of the volatile components of *Teucrium lusitanicum* and *Teucrium algarbiensis* 1033(2004)187

Ethoxynonafluorobutane

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

Experimental design

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Extra-column time correction

Reliability of the retention factor estimations in liquid chromatography 1033(2004)247

Extraction methods

Development and application of polymer-coated hollow fiber membrane microextraction to the determination of organochlorine pesticides in water 1033(2004)213

Automated high-capacity sorption probe for extraction of organic compounds in aqueous samples followed by gas chromatographic analysis 1033(2004)339

Fatty acid methyl esters

Separation of conjugated linoleic acid methyl esters by silver-ion high performance liquid chromatography in semi-preparative mode 1033(2004)369

Flavonoids

Study on the quantitative relationship between the structures and electrophoretic mobilities of flavonoids in micellar electrokinetic capillary chromatography 1033(2004)153

Flow profiles

Study on conical columns with different conical angles for semi-preparative liquid chromatography 1033(2004)275

Fourier-transform infrared spectroscopy

Measuring naphthenic acids concentrations in aqueous environmental samples by liquid chromatography 1033(2004)83

Frontal analysis

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. I. XTerra-C₁₈ 1033(2004)43

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. II. Symmetry-C₁₈ 1033(2004)57

Gas chromatography, comprehensive two-dimensional

Molecular interconversion behaviour in comprehensive two-dimensional gas chromatography 1033(2004)135

Gaseous standard mixtures

New procedure of silica gel surface modification. Preparation of gaseous standard mixtures for calibration purposes 1033(2004)145

Gases

Capacitively coupled microplasma for on-column detection of chromatographically separated inorganic gases by optical emission spectrometry 1033(2004)333

Glycyrrhiza uralensis

Preparative purification of glycyrrhizin extracted from the root of liquorice using high-speed counter-current chromatography 1033(2004)183

Glycyrrhizin

Preparative purification of glycyrrhizin extracted from the root of liquorice using high-speed counter-current chromatography 1033(2004)183

Gradient elution

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

Headspace analysis

Determination of fuel dialkyl ethers and BTEX in water using headspace solid-phase microextraction and gas chromatography–flame ionization detection 1033(2004)193

Hold-up time

Reliability of the retention factor estimations in liquid chromatography 1033(2004)247

Hollow fiber membrane

Development and application of polymer-coated hollow fiber membrane microextraction to the determination of organochlorine pesticides in water 1033(2004)213

Inorganic anions

Simultaneous determination of inorganic anions, calcium and magnesium by suppressed ion chromatography 1033(2004)127

Instrumentation

Comparison between different sheathless electrospray emitter configurations regarding the performance of nanoscale liquid chromatography–time-of-flight mass spectrometry analysis 1033(2004)257

Interfaces, SFE–LC

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Intermediate precision

Reliability of the retention factor estimations in liquid chromatography 1033(2004)247

Ionic strength

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. II. Symmetry-C₁₈ 1033(2004)57

Jateorrhizine

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

Langmuir kinetics

Methodologies for model calibration to assist the design of a preparative ion-exchange step for antibody purification 1033(2004)71

Linear isotherms

Optimizing control of simulated moving beds—linear isotherm 1033(2004)229

Linoleic acid

Separation of conjugated linoleic acid methyl esters by silver-ion high performance liquid chromatography in semi-preparative mode 1033(2004)369

Liquid chromatography

Two- and three-parameter equations for representation of retention data in reversed-phase liquid chromatography 1033(2004)29

Lysozyme

Quantitative magnetic resonance imaging of urea and lysozyme in protein chromatography 1033(2004)311

Magnesium

Simultaneous determination of inorganic anions, calcium and magnesium by suppressed ion chromatography 1033(2004)127

Magnetic resonance imaging

Quantitative magnetic resonance imaging of urea and lysozyme in protein chromatography 1033(2004)311

Mathematical modelling

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Two- and three-parameter equations for representation of retention data in reversed-phase liquid chromatography 1033(2004)29

Matrix-assisted laser desorption ionization mass spectrometry

Application of off-line size-exclusion chromatographic fractionation–matrix assisted laser desorption ionization time of flight mass spectrometry for proanthocyanidin characterization 1033(2004)291

Metered dose inhalers

On-line high-performance liquid chromatography method for analyte quantitation from pressurized metered dose inhalers 1033(2004)101

Methyl chloride

New procedure of silica gel surface modification. Preparation of gaseous standard mixtures for calibration purposes 1033(2004)145

Methyl *tert*-butyl ether

Determination of fuel dialkyl ethers and BTEX in water using headspace solid-phase microextraction and gas chromatography–flame ionization detection 1033(2004)193

Microcystins

Comprehensive analysis system using liquid chromatography–mass spectrometry for the biosynthetic study of peptides produced by cyanobacteria 1033(2004)107

Milk

Alternative reversed-phase high-performance liquid chromatography method to analyse organic acids in dairy products 1033(2004)305

Mobile phase composition

Effect of the eluent on enantiomer separation of controlled drugs by liquid chromatography–ultraviolet absorbance detection–electrospray ionisation tandem mass spectrometry using vancomycin and native β -cyclodextrin chiral stationary phases 1033(2004)91

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–

atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

Mobile phase modulator

Methodologies for model calibration to assist the design of a preparative ion-exchange step for antibody purification 1033(2004)71

Model calibration

Methodologies for model calibration to assist the design of a preparative ion-exchange step for antibody purification 1033(2004)71

Molecular imprinting

Sulfamethoxazole-imprinted polymer for selective determination of sulfamethoxazole in tablets 1033(2004)179

Molecular interconversion

Molecular interconversion behaviour in comprehensive two-dimensional gas chromatography 1033(2004)135

Molecular mass distribution

Application of off-line size-exclusion chromatographic fractionation–matrix assisted laser desorption ionization time of flight mass spectrometry for proanthocyanidin characterization 1033(2004)291

Monolithic precolumns

Sample enrichment by using monolithic precolumns in microcolumn liquid chromatography 1033(2004)205

Monoliths

Comparison of the chromatographic behavior of monolithic capillary columns in capillary electrochromatography and nano-high-performance liquid chromatography 1033(2004)267

Moreau isotherm model

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. I. XTerra-C₁₈ 1033(2004)43

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. II. Symmetry-C₁₈ 1033(2004)57

Naphthalenesulfonates

Separation and migration behavior of positional and structural naphthalene-sulfonate isomers by cyclodextrin-mediated capillary electrophoresis 1033(2004)167

Naphthenic acids

Measuring naphthenic acids concentrations in aqueous environmental samples by liquid chromatography 1033(2004)83

Neural networks, radial basis function

Study on the quantitative relationship between the structures and electrophoretic mobilities of flavonoids in micellar electrokinetic capillary chromatography 1033(2004)153

Nonsteroidal anti-inflammatory drugs

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

Nuclear magnetic resonance

Quantitative magnetic resonance imaging of urea and lysozyme in protein chromatography 1033(2004)311

Nuclear magnetic resonance spectroscopy

Combined use of liquid chromatography–nuclear magnetic resonance spectroscopy and liquid chromatography–mass spectrometry for the characterization of an acarbose degradation product 1033(2004)299

Oil sands

Measuring naphthenic acids concentrations in aqueous environmental samples by liquid chromatography 1033(2004)83

Olanzapine

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Optical emission spectrometry

Capacitively coupled microplasma for on-column detection of chromatographically separated inorganic gases by optical emission spectrometry 1033(2004)333

Optimisation techniques

Optimisation technique for stepwise gradient elution in reversed-phase liquid chromatography 1033(2004)283

Optimization

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Organic acids

Alternative reversed-phase high-performance liquid chromatography method to analyse organic acids in dairy products 1033(2004)305

Organochlorine compounds

Development and application of polymer-coated hollow fiber membrane microextraction to the determination of organochlorine pesticides in water 1033(2004)213

Organosulfur compounds

Separation and migration behavior of positional and structural naphthalene-sulfonate isomers by cyclodextrin-mediated capillary electrophoresis 1033(2004)167

Sulfamethoxazole-imprinted polymer for selective determination of sulfamethoxazole in tablets 1033(2004)179

Chiral separation of highly negatively charged enantiomers by capillary electrophoresis 1033(2004)349

Osthol

Preparative isolation of osthol and xanthotoxol from Common Cnidium Fruit (Chinese traditional herb) using stepwise elution by high-speed counter-current chromatography 1033(2004)373

Overloaded band profiles

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. I. XTerra-C₁₈ 1033(2004)43

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. II. Symmetry-C₁₈ 1033(2004)57

Oximes

Molecular interconversion behaviour in comprehensive two-dimensional gas chromatography 1033(2004)135

Particulate matter

Assaying particle-bound polycyclic aromatic hydrocarbons from archived PM_{2.5} filters 1033(2004)9

Peptides

Comprehensive analysis system using liquid chromatography–mass spectrometry for the biosynthetic study of peptides produced by cyanobacteria 1033(2004)107

Comparison between different sheathless electrospray emitter configurations regarding the performance of nanoscale liquid chromatography–time-of-flight mass spectrometry analysis 1033(2004)257

Pesticides

Development and application of polymer-coated hollow fiber membrane microextraction to the determination of organochlorine pesticides in water 1033(2004)213

Pharmaceutical analysis

Characterization of drug interactions with soluble β -cyclodextrin by high-performance affinity chromatography 1033(2004)115

Sulfamethoxazole-imprinted polymer for selective determination of sulfamethoxazole in tablets 1033(2004)179

Preparative purification of glycyrrhizin extracted from the root of liquorice using high-speed counter-current chromatography 1033(2004)183

Preparative isolation of osthol and xanthotoxol from Common Cnidium Fruit (Chinese traditional herb) using stepwise elution by high-speed counter-current chromatography 1033(2004)373

Phenanthrene

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Phenylisothiocyanate

Erratum to “Development and validation of a liquid chromatography–ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285·HCl [(2*S*,3*R*)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form” [J. Chromatogr. A 1020 (2003) 251–258] 1033(2004)191

Phenytoin

Characterization of drug interactions with soluble β -cyclodextrin by high-performance affinity chromatography 1033(2004)115

Phthalates

Sample enrichment by using monolithic precolumns in microcolumn liquid chromatography 1033(2004)205

Plant materials

Preparative purification of glycyrrhizin extracted from the root of liquorice using high-speed counter-current chromatography 1033(2004)183

Polar hydroxylated aromatic compounds

Comparison of the chromatographic behavior of monolithic capillary columns in capillary electrochromatography and nano-high-performance liquid chromatography 1033(2004)267

Polychlorinated biphenyls

Development of a solid-phase extraction method for the determination of polychlorinated biphenyls in water 1033(2004)1

Polycyclic aromatic hydrocarbons

Assaying particle-bound polycyclic aromatic hydrocarbons from archived PM_{2.5} filters 1033(2004)9

Polynuclear aromatic hydrocarbons

Automated high-capacity sorption probe for extraction of organic compounds in aqueous samples followed by gas chromatographic analysis 1033(2004)339

Positional isomers

Separation and migration behavior of positional and structural naphthalenesulfonate isomers by cyclodextrin-mediated capillary electrophoresis 1033(2004)167

Preparative chromatography

Preparative purification of glycyrrhizin extracted from the root of liquorice using high-speed counter-current chromatography 1033(2004)183

Study on conical columns with different conical angles for semi-preparative liquid chromatography 1033(2004)275

Preparative isolation of osthol and xanthotoxol from Common Cnidium Fruit (Chinese traditional herb) using stepwise elution by high-speed counter-current chromatography 1033(2004)373

Principal component analysis

Comparison between different sheathless electrospray emitter configurations regarding the performance of nanoscale liquid chromatography–time-of-flight mass spectrometry analysis 1033(2004)257

Procyanidins

Application of off-line size-exclusion chromatographic fractionation–matrix assisted laser desorption ionization time of flight mass spectrometry for proanthocyanidin characterization 1033(2004)291

Progesterone

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Propranolol

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. I. XTerra-C₁₈ 1033(2004)43

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography. II. Symmetry-C₁₈ 1033(2004)57

Proteins

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Quantitative magnetic resonance imaging of urea and lysozyme in protein chromatography 1033(2004)311

Pyrene

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Quetiapine

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Regression analysis

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Study on the quantitative relationship between the structures and electrophoretic mobilities of flavonoids in micellar electrokinetic capillary chromatography 1033(2004)153

Relative retention factors

Reliability of the retention factor estimations in liquid chromatography 1033(2004)247

Repetitive model predictive control

Optimizing control of simulated moving beds—linear isotherm
1033(2004)229

Retention factors

Reliability of the retention factor estimations in liquid chromatography
1033(2004)247

Retention mechanisms

Thermodynamic equilibrium of the solute distribution in size-exclusion chromatography 1033(2004)241

Retention models

Two- and three-parameter equations for representation of retention data in reversed-phase liquid chromatography 1033(2004)29

Salt effects

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography.
II. Symmetry-C₁₈ 1033(2004)57

Sample enrichment

Sample enrichment by using monolithic precolumns in microcolumn liquid chromatography 1033(2004)205

Screening

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Selectivity

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Silica

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography.
II. Symmetry-C₁₈ 1033(2004)57

Silica gel

Effect of the ionic strength of salts on retention and overloading behavior of ionizable compounds in reversed-phase liquid chromatography.
I. XTerra-C₁₈ 1033(2004)43

New procedure of silica gel surface modification. Preparation of gaseous standard mixtures for calibration purposes 1033(2004)145

Simulated moving beds

Optimizing control of simulated moving beds—linear isotherm
1033(2004)229

Size-exclusion chromatography

Thermodynamic equilibrium of the solute distribution in size-exclusion chromatography 1033(2004)241

Application of off-line size-exclusion chromatographic fractionation—matrix assisted laser desorption ionization time of flight mass spectrometry for proanthocyanidin characterization 1033(2004)291

Sol–gel

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

Solid-phase extraction

Development of a solid-phase extraction method for the determination of polychlorinated biphenyls in water 1033(2004)1

Solid-phase microextraction

Determination of fuel dialkyl ethers and BTEX in water using headspace solid-phase microextraction and gas chromatography–flame ionization detection 1033(2004)193

Solute distribution coefficient

Thermodynamic equilibrium of the solute distribution in size-exclusion chromatography 1033(2004)241

Solvent accessible area

Evaluation of the enantiomeric selectivity in the chiral ligand-exchange chromatography of amino acids by a computational model 1033(2004)363

Solvent extraction

Assaying particle-bound polycyclic aromatic hydrocarbons from archived PM_{2.5} filters 1033(2004)9

Sorption

Automated high-capacity sorption probe for extraction of organic compounds in aqueous samples followed by gas chromatographic analysis
1033(2004)339

Stability constants

Characterization of drug interactions with soluble β -cyclodextrin by high-performance affinity chromatography 1033(2004)115

Chiral separation of highly negatively charged enantiomers by capillary electrophoresis 1033(2004)349

Static mixing

Thermodynamic equilibrium of the solute distribution in size-exclusion chromatography 1033(2004)241

Stationary phases, LC

Comparison of the chromatographic behavior of monolithic capillary columns in capillary electrochromatography and nano-high-performance liquid chromatography 1033(2004)267

Stepwise gradient elution

Optimisation technique for stepwise gradient elution in reversed-phase liquid chromatography 1033(2004)283

Steric mass action

Methodologies for model calibration to assist the design of a preparative ion-exchange step for antibody purification 1033(2004)71

Steroids

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. II. Liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry applications with methanol gradients 1033(2004)321

Stir bar sorptive extraction

Stir bar sorptive extraction for the analysis of wine cork taint
1033(2004)173

Structural isomers

Separation and migration behavior of positional and structural naphthalenesulfonate isomers by cyclodextrin-mediated capillary electrophoresis
1033(2004)167

Structure–activity relationships

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Structure–mobility relationships

Study on the quantitative relationship between the structures and electrophoretic mobilities of flavonoids in micellar electrokinetic capillary chromatography 1033(2004)153

Sulfamethoxazole

Sulfamethoxazole-imprinted polymer for selective determination of sulfamethoxazole in tablets 1033(2004)179

Supercritical fluid extraction

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Support vector machine

Parallel screening of selective and high-affinity displacers for proteins in ion-exchange systems 1033(2004)19

Tamoxifen

Characterization of drug interactions with soluble β -cyclodextrin by high-performance affinity chromatography 1033(2004)115

Teflon filters

Assaying particle-bound polycyclic aromatic hydrocarbons from archived PM_{2.5} filters 1033(2004)9

Tetrafluoroethane

On-line high-performance liquid chromatography method for analyte quantitation from pressurized metered dose inhalers 1033(2004)101

***Teucrium* spp**

Analysis by gas chromatography–mass spectrometry of the volatile components of *Teucrium lusitanicum* and *Teucrium algarbiensis* 1033(2004)187

Thermal decomposition

New procedure of silica gel surface modification. Preparation of gaseous standard mixtures for calibration purposes 1033(2004)145

Thermodynamic equilibrium

Thermodynamic equilibrium of the solute distribution in size-exclusion chromatography 1033(2004)241

Topotecan

Preparation of a sulfonated fused-silica capillary and its application in capillary electrophoresis and electrochromatography 1033(2004)161

Uncertainty

Reliability of the retention factor estimations in liquid chromatography 1033(2004)247

Urea

Quantitative magnetic resonance imaging of urea and lysozyme in protein chromatography 1033(2004)311

Validation

Alternative reversed-phase high-performance liquid chromatography method to analyse organic acids in dairy products 1033(2004)305

Optimization and validation of a capillary zone electrophoretic method for the simultaneous analysis of four atypical antipsychotics 1033(2004)357

Vancomycin

Effect of the eluent on enantiomer separation of controlled drugs by liquid chromatography–ultraviolet absorbance detection–electrospray ionisation tandem mass spectrometry using vancomycin and native β -cyclodextrin chiral stationary phases 1033(2004)91

Volatile organic compounds

Analysis by gas chromatography–mass spectrometry of the volatile components of *Teucrium lusitanicum* and *Teucrium algarbiensis* 1033(2004)187

Warfarin

Characterization of drug interactions with soluble β -cyclodextrin by high-performance affinity chromatography 1033(2004)115

Water analysis

Development of a solid-phase extraction method for the determination of polychlorinated biphenyls in water 1033(2004)1

Measuring naphthenic acids concentrations in aqueous environmental samples by liquid chromatography 1033(2004)83

Simultaneous determination of inorganic anions, calcium and magnesium by suppressed ion chromatography 1033(2004)127

Determination of fuel dialkyl ethers and BTEX in water using headspace solid-phase microextraction and gas chromatography–flame ionization detection 1033(2004)193

Sample enrichment by using monolithic precolumns in microcolumn liquid chromatography 1033(2004)205

Development and application of polymer-coated hollow fiber membrane microextraction to the determination of organochlorine pesticides in water 1033(2004)213

On-line coupling of supercritical CO₂ extraction with reversed-phase liquid chromatography for the quantitative analysis of analytes in aqueous matrices 1033(2004)221

Automated high-capacity sorption probe for extraction of organic compounds in aqueous samples followed by gas chromatographic analysis 1033(2004)339

Wine

Stir bar sorptive extraction for the analysis of wine cork taint 1033(2004)173

Xanthotoxol

Preparative isolation of osthol and xanthotoxol from Common Cnidium Fruit (Chinese traditional herb) using stepwise elution by high-speed counter-current chromatography 1033(2004)373

Yoghurt

Alternative reversed-phase high-performance liquid chromatography method to analyse organic acids in dairy products 1033(2004)305