

Subject Index Vol. 1038

Adsorption

Relation between the kinetic and equilibrium quantities in size-exclusion chromatography 1038(2004)67

Adsorption isotherms

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Affinity chromatography

Isolation of a peptide ligand for affinity purification of factor VIII using phage display 1038(2004)121

Aggregation thresholds

Determination of aggregation thresholds of UV absorbing anionic surfactants by frontal analysis continuous capillary electrophoresis 1038(2004)275

Aglycones

Fast high-performance liquid chromatography method for quality control of soy extracts 1038(2004)107

Air analysis

Breakthrough characteristics of volatile organic compounds in the –10 to +170 °C temperature range on Tenax TA determined by microtrap technology 1038(2004)215

Alcohol ethoxylates

Thermodynamic study of retention in liquid exclusion–adsorption chromatography 1038(2004)43

Alkanes

Characterization and identification of the Detroit River mystery oil spill (2002) 1038(2004)201

Alkylphenols

Microwave-assisted extraction followed by gas chromatography–mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Simultaneous determination of alkylphenols and bisphenol A in river water by stir bar sorptive extraction with in situ acetylation and thermal desorption–gas chromatography–mass spectrometry 1038(2004)291

Alkylpolyglycosides

Determination of (2,3-epoxypropyl)trimethylammonium chloride, (3-chloro-2-hydroxypropyl)trimethylammonium chloride, and (2,3-dihydroxypropyl)trimethylammonium chloride by capillary electrophoresis 1038(2004)283

Anion exchangers

Purification of plasmid DNA with a new type of anion-exchange beads having a non-charged surface 1038(2004)131

Antibiotics

Solid-phase extraction–high-performance liquid chromatography–ion trap mass spectrometry for analysis of trace concentrations of macrolide antibiotics in natural and waste water matrices 1038(2004)141

Simultaneous extraction of tetracycline, macrolide and sulfonamide antibiotics from agricultural soils using pressurised liquid extraction, followed by solid-phase extraction and liquid chromatography–tandem mass spectrometry 1038(2004)157

Band profiles

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Binomial distribution

Relation between the kinetic and equilibrium quantities in size-exclusion chromatography 1038(2004)67

Bisphenol A

Microwave-assisted extraction followed by gas chromatography–mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Simultaneous determination of alkylphenols and bisphenol A in river water by stir bar sorptive extraction with in situ acetylation and thermal desorption–gas chromatography–mass spectrometry 1038(2004)291

Breakthrough volumes

Breakthrough characteristics of volatile organic compounds in the –10 to +170 °C temperature range on Tenax TA determined by microtrap technology 1038(2004)215

Buffer composition

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Effect of buffer on peak shape of peptides in reversed-phase high performance liquid chromatography 1038(2004)77

Capillary columns

Evaluation and prediction of the shape of gas chromatographic peaks 1038(2004)171

Carbohydrates

Erratum to “Capillary electrochromatography with monolithic silica columns. III. Preparation of hydrophilic silica monoliths having surface-bound cyano groups: chromatographic characterization and application to the separation of carbohydrates, nucleosides, nucleic acid bases and other neutral polar species” [J. Chromatogr. A 1029 (2004) 239–247] 1038(2004)299

Carboxylic acids

Development of a rapid and accurate method for the determination of key compounds of pig odor 1038(2004)11

Prediction of the electrophoretic mobilities of some carboxylic acids from theoretically derived descriptors 1038(2004)231

Chemical warfare agents

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design. I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Chip technology

Vacuum-assisted thermal bonding of plastic capillary electrophoresis microchip imprinted with stainless steel template 1038(2004)239

Chlorophenols

Erratum to "Capillary electrochromatography with monolithic silica columns. III. Preparation of hydrophilic silica monoliths having surface-bound cyano groups: chromatographic characterization and application to the separation of carbohydrates, nucleosides, nucleic acid bases and other neutral polar species" [J. Chromatogr. A 1029 (2004) 239–247] 1038(2004)299

Configuration

Liquid chromatographic–mass spectrometric separation of oligoalanine peptide stereoisomers: influence of absolute configuration on enantioselectivity and two-dimensional separation of diastereomers and enantiomers 1038(2004)85

Coupled columns

Purification of plasmid DNA with a new type of anion-exchange beads having a non-charged surface 1038(2004)131

Critical micellar concentration

Determination of aggregation thresholds of UV absorbing anionic surfactants by frontal analysis continuous capillary electrophoresis 1038(2004)275

Curve fitting

Evaluation and prediction of the shape of gas chromatographic peaks 1038(2004)171

Derivatization, LC

Rhodamine B amine as a highly sensitive fluorescence derivatization reagent for saccharides in reversed-phase liquid chromatography 1038(2004)113

Di(propylene glycol) monomethyl ether

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design. I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Diastereomers

Liquid chromatographic–mass spectrometric separation of oligoalanine peptide stereoisomers: influence of absolute configuration on enantioselectivity and two-dimensional separation of diastereomers and enantiomers 1038(2004)85

Dioxin-like polychlorinated biphenyls

Separation of seventeen 2,3,7,8-substituted polychlorinated dibenzo-*p*-dioxins and dibenzofurans and 12 dioxin-like polychlorinated biphenyls by comprehensive two-dimensional gas chromatography with electron-capture detection 1038(2004)189

DNA

Purification of plasmid DNA with a new type of anion-exchange beads having a non-charged surface 1038(2004)131

Electrochromatography

Erratum to "Capillary electrochromatography with monolithic silica columns. III. Preparation of hydrophilic silica monoliths having surface-bound cyano groups: chromatographic characterization and application to the separation of carbohydrates, nucleosides, nucleic acid bases and other neutral polar species" [J. Chromatogr. A 1029 (2004) 239–247] 1038(2004)299

Electrophoretic mobility

Prediction of the electrophoretic mobilities of some carboxylic acids from theoretically derived descriptors 1038(2004)231

Enantiomer separation

Liquid chromatographic–mass spectrometric separation of oligoalanine peptide stereoisomers: influence of absolute configuration on enantioselectivity and two-dimensional separation of diastereomers and enantiomers 1038(2004)85

Endocrine disruptors

Microwave-assisted extraction followed by gas chromatography–mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Environmental analysis

Microwave-assisted extraction followed by gas chromatography–mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Solid-phase extraction–high-performance liquid chromatography–ion trap mass spectrometry for analysis of trace concentrations of macrolide antibiotics in natural and waste water matrices 1038(2004)141

Simultaneous extraction of tetracycline, macrolide and sulfonamide antibiotics from agricultural soils using pressurised liquid extraction, followed by solid-phase extraction and liquid chromatography–tandem mass spectrometry 1038(2004)157

Simultaneous determination of alkylphenols and bisphenol A in river water by stir bar sorptive extraction with in situ acetylation and thermal desorption–gas chromatography–mass spectrometry 1038(2004)291

Enzymes

Use of immobilized lipases for lipase purification via specific lipase–lipase interactions 1038(2004)267

Ethoxylates

Thermodynamic study of retention in liquid exclusion–adsorption chromatography 1038(2004)43

Experimental design

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design. I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Extraction methods

Microwave-assisted extraction followed by gas chromatography–mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Simultaneous extraction of tetracycline, macrolide and sulfonamide antibiotics from agricultural soils using pressurised liquid extraction, followed by solid-phase extraction and liquid chromatography–tandem mass spectrometry 1038(2004)157

Simultaneous determination of alkylphenols and bisphenol A in river water by stir bar sorptive extraction with in situ acetylation and thermal desorption–gas chromatography–mass spectrometry 1038(2004)291

Factor VIII

Isolation of a peptide ligand for affinity purification of factor VIII using phage display 1038(2004)121

Factorial design

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design. I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Fatty acid methyl ester ethoxylates

Thermodynamic study of retention in liquid exclusion–adsorption chromatography 1038(2004)43

Fatty alcohol ethoxylates

Thermodynamic study of retention in liquid exclusion–adsorption chromatography 1038(2004)43

Fish

Rapid determination of chlorinated pesticides in fish by freezing-lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry 1038(2004)27

Food analysis

Rapid determination of chlorinated pesticides in fish by freezing-lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry 1038(2004)27

Development of a quantitative high-performance liquid chromatography–photodiode array detection measurement system for phenolic acids 1038(2004)97

Fast high-performance liquid chromatography method for quality control of soy extracts 1038(2004)107

Rhodamine B amine as a highly sensitive fluorescence derivatization reagent for saccharides in reversed-phase liquid chromatography 1038(2004)113

Freezing-lipid filtration

Rapid determination of chlorinated pesticides in fish by freezing-lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry 1038(2004)27

Frontal analysis

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Frontal analysis continuous capillary electrophoresis

Determination of aggregation thresholds of UV absorbing anionic surfactants by frontal analysis continuous capillary electrophoresis 1038(2004)275

Gas chromatography

Evaluation and prediction of the shape of gas chromatographic peaks 1038(2004)171

Gas chromatography, comprehensive two-dimensional

Separation of seventeen 2,3,7,8-substituted polychlorinated dibenzo-*p*-dioxins and dibenzofurans and 12 dioxin-like polychlorinated biphenyls by comprehensive two-dimensional gas chromatography with electron-capture detection 1038(2004)189

Gaussian distribution

Relation between the kinetic and equilibrium quantities in size-exclusion chromatography 1038(2004)67

Glycine max

Fast high-performance liquid chromatography method for quality control of soy extracts 1038(2004)107

Glycosides

Fast high-performance liquid chromatography method for quality control of soy extracts 1038(2004)107

HeLa cell line

Protein profile of the HeLa cell line 1038(2004)247

Immobilized enzymes

Use of immobilized lipases for lipase purification via specific lipase–lipase interactions 1038(2004)267

Inlet pressure

Evaluation and prediction of the shape of gas chromatographic peaks 1038(2004)171

Instrumentation

Vacuum-assisted thermal bonding of plastic capillary electrophoresis microchip imprinted with stainless steel template 1038(2004)239

Ionic strength

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Isoflavones

Fast high-performance liquid chromatography method for quality control of soy extracts 1038(2004)107

Kromasil-C₁₈ stationary phase

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Lipases

Use of immobilized lipases for lipase purification via specific lipase–lipase interactions 1038(2004)267

Liquid exclusion–adsorption chromatography

Thermodynamic study of retention in liquid exclusion–adsorption chromatography 1038(2004)43

Liquid-phase microextraction

Determination of pesticides in soil by liquid-phase microextraction and gas chromatography–mass spectrometry 1038(2004)37

Macrolides

Solid-phase extraction–high-performance liquid chromatography–ion trap mass spectrometry for analysis of trace concentrations of macrolide antibiotics in natural and waste water matrices 1038(2004)141

Simultaneous extraction of tetracycline, macrolide and sulfonamide antibiotics from agricultural soils using pressurised liquid extraction, followed by solid-phase extraction and liquid chromatography–tandem mass spectrometry 1038(2004)157

Mathematical modelling

Evaluation and prediction of the shape of gas chromatographic peaks 1038(2004)171

Methyl salicylate

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design.

I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Microtraps

Breakthrough characteristics of volatile organic compounds in the -10 to +170 °C temperature range on Tenax TA determined by microtrap technology 1038(2004)215

Mobile phase composition

Effect of buffer on peak shape of peptides in reversed-phase high performance liquid chromatography 1038(2004)77

Molecular descriptors

Prediction of the electrophoretic mobilities of some carboxylic acids from theoretically derived descriptors 1038(2004)231

Monolithic columns

Erratum to "Capillary electrochromatography with monolithic silica columns. III. Preparation of hydrophilic silica monoliths having surface-bound cyano groups: chromatographic characterization and application to the separation of carbohydrates, nucleosides, nucleic acid bases and other neutral polar species" [J. Chromatogr. A 1029 (2004) 239–247] 1038(2004)299

Neural networks, artificial

Prediction of the electrophoretic mobilities of some carboxylic acids from theoretically derived descriptors 1038(2004)231

Nucleosides

Erratum to "Capillary electrochromatography with monolithic silica columns. III. Preparation of hydrophilic silica monoliths having surface-bound cyano groups: chromatographic characterization and application to the separation of carbohydrates, nucleosides, nucleic acid bases and other neutral polar species" [J. Chromatogr. A 1029 (2004) 239–247] 1038(2004)299

Nucleic acid bases

Erratum to "Capillary electrochromatography with monolithic silica columns. III. Preparation of hydrophilic silica monoliths having surface-bound cyano groups: chromatographic characterization and application to the separation of carbohydrates, nucleosides, nucleic acid bases and other neutral polar species" [J. Chromatogr. A 1029 (2004) 239–247] 1038(2004)299

Oak wood

Use of superheated liquids for the extraction of non-volatile compounds from wood: liquid chromatography studies 1038(2004)3

Odor compounds

Development of a rapid and accurate method for the determination of key compounds of pig odor 1038(2004)11

Oils

Characterization and identification of the Detroit River mystery oil spill (2002) 1038(2004)201

Optimisation

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design.

I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Organochlorine compounds

Rapid determination of chlorinated pesticides in fish by freezing-lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry 1038(2004)27

Organoselenium compounds

Determination of dimethylselenide and dimethyldiselenide by gas chromatography–photoionization detection 1038(2004)295

Organosulfur compounds

Development of a rapid and accurate method for the determination of key compounds of pig odor 1038(2004)11

Peak shape

Effect of buffer on peak shape of peptides in reversed-phase high performance liquid chromatography 1038(2004)77

Evaluation and prediction of the shape of gas chromatographic peaks 1038(2004)171

Peptides

Effect of buffer on peak shape of peptides in reversed-phase high performance liquid chromatography 1038(2004)77

Liquid chromatographic–mass spectrometric separation of oligoalanine peptide stereoisomers: influence of absolute configuration on enantioselectivity and two-dimensional separation of diastereomers and enantiomers 1038(2004)85

Isolation of a peptide ligand for affinity purification of factor VIII using phage display 1038(2004)121

Pesticides

Rapid determination of chlorinated pesticides in fish by freezing-lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry 1038(2004)27

Determination of pesticides in soil by liquid-phase microextraction and gas chromatography–mass spectrometry 1038(2004)37

Phage display

Isolation of a peptide ligand for affinity purification of factor VIII using phage display 1038(2004)121

Phenolic acids

Development of a quantitative high-performance liquid chromatography–photodiode array detection measurement system for phenolic acids 1038(2004)97

Phenols

Microwave-assisted extraction followed by gas chromatography–mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Simultaneous determination of alkylphenols and bisphenol A in river water by stir bar sorptive extraction with in situ acetylation and thermal desorption–gas chromatography–mass spectrometry 1038(2004)291

Erratum to "Capillary electrochromatography with monolithic silica columns. III. Preparation of hydrophilic silica monoliths having surface-bound cyano groups: chromatographic characterization and application to the separation of carbohydrates, nucleosides, nucleic acid bases and other neutral polar species" [J. Chromatogr. A 1029 (2004) 239–247] 1038(2004)299

Poisson distribution

Relation between the kinetic and equilibrium quantities in size-exclusion chromatography 1038(2004)67

Poly(methyl methacrylate)

Vacuum-assisted thermal bonding of plastic capillary electrophoresis microchip imprinted with stainless steel template 1038(2004)239

Polychlorinated dibenzofurans

Separation of seventeen 2,3,7,8-substituted polychlorinated dibenzo-*p*-dioxins and dibenzofurans and 12 dioxin-like polychlorinated biphenyls by comprehensive two-dimensional gas chromatography with electron-capture detection 1038(2004)189

Polychlorinated dibenzo-*p*-dioxins

Separation of seventeen 2,3,7,8-substituted polychlorinated dibenzo-*p*-dioxins and dibenzofurans and 12 dioxin-like polychlorinated biphenyls by comprehensive two-dimensional gas chromatography with electron-capture detection 1038(2004)189

Polynuclear aromatic hydrocarbons

Characterization and identification of the Detroit River mystery oil spill (2002) 1038(2004)201

Polyphenolic compounds

Use of superheated liquids for the extraction of non-volatile compounds from wood: liquid chromatography studies 1038(2004)3

Propranolol

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Proteins

Protein profile of the HeLa cell line 1038(2004)247

Proteomics

Protein profile of the HeLa cell line 1038(2004)247

Quaternary ammonium compounds

Determination of (2,3-epoxypropyl)trimethylammonium chloride, (3-chloro-2-hydroxypropyl)trimethylammonium chloride, and (2,3-dihydroxypropyl)trimethylammonium chloride by capillary electrophoresis 1038(2004)283

Regression analysis

Prediction of the electrophoretic mobilities of some carboxylic acids from theoretically derived descriptors 1038(2004)231

Restricted access material

Purification of plasmid DNA with a new type of anion-exchange beads having a non-charged surface 1038(2004)131

Retention mechanism

Thermodynamic study of retention in liquid exclusion-adsorption chromatography 1038(2004)43

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Rhodamine B amine

Rhodamine B amine as a highly sensitive fluorescence derivatization reagent for saccharides in reversed-phase liquid chromatography 1038(2004)113

RNA

Purification of plasmid DNA with a new type of anion-exchange beads having a non-charged surface 1038(2004)131

Saccharides

Rhodamine B amine as a highly sensitive fluorescence derivatization reagent for saccharides in reversed-phase liquid chromatography 1038(2004)113

Salt effects

Role of the buffer in retention and adsorption mechanism of ionic species in reversed-phase liquid chromatography. I. Analytical and overloaded band profiles on Kromasil-C₁₈ 1038(2004)53

Sample preparation

Rapid determination of chlorinated pesticides in fish by freezing-lipid filtration, solid-phase extraction and gas chromatography-mass spectrometry 1038(2004)27

Sediments

Microwave-assisted extraction followed by gas chromatography-mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Selenides

Determination of dimethylselenide and dimethyldiselenide by gas chromatography-photoionization detection 1038(2004)295

Separation mechanisms

Relation between the kinetic and equilibrium quantities in size-exclusion chromatography 1038(2004)67

Selenium

Determination of dimethylselenide and dimethyldiselenide by gas chromatography-photoionization detection 1038(2004)295

Size-exclusion chromatography

Relation between the kinetic and equilibrium quantities in size-exclusion chromatography 1038(2004)67

Simulant compounds

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design. I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Soil

Simultaneous extraction of tetracycline, macrolide and sulfonamide antibiotics from agricultural soils using pressurised liquid extraction, followed by solid-phase extraction and liquid chromatography-tandem mass spectrometry 1038(2004)157

Solid-liquid extraction

Use of superheated liquids for the extraction of non-volatile compounds from wood: liquid chromatography studies 1038(2004)3

Solvent desorption

Optimisation of solvent desorption conditions for chemical warfare agent and simulant compounds from Porapak QTM using experimental design. I. Methyl salicylate and di(propylene glycol) monomethyl ether 1038(2004)183

Stationary phases, LC

Purification of plasmid DNA with a new type of anion-exchange beads having a non-charged surface 1038(2004)131

Steranes

Characterization and identification of the Detroit River mystery oil spill (2002) 1038(2004)201

Steroids

Microwave-assisted extraction followed by gas chromatography-mass spectrometry for the determination of endocrine disrupting chemicals in river sediments 1038(2004)19

Stir bar sorptive extraction

Simultaneous determination of alkylphenols and bisphenol A in river water by stir bar sorptive extraction with in situ acetylation and thermal desorption–gas chromatography–mass spectrometry 1038(2004)291

Structure–property relationships

Prediction of the electrophoretic mobilities of some carboxylic acids from theoretically derived descriptors 1038(2004)231

Sulfonamides

Simultaneous extraction of tetracycline, macrolide and sulfonamide antibiotics from agricultural soils using pressurised liquid extraction, followed by solid-phase extraction and liquid chromatography–tandem mass spectrometry 1038(2004)157

Superheated liquids

Use of superheated liquids for the extraction of non-volatile compounds from wood: liquid chromatography studies 1038(2004)3

Surfactants

Determination of aggregation thresholds of UV absorbing anionic surfactants by frontal analysis continuous capillary electrophoresis 1038(2004)275

Temperature effects

Thermodynamic study of retention in liquid exclusion–adsorption chromatography 1038(2004)43

Breakthrough characteristics of volatile organic compounds in the –10 to +170 °C temperature range on Tenax TA determined by microtrap technology 1038(2004)215

Terpanes

Characterization and identification of the Detroit River mystery oil spill (2002) 1038(2004)201

Tetracyclines

Simultaneous extraction of tetracycline, macrolide and sulfonamide antibiotics from agricultural soils using pressurised liquid extraction, followed by solid-phase extraction and liquid chromatography–tandem mass spectrometry 1038(2004)157

Thermodynamic parameters

Thermodynamic study of retention in liquid exclusion–adsorption chromatography 1038(2004)43

Trimethylammonium chlorides

Determination of (2,3-epoxypropyl)trimethylammonium chloride, (3-chloro-2-hydroxypropyl)trimethylammonium chloride, and (2,3-dihydroxypropyl)trimethylammonium chloride by capillary electrophoresis 1038(2004)283

Two-dimensional database

Protein profile of the HeLa cell line 1038(2004)247

Two-dimensional liquid chromatography–mass spectrometry

Liquid chromatographic–mass spectrometric separation of oligoalanine peptide stereoisomers: influence of absolute configuration on enantioselectivity and two-dimensional separation of diastereomers and enantiomers 1038(2004)85

Volatile organic compounds

Development of a rapid and accurate method for the determination of key compounds of pig odor 1038(2004)11

Breakthrough characteristics of volatile organic compounds in the –10 to +170 °C temperature range on Tenax TA determined by microtrap technology 1038(2004)215

Volatile sulfur compounds

Development of a rapid and accurate method for the determination of key compounds of pig odor 1038(2004)11

Warfare agents

Trace level detection and identification of chemicals related to the chemical weapons convention from complex organic samples 1038(2004)225

Water analysis

Solid-phase extraction–high-performance liquid chromatography–ion trap mass spectrometry for analysis of trace concentrations of macrolide antibiotics in natural and waste water matrices 1038(2004)141

Simultaneous determination of alkylphenols and bisphenol A in river water by stir bar sorptive extraction with in situ acetylation and thermal desorption–gas chromatography–mass spectrometry 1038(2004)291

Wine

Development of a quantitative high-performance liquid chromatography–photodiode array detection measurement system for phenolic acids 1038(2004)97