

Subject Index Vol. 1039

Acetate

Validated ion-exclusion chromatographic method for citrate and acetate in medical fluids 1039(2004)147

Acetic acids

Determination of trace-level haloacetic acids in drinking water by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)89

Acrylamide

Determination of acrylamide in drinking water by large-volume direct injection and ion-exclusion chromatography–mass spectrometry 1039(2004)155

Adsorption

Vacancy ion-exclusion/adsorption chromatography of aliphatic amines on a polymethacrylate-based weakly basic anion-exchange column 1039(2004)129

Alendronic acid

Determination of bisphosphonates by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)77

Alkylamines

Vacancy ion-exclusion/adsorption chromatography of aliphatic amines on a polymethacrylate-based weakly basic anion-exchange column 1039(2004)129

Application of polymethacrylate resin as stationary phase in liquid chromatography with UV detection for C₁–C₇ aliphatic monocarboxylic acids and C₁–C₇ aliphatic monoamines 1039(2004)161

Amines

Vacancy ion-exclusion/adsorption chromatography of aliphatic amines on a polymethacrylate-based weakly basic anion-exchange column 1039(2004)129

Application of polymethacrylate resin as stationary phase in liquid chromatography with UV detection for C₁–C₇ aliphatic monocarboxylic acids and C₁–C₇ aliphatic monoamines 1039(2004)161

Separation and conductimetric detection of C₁–C₇ aliphatic monocarboxylic acids and C₁–C₇ aliphatic monoamines on unfunctionalized polymethacrylate resin columns 1039(2004)171

Retention behavior of C₁–C₆ aliphatic monoamines on anion-exchange and polymethacrylate resins with heptylamine as eluent 1039(2004)179

Capillary electrophoresis of organic cations at high salt concentrations 1039(2004)227

Aminoglycosides

Optimizing the quadruple-potential waveform for the pulsed amperometric detection of neomycin 1039(2004)39

Ammonium ion

Highly sensitive determination of hydrazine ion by ion-exclusion chromatography with ion-exchange enhancement of conductivity detection 1039(2004)135

Anilines

Capillary electrophoresis of organic cations at high salt concentrations 1039(2004)227

Antibiotics

Optimizing the quadruple-potential waveform for the pulsed amperometric detection of neomycin 1039(2004)39

Arabidopsis thaliana

Analysis of sugar phosphates in plants by ion chromatography on a titanium dioxide column with pulsed amperometric detection 1039(2004)71

Arsenic

Speciation of arsenic and selenium by capillary electrophoresis 1039(2004)201

Background electrolyte composition

Capillary electrophoresis of organic cations at high salt concentrations 1039(2004)227

Benzalkonium bromide

Analysis of benzyldimethyldodecylammonium bromide in chemical disinfectants by liquid chromatography and capillary electrophoresis 1039(2004)209

Benzoic acids

Determination of some aliphatic carboxylic acids in anaerobic digestion process waters by ion-exclusion chromatography with conductimetric detection on a weakly acidic cation-exchange resin column 1039(2004)141

Benzyldimethyldodecylammonium bromide

Analysis of benzyldimethyldodecylammonium bromide in chemical disinfectants by liquid chromatography and capillary electrophoresis 1039(2004)209

Bisphosphonates

Determination of bisphosphonates by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)77

Capillary columns

Use of coupled open-tubular capillaries for in-line ion-exchange preconcentration of anions by capillary electrochromatography with elution by a transient isotachophoretic gradient 1039(2004)187

Poly(tetrafluoroethylene) separation capillaries for capillary electrophoresis. Properties and applications 1039(2004)193

Carboxylic acids

Determination of some aliphatic carboxylic acids in anaerobic digestion process waters by ion-exclusion chromatography with conductimetric detection on a weakly acidic cation-exchange resin column 1039(2004)141

Application of polymethacrylate resin as stationary phase in liquid chromatography with UV detection for C₁–C₇ aliphatic monocarboxylic acids and C₁–C₇ aliphatic monoamines 1039(2004)161

Separation and conductimetric detection of C₁–C₇ aliphatic monocarboxylic acids and C₁–C₇ aliphatic monoamines on unfunctionalized polymethacrylate resin columns 1039(2004)171

Chelation

Investigation of new chelation ion chromatography procedure to determine the surface composition of powdered metal oxide samples in the solid state 1039(2004)13

Citrate

Validated ion-exclusion chromatographic method for citrate and acetate in medical fluids 1039(2004)147

Coupled columns

Use of coupled open-tubular capillaries for in-line ion-exchange preconcentration of anions by capillary electrochromatography with elution by a transient isotachophoretic gradient 1039(2004)187

Detection, LC

Optimizing the quadruple-potential waveform for the pulsed amperometric detection of neomycin 1039(2004)39

Disinfectants

Analysis of benzyldimethyldodecylammonium bromide in chemical disinfectants by liquid chromatography and capillary electrophoresis 1039(2004)209

Disinfection by-products

New suppressor technology improves the ion chromatographic determination of inorganic anions and disinfection by-products in drinking water 1039(2004)45

Dynamic modification

Poly(tetrafluoroethylene) separation capillaries for capillary electrophoresis. Properties and applications 1039(2004)193

Electrochromatography

Use of coupled open-tubular capillaries for in-line ion-exchange preconcentration of anions by capillary electrochromatography with elution by a transient isotachophoretic gradient 1039(2004)187

Electro-deionization

Qualification of an electro-deionization module via experimental design and ion-chromatographic studies 1039(2004)63

Electrostatic ion chromatography

Determination of monovalent inorganic anions in high-ionic-strength samples by electrostatic ion chromatography with suppressed conductometric detection 1039(2004)59

Environmental analysis

Automatic generation of ultra-pure hydroxide eluent for carbohydrate analysis of environmental samples 1039(2004)33

Use of coupled open-tubular capillaries for in-line ion-exchange preconcentration of anions by capillary electrochromatography with elution by a transient isotachophoretic gradient 1039(2004)187

Etidronic acid

Determination of bisphosphonates by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)77

Experimental design

Qualification of an electro-deionization module via experimental design and ion-chromatographic studies 1039(2004)63

Food analysis

Speciation of arsenic and selenium by capillary electrophoresis 1039(2004)201

Geochemistry

Detection of hypophosphite, phosphite, and orthophosphate in natural geothermal water by ion chromatography 1039(2004)105

Glutathione

Analysis of hydroxide, inorganic sulphur species and organic anions in kraft pulping liquors by capillary electrophoresis 1039(2004)215

Glycosides

Optimizing the quadruple-potential waveform for the pulsed amperometric detection of neomycin 1039(2004)39

Haloacetic acids

Determination of trace-level haloacetic acids in drinking water by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)89

Halogenated compounds

Determination of trace-level haloacetic acids in drinking water by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)89

Heptylamine

Retention behavior of C₁–C₆ aliphatic monoamines on anion-exchange and polymethacrylate resins with heptylamine as eluent 1039(2004)179

Hydrazine ion

Highly sensitive determination of hydrazine ion by ion-exclusion chromatography with ion-exchange enhancement of conductivity detection 1039(2004)135

Hydrofluoro ethers

Analysis of anions in hydrofluoro ethers by ion chromatography 1039(2004)119

Hydroxide

Analysis of hydroxide, inorganic sulphur species and organic anions in kraft pulping liquors by capillary electrophoresis 1039(2004)215

Hypophosphite

Detection of hypophosphite, phosphite, and orthophosphate in natural geothermal water by ion chromatography 1039(2004)105

Inductively coupled plasma mass spectrometry

Determination of bisphosphonates by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)77

Inorganic anions

Using ultrapure water in ion chromatography to run analyses at the ng/L level 1039(2004)27

New suppressor technology improves the ion chromatographic determination of inorganic anions and disinfection by-products in drinking water 1039(2004)45

Determination of monovalent inorganic anions in high-ionic-strength samples by electrostatic ion chromatography with suppressed conductometric detection 1039(2004)59

Measurement of perchlorate in water by use of an ^{18}O -enriched isotopic standard and ion chromatography with mass spectrometric detection 1039(2004)83

Analysis of anions in hydrofluoro ethers by ion chromatography 1039(2004)119

Use of coupled open-tubular capillaries for in-line ion-exchange preconcentration of anions by capillary electrochromatography with elution by a transient isotachophoretic gradient 1039(2004)187

Analysis of hydroxide, inorganic sulphur species and organic anions in kraft pulping liquors by capillary electrophoresis 1039(2004)215

Inorganic cations

Using ultrapure water in ion chromatography to run analyses at the ng/L level 1039(2004)27

Alternative approach to enhancing cation selectivity in ion chromatography 1039(2004)123

Highly sensitive determination of hydrazine ion by ion-exclusion chromatography with ion-exchange enhancement of conductivity detection 1039(2004)135

Instrumentation

Auto-regeneration of anion-trap columns for improved determination of silica by ion chromatography 1039(2004)23

Qualification of an electro-deionization module via experimental design and ion-chromatographic studies 1039(2004)63

Poly(tetrafluoroethylene) separation capillaries for capillary electrophoresis. Properties and applications 1039(2004)193

Ion chromatography

Early milestones in the development of ion-exchange chromatography: a personal account (Review) 1039(2004)3

Qualification of an electro-deionization module via experimental design and ion-chromatographic studies 1039(2004)63

Ion-exchange chromatography

Early milestones in the development of ion-exchange chromatography: a personal account (Review) 1039(2004)3

Ion-exclusion/adsorption chromatography

Vacancy ion-exclusion/adsorption chromatography of aliphatic amines on a polymethacrylate-based weakly basic anion-exchange column 1039(2004)129

Isotachophoretic gradients

Use of coupled open-tubular capillaries for in-line ion-exchange preconcentration of anions by capillary electrochromatography with elution by a transient isotachophoretic gradient 1039(2004)187

Isotopic internal standard

Measurement of perchlorate in water by use of an ^{18}O -enriched isotopic standard and ion chromatography with mass spectrometric detection 1039(2004)83

Kraft liquors

Analysis of hydroxide, inorganic sulphur species and organic anions in kraft pulping liquors by capillary electrophoresis 1039(2004)215

Large-volume injection

Determination of acrylamide in drinking water by large-volume direct injection and ion-exclusion chromatography-mass spectrometry 1039(2004)155

Liposomes

Ion chromatography for the determination of sulfate in STEALTH[®] liposomes 1039(2004)51

Metal oxides

Investigation of new chelation ion chromatography procedure to determine the surface composition of powdered metal oxide samples in the solid state 1039(2004)13

Methylheptanoic acid

Application of polymethacrylate resin as stationary phase in liquid chromatography with UV detection for C_1 - C_7 aliphatic monocarboxylic acids and C_1 - C_7 aliphatic monoamines 1039(2004)161

Separation and conductimetric detection of C_1 - C_7 aliphatic monocarboxylic acids and C_1 - C_7 aliphatic monoamines on unfunctionalized polymethacrylate resin columns 1039(2004)171

Methylheptylamine

Application of polymethacrylate resin as stationary phase in liquid chromatography with UV detection for C_1 - C_7 aliphatic monocarboxylic acids and C_1 - C_7 aliphatic monoamines 1039(2004)161

Mobile phase composition

Automatic generation of ultra-pure hydroxide eluent for carbohydrate analysis of environmental samples 1039(2004)33

Determination of some aliphatic carboxylic acids in anaerobic digestion process waters by ion-exclusion chromatography with conductimetric detection on a weakly acidic cation-exchange resin column 1039(2004)141

Monosaccharides

Automatic generation of ultra-pure hydroxide eluent for carbohydrate analysis of environmental samples 1039(2004)33

Neomycin

Optimizing the quadruple-potential waveform for the pulsed amperometric detection of neomycin 1039(2004)39

Octylamine

Separation and conductimetric detection of C_1 - C_7 aliphatic monocarboxylic acids and C_1 - C_7 aliphatic monoamines on unfunctionalized polymethacrylate resin columns 1039(2004)171

Organic acids

Analysis of hydroxide, inorganic sulphur species and organic anions in kraft pulping liquors by capillary electrophoresis 1039(2004)215

Organoarsenic compounds

Speciation of arsenic and selenium by capillary electrophoresis 1039(2004)201

Organoselenium compounds

Speciation of arsenic and selenium by capillary electrophoresis 1039(2004)201

Orthophosphate

Detection of hypophosphite, phosphite, and orthophosphate in natural geothermal water by ion chromatography 1039(2004)105

Oxyhalides

New suppressor technology improves the ion chromatographic determination of inorganic anions and disinfection by-products in drinking water 1039(2004)45

Peptides

Determination of residual trifluoroacetate in protein purification buffers and peptide preparations by ion chromatography 1039(2004)113

Perchlorate

Measurement of perchlorate in water by use of an ^{18}O -enriched isotopic standard and ion chromatography with mass spectrometric detection 1039(2004)83

Challenges encountered in extending the sensitivity of US Environmental Protection Agency Method 314.0 for perchlorate in drinking water 1039(2004)97

Pharmaceutical analysis

Ion chromatography for the determination of sulfate in STEALTH[®] liposomes 1039(2004)51

Phosphates

Analysis of sugar phosphates in plants by ion chromatography on a titanium dioxide column with pulsed amperometric detection 1039(2004)71

Phosphite

Detection of hypophosphite, phosphite, and orthophosphate in natural geothermal water by ion chromatography 1039(2004)105

Phosphorus compounds

Detection of hypophosphite, phosphite, and orthophosphate in natural geothermal water by ion chromatography 1039(2004)105

Poly(tetrafluoroethylene)

Poly(tetrafluoroethylene) separation capillaries for capillary electrophoresis. Properties and applications 1039(2004)193

Polymethacrylate

Application of polymethacrylate resin as stationary phase in liquid chromatography with UV detection for C_1 – C_7 aliphatic monocarboxylic acids and C_1 – C_7 aliphatic monoamines 1039(2004)161

Separation and conductimetric detection of C_1 – C_7 aliphatic monocarboxylic acids and C_1 – C_7 aliphatic monoamines on unfunctionalized polymethacrylate resin columns 1039(2004)171

Process monitoring

Determination of some aliphatic carboxylic acids in anaerobic digestion process waters by ion-exclusion chromatography with conductimetric detection on a weakly acidic cation-exchange resin column 1039(2004)141

Pulsed amperometric detection

Optimizing the quadruple-potential waveform for the pulsed amperometric detection of neomycin 1039(2004)39

Quaternary ammonium compounds

Analysis of benzyltrimethyldecylammonium bromide in chemical disinfectants by liquid chromatography and capillary electrophoresis 1039(2004)209

Regeneration

Auto-regeneration of anion-trap columns for improved determination of silica by ion chromatography 1039(2004)23

Retention behavior

Retention behavior of C_1 – C_6 aliphatic monoamines on anion-exchange and polymethacrylate resins with heptylamine as eluent 1039(2004)179

Reviews

Early milestones in the development of ion-exchange chromatography: a personal account (Review) 1039(2004)3

Sediment

Speciation of arsenic and selenium by capillary electrophoresis 1039(2004)201

Selectivity

Alternative approach to enhancing cation selectivity in ion chromatography 1039(2004)123

Selenium

Speciation of arsenic and selenium by capillary electrophoresis 1039(2004)201

Silica

Auto-regeneration of anion-trap columns for improved determination of silica by ion chromatography 1039(2004)23

Stationary phases, LC

Application of polymethacrylate resin as stationary phase in liquid chromatography with UV detection for C_1 – C_7 aliphatic monocarboxylic acids and C_1 – C_7 aliphatic monoamines 1039(2004)161

Separation and conductimetric detection of C_1 – C_7 aliphatic monocarboxylic acids and C_1 – C_7 aliphatic monoamines on unfunctionalized polymethacrylate resin columns 1039(2004)171

Retention behavior of C_1 – C_6 aliphatic monoamines on anion-exchange and polymethacrylate resins with heptylamine as eluent 1039(2004)179

Statistical analysis

Qualification of an electro-deionization module via experimental design and ion-chromatographic studies 1039(2004)63

STEALTH[®] drug-delivery system

Ion chromatography for the determination of sulfate in STEALTH[®] liposomes 1039(2004)51

Sugar phosphates

Analysis of sugar phosphates in plants by ion chromatography on a titanium dioxide column with pulsed amperometric detection 1039(2004)71

Sulfate

Ion chromatography for the determination of sulfate in STEALTH[®] liposomes 1039(2004)51

Sulphides

Analysis of hydroxide, inorganic sulphur species and organic anions in kraft pulping liquors by capillary electrophoresis 1039(2004)215

Sulphur compounds

Analysis of hydroxide, inorganic sulphur species and organic anions in kraft pulping liquors by capillary electrophoresis 1039(2004)215

Surface composition

Investigation of new chelation ion chromatography procedure to determine the surface composition of powdered metal oxide samples in the solid state 1039(2004)13

Surfactants

Analysis of benzyltrimethylammonium bromide in chemical disinfectants by liquid chromatography and capillary electrophoresis 1039(2004)209

Titanium dioxide resin

Analysis of sugar phosphates in plants by ion chromatography on a titanium dioxide column with pulsed amperometric detection 1039(2004)71

Trap column

Auto-regeneration of anion-trap columns for improved determination of silica by ion chromatography 1039(2004)23

Trifluoroacetate

Determination of residual trifluoroacetate in protein purification buffers and peptide preparations by ion chromatography 1039(2004)113

Vacancy chromatography

Vacancy ion-exclusion/adsorption chromatography of aliphatic amines on a polymethacrylate-based weakly basic anion-exchange column 1039(2004)129

Validation

Validated ion-exclusion chromatographic method for citrate and acetate in medical fluids 1039(2004)147

Water analysis

New suppressor technology improves the ion chromatographic determination of inorganic anions and disinfection by-products in drinking water 1039(2004)45

Measurement of perchlorate in water by use of an ^{18}O -enriched isotopic standard and ion chromatography with mass spectrometric detection 1039(2004)83

Determination of trace-level haloacetic acids in drinking water by ion chromatography–inductively coupled plasma mass spectrometry 1039(2004)89

Challenges encountered in extending the sensitivity of US Environmental Protection Agency Method 314.0 for perchlorate in drinking water 1039(2004)97

Detection of hypophosphite, phosphite, and orthophosphate in natural geothermal water by ion chromatography 1039(2004)105

Highly sensitive determination of hydrazine ion by ion-exclusion chromatography with ion-exchange enhancement of conductivity detection 1039(2004)135

Determination of some aliphatic carboxylic acids in anaerobic digestion process waters by ion-exclusion chromatography with conductimetric detection on a weakly acidic cation-exchange resin column 1039(2004)141

Determination of acrylamide in drinking water by large-volume direct injection and ion-exclusion chromatography–mass spectrometry 1039(2004)155

Use of coupled open-tubular capillaries for in-line ion-exchange preconcentration of anions by capillary electrochromatography with elution by a transient isotachophoretic gradient 1039(2004)187

Water, ultrapure

Using ultrapure water in ion chromatography to run analyses at the ng/L level 1039(2004)27

Waveforms

Optimizing the quadruple-potential waveform for the pulsed amperometric detection of neomycin 1039(2004)39