


Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1040 (2004) 293-298

www.elsevier.com/locate/chroma

Subject Index Vol. 1040

Aerosol-OT

Aerosol-OT- γ -alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Affinity capillary electrophoresis

Preparation of an iminodiacetic acid-modified capillary and its performance in capillary liquid chromatography and immobilized metal chelate affinity capillary electrophoresis 1040(2004)151

Albumin

Preparation of an iminodiacetic acid-modified capillary and its performance in capillary liquid chromatography and immobilized metal chelate affinity capillary electrophoresis 1040(2004)151

Alkaloids

Capillary electrophoretic studies of acid-base properties of sanguinarine and chelerythrine alkaloids 1040(2004)141

Alkanes

Analysis of natural gas by gas chromatography. Reduction of correlated uncertainties by normalisation 1040(2004)215

Alkylphenols

Aerosol-OT- γ -alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Alumina

Aerosol-OT-\(\gamma\)-alumina admicelles for the concentration of hydrophobic organic compounds in water \quad 1040(2004)185

Amides

Preparative isolation and purification of amides from the fruits of *Piper longum* L. by upright counter-current chromatography and reversed-phase liquid chromatography 1040(2004)193

Amines

Determination of histamine and histidine by capillary zone electrophoresis with pre-column naphthalene-2,3-dicarboxaldehyde derivatization and fluorescence detection 1040(2004)133

Amines, heterocyclic aromatic

Analysis of heterocyclic aromatic amines in foods by gas chromatography—mass spectrometry as their *tert.*-butyldimethylsilyl derivatives 1040(2004)105

Amino acids

Determination of histamine and histidine by capillary zone electrophoresis with pre-column naphthalene-2,3-dicarboxaldehyde derivatization and fluorescence detection 1040(2004)133

$Ampelops is\ grossed entata$

Preparative separation of flavonoid glycosides in leaves extract of *Ampelopsis grossedentata* using high-speed counter-current chromatography 1040(2004)147

Band broadening

Recursion equations in predicting band width under gradient elution 1040(2004)19

Extra-column dispersion of macromolecular solutes in aqueous-phase size-exclusion chromatography 1040(2004)33

Band width prediction

Recursion equations in predicting band width under gradient elution 1040(2004)19

Benzoic acids

Determination of benzoyl peroxide and benzoic acid in wheat flour by high-performance liquid chromatography and its identification by high-performance liquid chromatography—mass spectrometry 1040(2004)209

Benzoyl peroxide

Determination of benzoyl peroxide and benzoic acid in wheat flour by highperformance liquid chromatography and its identification by high-performance liquid chromatography-mass spectrometry 1040(2004)209

Bioinformatics

High-throughput automated post-processing of separation data 1040(2004)273

p-tert-Butyl-calix[6]-1,4-benzocrown-4-bonded silica gel

Preparation and characterization of a *p-tert*-butyl-calix[6]-1,4-benzocrown-4-bonded silica gel stationary phase for liquid chromatography 1040(2004)53

Capillary columns

Preparation of an iminodiacetic acid-modified capillary and its performance in capillary liquid chromatography and immobilized metal chelate affinity capillary electrophoresis 1040(2004)151

Chelerythrine

Capillary electrophoretic studies of acid-base properties of sanguinarine and chelerythrine alkaloids 1040(2004)141

Chinese medicines

Separation and identification of compounds in *Rhizoma chuanxiong* by comprehensive two-dimensional liquid chromatography coupled to mass spectrometry 1040(2004)169

Chlorophenols

Aerosol-OT- γ -alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Class profiling

Glycolipid class profiling by packed-column subcritical fluid chromatography 1040(2004)115

Coffee

Analysis of heterocyclic aromatic amines in foods by gas chromatography—mass spectrometry as their *tert*.-butyldimethylsilyl derivatives 1040(2004)105

Colloids

Laser-induced breakdown detection combined with asymmetrical flow field-flow fractionation: application to iron oxi/hydroxide colloid characterization 1040(2004)97

Counter-current chromatography

Countercurrent chromatographic separation: a hydrodynamic approach developed for extraction columns 1040(2004)63

Preparative separation of flavonoid glycosides in leaves extract of *Ampelopsis grossedentata* using high-speed counter-current chromatography 1040(2004)147

Preparative isolation and purification of amides from the fruits of *Piper longum* L. by upright counter-current chromatography and reversed-phase liquid chromatography 1040(2004)193

Purification of paeoniflorin from *Paeonia lactiflora* Pall. by high-speed counter-current chromatography 1040(2004)205

Covariance

Analysis of natural gas by gas chromatography. Reduction of correlated uncertainties by normalisation 1040(2004)215

Derivatization, electrophoresis

Determination of histamine and histidine by capillary zone electrophoresis with pre-column naphthalene-2,3-dicarboxaldehyde derivatization and fluorescence detection 1040(2004)133

Derivatization, GC

Analysis of heterocyclic aromatic amines in foods by gas chromatography—mass spectrometry as their *tert.*-butyldimethylsilyl derivatives 1040(2004)105

Dextran

 $Extra-column\ dispersion\ of\ macromolecular\ solutes\ in\ aqueous-phase\ size-exclusion\ chromatography \\ 1040(2004)33$

Digitonin

Separation and identification of the light harvesting proteins contained in grana and stroma thylakoid membrane fractions 1040(2004)73

Dissociation constants

Capillary electrophoretic studies of acid–base properties of sanguinarine and chelerythrine alkaloids 1040(2004)141

DNA

Novel elution strategy for monitoring DNA counter-migration in the presence of electroosmotic flow 1040(2004)283

Doping analysis

Analysis of anabolic steroids by partial filling micellar electrokinetic capillary chromatography and electrospray mass spectrometry 1040(2004)123

Electroosmotic flow

Novel elution strategy for monitoring DNA counter-migration in the presence of electroosmotic flow 1040(2004)283

Empirically transformed Gaussian

High-throughput automated post-processing of separation data 1040(2004)273

Ethylhexyl sodium sulfosuccinate

Aerosol-OT-γ-alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Extra-column dispersion

Extra-column dispersion of macromolecular solutes in aqueous-phase size-exclusion chromatography 1040(2004)33

Extraction columns

Countercurrent chromatographic separation: a hydrodynamic approach developed for extraction columns 1040(2004)63

Extraction methods

Comparison of different extraction methods: steam distillation, simultaneous distillation and extraction and headspace co-distillation, used for the analysis of the volatile components in aged flue-cured tobacco leaves 1040(2004)1

Selective pressurized liquid extraction of polychlorinated biphenyls from fat-containing food and feed samples. Influence of cell dimensions, solvent type, temperature and flush volume 1040(2004)155

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection—gas chromatography—mass spectrometric detection 1040(2004)251

Field-flow fractionation

Laser-induced breakdown detection combined with asymmetrical flow field-flow fractionation: application to iron oxi/hydroxide colloid characterization 1040(2004)97

Flavonoids

Preparative separation of flavonoid glycosides in leaves extract of *Ampelopsis grossedentata* using high-speed counter-current chromatography 1040(2004)147

Flow field-flow fractionation

Laser-induced breakdown detection combined with asymmetrical flow field-flow fractionation: application to iron oxi/hydroxide colloid characterization 1040(2004)97

Food analysis

Analysis of heterocyclic aromatic amines in foods by gas chromatography—mass spectrometry as their *tert*.-butyldimethylsilyl derivatives 1040(2004)105

Selective pressurized liquid extraction of polychlorinated biphenyls from fat-containing food and feed samples. Influence of cell dimensions, solvent type, temperature and flush volume 1040(2004)155

High-performance liquid chromatography determination of phenolic components in wine using off-line isotachophoretic pretreatment 1040(2004)179

Determination of benzoyl peroxide and benzoic acid in wheat flour by high-performance liquid chromatography and its identification by high-performance liquid chromatography—mass spectrometry 1040(2004)209

Gas chromatographic separation and mass spectrometric identification of mixtures of oxyphytosterol and oxycholesterol derivatives. Application to a phytosterol-enriched food 1040(2004)239

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection—gas chromatography—mass spectrometric detection 1040(2004)251

Fruit juices

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection–gas chromatography–mass spectrometric detection 1040(2004)251

Full evaporation

Determination of residual monomer in polymer latex by full evaporation headspace gas chromatography 1040(2004)163

Gas chromatography, comprehensive two-dimensional

Improved separation of the 209 polychlorinated biphenyl congeners using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1040(2004)227

Gases

Analysis of natural gas by gas chromatography. Reduction of correlated uncertainties by normalisation 1040(2004)215

Globulir

Preparation of an iminodiacetic acid-modified capillary and its performance in capillary liquid chromatography and immobilized metal chelate affinity capillary electrophoresis 1040(2004)151

Glycolipids

Glycolipid class profiling by packed-column subcritical fluid chromatography $1040(2004)115\,$

Glycosides

Preparative separation of flavonoid glycosides in leaves extract of *Ampelopsis grossedentata* using high-speed counter-current chromatography 1040(2004)147

Gradient elution

Recursion equations in predicting band width under gradient elution 1040(2004)19

Grana fraction

Separation and identification of the light harvesting proteins contained in grana and stroma thylakoid membrane fractions 1040(2004)73

Headspace analysis

Determination of residual monomer in polymer latex by full evaporation headspace gas chromatography 1040(2004)163

Headspace co-distillation

Comparison of different extraction methods: steam distillation, simultaneous distillation and extraction and headspace co-distillation, used for the analysis of the volatile components in aged flue-cured tobacco leaves 1040(2004)1

Histamine

Determination of histamine and histidine by capillary zone electrophoresis with pre-column naphthalene-2,3-dicarboxaldehyde derivatization and fluorescence detection 1040(2004)133

Histidine

Determination of histamine and histidine by capillary zone electrophoresis with pre-column naphthalene-2,3-dicarboxaldehyde derivatization and fluorescence detection 1040(2004)133

Hormones

Analysis of anabolic steroids by partial filling micellar electrokinetic capillary chromatography and electrospray mass spectrometry 1040(2004)123

Hydrogels

Solute retention and the states of water in polyethylene glycol and poly(vinyl alcohol) gels 1040(2004)45

Immobilized metal chelate affinity capillary electrophoresis

Preparation of an iminodiacetic acid-modified capillary and its performance in capillary liquid chromatography and immobilized metal chelate affinity capillary electrophoresis 1040(2004)151

Iron oxides

Laser-induced breakdown detection combined with asymmetrical flow field-flow fractionation: application to iron oxi/hydroxide colloid characterization 1040(2004)97

Isotachophoresis

High-performance liquid chromatography determination of phenolic components in wine using off-line isotachophoretic pretreatment 1040(2004)179

Large-volume injection

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection–gas chromatography–mass spectrometric detection 1040(2004)251

Laser-induced breakdown detection

Laser-induced breakdown detection combined with asymmetrical flow field-flow fractionation: application to iron oxi/hydroxide colloid characterization 1040(2004)97

Lipids

Glycolipid class profiling by packed-column subcritical fluid chromatography 1040(2004)115

Liquid chromatography, comprehensive two-dimensional

Separation and identification of compounds in *Rhizoma chuanxiong* by comprehensive two-dimensional liquid chromatography coupled to mass spectrometry 1040(2004)169

Longitudinal dispersion

Countercurrent chromatographic separation: a hydrodynamic approach developed for extraction columns 1040(2004)63

Mathematical modelling

Countercurrent chromatographic separation: a hydrodynamic approach developed for extraction columns 1040(2004)63

Matrix effects

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection—gas chromatography—mass spectrometric detection 1040(2004)251

Membrane-assisted solvent extraction

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection—gas chromatography—mass spectrometric detection 1040(2004)251

Methyl methacrylate

Determination of residual monomer in polymer latex by full evaporation headspace gas chromatography 1040(2004)163

$Methyl \hbox{-} {\it tert}. \hbox{-} butyl dimethyl silyl trifluor oac eta mide$

Analysis of heterocyclic aromatic amines in foods by gas chromatography—mass spectrometry as their *tert.*-butyldimethylsilyl derivatives 1040(2004)105

Micelles

Aerosol-OT- γ -alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Naphthalene dicarboxaldehyde

Determination of histamine and histidine by capillary zone electrophoresis with pre-column naphthalene-2,3-dicarboxaldehyde derivatization and fluorescence detection 1040(2004)133

Natural gas

Analysis of natural gas by gas chromatography. Reduction of correlated uncertainties by normalisation 1040(2004)215

Non-ideal injection pulse

Extra-column dispersion of macromolecular solutes in aqueous-phase size-exclusion chromatography 1040(2004)33

Normalisation

Analysis of natural gas by gas chromatography. Reduction of correlated uncertainties by normalisation 1040(2004)215

Organic acids

High-performance liquid chromatography determination of phenolic components in wine using off-line isotachophoretic pretreatment 1040(2004)179

Organophosphorus compounds

Identification of iso- and *n*-propylphosphonates using liquid chromatography–tandem mass spectrometry and gas chromatography–Fourier transform infrared spectroscopy 1040(2004)83

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection–gas chromatography–mass spectrometric detection 1040(2004)251

Oxycholesterols

Gas chromatographic separation and mass spectrometric identification of mixtures of oxyphytosterol and oxycholesterol derivatives. Application to a phytosterol-enriched food 1040(2004)239

Oxyphytosterols

Gas chromatographic separation and mass spectrometric identification of mixtures of oxyphytosterol and oxycholesterol derivatives. Application to a phytosterol-enriched food 1040(2004)239

Oxysterols

Gas chromatographic separation and mass spectrometric identification of mixtures of oxyphytosterol and oxycholesterol derivatives. Application to a phytosterol-enriched food 1040(2004)239

Paeonia lactiflora

Purification of paeoniflorin from *Paeonia lactiflora* Pall. by high-speed counter-current chromatography 1040(2004)205

Paeoniflorin

Purification of paeoniflorin from *Paeonia lactiflora* Pall. by high-speed counter-current chromatography 1040(2004)205

Partial filling micellar electrokinetic chromatography

Analysis of anabolic steroids by partial filling micellar electrokinetic capillary chromatography and electrospray mass spectrometry 1040(2004)123

Pesticide

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection-gas chromatography-mass spectrometric detection 1040(2004)251

Evaluation of common organic solvents for gas chromatographic analysis and stability of multiclass pesticide residues 1040(2004)259

Pharmaceutical analysis

Purification of paeoniflorin from *Paeonia lactiflora* Pall. by high-speed counter-current chromatography 1040(2004)205

Phenolic compounds

High-performance liquid chromatography determination of phenolic components in wine using off-line isotachophoretic pretreatment 1040(2004)179

Phenols

Aerosol-OT- γ -alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Phosphonates

Identification of iso- and *n*-propylphosphonates using liquid chromatography–tandem mass spectrometry and gas chromatography–Fourier transform infrared spectroscopy 1040(2004)83

Photosynthesi

Separation and identification of the light harvesting proteins contained in grana and stroma thylakoid membrane fractions 1040(2004)73

Phthalates

Aerosol-OT-γ-alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Piper longum

Preparative isolation and purification of amides from the fruits of *Piper longum* L. by upright counter-current chromatography and reversed-phase liquid chromatography 1040(2004)193

Plant materials

Preparative separation of flavonoid glycosides in leaves extract of *Ampelopsis grossedentata* using high-speed counter-current chromatography 1040(2004)147

Preparative isolation and purification of amides from the fruits of *Piper longum* L. by upright counter-current chromatography and reversed-phase liquid chromatography 1040(2004)193

Purification of paeoniflorin from *Paeonia lactiflora* Pall. by high-speed counter-current chromatography 1040(2004)205

Polychlorinated biphenyls

Selective pressurized liquid extraction of polychlorinated biphenyls from fat-containing food and feed samples. Influence of cell dimensions, solvent type, temperature and flush volume 1040(2004)155

Improved separation of the 209 polychlorinated biphenyl congeners using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1040(2004)227

Polyethylene glycol

Solute retention and the states of water in polyethylene glycol and poly(vinyl alcohol) gels 1040(2004)45

Polymerization

Determination of residual monomer in polymer latex by full evaporation headspace gas chromatography 1040(2004)163

Polymers

Determination of residual monomer in polymer latex by full evaporation headspace gas chromatography 1040(2004)163

Poly(vinyl alcohol)

Solute retention and the states of water in polyethylene glycol and poly(vinyl alcohol) gels 1040(2004)45

Preparative chromatography

Preparative separation of flavonoid glycosides in leaves extract of *Ampelopsis grossedentata* using high-speed counter-current chromatography 1040(2004)147

Purification of paeoniflorin from *Paeonia lactiflora* Pall. by high-speed counter-current chromatography 1040(2004)205

Pressurized liquid extraction

Selective pressurized liquid extraction of polychlorinated biphenyls from fat-containing food and feed samples. Influence of cell dimensions, solvent type, temperature and flush volume 1040(2004)155

Propylphosphonates

Identification of iso- and *n*-propylphosphonates using liquid chromatography–tandem mass spectrometry and gas chromatography–Fourier transform infrared spectroscopy 1040(2004)83

Proteins

Separation and identification of the light harvesting proteins contained in grana and stroma thylakoid membrane fractions 1040(2004)73

Preparation of an iminodiacetic acid-modified capillary and its performance in capillary liquid chromatography and immobilized metal chelate affinity capillary electrophoresis 1040(2004)151

Proteomics

Separation and identification of the light harvesting proteins contained in grana and stroma thylakoid membrane fractions 1040(2004)73

Recursion equations

Recursion equations in predicting band width under gradient elution 1040(2004)19

Resolution

Improved separation of the 209 polychlorinated biphenyl congeners using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1040(2004)227

Retention mechanism

Preparation and characterization of a *p-tert*-butyl-calix[6]-1,4-benzocrown-4-bonded silica gel stationary phase for liquid chromatography 1040(2004)53

Retention selectivity

Solute retention and the states of water in polyethylene glycol and poly(vinyl alcohol) gels 1040(2004)45

Rhizoma chuanxiong

Separation and identification of compounds in *Rhizoma chuanxiong* by comprehensive two-dimensional liquid chromatography coupled to mass spectrometry 1040(2004)169

Sample preparation

High-performance liquid chromatography determination of phenolic components in wine using off-line isotachophoretic pretreatment 1040(2004)179

Sanguinarine

Capillary electrophoretic studies of acid–base properties of sanguinarine and chelerythrine alkaloids $\,$ $\,$ 1040(2004)141

Simultaneous steam distillation-solvent extraction

Comparison of different extraction methods: steam distillation, simultaneous distillation and extraction and headspace co-distillation, used for the analysis of the volatile components in aged flue-cured tobacco leaves 1040(2004)1

Software

High-throughput automated post-processing of separation data 1040(2004)273

Solute migration

Recursion equations in predicting band width under gradient elution 1040(2004)19

Stability studies

Evaluation of common organic solvents for gas chromatographic analysis and stability of multiclass pesticide residues 1040(2004)259

Stationary phases, LC

Solute retention and the states of water in polyethylene glycol and poly(vinyl alcohol) gels 1040(2004)45

Preparation and characterization of a *p-tert*-butyl-calix[6]-1,4-benzocrown-4-bonded silica gel stationary phase for liquid chromatography 1040(2004)53

Stationary phases, subcritical fluid chromatography

Glycolipid class profiling by packed-column subcritical fluid chromatography $1040(2004)115\,$

Steam distillation

Comparison of different extraction methods: steam distillation, simultaneous distillation and extraction and headspace co-distillation, used for the analysis of the volatile components in aged flue-cured tobacco leaves 1040(2004)1

Steroids

Analysis of anabolic steroids by partial filling micellar electrokinetic capillary chromatography and electrospray mass spectrometry 1040(2004)123

Sterols

Gas chromatographic separation and mass spectrometric identification of mixtures of oxyphytosterol and oxycholesterol derivatives. Application to a phytosterol-enriched food 1040(2004)239

Stroma fraction

Separation and identification of the light harvesting proteins contained in grana and stroma thylakoid membrane fractions 1040(2004)73

Subcritical fluid chromatography

Glycolipid class profiling by packed-column subcritical fluid chromatography $1040(2004)115\,$

Surfactants

Aerosol-OT-γ-alumina admicelles for the concentration of hydrophobic organic compounds in water 1040(2004)185

Tobacco

Comparison of different extraction methods: steam distillation, simultaneous distillation and extraction and headspace co-distillation, used for the analysis of the volatile components in aged flue-cured tobacco leaves 1040(2004)1

Tube dispersion

Extra-column dispersion of macromolecular solutes in aqueous-phase size-exclusion chromatography 1040(2004)33

Uncertainty

Analysis of natural gas by gas chromatography. Reduction of correlated uncertainties by normalisation 1040(2004)215

Variance

Analysis of natural gas by gas chromatography. Reduction of correlated uncertainties by normalisation 1040(2004)215

Volatile organic compounds

Comparison of different extraction methods: steam distillation, simultaneous distillation and extraction and headspace co-distillation, used for the analysis of the volatile components in aged flue-cured tobacco leaves 1040(2004)1

Warfare agents

Identification of iso- and n-propylphosphonates using liquid chromatography—tandem mass spectrometry and gas chromatography—Fourier transform infrared spectroscopy 1040(2004)83

Water

Solute retention and the states of water in polyethylene glycol and poly(vinyl alcohol) gels 1040(2004)45

Wine

High-performance liquid chromatography determination of phenolic components in wine using off-line isotachophoretic pretreatment 1040(2004)179

Determination of organophosphorus pesticides using membrane-assisted solvent extraction combined with large volume injection-gas chromatography-mass spectrometric detection 1040(2004)251