

Author Index Vol. 1044

- Andersson, M.E., see Enlund, A.M. 1044(2004)153
- Baker, G.L., see Miller, M.D. 1044(2004)323
- Bandilla, D. and Skinner, C.D.
Capillary electrochromatography of peptides and proteins (Review) 1044(2004)113
- Bartle, K.D., see Myers, P. 1044(2004)253
- Bedair, M. and El Rassi, Z.
Affinity chromatography with monolithic capillary columns. I. Polymethacrylate monoliths with immobilized mannan for the separation of mannose-binding proteins by capillary electrochromatography and nano-scale liquid chromatography 1044(2004)177
- Bicker, W., see Preinerstorfer, B. 1044(2004)187
- Bruening, M.L., see Miller, M.D. 1044(2004)323
- Cameron, N.R., see Flook, K.J. 1044(2004)245
- Chang, C.-Y., see Chuang, S.-C. 1044(2004)229
- Chen, G., Tallarek, U., Seidel-Morgenstern, A. and Zhang, Y.
Influence of moderate Joule heating on electroosmotic flow velocity, retention, and efficiency in capillary electrochromatography 1044(2004)287
- Chuang, S.-C., Chang, C.-Y. and Liu, C.-Y.
Polystyrene monolithic column functionalized with copper–iminodiacetate complex as a stationary phase for open tubular capillary electrochromatography 1044(2004)229
- Cramer, S.M., see Jindal, R. 1044(2004)277
- De Lorenzi, E., see Quaglia, M. 1044(2004)53
- Dong, J., see Fu, H. 1044(2004)237
- D’Orazio, G., see Orlandini, S. 1044(2004)295
- Eeltink, S., Rozing, G.P., Schoenmakers, P.J. and Kok, W.Th.
Study of the influence of the aspect ratio on efficiency, flow resistance and retention factors of packed capillary columns in pressure- and electrically-driven liquid chromatography 1044(2004)311
- El Rassi, Z., see Bedair, M. 1044(2004)177
- Enlund, A.M., Andersson, M.E. and Hagman, G.
Peak compression effects in capillary electrochromatography (Review) 1044(2004)153
- Fanali, S., see Orlandini, S. 1044(2004)295
- Flook, K.J., Cameron, N.R. and Wren, S.A.C.
Polymerised bicontinuous microemulsions as stationary phases for capillary electrochromatography. Effect of pore size on chromatographic performance 1044(2004)245
- Fréchet, J.M.J., see Hilder, E.F. 1044(2004)3
- Fréchet, J.M.J., see Stachowiak, T.B. 1044(2004)97
- Freitag, R., see Szucs, V. 1044(2004)201
- Fries, D.P., see Li, W. 1044(2004)23
- Fu, H., Xie, C., Xiao, H., Dong, J., Hu, J. and Zou, H.
Monolithic columns with mixed modes of reversed-phase and anion-exchange stationary phase for capillary electrochromatography 1044(2004)237
- Furlanetto, S., see Orlandini, S. 1044(2004)295
- Glennon, J.D., see Guihen, E. 1044(2004)67
- Guihen, E. and Glennon, J.D.
Recent highlights in stationary phase design for open-tubular capillary electrochromatography (Review) 1044(2004)67
- Hagman, G., see Enlund, A.M. 1044(2004)153
- Hilder, E.F., Svec, F. and Fréchet, J.M.J.
Development and application of polymeric monolithic stationary phases for capillary electrochromatography (Review) 1044(2004)3
- Hu, J., see Fu, H. 1044(2004)237
- Jindal, R. and Cramer, S.M.
On-chip electrochromatography using sol–gel immobilized stationary phase with UV absorbance detection 1044(2004)277
- Kahle, V., Košťál, V. and Zeisbergerová, M.
Sample injection in capillary electrochromatography by heart-cut technique 1044(2004)259
- Kato, M., Saruwatari, H., Sakai-Kato, K. and Toyooka, T.
Silica sol–gel/organic hybrid material for protein encapsulated column of capillary electrochromatography 1044(2004)267
- Kitagawa, S., see Nakashima, R. 1044(2004)305
- Klampfl, C.W.
Review coupling of capillary electrochromatography to mass spectrometry (Review) 1044(2004)131
- Kok, W.Th.
Capillary electrochromatography in the size-exclusion mode (Review) 1044(2004)145
- Kok, W.Th., see Eeltink, S. 1044(2004)311
- Kornýšova, O., see Maruška, A. 1044(2004)223
- Košťál, V., see Kahle, V. 1044(2004)259
- Krishnamoorthi, V., see Pesek, J.J. 1044(2004)317
- Lämmerhofer, M., see Preinerstorfer, B. 1044(2004)187
- Li, W., Fries, D.P. and Malik, A.
Sol–gel stationary phases for capillary electrochromatography (Review) 1044(2004)23
- Lindner, W., see Preinerstorfer, B. 1044(2004)187
- Liu, C.-Y., see Chuang, S.-C. 1044(2004)229
- Maeda, Y., see Oguri, S. 1044(2004)271
- Malik, A., see Li, W. 1044(2004)23
- Maruška, A. and Kornýšova, O.
Homogeneous reversed-phase agarose thermogels for electrochromatography 1044(2004)223
- Matyska, M.T., see Pesek, J.J. 1044(2004)317
- McCarney, J.P., see Palmer, C.P. 1044(2004)159
- Miller, M.D., Baker, G.L. and Bruening, M.L.
Polymer-brush stationary phases for open-tubular capillary electrochromatography 1044(2004)323
- Mizusawa, A., see Oguri, S. 1044(2004)271
- Myers, P. and Bartle, K.D.
Towards a miniaturised system for dynamic field gradient focused separation of proteins 1044(2004)253
- Nakashima, R., Kitagawa, S., Yoshida, T. and Tsuda, T.
Study of flow rate in pressurized gradient capillary electrochromatography using splitter and separation of peptides using an Amide stationary phase 1044(2004)305

- Nurok, D.
Planar electrochromatography (Review) 1044(2004)83
- Oguri, S., Maeda, Y. and Mizusawa, A.
On-column derivatization–capillary electrochromatography with *o*-phthalaldehyde/alkylthiol for assay of biogenic amines 1044(2004)271
- Orlandini, S., Furlanetto, S., Pinzauti, S., D’Orazio, G. and Fanali, S.
Analysis of ketorolac and its related impurities by capillary electrochromatography 1044(2004)295
- Palmer, C.P. and McCaerney, J.P.
Developments in the use of soluble ionic polymers as pseudo-stationary phases for electrokinetic chromatography and stationary phases for electrochromatography (Review) 1044(2004)159
- Pesek, J.J., Matyska, M.T. and Krishnamoorthi, V.
Separation of polyethylene glycol-modified proteins by open tubular capillary electrochromatography 1044(2004)317
- Pinzauti, S., see Orlandini, S. 1044(2004)295
- Preinerstorfer, B., Bicker, W., Lindner, W. and Lämmerhofer, M.
Development of reactive thiol-modified monolithic capillaries and in-column surface functionalization by radical addition of a chromatographic ligand for capillary electrochromatography 1044(2004)187
- Pyell, U., see Wahl, A. 1044(2004)211
- Quaglia, M., Sellergren, B. and De Lorenzi, E.
Approaches to imprinted stationary phases for affinity capillary electrochromatography (Review) 1044(2004)53
- Roziing, G.P., see Eeltink, S. 1044(2004)311
- Sakai-Kato, K., see Kato, M. 1044(2004)267
- Saruwatari, H., see Kato, M. 1044(2004)267
- Schnell, I., see Wahl, A. 1044(2004)211
- Schoenmakers, P.J., see Eeltink, S. 1044(2004)311
- Seidel-Morgenstern, A., see Chen, G. 1044(2004)287
- Sellergren, B., see Quaglia, M. 1044(2004)53
- Skinner, C.D., see Bandilla, D. 1044(2004)113
- Stachowiak, T.B., Svec, F. and Fréchet, J.M.J.
Chip electrochromatography (Review) 1044(2004)97
- Svec, F.
Foreword 1044(2004)1
- Svec, F., see Hilder, E.F. 1044(2004)3
- Svec, F., see Stachowiak, T.B. 1044(2004)97
- Szucs, V. and Freitag, R.
Comparison of a three-peptide separation by capillary electrochromatography, voltage-assisted liquid chromatography and nano-high-performance liquid chromatography 1044(2004)201
- Tallarek, U., see Chen, G. 1044(2004)287
- Toyo’oka, T., see Kato, M. 1044(2004)267
- Tsuda, T., see Nakashima, R. 1044(2004)305
- Wahl, A., Schnell, I. and Pyell, U.
Capillary electrochromatography with polymeric continuous beds synthesized via free radical polymerization in aqueous media using derivatized cyclodextrins as solubilizing agents 1044(2004)211
- Wren, S.A.C., see Flook, K.J. 1044(2004)245
- Xiao, H., see Fu, H. 1044(2004)237
- Xie, C., see Fu, H. 1044(2004)237
- Yoshida, T., see Nakashima, R. 1044(2004)305
- Zeisbergerová, M., see Kahle, V. 1044(2004)259
- Zhang, Y., see Chen, G. 1044(2004)287
- Zou, H., see Fu, H. 1044(2004)237