

Subject Index Vol. 1045

Adsorption

Investigation of the surface heterogeneity of solids from reversed-flow inverse gas chromatography 1045(2004)161

Aggregation formation

Electrophoretic aggregation of humic acid 1045(2004)253

Air analysis

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Alcohols

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Alkanes

Preparation of stir bars for sorptive extraction using sol–gel technology 1045(2004)15

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Alkanols

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Alkenes

On-line introduction of high-pressure gas–liquid sample for capillary gas chromatographic analysis 1045(2004)23

Alperujo

Fast separation and determination of phenolic compounds by capillary electrophoresis–diode array detection. Application to the characterisation of alperujo after ultrasound-assisted extraction 1045(2004)239

Aminoindanones

Ionisation characteristics and elimination rates of some aminoindanones determined by capillary electrophoresis 1045(2004)233

Aminoketones

Ionisation characteristics and elimination rates of some aminoindanones determined by capillary electrophoresis 1045(2004)233

Anthocyanins

Isolation of two anthocyanin sambubiosides from bilberry (*Vaccinium myrtillus*) by high-speed counter-current chromatography 1045(2004)59

Antibiotics

Fast and robust simultaneous determination of three veterinary antibiotics in groundwater and surface water using a tandem solid-phase extraction with high-performance liquid chromatography–UV detection 1045(2004)111

Chiral counter-current chromatography of gemifloxacin guided by capillary electrophoresis using (+)-(18-crown-6)-tetracarboxylic acid as a chiral selector 1045(2004)119

Antibodies

Integrated isolation of antibody fragments from microbial cell culture fluids using supermacroporous cryogels 1045(2004)93

Arsenic

Arsenic and its speciation analysis using high-performance liquid chromatography and inductively coupled plasma mass spectrometry (Review) 1045(2004)1

Azide

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Benzene

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181

Biogenic amines

New solvent systems for thin-layer chromatographic determination of nine biogenic amines in fish and squid 1045(2004)223

Bisphenol A

Monitoring of estrogens, pesticides and bisphenol A in natural waters and drinking water treatment plants by solid-phase extraction–liquid chromatography–mass spectrometry 1045(2004)85

Bitertanol

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Carbendazim

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Carbon deficiency

Determination of the carbon deficiency in the flame ionization detector response of long-chain fatty acid methyl esters and dicarboxylic acid dimethyl esters 1045(2004)197

Catalysts

Investigation of the surface heterogeneity of solids from reversed-flow inverse gas chromatography 1045(2004)161

Chemometrics

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181

Chlorobenzenes

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Coffee

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Comprehensive two-dimensional gas chromatography

Setting the record straight about the capabilities of the rotating heater as a modulator for GC × GC 1045(2004)263

On the capabilities of the rotating heater as a modulator for GCxGC—a reply 1045(2004)265

Copperised-cadmium reductor column

Determination of nitrate by suppressed ion chromatography after copperised-cadmium column reduction 1045(2004)153

Counter-current chromatography

Isolation of two anthocyanin sambubiosides from bilberry (*Vaccinium myrtillus*) by high-speed counter-current chromatography 1045(2004)59

Chiral counter-current chromatography of gemifloxacin guided by capillary electrophoresis using (+)-(18-crown-6)-tetracarboxylic acid as a chiral selector 1045(2004)119

Crown ethers

Chiral counter-current chromatography of gemifloxacin guided by capillary electrophoresis using (+)-(18-crown-6)-tetracarboxylic acid as a chiral selector 1045(2004)119

Cryogels

Integrated isolation of antibody fragments from microbial cell culture fluids using supermacroporous cryogels 1045(2004)93

Cucurbita pepo

Single step determination of fragrances in *Cucurbita* flowers by coupling headspace solid-phase microextraction low-pressure gas chromatography–tandem mass spectrometry 1045(2004)173

Cyanidin-3-O-sambubioside

Isolation of two anthocyanin sambubiosides from bilberry (*Vaccinium myrtillus*) by high-speed counter-current chromatography 1045(2004)59

Delphinidin-3-O-sambubioside

Isolation of two anthocyanin sambubiosides from bilberry (*Vaccinium myrtillus*) by high-speed counter-current chromatography 1045(2004)59

Detection, LC

Determination of the interdetector volume by s-detection in size-exclusion chromatography of polymers with on-line multiangle light-scattering detection 1045(2004)37

Dialkyl phthalate esters

Application of single-drop microextraction to the determination of dialkyl phthalate esters in food simulants 1045(2004)29

Diastereomer

Optimization and validation of a gas chromatographic method for analysis of (*RS,SR*)-diastereoisomeric impurity in formoterol fumarate 1045(2004)211

Dimethylacrylamide

Integrated isolation of antibody fragments from microbial cell culture fluids using supermacroporous cryogels 1045(2004)93

3,5-Dinitrobenzoylazide

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Dissociation constants

Ionisation characteristics and elimination rates of some aminoindanones determined by capillary electrophoresis 1045(2004)233

Electron donor–acceptor interactions

Investigations on the chromatographic behavior of hybrid reversed-phase materials containing electron donor–acceptor systems. II. Contribution of π – π aromatic interactions 1045(2004)43

Enantiomer separation

Chiral counter-current chromatography of gemifloxacin guided by capillary electrophoresis using (+)-(18-crown-6)-tetracarboxylic acid as a chiral selector 1045(2004)119

Endocrine disruptors

Monitoring of estrogens, pesticides and bisphenol A in natural waters and drinking water treatment plants by solid-phase extraction–liquid chromatography–mass spectrometry 1045(2004)85

Environmental analysis

Monitoring of estrogens, pesticides and bisphenol A in natural waters and drinking water treatment plants by solid-phase extraction–liquid chromatography–mass spectrometry 1045(2004)85

Fast and robust simultaneous determination of three veterinary antibiotics in groundwater and surface water using a tandem solid-phase extraction with high-performance liquid chromatography–UV detection 1045(2004)111

Determination of nitrate by suppressed ion chromatography after copperised-cadmium column reduction 1045(2004)153

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181

Ephedrine

Phenmetrazine or ephedrine? Fooled by library search 1045(2004)259

Estrogens

Monitoring of estrogens, pesticides and bisphenol A in natural waters and drinking water treatment plants by solid-phase extraction–liquid chromatography–mass spectrometry 1045(2004)85

Ethylbenzene

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181

Ethylene oligomerization

On-line introduction of high-pressure gas–liquid sample for capillary gas chromatographic analysis 1045(2004)23

Experimental design

Application of single-drop microextraction to the determination of dialkyl phthalate esters in food simulants 1045(2004)29

Extraction methods

Preparation of stir bars for sorptive extraction using sol–gel technology 1045(2004)15

Identification and quantification of *trans* fatty acids in bakery products by gas chromatography–mass spectrometry after dynamic ultrasound-assisted extraction 1045(2004)203

Fast separation and determination of phenolic compounds by capillary electrophoresis–diode array detection. Application to the characterisation of alperujo after ultrasound-assisted extraction 1045(2004)239

Factorial design

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Fatty acid methyl esters

Determination of the carbon deficiency in the flame ionization detector response of long-chain fatty acid methyl esters and dicarboxylic acid dimethyl esters 1045(2004)197

Fatty acids

Separation of geometric isomers of native lutein diesters in marigold (*Tagetes erecta* L.) by high-performance liquid chromatography–mass spectrometry 1045(2004)65

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Identification and quantification of *trans* fatty acids in bakery products by gas chromatography–mass spectrometry after dynamic ultrasound-assisted extraction 1045(2004)203

Fingerprinting

Pattern profiling of the herbal preparation picroliv using liquid chromatography–tandem mass spectrometry 1045(2004)145

Fish

New solvent systems for thin-layer chromatographic determination of nine biogenic amines in fish and squid 1045(2004)223

Flavonoids

Isolation of two anthocyanin sambubiosides from bilberry (*Vaccinium myrtillus*) by high-speed counter-current chromatography 1045(2004)59

Flaxseed

High-performance thin-layer chromatographic–densitometric determination of secoisolariciresinol diglucoside in flaxseed 1045(2004)217

Fluoroquinolones

Chiral counter-current chromatography of gemifloxacin guided by capillary electrophoresis using (+)-(18-crown-6)-tetracarboxylic acid as a chiral selector 1045(2004)119

Food analysis

Application of single-drop microextraction to the determination of dialkyl phthalate esters in food simulants 1045(2004)29

One-year routine application of a new method based on liquid chromatography–tandem mass spectrometry to the analysis of 16 multiclass pesticides in vegetable samples 1045(2004)125

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Identification and quantification of *trans* fatty acids in bakery products by gas chromatography–mass spectrometry after dynamic ultrasound-assisted extraction 1045(2004)203

New solvent systems for thin-layer chromatographic determination of nine biogenic amines in fish and squid 1045(2004)223

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Forensic analysis

Phenmetrazine or ephedrine? Fooled by library search 1045(2004)259

Formoterol fumarate

Optimization and validation of a gas chromatographic method for analysis of (*RS,SR*)-diastereoisomeric impurity in formoterol fumarate 1045(2004)211

Fragrances

Single step determination of fragrances in *Cucurbita* flowers by coupling headspace solid-phase microextraction low-pressure gas chromatography–tandem mass spectrometry 1045(2004)173

Fruit juices

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Fruits

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Gemifloxacin

Chiral counter-current chromatography of gemifloxacin guided by capillary electrophoresis using (+)-(18-crown-6)-tetracarboxylic acid as a chiral selector 1045(2004)119

Geometric isomers

Separation of geometric isomers of native lutein diesters in marigold (*Tagetes erecta* L.) by high-performance liquid chromatography–mass spectrometry 1045(2004)65

Glucosides

High-performance thin-layer chromatographic–densitometric determination of secoisolariciresinol diglucoside in flaxseed 1045(2004)217

Headspace analysis

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Humic acids

Electrophoretic aggregation of humic acid 1045(2004)253

Hydrocarbons

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Hydrophobicity

Investigations on the chromatographic behavior of hybrid reversed-phase materials containing electron donor–acceptor systems. II. Contribution of π – π aromatic interactions 1045(2004)43

Imazalil

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Immobilized enzyme reactors

Development of a bioreactor based on trypsin immobilized on monolithic support for the on-line digestion and identification of proteins 1045(2004)99

Immobilized trypsin

Development of a bioreactor based on trypsin immobilized on monolithic support for the on-line digestion and identification of proteins 1045(2004)99

Indanones

Ionisation characteristics and elimination rates of some aminoindanones determined by capillary electrophoresis 1045(2004)233

Indenone

Ionisation characteristics and elimination rates of some aminoindanones determined by capillary electrophoresis 1045(2004)23

Inductively coupled plasma mass spectrometry

Arsenic and its speciation analysis using high-performance liquid chromatography and inductively coupled plasma mass spectrometry (Review) 1045(2004)1

Injection methods

On-line introduction of high-pressure gas-liquid sample for capillary gas chromatographic analysis 1045(2004)23

Interdetector volume

Determination of the interdetector volume by s-detection in size-exclusion chromatography of polymers with on-line multiangle light-scattering detection 1045(2004)37

Inverse gas chromatography

Investigation of the surface heterogeneity of solids from reversed-flow inverse gas chromatography 1045(2004)161

Isotope ratio

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Kutkoside

Pattern profiling of the herbal preparation picroliv using liquid chromatography-tandem mass spectrometry 1045(2004)145

Libraries, MS

Phenmetrazine or ephedrine? Fooled by library search 1045(2004)259

Lipids

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Lutein

Separation of geometric isomers of native lutein diesters in marigold (*Tagetes erecta* L.) by high-performance liquid chromatography-mass spectrometry 1045(2004)65

Mathematical modelling

Investigation of the surface heterogeneity of solids from reversed-flow inverse gas chromatography 1045(2004)161

Milk

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Modulation

Setting the record straight about the capabilities of the rotating heater as a modulator for GC × GC 1045(2004)263

On the capabilities of the rotating heater as a modulator for GC×GC—a reply 1045(2004)265

Monolithic columns

Development of a bioreactor based on trypsin immobilized on monolithic support for the on-line digestion and identification of proteins 1045(2004)99

Multiangle light scattering detection

Determination of the interdetector volume by s-detection in size-exclusion chromatography of polymers with on-line multiangle light-scattering detection 1045(2004)37

Nitrate

Determination of nitrate by suppressed ion chromatography after cop-perised-cadmium column reduction 1045(2004)153

Olive oil

Fast separation and determination of phenolic compounds by capillary electrophoresis-diode array detection. Application to the characterisation of alperujo after ultrasound-assisted extraction 1045(2004)239

Organoarsenic compounds

Arsenic and its speciation analysis using high-performance liquid chromatography and inductively coupled plasma mass spectrometry (Review) 1045(2004)1

Organochlorine compounds

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Organophosphorus compounds

Preparation of stir bars for sorptive extraction using sol-gel technology 1045(2004)15

Oxytetracycline

Fast and robust simultaneous determination of three veterinary antibiotics in groundwater and surface water using a tandem solid-phase extraction with high-performance liquid chromatography-UV detection 1045(2004)111

Pattern recognition

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181

Peak broadening

Determination of the interdetector volume by s-detection in size-exclusion chromatography of polymers with on-line multiangle light-scattering detection 1045(2004)37

Peptides

Development of a bioreactor based on trypsin immobilized on monolithic support for the on-line digestion and identification of proteins 1045(2004)99

Pesticides

Preparation of stir bars for sorptive extraction using sol-gel technology 1045(2004)15

Monitoring of estrogens, pesticides and bisphenol A in natural waters and drinking water treatment plants by solid-phase extraction-liquid chromatography-mass spectrometry 1045(2004)85

One-year routine application of a new method based on liquid chromatography-tandem mass spectrometry to the analysis of 16 multiclass pesticides in vegetable samples 1045(2004)125

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography-electrospray tandem mass spectrometry 1045(2004)137

Pharmaceutical analysis

Pattern profiling of the herbal preparation picroliv using liquid chromatography–tandem mass spectrometry 1045(2004)145

Phenmetrazine

Phenmetrazine or ephedrine? Fooled by library search 1045(2004)259

Phenols

Fast separation and determination of phenolic compounds by capillary electrophoresis–diode array detection. Application to the characterisation of alperujo after ultrasound-assisted extraction 1045(2004)239

Picroliv

Pattern profiling of the herbal preparation picroliv using liquid chromatography–tandem mass spectrometry 1045(2004)145

Picrorhiza kurroa

Pattern profiling of the herbal preparation picroliv using liquid chromatography–tandem mass spectrometry 1045(2004)145

Picrosides

Pattern profiling of the herbal preparation picroliv using liquid chromatography–tandem mass spectrometry 1045(2004)145

Polymer aromatic hydrocarbons

Investigations on the chromatographic behavior of hybrid reversed-phase materials containing electron donor–acceptor systems. II. Contribution of π – π aromatic interactions 1045(2004)43

Polymers

Determination of the interdetector volume by s-detection in size-exclusion chromatography of polymers with on-line multiangle light-scattering detection 1045(2004)37

Polynuclear aromatic hydrocarbons

Preparation of stir bars for sorptive extraction using sol–gel technology 1045(2004)15

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Polyphenols

Fast separation and determination of phenolic compounds by capillary electrophoresis–diode array detection. Application to the characterisation of alperujo after ultrasound-assisted extraction 1045(2004)239

Propiconazole

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Proteins

Integrated isolation of antibody fragments from microbial cell culture fluids using supermacroporous cryogels 1045(2004)93

Development of a bioreactor based on trypsin immobilized on monolithic support for the on-line digestion and identification of proteins 1045(2004)99

Radius of gyration

Determination of the interdetector volume by s-detection in size-exclusion chromatography of polymers with on-line multiangle light-scattering detection 1045(2004)37

Response factors, theoretical

Determination of the carbon deficiency in the flame ionization detector response of long-chain fatty acid methyl esters and dicarboxylic acid dimethyl esters 1045(2004)197

Reversed-flow gas chromatography

Investigation of the surface heterogeneity of solids from reversed-flow inverse gas chromatography 1045(2004)161

Reviews

Arsenic and its speciation analysis using high-performance liquid chromatography and inductively coupled plasma mass spectrometry (Review) 1045(2004)1

Sample preparation

On-line introduction of high-pressure gas–liquid sample for capillary gas chromatographic analysis 1045(2004)23

Secoisolariciresinol diglucoside

High-performance thin-layer chromatographic–densitometric determination of secoisolariciresinol diglucoside in flaxseed 1045(2004)217

Shape selectivity

Investigations on the chromatographic behavior of hybrid reversed-phase materials containing electron donor–acceptor systems. II. Contribution of π – π aromatic interactions 1045(2004)43

Silanol activity

Investigations on the chromatographic behavior of hybrid reversed-phase materials containing electron donor–acceptor systems. II. Contribution of π – π aromatic interactions 1045(2004)43

Single-drop microextraction

Application of single-drop microextraction to the determination of dialkyl phthalate esters in food simulants 1045(2004)29

Site energy distribution

Investigation of the surface heterogeneity of solids from reversed-flow inverse gas chromatography 1045(2004)161

Soft drinks

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Sol–gel

Preparation of stir bars for sorptive extraction using sol–gel technology 1045(2004)15

Solid-phase extraction

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Solid-phase microextraction

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Stationary phases, LC

Investigations on the chromatographic behavior of hybrid reversed-phase materials containing electron donor–acceptor systems. II. Contribution of π – π aromatic interactions 1045(2004)43

Sterols

Isolation of neutral and acidic lipid biomarker classes for compound-specific-carbon isotope analysis by means of solvent extraction and normal-phase high-performance liquid chromatography 1045(2004)71

Stir bar sorptive extraction

Preparation of stir bars for sorptive extraction using sol–gel technology 1045(2004)15

Sulfachloropyridazine

Fast and robust simultaneous determination of three veterinary antibiotics in groundwater and surface water using a tandem solid-phase extraction with high-performance liquid chromatography–UV detection 1045(2004)111

Supersonic sorptive extraction

Preparation of stir bars for sorptive extraction using sol–gel technology 1045(2004)15

Surface heterogeneity

Investigation of the surface heterogeneity of solids from reversed-flow inverse gas chromatography 1045(2004)161

Tagetes erecta

Separation of geometric isomers of native lutein diesters in marigold (*Tagetes erecta* L.) by high-performance liquid chromatography–mass spectrometry 1045(2004)65

Tea

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Temperature effects

Phenmetrazine or ephedrine? Fooled by library search 1045(2004)259

Thiabendazole

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Toluene

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181

Tridemorph

Determination of tridemorph and other fungicide residues in fruit samples by liquid chromatography–electrospray tandem mass spectrometry 1045(2004)137

Tylosin

Fast and robust simultaneous determination of three veterinary antibiotics in groundwater and surface water using a tandem solid-phase extraction with high-performance liquid chromatography–UV detection 1045(2004)111

Ultrasound-assisted extraction

Identification and quantification of *trans* fatty acids in bakery products by gas chromatography–mass spectrometry after dynamic ultrasound-assisted extraction 1045(2004)203

Fast separation and determination of phenolic compounds by capillary electrophoresis–diode array detection. Application to the characterisation of alperujo after ultrasound-assisted extraction 1045(2004)239

Vaccinium myrtillus

Isolation of two anthocyanin sambubiosides from bilberry (*Vaccinium myrtillus*) by high-speed counter-current chromatography 1045(2004)59

Validation

Pattern profiling of the herbal preparation picroliv using liquid chromatography–tandem mass spectrometry 1045(2004)145

Optimization and validation of a gas chromatographic method for analysis of (*RS,SR*)-diastereoisomeric impurity in formoterol fumarate 1045(2004)211

Vegetables

One-year routine application of a new method based on liquid chromatography–tandem mass spectrometry to the analysis of 16 multiclass pesticides in vegetable samples 1045(2004)125

Volatile organic compounds

Single step determination of fragrances in *Cucurbita* flowers by coupling headspace solid-phase microextraction low-pressure gas chromatography–tandem mass spectrometry 1045(2004)173

Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction 1045(2004)189

Water analysis

Monitoring of estrogens, pesticides and bisphenol A in natural waters and drinking water treatment plants by solid-phase extraction–liquid chromatography–mass spectrometry 1045(2004)85

Fast and robust simultaneous determination of three veterinary antibiotics in groundwater and surface water using a tandem solid-phase extraction with high-performance liquid chromatography–UV detection 1045(2004)111

Determination of nitrate by suppressed ion chromatography after cop-perised-cadmium column reduction 1045(2004)153

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181

Wine

Determination of azide as the 3,5-dinitrobenzoyl derivative by capillary electrophoresis 1045(2004)247

Xylenes

Direct screening and confirmation of benzene, toluene, ethylbenzene and xylenes in water 1045(2004)181