

Subject Index Vol. 1046

Absolute configuration

Stereoselective determination of allethrin by two-dimensional achiral/chiral liquid chromatography with ultraviolet/circular dichroism detection 1046(2004)67

Alcohol ethoxylates

Determination of non-ionic polyethoxylated surfactants in sewage sludge by coacervative extraction and ion trap liquid chromatography–mass spectrometry 1046(2004)147

Alcohols

Simultaneous determination of phenylglycidol enantiomers and cinnamyl alcohol in asymmetric epoxidation processes by chiral liquid chromatography 1046(2004)61

Alkaloids

Analysis of atropine, its degradation products and related substances of natural origin by means of reversed-phase high-performance liquid chromatography 1046(2004)115

Alkanes

Microwave-assisted extraction versus Soxhlet extraction for the analysis of short-chain chlorinated alkanes in sediments 1046(2004)19

Alkanoic acids

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Alkyl methanesulfonates

Trace analysis of residual methyl methanesulfonate, ethyl methanesulfonate and isopropyl methanesulfonate in pharmaceuticals by capillary gas chromatography with flame ionization detection 1046(2004)297

Alkylphenol polyethoxylates

Determination of non-ionic polyethoxylated surfactants in sewage sludge by coacervative extraction and ion trap liquid chromatography–mass spectrometry 1046(2004)147

Alkylphenols

Determination of 4-*tert*.-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Allethrin

Stereoselective determination of allethrin by two-dimensional achiral/chiral liquid chromatography with ultraviolet/circular dichroism detection 1046(2004)67

Alprenolol

Isothermal microcalorimetric study of the pH dependence of the interactions between a cellulase and a β -blocker 1046(2004)49

Amines, heterocyclic aromatic

Analysis of α - and β -carbolines in mainstream smoke of reference cigarettes by gas chromatography–mass spectrometry 1046(2004)211

6-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate

In-capillary derivatization approach applied to the analysis of insulin by capillary electrophoresis with laser-induced fluorescence detection 1046(2004)271

Angelica spp.

Quantification of ligustilides in the roots of *Angelica sinensis* and related umbelliferous medicinal plants by high-performance liquid chromatography and liquid chromatography–mass spectrometry 1046(2004)101

Anionic surfactant

Simultaneous determination of nonionic and anionic industrial surfactants by liquid chromatography combined with evaporative light-scattering detection 1046(2004)289

Apples

On-line characterisation of apple polyphenols by liquid chromatography coupled with mass spectrometry and ultraviolet absorbance detection 1046(2004)89

Atrazine

Hollow fiber membrane concentrator for on-line preconcentration 1046(2004)11

Atropine

Analysis of atropine, its degradation products and related substances of natural origin by means of reversed-phase high-performance liquid chromatography 1046(2004)115

Batch chromatography

Comparison of separation efficiency of early phase active pharmaceutical intermediates by steady state recycle and batch chromatographic techniques 1046(2004)55

Bayrepel

Analysis and mass spectrometric characterization of the insect repellent Bayrepel and its main metabolite Bayrepel-acid 1046(2004)159

Biphenyl

Hollow fiber membrane concentrator for on-line preconcentration 1046(2004)11

β -Blockers

Isothermal microcalorimetric study of the pH dependence of the interactions between a cellulase and a β -blocker 1046(2004)49

Analysis by liquid chromatography–electrospray ionization tandem mass spectrometry and acute toxicity evaluation for β -blockers and lipid-regulating agents in wastewater samples 1046(2004)133

Carbolines

Analysis of α - and β -carbolines in mainstream smoke of reference cigarettes by gas chromatography–mass spectrometry 1046(2004)211

Carbonyl compounds

Determination of carbonyl compounds in pool water with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxyamine hydrochloride and gas chromatographic–tandem mass spectrometric analysis 1046(2004)293

Carotenoids

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Cellulase

Isothermal microcalorimetric study of the pH dependence of the interactions between a cellulase and a β -blocker 1046(2004)49

Cereals

Rapid determination of ochratoxin A in cereals and cereal products by liquid chromatography 1046(2004)127

Channel width

Effect of channel width on the retention of colloidal particles in polarization, steric, and focusing micro-thermal field-flow fractionation 1046(2004)167

Chemometrics

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Chiral stationary phases, LC

Comparison of separation efficiency of early phase active pharmaceutical intermediates by steady state recycle and batch chromatographic techniques 1046(2004)55

Chloride

Chloride analysis in magnesium metal using ion chromatography with conductometric detection 1046(2004)155

Chlorophenols

Immersed solvent microextraction of phenol and chlorophenols from water samples followed by gas chromatography–mass spectrometry 1046(2004)27

Chlorophylls

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Cigarette smoke

Analysis of α - and β -carbolines in mainstream smoke of reference cigarettes by gas chromatography–mass spectrometry 1046(2004)211

Cinnamyl alcohol

Simultaneous determination of phenylglycidol enantiomers and cinnamyl alcohol in asymmetric epoxidation processes by chiral liquid chromatography 1046(2004)61

Coacervative extraction

Determination of non-ionic polyethoxylated surfactants in sewage sludge by coacervative extraction and ion trap liquid chromatography–mass spectrometry 1046(2004)147

Colloidal particles

Effect of channel width on the retention of colloidal particles in polarization, steric, and focusing micro-thermal field-flow fractionation 1046(2004)167

Complexation equilibria

Isothermal microcalorimetric study of the pH dependence of the interactions between a cellulase and a β -blocker 1046(2004)49

Daphnia magna

Analysis by liquid chromatography–electrospray ionization tandem mass spectrometry and acute toxicity evaluation for β -blockers and lipid-regulating agents in wastewater samples 1046(2004)133

Derivatization, electrophoresis

In-capillary derivatization approach applied to the analysis of insulin by capillary electrophoresis with laser-induced fluorescence detection 1046(2004)271

Derivatization, LC

On-line characterisation of apple polyphenols by liquid chromatography coupled with mass spectrometry and ultraviolet absorbance detection 1046(2004)89

Derivatized glass surface

NMR Wool Tube: a novel method for NMR solution analysis of derivatized glass surfaces 1046(2004)277

Diethyltoluamide

Analysis and mass spectrometric characterization of the insect repellent Bayrepel and its main metabolite Bayrepel-acid 1046(2004)159

Disinfection by-products

Determination of carbonyl compounds in pool water with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxyamine hydrochloride and gas chromatographic–tandem mass spectrometric analysis 1046(2004)293

Distribution coefficients

Solute–solvent interaction parameters by gas chromatography 1046(2004)185

Electrophoretically mediated microanalysis

In-capillary derivatization approach applied to the analysis of insulin by capillary electrophoresis with laser-induced fluorescence detection 1046(2004)271

Emerging pollutants

Analysis and mass spectrometric characterization of the insect repellent Bayrepel and its main metabolite Bayrepel-acid 1046(2004)159

Enantiomer separation

Simultaneous determination of phenylglycidol enantiomers and cinnamyl alcohol in asymmetric epoxidation processes by chiral liquid chromatography 1046(2004)61

Stereoselective determination of allethrin by two-dimensional achiral/chiral liquid chromatography with ultraviolet/circular dichroism detection 1046(2004)67

Chiral separation of some triazole pesticides by supercritical fluid chromatography 1046(2004)249

Endocrine disruptors

Determination of 4-*tert*-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Environmental analysis

Microwave-assisted extraction versus Soxhlet extraction for the analysis of short-chain chlorinated alkanes in sediments 1046(2004)19

Analysis by liquid chromatography–electrospray ionization tandem mass spectrometry and acute toxicity evaluation for β -blockers and lipid-regulating agents in wastewater samples 1046(2004)133

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Solid-phase microextraction–gas chromatography–mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water 1046(2004)241

Epoxidation, asymmetric

Simultaneous determination of phenylglycidol enantiomers and cinnamyl alcohol in asymmetric epoxidation processes by chiral liquid chromatography 1046(2004)61

Evaporative light-scattering detection

Simultaneous determination of nonionic and anionic industrial surfactants by liquid chromatography combined with evaporative light-scattering detection 1046(2004)289

Experimental design

Solid-phase microextraction–gas chromatography–mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water 1046(2004)241

Extraction methods

Microwave-assisted extraction versus Soxhlet extraction for the analysis of short-chain chlorinated alkanes in sediments 1046(2004)19

Advanced method using microwaves and solid-phase microextraction coupled with gas chromatography–mass spectrometry for the determination of pyrethroid residues in strawberries 1046(2004)35

Determination of 4-*tert*-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Fatty acid methyl esters

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Field-flow fractionation

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Flow conditions

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Flow field-flow fractionation

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Food analysis

Advanced method using microwaves and solid-phase microextraction coupled with gas chromatography–mass spectrometry for the determination of pyrethroid residues in strawberries 1046(2004)35

Determination of hexanal as indicator of the lipidic oxidation state in potato crisps using gas chromatography and high-performance liquid chromatography 1046(2004)75

Rapid determination of ochratoxin A in cereals and cereal products by liquid chromatography 1046(2004)127

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Method validation of resistive heating–gas chromatography with flame photometric detection for the rapid screening of organophosphorus pesticides in fruit and vegetables 1046(2004)225

Headspace gas chromatographic method for determining volatile compounds in infant formulas 1046(2004)235

Ganoderma lucidum

Hybrid organic–inorganic monolithic stationary phase for acidic compounds separation by capillary electrochromatography 1046(2004)255

Geometric isomers

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Glass wool

NMR Wool Tube: a novel method for NMR solution analysis of derivatized glass surfaces 1046(2004)277

Glycerin

Characterization of glycerin-based polyols by capillary electrophoresis 1046(2004)263

Haloacetic acids

Using ion chromatography to monitor haloacetic acids in drinking water: a review of current technologies 1046(2004)1

Harbour sediments

Identification of sulfur interferences during organotin determination in harbour sediment samples by sodium tetraethyl borate ethylation and gas chromatography–pulsed flame photometric detection 1046(2004)217

Headspace analysis

Headspace gas chromatographic method for determining volatile compounds in infant formulas 1046(2004)235

Hexanal

Determination of hexanal as indicator of the lipidic oxidation state in potato crisps using gas chromatography and high-performance liquid chromatography 1046(2004)75

Headspace gas chromatographic method for determining volatile compounds in infant formulas 1046(2004)235

Hexanedioic acids

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Hollow fiber membranes

Hollow fiber membrane concentrator for on-line preconcentration 1046(2004)11

Immersed solvent microextraction

Immersed solvent microextraction of phenol and chlorophenols from water samples followed by gas chromatography–mass spectrometry 1046(2004)27

In-capillary derivatization

In-capillary derivatization approach applied to the analysis of insulin by capillary electrophoresis with laser-induced fluorescence detection 1046(2004)271

Infant formulas

Headspace gas chromatographic method for determining volatile compounds in infant formulas 1046(2004)235

Inorganic anions

Chloride analysis in magnesium metal using ion chromatography with conductometric detection 1046(2004)155

Insect repellents

Analysis and mass spectrometric characterization of the insect repellent Bayrepel and its main metabolite Bayrepel-acid 1046(2004)159

Insulin

In-capillary derivatization approach applied to the analysis of insulin by capillary electrophoresis with laser-induced fluorescence detection 1046(2004)271

Ionic strength

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Irgarol 1051

Microwave-assisted extraction of Irgarol 1051 and its main degradation product from marine sediments using water as the extractant followed by gas chromatography–mass spectrometry determination 1046(2004)41

Isothermal titration calorimetry

Isothermal microcalorimetric study of the pH dependence of the interactions between a cellulase and a β -blocker 1046(2004)49

Ligusticum chuanxiong

Quantification of ligustilides in the roots of *Angelica sinensis* and related umbelliferous medicinal plants by high-performance liquid chromatography and liquid chromatography–mass spectrometry 1046(2004)101

Ligustilide

Quantification of ligustilides in the roots of *Angelica sinensis* and related umbelliferous medicinal plants by high-performance liquid chromatography and liquid chromatography–mass spectrometry 1046(2004)101

Lipid-regulating agents

Analysis by liquid chromatography–electrospray ionization tandem mass spectrometry and acute toxicity evaluation for β -blockers and lipid-regulating agents in wastewater samples 1046(2004)133

Lipids

Determination of hexanal as indicator of the lipidic oxidation state in potato crisps using gas chromatography and high-performance liquid chromatography 1046(2004)75

Liquid desorption

Determination of 4-*tert.*-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Liquid–liquid extraction

Identification of sulfur interferences during organotin determination in harbour sediment samples by sodium tetraethyl borate ethylation and gas chromatography–pulsed flame photometric detection 1046(2004)217

Magnesium

Chloride analysis in magnesium metal using ion chromatography with conductometric detection 1046(2004)155

Marine sediment

Microwave-assisted extraction of Irgarol 1051 and its main degradation product from marine sediments using water as the extractant followed by gas chromatography–mass spectrometry determination 1046(2004)41

Mass spectrometry

Method validation of resistive heating—gas chromatography with flame photometric detection for the rapid screening of organophosphorus pesticides in fruit and vegetables 1046(2004)225

Methanesulfonates

Trace analysis of residual methyl methanesulfonate, ethyl methanesulfonate and isopropyl methanesulfonate in pharmaceuticals by capillary gas chromatography with flame ionization detection 1046(2004)297

Micro-thermal field-flow fractionation

Effect of channel width on the retention of colloidal particles in polarization, steric, and focusing micro-thermal field-flow fractionation 1046(2004)167

Microwave-assisted extraction

Microwave-assisted extraction versus Soxhlet extraction for the analysis of short-chain chlorinated alkanes in sediments 1046(2004)19

Microwave-assisted extraction of Irgarol 1051 and its main degradation product from marine sediments using water as the extractant followed by gas chromatography–mass spectrometry determination 1046(2004)41

Molecular mass distribution

Characterization of glycerin-based polyols by capillary electrophoresis 1046(2004)263

Monolithic columns

Hybrid organic–inorganic monolithic stationary phase for acidic compounds separation by capillary electrochromatography 1046(2004)255

Mycotoxins

Rapid determination of ochratoxin A in cereals and cereal products by liquid chromatography 1046(2004)127

Naphthalene

Hollow fiber membrane concentrator for on-line preconcentration 1046(2004)11

Nonionic surfactant

Simultaneous determination of nonionic and anionic industrial surfactants by liquid chromatography combined with evaporative light-scattering detection 1046(2004)289

Nonylphenol

Determination of 4-*tert.*-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Nuclear magnetic resonance spectroscopy

NMR Wool Tube: a novel method for NMR solution analysis of derivatized glass surfaces 1046(2004)277

Ochratoxin A

Rapid determination of ochratoxin A in cereals and cereal products by liquid chromatography 1046(2004)127

Octyl esters

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Octylphenol

Determination of 4-*tert.*-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Olive oil

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Organic acids

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Hybrid organic–inorganic monolithic stationary phase for acidic compounds separation by capillary electrochromatography 1046(2004)255

Organochlorine compounds

Microwave-assisted extraction versus Soxhlet extraction for the analysis of short-chain chlorinated alkanes in sediments 1046(2004)19

Organophosphorus compounds

Method validation of resistive heating—gas chromatography with flame photometric detection for the rapid screening of organophosphorus pesticides in fruit and vegetables 1046(2004)225

Organotin compounds

Identification of sulfur interferences during organotin determination in harbour sediment samples by sodium tetraethyl borate ethylation and gas chromatography–pulsed flame photometric detection 1046(2004)217

Overloading

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Oxidation

Determination of hexanal as indicator of the lipidic oxidation state in potato crisps using gas chromatography and high-performance liquid chromatography 1046(2004)75

Pentachlorophenol

Hollow fiber membrane concentrator for on-line preconcentration 1046(2004)11

Pentafluorobenzylhydroxyamine hydrochloride

Determination of carbonyl compounds in pool water with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxyamine hydrochloride and gas chromatographic–tandem mass spectrometric analysis 1046(2004)293

Peptides

In-capillary derivatization approach applied to the analysis of insulin by capillary electrophoresis with laser-induced fluorescence detection 1046(2004)271

Pesticides

Advanced method using microwaves and solid-phase microextraction coupled with gas chromatography–mass spectrometry for the determination of pyrethroid residues in strawberries 1046(2004)35

Method validation of resistive heating—gas chromatography with flame photometric detection for the rapid screening of organophosphorus pesticides in fruit and vegetables 1046(2004)225

Chiral separation of some triazole pesticides by supercritical fluid chromatography 1046(2004)249

pH effects

Isothermal microcalorimetric study of the pH dependence of the interactions between a cellulase and a β -blocker 1046(2004)49

Pharmaceutical analysis

Comparison of separation efficiency of early phase active pharmaceutical intermediates by steady state recycle and batch chromatographic techniques 1046(2004)55

Quantification of ligustilides in the roots of *Angelica sinensis* and related umbelliferous medicinal plants by high-performance liquid chromatography and liquid chromatography–mass spectrometry 1046(2004)101

Analysis of atropine, its degradation products and related substances of natural origin by means of reversed-phase high-performance liquid chromatography 1046(2004)115

Trace analysis of residual methyl methanesulfonate, ethyl methanesulfonate and isopropyl methanesulfonate in pharmaceuticals by capillary gas chromatography with flame ionization detection 1046(2004)297

Phenol

Immersed solvent microextraction of phenol and chlorophenols from water samples followed by gas chromatography–mass spectrometry 1046(2004)27

Determination of 4-*tert.*-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Phenylglycidol

Simultaneous determination of phenylglycidol enantiomers and cinnamyl alcohol in asymmetric epoxidation processes by chiral liquid chromatography 1046(2004)61

Pheophytins

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Phthalates

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Pigments

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Plant materials

Quantification of ligustilides in the roots of *Angelica sinensis* and related umbelliferous medicinal plants by high-performance liquid chromatography and liquid chromatography–mass spectrometry 1046(2004)101

Plasticizers

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Poly(ethylene glycol)

Separation of polyethylene glycols and their amino-substituted derivatives by high-performance gel filtration chromatography at low ionic strength with refractive index detection 1046(2004)121

Poly(ethylene glycol)s, amino derivatives

Separation of polyethylene glycols and their amino-substituted derivatives by high-performance gel filtration chromatography at low ionic strength with refractive index detection 1046(2004)121

Polychlorinated biphenyls

Microwave-assisted extraction versus Soxhlet extraction for the analysis of short-chain chlorinated alkanes in sediments 1046(2004)19

Polymers

Separation of polyethylene glycols and their amino-substituted derivatives by high-performance gel filtration chromatography at low ionic strength with refractive index detection 1046(2004)121

Characterization of glycerin-based polyols by capillary electrophoresis 1046(2004)263

Polyols

Characterization of glycerin-based polyols by capillary electrophoresis 1046(2004)263

Polyphenols

On-line characterisation of apple polyphenols by liquid chromatography coupled with mass spectrometry and ultraviolet absorbance detection 1046(2004)89

Polysaccharides

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Positional isomers

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Preparative chromatography

Comparison of separation efficiency of early phase active pharmaceutical intermediates by steady state recycle and batch chromatographic techniques 1046(2004)55

Pullulan

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Pyrethroids

Advanced method using microwaves and solid-phase microextraction coupled with gas chromatography–mass spectrometry for the determination of pyrethroid residues in strawberries 1046(2004)35

Resistive heating

Method validation of resistive heating—gas chromatography with flame photometric detection for the rapid screening of organophosphorus pesticides in fruit and vegetables 1046(2004)225

Retention behaviour

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Retention mechanisms

Effect of channel width on the retention of colloidal particles in polarization, steric, and focusing micro-thermal field-flow fractionation 1046(2004)167

Retention times

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Reviews

Using ion chromatography to monitor haloacetic acids in drinking water: a review of current technologies 1046(2004)1

Sample preparation

Hollow fiber membrane concentrator for on-line preconcentration 1046(2004)11

Sample size

Influence of ionic strength, sample size, and flow conditions on the retention behavior of pullulan in flow field-flow fractionation 1046(2004)175

Sediments

Microwave-assisted extraction versus Soxhlet extraction for the analysis of short-chain chlorinated alkanes in sediments 1046(2004)19

Identification and quantification of *n*-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas 1046(2004)203

Serotonin reuptake inhibitors

Solid-phase microextraction–gas chromatography–mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water 1046(2004)241

Silver-ion chromatography

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Simulated moving bed

Comparison of separation efficiency of early phase active pharmaceutical intermediates by steady state recycle and batch chromatographic techniques 1046(2004)55

Sol–gel

Hybrid organic–inorganic monolithic stationary phase for acidic compounds separation by capillary electrochromatography 1046(2004)255

Solid-phase microextraction

Solid-phase microextraction–gas chromatography–mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water 1046(2004)241

Solute–solvent interaction parameters

Solute–solvent interaction parameters by gas chromatography 1046(2004)185

Stability studies

Analysis of atropine, its degradation products and related substances of natural origin by means of reversed-phase high-performance liquid chromatography 1046(2004)115

Stationary phases, electrochromatography

Hybrid organic–inorganic monolithic stationary phase for acidic compounds separation by capillary electrochromatography 1046(2004)255

Statistical analysis

High-performance liquid chromatographic analysis of chlorophylls, pheophytins and carotenoids in virgin olive oils: chemometric approach to variety classification 1046(2004)141

Steady state recycling

Comparison of separation efficiency of early phase active pharmaceutical intermediates by steady state recycle and batch chromatographic techniques 1046(2004)55

Stereoisomeric composition

Stereoselective determination of allethrin by two-dimensional achiral/chiral liquid chromatography with ultraviolet/circular dichroism detection 1046(2004)67

Stir bar sorptive extraction

Determination of 4-*tert.*-octylphenol and 4-nonylphenol in laboratory animal feed sample by stir bar sorptive extraction followed by liquid desorption and column-switching liquid chromatography–mass spectrometry with solid-phase extraction 1046(2004)83

Sulfur

Identification of sulfur interferences during organotin determination in harbour sediment samples by sodium tetraethyl borate ethylation and gas chromatography-pulsed flame photometric detection 1046(2004)217

Supercritical fluid chromatography

Chiral separation of some triazole pesticides by supercritical fluid chromatography 1046(2004)249

Surfactants

Determination of non-ionic polyethoxylated surfactants in sewage sludge by coextractive extraction and ion trap liquid chromatography–mass spectrometry 1046(2004)147

Simultaneous determination of nonionic and anionic industrial surfactants by liquid chromatography combined with evaporative light-scattering detection 1046(2004)289

Temperature effects

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Thermodynamic relationships

Solute–solvent interaction parameters by gas chromatography 1046(2004)185

Toxicity

Analysis by liquid chromatography–electrospray ionization tandem mass spectrometry and acute toxicity evaluation for β -blockers and lipid-regulating agents in wastewater samples 1046(2004)133

Triacylglycerols

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Triazoles

Chiral separation of some triazole pesticides by supercritical fluid chromatography 1046(2004)249

Triglycerides

Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography. Effect of column temperature on retention times 1046(2004)109

Volatile organic compounds

Headspace gas chromatographic method for determining volatile compounds in infant formulas 1046(2004)235

Water analysis

Using ion chromatography to monitor haloacetic acids in drinking water: a review of current technologies 1046(2004)1

Immersion solvent microextraction of phenol and chlorophenols from water samples followed by gas chromatography–mass spectrometry 1046(2004)27

Analysis by liquid chromatography–electrospray ionization tandem mass spectrometry and acute toxicity evaluation for β -blockers and lipid-regulating agents in wastewater samples 1046(2004)133

Analysis and mass spectrometric characterization of the insect repellent Bayrepel and its main metabolite Bayrepel-acid 1046(2004)159

Solid-phase microextraction–gas chromatography–mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water 1046(2004)241

Determination of carbonyl compounds in pool water with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine hydrochloride and gas chromatographic–tandem mass spectrometric analysis 1046(2004)293