

Subject Index Vol. 1047

Active compounds

Quality assessment of *Flos Chrysanthemi Indici* from different growing areas in China by solid-phase microextraction-gas chromatography-mass spectrometry 1047(2004)281

Adsorption equilibrium

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Adsorption isotherms

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Aflatoxins

Use of high-performance liquid chromatography to assess airborne mycotoxins. Aflatoxins and ochratoxin A 1047(2004)235

Air analysis

Use of high-performance liquid chromatography to assess airborne mycotoxins. Aflatoxins and ochratoxin A 1047(2004)235

Alachlor

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: “on-fiber” and aqueous photo-degradation 1047(2004)271

Alcohols

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol-gel polytetrahydrofuran coating and gas chromatography-flame ionization detection 1047(2004)1

Aldehydes

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol-gel polytetrahydrofuran coating and gas chromatography-flame ionization detection 1047(2004)1

Aldrin

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: “on-fiber” and aqueous photo-degradation 1047(2004)271

Alkylbenzenes

High pH-resistant, surface-bonded sol-gel titania hybrid organic-inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Amino acids

Rapid and sensitive method for determining free amino acids in honey by gas chromatography with flame ionization or mass spectrometric detection 1047(2004)137

Anethum sowa

Liquid chromatographic method for the analysis of two plant based insecticide synergists dillapiol and dihydrodillapiol 1047(2004)229

Antibiotics

Quantitative analysis of twelve sulfonamides in honey after acidic hydrolysis by high-performance liquid chromatography with post-column derivatization and fluorescence detection 1047(2004)85

Improved capillary electrophoretic separation of nine (fluoro)quinolones with fluorescence detection for biological and environmental samples 1047(2004)305

Antioxidants

Pressurized liquid extracts from *Spirulina platensis* microalga. Determination of their antioxidant activity and preliminary analysis by micellar electrokinetic chromatography 1047(2004)195

Art analysis

Trimethylsulfonium hydroxide as derivatization reagent for the chemical investigation of drying oils in works of art by gas chromatography 1047(2004)111

Atlas suppressor

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Atrazine

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: “on-fiber” and aqueous photo-degradation 1047(2004)271

Authentication

Determination of flavour and off-flavour compounds in orange juice by on-line coupling of a pervaporation unit to gas chromatography-mass spectrometry 1047(2004)313

Benzoxazinones

First European interlaboratory study of the analysis of benzoxazinone derivatives in plants by liquid chromatography 1047(2004)69

Biopartitioning micellar chromatography

Evaluation of the pH effect of formulations on the skin permeability of drugs by biopartitioning micellar chromatography 1047(2004)255

Butyldimethylsilyl esters

Evaluation of the analyses of *tert*-butyldimethylsilyl derivatives of naphthenic acids by gas chromatography-electron impact mass spectrometry 1047(2004)117

Capillary columns

Electrochromatographic studies of etched capillaries modified with a cyano pentoxy biphenyl liquid crystal 1047(2004)299

Capillary microextraction

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol-gel polytetrahydrofuran coating and gas chromatography-flame ionization detection 1047(2004)1

High pH-resistant, surface-bonded sol-gel titania hybrid organic-inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Carotenoids

Pressurized liquid extracts from *Spirulina platensis* microalga. Determination of their antioxidant activity and preliminary analysis by micellar electrokinetic chromatography 1047(2004)195

Chemometrics

Detection of soil pollution by hydrocarbons using headspace-mass spectrometry and identification of compounds by headspace-fast gas chromatography-mass spectrometry 1047(2004)101

Chip technology

Use of miniaturised isotachopheresis on a planar polymer chip to analyse transition metal ions in solutions from metal processing plants 1047(2004)289

Chiral stationary phases, LC

Liquid chromatographic enantiomer separations of novel quinazalone derivatives on quinine carbamate based chiral stationary phases using hydro-organic mobile phases 1047(2004)59

Erratum to "Separation of chiral sulfoxides by liquid chromatography using macrocyclic glycopeptide chiral stationary phases" [J. Chromatogr. A 955 (2002) 53-69] 1047(2004)163

Chlorophenols

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol-gel polytetrahydrofuran coating and gas chromatography-flame ionization detection 1047(2004)1

Development of solid-phase extraction and solid-phase microextraction methods for the determination of chlorophenols in cork macerate and wine samples 1047(2004)15

Chlorotrimethylsilane

Chlorotrimethylsilane, a reagent for the direct quantitative analysis of fats and oils present in vegetable and meat samples 1047(2004)157

Chuanxiongzine

Preparative isolation and purification of chuanxiongzine from the medicinal plant *Ligusticum chuanxiong* by high-speed counter-current chromatography 1047(2004)249

Citrus sinensis

Determination of flavour and off-flavour compounds in orange juice by on-line coupling of a pervaporation unit to gas chromatography-mass spectrometry 1047(2004)313

Cork

Development of solid-phase extraction and solid-phase microextraction methods for the determination of chlorophenols in cork macerate and wine samples 1047(2004)15

Coumarin-3-carbonyl chloride

Simultaneous liquid chromatography-fluorescence analysis of type A and type B trichothecenes as fluorescent derivatives via reaction with coumarin-3-carbonyl chloride 1047(2004)241

Counter-current chromatography

Preparative isolation and purification of chuanxiongzine from the medicinal plant *Ligusticum chuanxiong* by high-speed counter-current chromatography 1047(2004)249

Cross-reactivity

Molecularly imprinted solid-phase extraction of naphthalene sulfonates from water 1047(2004)175

Derivatization, GC

Trimethylsulfonium hydroxide as derivatization reagent for the chemical investigation of drying oils in works of art by gas chromatography 1047(2004)111

Evaluation of the analyses of *tert*-butyldimethylsilyl derivatives of naphthenic acids by gas chromatography-electron impact mass spectrometry 1047(2004)117

Derivatization, LC

Simultaneous liquid chromatography-fluorescence analysis of type A and type B trichothecenes as fluorescent derivatives via reaction with coumarin-3-carbonyl chloride 1047(2004)241

Detection, GC

Multiple-detector responses or multiple-retention times: what is more informative for gas chromatography peak identification? 1047(2004)263

Diagonal chromatography

Optimization of diagonal chromatography for recognizing post-translational modifications 1047(2004)221

Dieldrin

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: "on-fiber" and aqueous photo-degradation 1047(2004)271

Dihydrodillapiole

Liquid chromatographic method for the analysis of two plant based insecticide synergists dillapiole and dihydrodillapiole 1047(2004)229

Dillapiole

Liquid chromatographic method for the analysis of two plant based insecticide synergists dillapiole and dihydrodillapiole 1047(2004)229

Disinfectant by-products

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Efficiency

Multiple-detector responses or multiple-retention times: what is more informative for gas chromatography peak identification? 1047(2004)263

Electrochromatography

Electrochromatography studies of etched capillaries modified with a cyanopentoxyl biphenyl liquid crystal 1047(2004)299

Electrospray ionization emitters

Capillary high-performance liquid chromatography-electrospray ionization mass spectrometry using monolithic columns and carbon fiber electrospray ionization emitters 1047(2004)49

Enantiomer separation

Liquid chromatographic enantiomer separations of novel quinazalone derivatives on quinine carbamate based chiral stationary phases using hydro-organic mobile phases 1047(2004)59

Erratum to "Separation of chiral sulfoxides by liquid chromatography using macrocyclic glycopeptide chiral stationary phases" [J. Chromatogr. A 955 (2002) 53–69] 1047(2004)163

Endocrine disruptors

Comparative study of analytical methods involving gas chromatography–mass spectrometry after derivatization and gas chromatography–tandem mass spectrometry for the determination of selected endocrine disrupting compounds in wastewaters 1047(2004)129

Endrin

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: "on-fiber" and aqueous photo-degradation 1047(2004)271

Environmental analysis

Detection of soil pollution by hydrocarbons using headspace–mass spectrometry and identification of compounds by headspace–fast gas chromatography–mass spectrometry 1047(2004)101

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Estrogens

Comparative study of analytical methods involving gas chromatography–mass spectrometry after derivatization and gas chromatography–tandem mass spectrometry for the determination of selected endocrine disrupting compounds in wastewaters 1047(2004)129

Extraction methods

Development of pressurized liquid extraction and cleanup procedures for determination of organochlorine pesticides in soils 1047(2004)147

Simplified procedures for the analysis of polycyclic aromatic hydrocarbons in water, sediments and mussels 1047(2004)181

Fatty acid methyl esters

Trimethylsulfonium hydroxide as derivatization reagent for the chemical investigation of drying oils in works of art by gas chromatography 1047(2004)111

Fatty acid pentyl esters

Chlorotrimethylsilane, a reagent for the direct quantitative analysis of fats and oils present in vegetable and meat samples 1047(2004)157

Flavones

Studies on the flavones using liquid chromatography–electrospray ionization tandem mass spectrometry 1047(2004)213

Flavour analysis

Determination of flavour and off-flavour compounds in orange juice by on-line coupling of a pervaporation unit to gas chromatography–mass spectrometry 1047(2004)313

Flos Chrysanthemi Indici

Quality assessment of *Flos Chrysanthemi Indici* from different growing areas in China by solid-phase microextraction–gas chromatography–mass spectrometry 1047(2004)281

Fluoroquinolones

Improved capillary electrophoretic separation of nine (fluoro)quinolones with fluorescence detection for biological and environmental samples 1047(2004)305

Food analysis

Development of solid-phase extraction and solid-phase microextraction methods for the determination of chlorophenols in cork macerate and wine samples 1047(2004)15

Separation and quantification by high-performance liquid chromatography with light scattering detection of the main wheat flour phospholipids during dough mixing in the presence of phospholipase 1047(2004)77

Quantitative analysis of twelve sulfonamides in honey after acidic hydrolysis by high-performance liquid chromatography with post-column derivatization and fluorescence detection 1047(2004)85

Rapid and sensitive method for determining free amino acids in honey by gas chromatography with flame ionization or mass spectrometric detection 1047(2004)137

Pressurized liquid extracts from *Spirulina platensis* microalga. Determination of their antioxidant activity and preliminary analysis by micellar electrokinetic chromatography 1047(2004)195

Simultaneous liquid chromatography–fluorescence analysis of type A and type B trichothecenes as fluorescent derivatives via reaction with coumarin-3-carbonyl chloride 1047(2004)241

Frontal analysis

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Frontal chromatography

Transportable frontal chromatographic unit for decontamination purposes based on the twin column concept 1047(2004)21

Gas chromatography, fast

Detection of soil pollution by hydrocarbons using headspace–mass spectrometry and identification of compounds by headspace–fast gas chromatography–mass spectrometry 1047(2004)101

Glycopeptides

Erratum to "Separation of chiral sulfoxides by liquid chromatography using macrocyclic glycopeptide chiral stationary phases" [J. Chromatogr. A 955 (2002) 53–69] 1047(2004)163

Gradient elution

High pH-resistant, surface-bonded sol–gel titania hybrid organic–inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Haloacetates

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Halogenated compounds

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Headspace analysis

Detection of soil pollution by hydrocarbons using headspace–mass spectrometry and identification of compounds by headspace–fast gas chromatography–mass spectrometry 1047(2004)101

Headspace solid-phase microextraction

Quality assessment of *Flos Chrysanthemi Indici* from different growing areas in China by solid-phase microextraction–gas chromatography–mass spectrometry 1047(2004)281

Honey

Quantitative analysis of twelve sulfonamides in honey after acidic hydrolysis by high-performance liquid chromatography with post-column derivatization and fluorescence detection 1047(2004)85

Rapid and sensitive method for determining free amino acids in honey by gas chromatography with flame ionization or mass spectrometric detection 1047(2004)137

Hydrocarbons

Detection of soil pollution by hydrocarbons using headspace–mass spectrometry and identification of compounds by headspace–fast gas chromatography–mass spectrometry 1047(2004)101

Instrumentation

Transportable frontal chromatographic unit for decontamination purposes based on the twin column concept 1047(2004)21

Capillary high-performance liquid chromatography–electrospray ionization mass spectrometry using monolithic columns and carbon fiber electrospray ionization emitters 1047(2004)49

Use of miniaturised isotachopheresis on a planar polymer chip to analyse transition metal ions in solutions from metal processing plants 1047(2004)289

Interlaboratory studies

First European interlaboratory study of the analysis of benzoxazinone derivatives in plants by liquid chromatography 1047(2004)69

In-tube solid-phase microextraction

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol–gel polytetrahydrofuran coating and gas chromatography–flame ionization detection 1047(2004)1

High pH-resistant, surface-bonded sol–gel titania hybrid organic–inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Ionic strength

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Ion-pairing reagents

Optimization of diagonal chromatography for recognizing post-translational modifications 1047(2004)221

Isotachopheresis

Use of miniaturised isotachopheresis on a planar polymer chip to analyse transition metal ions in solutions from metal processing plants 1047(2004)289

Juice

Determination of flavour and off-flavour compounds in orange juice by on-line coupling of a pervaporation unit to gas chromatography–mass spectrometry 1047(2004)313

Ketones

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol–gel polytetrahydrofuran coating and gas chromatography–flame ionization detection 1047(2004)1

High pH-resistant, surface-bonded sol–gel titania hybrid organic–inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Kromasil-C₁₈

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Ligusticum chuanxiong

Preparative isolation and purification of chuanxiongzine from the medicinal plant *Ligusticum chuanxiong* by high-speed counter-current chromatography 1047(2004)249

Lipids

Separation and quantification by high-performance liquid chromatography with light scattering detection of the main wheat flour phospholipids during dough mixing in the presence of phospholipase 1047(2004)77

Liquid crystals

Electrochromatographic studies of etched capillaries modified with a cyanopentoxyl biphenyl liquid crystal 1047(2004)299

Mass spectrometry

Detection of soil pollution by hydrocarbons using headspace–mass spectrometry and identification of compounds by headspace–fast gas chromatography–mass spectrometry 1047(2004)101

Metal cations

Use of miniaturised isotachopheresis on a planar polymer chip to analyse transition metal ions in solutions from metal processing plants 1047(2004)289

Micellar liquid chromatography

Evaluation of the pH effect of formulations on the skin permeability of drugs by biopartitioning micellar chromatography 1047(2004)255

Milk

Hollow fiber membrane-protected solid-phase microextraction of triazine herbicides in bovine milk and sewage sludge samples 1047(2004)189

Miniaturisation

Use of miniaturised isotachopheresis on a planar polymer chip to analyse transition metal ions in solutions from metal processing plants 1047(2004)289

Mobile phase composition

Liquid chromatographic enantiomer separations of novel quinazolinone derivatives on quinine carbamate based chiral stationary phases using hydro-organic mobile phases 1047(2004)59

Molecularly imprinted polymers

Molecularly imprinted solid-phase extraction of naphthalene sulfonates from water 1047(2004)175

Monolithic columns

Capillary high-performance liquid chromatography–electrospray ionization mass spectrometry using monolithic columns and carbon fiber electrospray ionization emitters 1047(2004)49

Moreau isotherm model

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Mussels

Simplified procedures for the analysis of polycyclic aromatic hydrocarbons in water, sediments and mussels 1047(2004)181

Mycotoxins

Use of high-performance liquid chromatography to assess airborne mycotoxins. Aflatoxins and ochratoxin A 1047(2004)235

Simultaneous liquid chromatography–fluorescence analysis of type A and type B trichothecenes as fluorescent derivatives via reaction with coumarin-3-carbonyl chloride 1047(2004)241

1-Naphthalene sulfonic acid

Molecularly imprinted solid-phase extraction of naphthalene sulfonates from water 1047(2004)175

Naphthenic acids

Evaluation of the analyses of *tert*-butyldimethylsilyl derivatives of naphthenic acids by gas chromatography–electron impact mass spectrometry 1047(2004)117

Non-steroidal anti-inflammatory drugs

Evaluation of the pH effect of formulations on the skin permeability of drugs by biopartitioning micellar chromatography 1047(2004)255

Ochratoxin A

Use of high-performance liquid chromatography to assess airborne mycotoxins. Aflatoxins and ochratoxin A 1047(2004)235

Oil sands

Evaluation of the analyses of *tert*-butyldimethylsilyl derivatives of naphthenic acids by gas chromatography–electron impact mass spectrometry 1047(2004)117

Oil seeds

Chlorotrimethylsilane, a reagent for the direct quantitative analysis of fats and oils present in vegetable and meat samples 1047(2004)157

Oils

Trimethylsulfonium hydroxide as derivatization reagent for the chemical investigation of drying oils in works of art by gas chromatography 1047(2004)111

Open tubular capillary electrochromatography

Electrochromatographic studies of etched capillaries modified with a cyano pentoxy biphenyl liquid crystal 1047(2004)299

Open tubular traps

Ultra thick film open tubular traps with an increased inner diameter 1047(2004)93

Orange

Determination of flavour and off-flavour compounds in orange juice by on-line coupling of a pervaporation unit to gas chromatography–mass spectrometry 1047(2004)313

Organic acids

Evaluation of the analyses of *tert*-butyldimethylsilyl derivatives of naphthenic acids by gas chromatography–electron impact mass spectrometry 1047(2004)117

Organobromine compounds

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Organochlorine compounds

Development of pressurized liquid extraction and cleanup procedures for determination of organochlorine pesticides in soils 1047(2004)147

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Organofluorine compounds

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Overloaded band profiles

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Peptides

Capillary high-performance liquid chromatography–electrospray ionization mass spectrometry using monolithic columns and carbon fiber electrospray ionization emitters 1047(2004)49

Optimization of diagonal chromatography for recognizing post-translational modifications 1047(2004)221

Electrochromatographic studies of etched capillaries modified with a cyano pentoxy biphenyl liquid crystal 1047(2004)299

Pervaporation

Determination of flavour and off-flavour compounds in orange juice by on-line coupling of a pervaporation unit to gas chromatography–mass spectrometry 1047(2004)313

Pesticides

Development of pressurized liquid extraction and cleanup procedures for determination of organochlorine pesticides in soils 1047(2004)147

Hollow fiber membrane-protected solid-phase microextraction of triazine herbicides in bovine milk and sewage sludge samples 1047(2004)189

Liquid chromatographic method for the analysis of two plant based insecticide synergists dillapiole and dihydrodillapiole 1047(2004)229

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: “on-fiber” and aqueous photodegradation 1047(2004)271

Petroleum

Evaluation of the analyses of *tert*-butyldimethylsilyl derivatives of naphthenic acids by gas chromatography–electron impact mass spectrometry 1047(2004)117

pH effects

Evaluation of the pH effect of formulations on the skin permeability of drugs by biopartitioning micellar chromatography 1047(2004)255

Pharmaceutical analysis

Preparative isolation and purification of chuanxiongine from the medicinal plant *Ligusticum chuanxiong* by high-speed counter-current chromatography 1047(2004)249

Evaluation of the pH effect of formulations on the skin permeability of drugs by biopartitioning micellar chromatography 1047(2004)255

Phenols

Pressurized liquid extracts from *Spirulina platensis* microalga. Determination of their antioxidant activity and preliminary analysis by micellar electrokinetic chromatography 1047(2004)195

Phospholipase

Separation and quantification by high-performance liquid chromatography with light scattering detection of the main wheat flour phospholipids during dough mixing in the presence of phospholipase 1047(2004)77

Phospholipids

Separation and quantification by high-performance liquid chromatography with light scattering detection of the main wheat flour phospholipids during dough mixing in the presence of phospholipase 1047(2004)77

Phosphorylation

Optimization of diagonal chromatography for recognizing post-translational modifications 1047(2004)221

Phosphopeptides

Optimization of diagonal chromatography for recognizing post-translational modifications 1047(2004)221

Photodegradation

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: "on-fiber" and aqueous photodegradation 1047(2004)271

Plant materials

First European interlaboratory study of the analysis of benzoxazinone derivatives in plants by liquid chromatography 1047(2004)69

Preparative isolation and purification of chuanxiongine from the medicinal plant *Ligusticum chuanxiong* by high-speed counter-current chromatography 1047(2004)249

Polycyclic aromatic hydrocarbons

High pH-resistant, surface-bonded sol-gel titania hybrid organic-inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Simplified procedures for the analysis of polycyclic aromatic hydrocarbons in water, sediments and mussels 1047(2004)181

Polynuclear aromatic hydrocarbons

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol-gel polytetrahydrofuran coating and gas chromatography-flame ionization detection 1047(2004)1

Polyphenols

Pressurized liquid extracts from *Spirulina platensis* microalga. Determination of their antioxidant activity and preliminary analysis by micellar electrokinetic chromatography 1047(2004)195

Polytetrahydrofuran

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol-gel polytetrahydrofuran coating and gas chromatography-flame ionization detection 1047(2004)1

Post-translational modifications

Optimization of diagonal chromatography for recognizing post-translational modifications 1047(2004)221

Preconcentration

Ultra thick film open tubular traps with an increased inner diameter 1047(2004)93

Preparative chromatography

Preparative isolation and purification of chuanxiongine from the medicinal plant *Ligusticum chuanxiong* by high-speed counter-current chromatography 1047(2004)249

Pressurized liquid extraction

Development of pressurized liquid extraction and cleanup procedures for determination of organochlorine pesticides in soils 1047(2004)147

Pressurized liquid extracts from *Spirulina platensis* microalga. Determination of their antioxidant activity and preliminary analysis by micellar electrokinetic chromatography 1047(2004)195

Principal component analysis

Rapid and sensitive method for determining free amino acids in honey by gas chromatography with flame ionization or mass spectrometric detection 1047(2004)137

Propranolol

Effect of the ionic strength of the solution and the nature of its ions on the adsorption mechanism of ionic species in RPLC. III. Equilibrium isotherms and overloaded band profiles on Kromasil-C₁₈ 1047(2004)33

Proteins

Electrochromatographic studies of etched capillaries modified with a cyano pentoxy biphenyl liquid crystal 1047(2004)299

Quality assessment

Quality assessment of *Flos Chrysanthemi Indici* from different growing areas in China by solid-phase microextraction-gas chromatography-mass spectrometry 1047(2004)281

Quinazalone derivatives

Liquid chromatographic enantiomer separations of novel quinazalone derivatives on quinine carbamate based chiral stationary phases using hydro-organic mobile phases 1047(2004)59

Quinine carbamate

Liquid chromatographic enantiomer separations of novel quinazalone derivatives on quinine carbamate based chiral stationary phases using hydro-organic mobile phases 1047(2004)59

Quinolones

Improved capillary electrophoretic separation of nine (fluoro)quinolones with fluorescence detection for biological and environmental samples 1047(2004)305

Retention times

Optimization of diagonal chromatography for recognizing post-translational modifications 1047(2004)221

Multiple-detector responses or multiple-retention times: what is more informative for gas chromatography peak identification? 1047(2004)263

Retention-permeability relationship

Evaluation of the pH effect of formulations on the skin permeability of drugs by biopartitioning micellar chromatography 1047(2004)255

Sediments

Simplified procedures for the analysis of polycyclic aromatic hydrocarbons in water, sediments and mussels 1047(2004)181

Selectivity

Multiple-detector responses or multiple-retention times: what is more informative for gas chromatography peak identification? 1047(2004)263

Sensitivity

Multiple-detector responses or multiple-retention times: what is more informative for gas chromatography peak identification? 1047(2004)263

Soil

Detection of soil pollution by hydrocarbons using headspace-mass spectrometry and identification of compounds by headspace-fast gas chromatography-mass spectrometry 1047(2004)101

Development of pressurized liquid extraction and cleanup procedures for determination of organochlorine pesticides in soils 1047(2004)147

Sol-gel

Parts per quadrillion level ultra-trace determination of polar and nonpolar compounds via solvent-free capillary microextraction on surface-bonded sol-gel polytetrahydrofuran coating and gas chromatography-flame ionization detection 1047(2004)1

High pH-resistant, surface-bonded sol-gel titania hybrid organic-inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Solid-phase microextraction

Hollow fiber membrane-protected solid-phase microextraction of triazine herbicides in bovine milk and sewage sludge samples 1047(2004)189

Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: "on-fiber" and aqueous photo-degradation 1047(2004)271

Sorbent trapping

Ultra thick film open tubular traps with an increased inner diameter 1047(2004)93

Spirulina platensis

Pressurized liquid extracts from *Spirulina platensis* microalga. Determination of their antioxidant activity and preliminary analysis by micellar electrokinetic chromatography 1047(2004)195

Stationary phases, electrochromatography

Electrochromatographic studies of etched capillaries modified with a cyano pentoxy biphenyl liquid crystal 1047(2004)299

Sulfonamides

Quantitative analysis of twelve sulfonamides in honey after acidic hydrolysis by high-performance liquid chromatography with post-column derivatization and fluorescence detection 1047(2004)85

Sulfoxides

Erratum to "Separation of chiral sulfoxides by liquid chromatography using macrocyclic glycopeptide chiral stationary phases" [J. Chromatogr. A 955 (2002) 53-69] 1047(2004)163

Titania-poly(dimethylsiloxane)

High pH-resistant, surface-bonded sol-gel titania hybrid organic-inorganic coating for effective on-line hyphenation of capillary microextraction (in-tube solid-phase microextraction) with high-performance liquid chromatography 1047(2004)165

Traditional Chinese medicine

Quality assessment of *Flos Chrysanthemi Indici* from different growing areas in China by solid-phase microextraction-gas chromatography-mass spectrometry 1047(2004)281

Triazines

Hollow fiber membrane-protected solid-phase microextraction of triazine herbicides in bovine milk and sewage sludge samples 1047(2004)189

Trichothecenes

Simultaneous liquid chromatography-fluorescence analysis of type A and type B trichothecenes as fluorescent derivatives via reaction with coumarin-3-carbonyl chloride 1047(2004)241

Triglycerides

Trimethylsulfonium hydroxide as derivatization reagent for the chemical investigation of drying oils in works of art by gas chromatography 1047(2004)111

Trimethylsulfonium

Trimethylsulfonium hydroxide as derivatization reagent for the chemical investigation of drying oils in works of art by gas chromatography 1047(2004)111

Tryptophan

Electrochromatographic studies of etched capillaries modified with a cyano pentoxy biphenyl liquid crystal 1047(2004)299

Twin column concept

Transportable frontal chromatographic unit for decontamination purposes based on the twin column concept 1047(2004)21

Ultratrace analysis

Ultra thick film open tubular traps with an increased inner diameter 1047(2004)93

Volatile organic compounds

Ultra thick film open tubular traps with an increased inner diameter 1047(2004)93

Water analysis

Comparative study of analytical methods involving gas chromatography-mass spectrometry after derivatization and gas chromatography-tandem mass spectrometry for the determination of selected endocrine disrupting compounds in wastewaters 1047(2004)129

Molecularly imprinted solid-phase extraction of naphthalene sulfonates from water 1047(2004)175

Simplified procedures for the analysis of polycyclic aromatic hydrocarbons in water, sediments and mussels 1047(2004)181

Direct detection of trace haloacetates in drinking water using microbore ion chromatography. Improved detector sensitivity using a hydroxide gradient and a monolithic ion-exchange type suppressor 1047(2004)205

Wheat flour

Separation and quantification by high-performance liquid chromatography with light scattering detection of the main wheat flour phospholipids during dough mixing in the presence of phospholipase 1047(2004)77

Wine

Development of solid-phase extraction and solid-phase microextraction methods for the determination of chlorophenols in cork macerate and wine samples 1047(2004)15