


# Available online at www.sciencedirect.com



# JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1048 (2004) 271-275

www.elsevier.com/locate/chroma

# Subject Index Vol. 1048

#### Acetic acid

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245

#### Acetylation

Optimisation of the derivatisation reaction and subsequent headspace solidphase microextraction method for the direct determination of chlorophenols in red wine 1048(2004)141

### Adsorption equilibria

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

### Adsorption isotherms

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

### Aflatoxins

 $\label{eq:decomposition} Determination of aflatoxins B1, G1, B2 and G2 in medicinal herbs by liquid chromatography—tandem mass spectrometry 1048(2004)25$ 

# Analysis

High-performance liquid chromatographic analysis of dextromethorphan, guaifenesin and benzoate in a cough syrup for stability testing 1048(2004)207

# Anti-inflammatory drugs

Cationic vesicles as chiral selector for enantioseparations of nonsteroidal antiinflammatory drugs by micellar electrokinetic chromatography 1048(2004)127

# Antioxidants

An improved method for the analysis of major antioxidants of *Hibiscus esculentus* Linn 1048(2004)17

Monomeric  $C_{18}$  chromatographic method for the liquid chromatographic determination of lipophilic antioxidants in plants 1048(2004)263

# Aromatic amines

Preparation of polyaniline coating on a stainless-steel wire using electroplating and its application to the determination of six aromatic amines using headspace solid-phase microextraction 1048(2004)257

# Beeswax

Liquid-liquid extraction followed by solid-phase extraction for the determination of lipophilic pesticides in beeswax by gas chromatography-electron-capture detection and matrix-matched calibration 1048(2004)89

# Biodegradation

Development of a static headspace gas chromatographic/mass spectrometric method to analyze the level of volatile contaminants biodegradation 1048(2004)67

### Bupivacaine

Chiral separation of bupivacaine enantiomers by capillary electrophoresis partial-filling technique with human serum albumin as chiral selector 1048(2004)111

# Capillary zone electrophoresis

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245

Determination of ammonium and metal ions by capillary electrophoresis—potential gradient detection using ionic liquid as background electrolyte and covalent coating reagent 1048(2004)253

### Carboxylic acids

Study of quantitative structure–mobility relationship of carboxylic and sulphonic acids in capillary electrophoresis 1048(2004)233

# Cationic surfactant

Cationic vesicles as chiral selector for enantioseparations of nonsteroidal antiinflammatory drugs by micellar electrokinetic chromatography 1048(2004)127

# Chemometrics

Determination of methyl *tert*-butyl ether in gasoline: a comparison of three fast methods based on mass spectrometry 1048(2004)133

# Chlorobenzenes

Sensitivity of the methylbenzenes and chlorobenzenes retention index to column temperature, stationary phase polarity, and number and chemical nature of substituents 1048(2004)223

# Chlorophenols

Optimisation of the derivatisation reaction and subsequent headspace solidphase microextraction method for the direct determination of chlorophenols in red wine 1048(2004)141

# Coconut water

Analysis of some cytokinins in coconut (*Cocos nucifera* L.) water by micellar electrokinetic capillary chromatography after solid-phase extraction 1048(2004)119

# Column switching

Monomeric  $C_{18}$  chromatographic method for the liquid chromatographic determination of lipophilic antioxidants in plants 1048(2004)263

# Confocal microscopy

Effect of hindered diffusion on the adsorption of proteins in agarose gel using a pore model 1048(2004)161

# Conjugated triene

Efficient method to locate double bond positions in conjugated trienes 1048(2004)59

#### Cork taint

Optimisation of the derivatisation reaction and subsequent headspace solidphase microextraction method for the direct determination of chlorophenols in red wine 1048(2004)141

# Cough syrup

High-performance liquid chromatographic analysis of dextromethorphan, guaifenesin and benzoate in a cough syrup for stability testing 1048(2004)207

### Cytokinins

Analysis of some cytokinins in coconut (*Cocos nucifera* L.) water by micellar electrokinetic capillary chromatography after solid-phase extraction 1048(2004)119

### Deconvolution

Continuous desorption rate measurement from a shallow-bed of poly(styrene-divinylbenzene) particles with correction for experimental artifacts 1048(2004)173

### **Desorption rate**

Continuous desorption rate measurement from a shallow-bed of poly(styrene-divinylbenzene) particles with correction for experimental artifacts 1048(2004)173

# **Direct injection**

Determination of methyl *tert*-butyl ether in gasoline: a comparison of three fast methods based on mass spectrometry 1048(2004)133

### Double bond position determination

Efficient method to locate double bond positions in conjugated trienes 1048(2004)59

### Dysprosium

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245

# Electrophoretic mobility

Study of quantitative structure–mobility relationship of carboxylic and sulphonic acids in capillary electrophoresis 1048(2004)233

# Electroplating

Preparation of polyaniline coating on a stainless-steel wire using electroplating and its application to the determination of six aromatic amines using headspace solid-phase microextraction 1048(2004)257

# Enantiomers

Chiral separation of bupivacaine enantiomers by capillary electrophoresis partial-filling technique with human serum albumin as chiral selector 1048(2004)111

# Enantioseparation

Cationic vesicles as chiral selector for enantioseparations of nonsteroidal antiinflammatory drugs by micellar electrokinetic chromatography 1048(2004)127

# Ethylation

Liquid-phase microextraction of tributyltin and triphenyltin coupled with gas chromatography-tandem mass spectrometry 1048(2004)81

# Europium

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245

# **Experimental design**

Optimisation of the derivatisation reaction and subsequent headspace solidphase microextraction method for the direct determination of chlorophenols in red wine 1048(2004)141

# **Explosives**

Determination of explosives in environmental water samples by solid-phase microextraction–liquid chromatography 1048(2004)213

# Fiber preparation

Preparation of polyaniline coating on a stainless-steel wire using electroplating and its application to the determination of six aromatic amines using headspace solid-phase microextraction 1048(2004)257

#### Flavonoide

An improved method for the analysis of major antioxidants of *Hibiscus esculentus* Linn 1048(2004)17

### 4-Fluorophenylation

Liquid-phase microextraction of tributyltin and triphenyltin coupled with gas chromatography-tandem mass spectrometry 1048(2004)81

### Food analysis

Liquid chromatography-electrospray quadrupole ion-trap mass spectrometry of nine pesticides in fruits 1048(2004)41

Simple reversed-phase liquid chromatography method for determination of tocopherols in edible plant oils 1048(2004)195

Monitoring multi-class pesticide residues in fresh fruits and vegetables by liquid chromatography with tandem mass spectrometry 1048(2004)199

# Forced degradation

High-performance liquid chromatographic analysis of dextromethorphan, guaifenesin and benzoate in a cough syrup for stability testing 1048(2004)207

### **Fruits**

Liquid chromatography-electrospray quadrupole ion-trap mass spectrometry of nine pesticides in fruits 1048(2004)41

Monitoring multi-class pesticide residues in fresh fruits and vegetables by liquid chromatography with tandem mass spectrometry 1048(2004)199

# Gadolinium

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245

# Gas chromatography-tandem mass spectometry

Liquid-phase microextraction of tributyltin and triphenyltin coupled with gas chromatography-tandem mass spectrometry 1048(2004)81

# Gasoline

Determination of methyl *tert*-butyl ether in gasoline: a comparison of three fast methods based on mass spectrometry 1048(2004)133

# Glycyrrhiza inflata Bat.

Isolation and purification of inflacoumarin A and licochalcone A from licorice by high-speed counter-current chromatography 1048(2004)51

# Headspace analysis

Determination of methyl *tert*-butyl ether in gasoline: a comparison of three fast methods based on mass spectrometry 1048(2004)133

# Heuristic method

Study of quantitative structure–mobility relationship of carboxylic and sulphonic acids in capillary electrophoresis 1048(2004)233

# Hindered diffusion

Effect of hindered diffusion on the adsorption of proteins in agarose gel using a pore model 1048(2004)161

#### Honey

Supercritical fluid extraction for pesticide multiresidue analysis in honey: determination by gas chromatography with electron-capture and mass spectrometry detection 1048(2004)153

### HP-5 and ZB-WAX

Sensitivity of the methylbenzenes and chlorobenzenes retention index to column temperature, stationary phase polarity, and number and chemical nature of substituents 1048(2004)223

# Human serum albumin (HSA)

Chiral separation of bupivacaine enantiomers by capillary electrophoresis partial-filling technique with human serum albumin as chiral selector 1048(2004)111

### Hydrogenation

Efficient method to locate double bond positions in conjugated trienes 1048(2004)59

# Hydroxyapatite

Hydroxyapatite-based immobilized metal affinity adsorbents for protein purification 1048(2004)31

### α-Hydroxyisobutyric acid

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245

# Immobilized metal affinity chromatography

Hydroxyapatite-based immobilized metal affinity adsorbents for protein purification 1048(2004)31

#### Inflacoumarin A

Isolation and purification of inflacoumarin A and licochalcone A from licorice by high-speed counter-current chromatography 1048(2004)51

# **Intra-particle diffusion kinetics**

Continuous desorption rate measurement from a shallow-bed of poly(styrene-divinylbenzene) particles with correction for experimental artifacts 1048(2004)173

# Inverse method

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

# Ion trap

Liquid chromatography–electrospray quadrupole ion-trap mass spectrometry of nine pesticides in fruits 1048(2004)41

# Ionic liquids

Determination of ammonium and metal ions by capillary electrophoresis—potential gradient detection using ionic liquid as background electrolyte and covalent coating reagent 1048(2004)253

# Ionizable compounds

Effect of mobile phase composition, pH and buffer type on the retention of ionizable compounds in reversed-phase liquid chromatography: application to method development 1048(2004)183

# Ion-pair complexes

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

# Lady's finger

An improved method for the analysis of major antioxidants of *Hibiscus esculentus* Linn 1048(2004)17

# Licochalcone A

Isolation and purification of inflacoumarin A and licochalcone A from licorice by high-speed counter-current chromatography 1048(2004)51

#### Licorice

Isolation and purification of inflacoumarin A and licochalcone A from licorice by high-speed counter-current chromatography 1048(2004)51

### Liquid-phase microextraction

Liquid-phase microextraction of tributyltin and triphenyltin coupled with gas chromatography-tandem mass spectrometry 1048(2004)81

#### Matrix effects

Liquid chromatography-electrospray quadrupole ion-trap mass spectrometry of nine pesticides in fruits 1048(2004)41

Liquid–liquid extraction followed by solid-phase extraction for the determination of lipophilic pesticides in beeswax by gas chromatography–electron-capture detection and matrix-matched calibration 1048(2004)89

#### MEKO

Cationic vesicles as chiral selector for enantioseparations of nonsteroidal antiinflammatory drugs by micellar electrokinetic chromatography 1048(2004)127

### Metallic wires

Preparation of polyaniline coating on a stainless-steel wire using electroplating and its application to the determination of six aromatic amines using headspace solid-phase microextraction 1048(2004)257

### Method development

Effect of mobile phase composition, pH and buffer type on the retention of ionizable compounds in reversed-phase liquid chromatography: application to method development 1048(2004)183

# Methyl tert-butyl ether

Determination of methyl *tert*-butyl ether in gasoline: a comparison of three fast methods based on mass spectrometry 1048(2004)133

# 4-Methyl-1,2,4-triazoline-3,5-dione

Efficient method to locate double bond positions in conjugated trienes 1048(2004)59

# Methylbenzenes

Sensitivity of the methylbenzenes and chlorobenzenes retention index to column temperature, stationary phase polarity, and number and chemical nature of substituents 1048(2004)223

# Mobile phase composition

Retention characteristics of porous graphitic carbon in subcritical fluid chromatography with carbon dioxide–methanol mobile phases 1048(2004)99

Effect of mobile phase composition, pH and buffer type on the retention of ionizable compounds in reversed-phase liquid chromatography: application to method development 1048(2004)183

# Moreau isotherm model

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

# Multiresidue analysis

Supercritical fluid extraction for pesticide multiresidue analysis in honey: determination by gas chromatography with electron-capture and mass spectrometry detection 1048(2004)153

# Mycotoxins

Determination of aflatoxins B1, G1, B2 and G2 in medicinal herbs by liquid chromatography–tandem mass spectrometry 1048(2004)25

# Naphthalene

Continuous desorption rate measurement from a shallow-bed of poly(styrene-divinylbenzene) particles with correction for experimental artifacts 1048(2004)173

#### **Nitramines**

Determination of explosives in environmental water samples by solid-phase microextraction–liquid chromatography 1048(2004)213

#### Nitro musks

Further solid-phase microextraction-gas chromatography-mass spectrometry applications: "on-fibre" and aqueous photodegradation of nitro musks 1048(2004)73

### Oils

Simple reversed-phase liquid chromatography method for determination of tocopherols in edible plant oils 1048(2004)195

# Overloaded band profiles

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

### Partial filling technique

Chiral separation of bupivacaine enantiomers by capillary electrophoresis partial-filling technique with human serum albumin as chiral selector 1048(2004)111

### Pesticides

Liquid chromatography-electrospray quadrupole ion-trap mass spectrometry of nine pesticides in fruits 1048(2004)41

Supercritical fluid extraction for pesticide multiresidue analysis in honey: determination by gas chromatography with electron-capture and mass spectrometry detection 1048(2004)153

Monitoring multi-class pesticide residues in fresh fruits and vegetables by liquid chromatography with tandem mass spectrometry 1048(2004)199

# Photodegradation

Further solid-phase microextraction—gas chromatography—mass spectrometry applications: "on-fibre" and aqueous photodegradation of nitro musks 1048(2004)73

# Polyaniline

Preparation of polyaniline coating on a stainless-steel wire using electroplating and its application to the determination of six aromatic amines using headspace solid-phase microextraction 1048(2004)257

# Polymeric packings

Continuous desorption rate measurement from a shallow-bed of poly(styrene-divinylbenzene) particles with correction for experimental artifacts 1048(2004)173

# Pore size distribution

Effect of hindered diffusion on the adsorption of proteins in agarose gel using a pore model 1048(2004)161

# Porous graphitic carbon

Retention characteristics of porous graphitic carbon in subcritical fluid chromatography with carbon dioxide–methanol mobile phases 1048(2004)99

# Propranolol

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

# **Protein purification**

Hydroxyapatite-based immobilized metal affinity adsorbents for protein purification 1048(2004)31

# Proteins

Effect of hindered diffusion on the adsorption of proteins in agarose gel using a pore model  $\;\;1048(2004)161$ 

# Quantitative structure-mobility relationship

Study of quantitative structure–mobility relationship of carboxylic and sulphonic acids in capillary electrophoresis 1048(2004)233

# Radial basis function neural networks

Study of quantitative structure–mobility relationship of carboxylic and sulphonic acids in capillary electrophoresis 1048(2004)233

# Rare earth elements

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245

### Retention behaviour

Effect of mobile phase composition, pH and buffer type on the retention of ionizable compounds in reversed-phase liquid chromatography: application to method development 1048(2004)183

### Retention index increments

Sensitivity of the methylbenzenes and chlorobenzenes retention index to column temperature, stationary phase polarity, and number and chemical nature of substituents 1048(2004)223

### Retention index temperature effect

Sensitivity of the methylbenzenes and chlorobenzenes retention index to column temperature, stationary phase polarity, and number and chemical nature of substituents 1048(2004)223

# Rhammus purshiana

 $Determination of a flatoxins B1, G1, B2 \ and \ G2 \ in \ medicinal \ herbs \ by \ liquid \ chromatography-tandem \ mass \ spectrometry \qquad 1048 (2004)25$ 

# Sample preparation

Liquid-liquid extraction followed by solid-phase extraction for the determination of lipophilic pesticides in beeswax by gas chromatography-electron-capture detection and matrix-matched calibration 1048(2004)89

# Seawater sample

Liquid-phase microextraction of tributyltin and triphenyltin coupled with gas chromatography-tandem mass spectrometry 1048(2004)81

# Shallow-bed technique

Continuous desorption rate measurement from a shallow-bed of poly(styrene-divinylbenzene) particles with correction for experimental artifacts 1048(2004)173

# Sodium 1-naphthalene sulfonate

Comparison between the adsorption behaviors of an organic cation and an organic anion on several reversed-phase liquid chromatography adsorbents 1048(2004)1

# Solid phase extraction

An improved method for the analysis of major antioxidants of *Hibiscus esculentus* Linn 1048(2004)17

Analysis of some cytokinins in coconut (*Cocos nucifera* L.) water by micellar electrokinetic capillary chromatography after solid-phase extraction 1048(2004)119

 $\label{lem:phase} Determination of explosives in environmental water samples by solid-phase \\ microextraction—liquid chromatography 1048(2004)213$ 

# Solid-phase microextraction

Further solid-phase microextraction-gas chromatography-mass spectrometry applications: "on-fibre" and aqueous photodegradation of nitro musks 1048(2004)73 Optimisation of the derivatisation reaction and subsequent headspace solidphase microextraction method for the direct determination of chlorophenols in red wine 1048(2004)141

Determination of explosives in environmental water samples by solid-phase microextraction–liquid chromatography 1048(2004)213

Preparation of polyaniline coating on a stainless-steel wire using electroplating and its application to the determination of six aromatic amines using headspace solid-phase microextraction 1048(2004)257

### Solvation parameter model

Retention characteristics of porous graphitic carbon in subcritical fluid chromatography with carbon dioxide–methanol mobile phases 1048(2004)99

### Static headspace analysis

Development of a static headspace gas chromatographic/mass spectrometric method to analyze the level of volatile contaminants biodegradation 1048(2004)67

# Stationary phase effect

Sensitivity of the methylbenzenes and chlorobenzenes retention index to column temperature, stationary phase polarity, and number and chemical nature of substituents 1048(2004)223

# Stationary phases, LC

Continuous desorption rate measurement from a shallow-bed of poly(styrene-divinylbenzene) particles with correction for experimental artifacts 1048(2004)173

### Subcritical fluid chromatography

Retention characteristics of porous graphitic carbon in subcritical fluid chromatography with carbon dioxide-methanol mobile phases 1048(2004)99

# Substituent effect

Sensitivity of the methylbenzenes and chlorobenzenes retention index to column temperature, stationary phase polarity, and number and chemical nature of substituents 1048(2004)223

# Sulphonic acids

Study of quantitative structure–mobility relationship of carboxylic and sulphonic acids in capillary electrophoresis 1048(2004)233

# Tandem mass spectrometry

Liquid chromatography-electrospray quadrupole ion-trap mass spectrometry of nine pesticides in fruits 1048(2004)41

# Tandem MS

Monitoring multi-class pesticide residues in fresh fruits and vegetables by liquid chromatography with tandem mass spectrometry 1048(2004)199

# **Tocopherols**

Simple reversed-phase liquid chromatography method for determination of tocopherols in edible plant oils 1048(2004)195

# Tributyltin

Liquid-phase microextraction of tributyltin and triphenyltin coupled with gas chromatography-tandem mass spectrometry 1048(2004)81

### Triphenyltin

Liquid-phase microextraction of tributyltin and triphenyltin coupled with gas chromatography-tandem mass spectrometry 1048(2004)81

### Uncertainty

Monitoring multi-class pesticide residues in fresh fruits and vegetables by liquid chromatography with tandem mass spectrometry 1048(2004)199

### **UV** irradiation

Further solid-phase microextraction–gas chromatography–mass spectrometry applications: "on-fibre" and aqueous photodegradation of nitro musks 1048(2004)73

#### Validation

High-performance liquid chromatographic analysis of dextromethorphan, guaifenesin and benzoate in a cough syrup for stability testing 1048(2004)207

# Vegetables

Monitoring multi-class pesticide residues in fresh fruits and vegetables by liquid chromatography with tandem mass spectrometry 1048(2004)199

# Vesicles

Cationic vesicles as chiral selector for enantioseparations of nonsteroidal antiinflammatory drugs by micellar electrokinetic chromatography 1048(2004)127

# Vitamins

Simple reversed-phase liquid chromatography method for determination of tocopherols in edible plant oils 1048(2004)195

Monomeric  $C_{18}$  chromatographic method for the liquid chromatographic determination of lipophilic antioxidants in plants 1048(2004)263

# Volatile organic compounds

Development of a static headspace gas chromatographic/mass spectrometric method to analyze the level of volatile contaminants biodegradation 1048(2004)67

# Water analysis

Determination of explosives in environmental water samples by solid-phase microextraction–liquid chromatography 1048(2004)213

# Wine

Optimisation of the derivatisation reaction and subsequent headspace solidphase microextraction method for the direct determination of chlorophenols in red wine 1048(2004)141

# Yttrium

Detailed study on simultaneous separation of rare earth elements by capillary electrophoresis 1048(2004)245