

Subject Index Vol. 1049

ACE-inhibitory activity

Application of high-performance liquid chromatography–tandem mass spectrometry to the identification of biologically active peptides produced by milk fermentation and simulated gastrointestinal digestion
1049(2004)107

Activated carbon

Adsorption characterisation of different volatile organic compounds over alumina, zeolites and activated carbon using inverse gas chromatography
1049(2004)139

Adsorption

Adsorption characterisation of different volatile organic compounds over alumina, zeolites and activated carbon using inverse gas chromatography
1049(2004)139

Adsorption isotherms

Effect of the temperature on the isotherm parameters of phenol in reversed-phase liquid chromatography 1049(2004)25

Affinity energy distribution

Effect of the temperature on the isotherm parameters of phenol in reversed-phase liquid chromatography 1049(2004)25

Alkaline earth metals

Thin-layer chromatographic behavior and separation of alkaline earth metals on silica gel in aqueous sodium perchlorate solution
1049(2004)233

Alumina

Adsorption characterisation of different volatile organic compounds over alumina, zeolites and activated carbon using inverse gas chromatography
1049(2004)139

AMDIS

Combination of gas chromatography–mass spectrometry and mass spectral deconvolution for structural elucidation of an unusual C₂₀-steroid detected in a complex sedimentary matrix 1049(2004)227

Amino acids

Effect of the mobile phase on antibody-based enantiomer separations of amino acids in high-performance liquid chromatography 1049(2004)85

Amphenicol

Separation of basic compounds by capillary electrochromatography on an X-Terra RP18[®] stationary phase 1049(2004)171

Anisoles

Analysis of anisoles in wines using pervaporation coupled to gas chromatography–mass spectrometry 1049(2004)147

Antibodies

Effect of the mobile phase on antibody-based enantiomer separations of amino acids in high-performance liquid chromatography 1049(2004)85

Antifouling booster biocides

Application of solvent microextraction in a single drop for the determination of new antifouling agents in waters 1049(2004)17

Apomorphine

Chiral capillary electrophoretic method for quantification of apomorphine
1049(2004)195

Aqueous sodium perchlorate solution

Thin-layer chromatographic behavior and separation of alkaline earth metals on silica gel in aqueous sodium perchlorate solution
1049(2004)233

Aristolochic acid

Rapid determination of aristolochic acid I and II in *Aristolochia* plants from different regions by β -cyclodextrin-modified capillary zone electrophoresis 1049(2004)211

Aromatic alcohols

Thermodynamic study on the gas chromatographic separation of the enantiomers of aromatic alcohols using heptakis(2,3-di-*O*-methyl-6-*O*-*tert*-butyldimethylsilyl)- β -cyclodextrin as a stationary phase 1049(2004)223

Balaglitazone

Generic, highly selective and robust capillary electrophoresis method for separation of a racemic mixture of glitazone compounds 1049(2004)183

Band profiles

Effect of the temperature on the isotherm parameters of phenol in reversed-phase liquid chromatography 1049(2004)25

Basic analytes

Influence of inorganic mobile phase additives on the retention, efficiency and peak symmetry of protonated basic compounds in reversed-phase liquid chromatography 1049(2004)63

Basic solutes

Separation of basic compounds by capillary electrochromatography on an X-Terra RP18[®] stationary phase 1049(2004)171

Betulinic acid

Evaluation of apparent formation constants of pentacyclic triterpene acids complexes with derivatized β - and γ -cyclodextrins by reversed phase liquid chromatography 1049(2004)37

Bioactive peptides

Application of high-performance liquid chromatography–tandem mass spectrometry to the identification of biologically active peptides produced by milk fermentation and simulated gastrointestinal digestion
1049(2004)107

Butin

Separation of flavonoids from the seeds of *Vernonia anthelmintica* Willd by high-speed counter-current chromatography 1049(2004)219

Butyl methacrylate

Optimization of binary porogen solvent composition for preparation of butyl methacrylate monoliths in capillary liquid chromatography 1049(2004)43

Capillary electrochromatography

Separation of basic compounds by capillary electrochromatography on an X-Terra RP18[®] stationary phase 1049(2004)171

Capillary electrophoresis

Chiral capillary electrophoretic method for quantification of apomorphine 1049(2004)195

Chaotropicity

Influence of inorganic mobile phase additives on the retention, efficiency and peak symmetry of protonated basic compounds in reversed-phase liquid chromatography 1049(2004)63

Chinese herbs nephropathy

Rapid determination of aristolochic acid I and II in *Aristolochia* plants from different regions by β -cyclodextrin-modified capillary zone electrophoresis 1049(2004)211

Chiral

Chiral capillary electrophoretic method for quantification of apomorphine 1049(2004)195

Chiral chromatography

Rapid method development for chiral separation in drug discovery using multi-column parallel screening and circular dichroism signal pooling 1049(2004)75

Chiral column screening

Rapid method development for chiral separation in drug discovery using multi-column parallel screening and circular dichroism signal pooling 1049(2004)75

Chiral stationary phases, LC

Effect of the mobile phase on antibody-based enantiomer separations of amino acids in high-performance liquid chromatography 1049(2004)85

Chlorothalonil

Application of solvent microextraction in a single drop for the determination of new antifouling agents in waters 1049(2004)17

Circular dichroism detector

Rapid method development for chiral separation in drug discovery using multi-column parallel screening and circular dichroism signal pooling 1049(2004)75

Complexation constant

Chiral capillary electrophoretic method for quantification of apomorphine 1049(2004)195

Cork taint

Analysis of anisoles in wines using pervaporation coupled to gas chromatography–mass spectrometry 1049(2004)147

 β -Cyclodextrin

Rapid determination of aristolochic acid I and II in *Aristolochia* plants from different regions by β -cyclodextrin-modified capillary zone electrophoresis 1049(2004)211

Cyclodextrins

Evaluation of apparent formation constants of pentacyclic triterpene acids complexes with derivatized β - and γ -cyclodextrins by reversed phase liquid chromatography 1049(2004)37

Chiral capillary electrophoretic method for quantification of apomorphine 1049(2004)195

Thermodynamic study on the gas chromatographic separation of the enantiomers of aromatic alcohols using heptakis(2,3-di-*O*-methyl-6-*O*-*tert*-butyldimethylsilyl)- β -cyclodextrin as a stationary phase 1049(2004)223

Deconvolution

Combination of gas chromatography–mass spectrometry and mass spectral deconvolution for structural elucidation of an unusual C₂₉-steroid detected in a complex sedimentary matrix 1049(2004)227

Derivatization

Determination of phosphoamino acids derivatized with 5-(4,6-dichloro-*s*-triazin-2-ylamino)fluorescein by micellar electrokinetic chromatography 1049(2004)237

Derivatization, GC

Stir bar sorptive extraction with in situ derivatization and thermal desorption–gas chromatography–mass spectrometry in the multi-shot mode for determination of estrogens in river water samples 1049(2004)1

Derivatization, LC

Evaluation of apparent formation constants of pentacyclic triterpene acids complexes with derivatized β - and γ -cyclodextrins by reversed phase liquid chromatography 1049(2004)37

Dichlofluanid

Application of solvent microextraction in a single drop for the determination of new antifouling agents in waters 1049(2004)17

5-(4,6-Dichloro-*s*-triazin-2-ylamino)fluorescein

Determination of phosphoamino acids derivatized with 5-(4,6-dichloro-*s*-triazin-2-ylamino)fluorescein by micellar electrokinetic chromatography 1049(2004)237

4,14-Dimethycholestane

Combination of gas chromatography–mass spectrometry and mass spectral deconvolution for structural elucidation of an unusual C₂₉-steroid detected in a complex sedimentary matrix 1049(2004)227

EDTA

Determination of sixteen UV filters in sun care formulations by high-performance liquid chromatography 1049(2004)127

Efficiency

Influence of inorganic mobile phase additives on the retention, efficiency and peak symmetry of protonated basic compounds in reversed-phase liquid chromatography 1049(2004)63

Enantiomer

Thermodynamic study on the gas chromatographic separation of the enantiomers of aromatic alcohols using heptakis(2,3-di-*O*-methyl-6-*O*-*tert*-butyldimethylsilyl)- β -cyclodextrin as a stationary phase 1049(2004)223

Enantiomer separation

Rapid method development for chiral separation in drug discovery using multi-column parallel screening and circular dichroism signal pooling 1049(2004)75

Effect of the mobile phase on antibody-based enantiomer separations of amino acids in high-performance liquid chromatography 1049(2004)85

Generic, highly selective and robust capillary electrophoresis method for separation of a racemic mixture of glitazone compounds 1049(2004)183

Estrogens

Stir bar sorptive extraction with in situ derivatization and thermal desorption–gas chromatography–mass spectrometry in the multi-shot mode for determination of estrogens in river water samples 1049(2004)1

Fermented milk

Application of high-performance liquid chromatography–tandem mass spectrometry to the identification of biologically active peptides produced by milk fermentation and simulated gastrointestinal digestion 1049(2004)107

Flow cytometry

Rice starch granule characterization by flow cytometry scattering techniques hyphenated with sedimentation field–flow fractionation 1049(2004)131

Genotyping

Automated solid-phase extraction for purification of single nucleotide polymorphism genotyping products prior to matrix-assisted laser desorption/ionisation time-of-flight mass spectrometric analysis 1049(2004)9

Glitazone

Generic, highly selective and robust capillary electrophoresis method for separation of a racemic mixture of glitazone compounds 1049(2004)183

Guanidine

Characterisation by high-performance liquid chromatography–multiple mass spectrometry of intermediate compounds formed from mepanipyrim photoinduced degradation 1049(2004)115

Hexafluorophosphate

Influence of inorganic mobile phase additives on the retention, efficiency and peak symmetry of protonated basic compounds in reversed-phase liquid chromatography 1049(2004)63

Human serum albumin

Development and evaluation of *N*-hydroxysuccinimide-activated silica for immobilizing human serum albumin in liquid chromatography columns 1049(2004)51

***N*-Hydroxysuccinimide**

Development and evaluation of *N*-hydroxysuccinimide-activated silica for immobilizing human serum albumin in liquid chromatography columns 1049(2004)51

Inclusion complexation

Evaluation of apparent formation constants of pentacyclic triterpene acids complexes with derivatized β - and γ -cyclodextrins by reversed phase liquid chromatography 1049(2004)37

Inverse gas chromatography

Adsorption characterisation of different volatile organic compounds over alumina, zeolites and activated carbon using inverse gas chromatography 1049(2004)139

Inverse method

Effect of the temperature on the isotherm parameters of phenol in reversed-phase liquid chromatography 1049(2004)25

Isoelectric focusing

Rapid protein separations in ultra-short microchannels: microchip sodium dodecyl sulfate–polyacrylamide gel electrophoresis and isoelectric focusing 1049(2004)205

Loading capacity

Influence of inorganic mobile phase additives on the retention, efficiency and peak symmetry of protonated basic compounds in reversed-phase liquid chromatography 1049(2004)63

Macrolides

Separation of basic compounds by capillary electrochromatography on an X-Terra RP18[®] stationary phase 1049(2004)171

Matrix-assisted laser desorption/ionisation time-of-flight mass spectrometry

Automated solid-phase extraction for purification of single nucleotide polymorphism genotyping products prior to matrix-assisted laser desorption/ionisation time-of-flight mass spectrometric analysis 1049(2004)9

MEKC

Determination of phosphoamino acids derivatized with 5-(4,6-dichloro-*s*-triazin-2-ylamino)fluorescein by micellar electrokinetic chromatography 1049(2004)237

Mepanipyrim

Characterisation by high-performance liquid chromatography–multiple mass spectrometry of intermediate compounds formed from mepanipyrim photoinduced degradation 1049(2004)115

Microchip

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of phenolic acids 1049(2004)189

Rapid protein separations in ultra-short microchannels: microchip sodium dodecyl sulfate–polyacrylamide gel electrophoresis and isoelectric focusing 1049(2004)205

Mobile phase composition

Effect of the mobile phase on antibody-based enantiomer separations of amino acids in high-performance liquid chromatography 1049(2004)85

Monoliths

Optimization of binary porogen solvent composition for preparation of butyl methacrylate monoliths in capillary liquid chromatography 1049(2004)43

Monterey

Combination of gas chromatography–mass spectrometry and mass spectral deconvolution for structural elucidation of an unusual C₂₉-steroid detected in a complex sedimentary matrix 1049(2004)227

Off-flavour

Analysis of anisoles in wines using pervaporation coupled to gas chromatography–mass spectrometry 1049(2004)147

Oleanolic acid

Evaluation of apparent formation constants of pentacyclic triterpene acids complexes with derivatized β - and γ -cyclodextrins by reversed phase liquid chromatography 1049(2004)37

Organochlorine

Determination of organochlorine pesticide residues in honey from the central zone of Portugal and the Valencian community of Spain 1049(2004)155

Particle size distribution

Rice starch granule characterization by flow cytometry scattering techniques hyphenated with sedimentation field–flow fractionation 1049(2004)131

Peak symmetry

Influence of inorganic mobile phase additives on the retention, efficiency and peak symmetry of protonated basic compounds in reversed-phase liquid chromatography 1049(2004)63

Perchlorate

Influence of inorganic mobile phase additives on the retention, efficiency and peak symmetry of protonated basic compounds in reversed-phase liquid chromatography 1049(2004)63

Pervaporation

Analysis of anisoles in wines using pervaporation coupled to gas chromatography–mass spectrometry 1049(2004)147

Pesticides

Determination of organochlorine pesticide residues in honey from the central zone of Portugal and the Valencian community of Spain 1049(2004)155

Phenol

Effect of the temperature on the isotherm parameters of phenol in reversed-phase liquid chromatography 1049(2004)25

Phenolic acids

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of phenolic acids 1049(2004)189

Phenolic compounds

Determination of free molecular phenolics and catechins in wine by solid phase extraction on polymeric cartridges and liquid chromatography with diode array detection 1049(2004)97

Phosphoamino acids

Determination of phosphoamino acids derivatized with 5-(4,6-dichloro-s-triazin-2-ylamino)fluorescein by micellar electrokinetic chromatography 1049(2004)237

Photopolymerization

Rapid protein separations in ultra-short microchannels: microchip sodium dodecyl sulfate–polyacrylamide gel electrophoresis and isoelectric focusing 1049(2004)205

Pioglitazone

Generic, highly selective and robust capillary electrophoresis method for separation of a racemic mixture of glitazone compounds 1049(2004)183

Porogen solvent

Optimization of binary porogen solvent composition for preparation of butyl methacrylate monoliths in capillary liquid chromatography 1049(2004)43

Pressure resistance

Optimization of binary porogen solvent composition for preparation of butyl methacrylate monoliths in capillary liquid chromatography 1049(2004)43

Protein separation

Rapid protein separations in ultra-short microchannels: microchip sodium dodecyl sulfate–polyacrylamide gel electrophoresis and isoelectric focusing 1049(2004)205

Proteins

Effect of the mobile phase on antibody-based enantiomer separations of amino acids in high-performance liquid chromatography 1049(2004)85

Purification

Automated solid-phase extraction for purification of single nucleotide polymorphism genotyping products prior to matrix-assisted laser desorption/ionisation time-of-flight mass spectrometric analysis 1049(2004)9

Red wine

Determination of free molecular phenolics and catechins in wine by solid phase extraction on polymeric cartridges and liquid chromatography with diode array detection 1049(2004)97

Reproducibility

Optimization of binary porogen solvent composition for preparation of butyl methacrylate monoliths in capillary liquid chromatography 1049(2004)43

Rice starch

Rice starch granule characterization by flow cytometry scattering techniques hyphenated with sedimentation field–flow fractionation 1049(2004)131

Rosiglitazone

Generic, highly selective and robust capillary electrophoresis method for separation of a racemic mixture of glitazone compounds 1049(2004)183

SDS–PAGE

Rapid protein separations in ultra-short microchannels: microchip sodium dodecyl sulfate–polyacrylamide gel electrophoresis and isoelectric focusing 1049(2004)205

Sea nine 211

Application of solvent microextraction in a single drop for the determination of new antifouling agents in waters 1049(2004)17

Sedimentation field–flow fractionation

Rice starch granule characterization by flow cytometry scattering techniques hyphenated with sedimentation field–flow fractionation 1049(2004)131

Silica

Development and evaluation of *N*-hydroxysuccinimide-activated silica for immobilizing human serum albumin in liquid chromatography columns 1049(2004)51

Silica gel

Thin-layer chromatographic behavior and separation of alkaline earth metals on silica gel in aqueous sodium perchlorate solution 1049(2004)233

Silica-based stationary phase

Effect of the temperature on the isotherm parameters of phenol in reversed-phase liquid chromatography 1049(2004)25

Simulated gastrointestinal digestion

Application of high-performance liquid chromatography–tandem mass spectrometry to the identification of biologically active peptides produced by milk fermentation and simulated gastrointestinal digestion 1049(2004)107

Single nucleotide polymorphism

Automated solid-phase extraction for purification of single nucleotide polymorphism genotyping products prior to matrix-assisted laser desorption/ionisation time-of-flight mass spectrometric analysis 1049(2004)9

Size calibration

Rice starch granule characterization by flow cytometry scattering techniques hyphenated with sedimentation field–flow fractionation 1049(2004)131

Solid phase extraction

Automated solid-phase extraction for purification of single nucleotide polymorphism genotyping products prior to matrix-assisted laser desorption/ionisation time-of-flight mass spectrometric analysis 1049(2004)9

Determination of free molecular phenolics and catechins in wine by solid phase extraction on polymeric cartridges and liquid chromatography with diode array detection 1049(2004)97

Solvent microextraction

Application of solvent microextraction in a single drop for the determination of new antifouling agents in waters 1049(2004)17

Stationary phases

Separation of basic compounds by capillary electrochromatography on an X-Terra RP18[®] stationary phase 1049(2004)171

Stir bar sorptive extraction

Stir bar sorptive extraction with in situ derivatization and thermal desorption–gas chromatography–mass spectrometry in the multi-shot mode for determination of estrogens in river water samples 1049(2004)1

Suncare products

Determination of sixteen UV filters in suncare formulations by high-performance liquid chromatography 1049(2004)127

Tandem mass spectrometry

Application of high-performance liquid chromatography–tandem mass spectrometry to the identification of biologically active peptides produced by milk fermentation and simulated gastrointestinal digestion 1049(2004)107

2',3,4,4'-Tetrahydrochalcone

Separation of flavonoids from the seeds of *Vernonia anthelmintica* Willd by high-speed counter-current chromatography 1049(2004)219

5,6,7,4'-Tetrahydroxyflavone

Separation of flavonoids from the seeds of *Vernonia anthelmintica* Willd by high-speed counter-current chromatography 1049(2004)219

Thermal desorption

Stir bar sorptive extraction with in situ derivatization and thermal desorption–gas chromatography–mass spectrometry in the multi-shot mode for determination of estrogens in river water samples 1049(2004)1

Thermodynamic parameters

Thermodynamic study on the gas chromatographic separation of the enantiomers of aromatic alcohols using heptakis(2,3-di-*O*-methyl-6-*O*-*tert*-butyldimethylsilyl)- β -cyclodextrin as a stationary phase 1049(2004)223

Titanium dioxide

Characterisation by high-performance liquid chromatography–multiple mass spectrometry of intermediate compounds formed from mepanipyrin photoinduced degradation 1049(2004)115

Transition metals

Characterization of Co, Fe and Mn-exchanged zeolites by inverse gas chromatography 1049(2004)161

Triterpenes

Evaluation of apparent formation constants of pentacyclic triterpene acids complexes with derivatized β - and γ -cyclodextrins by reversed phase liquid chromatography 1049(2004)37

Tween 80

Determination of sixteen UV filters in suncare formulations by high-performance liquid chromatography 1049(2004)127

Ursolic acid

Evaluation of apparent formation constants of pentacyclic triterpene acids complexes with derivatized β - and γ -cyclodextrins by reversed phase liquid chromatography 1049(2004)37

UV filters

Determination of sixteen UV filters in suncare formulations by high-performance liquid chromatography 1049(2004)127

***Vernonia anthelmintica* Willd**

Separation of flavonoids from the seeds of *Vernonia anthelmintica* Willd by high-speed counter-current chromatography 1049(2004)219

Water analysis

Stir bar sorptive extraction with in situ derivatization and thermal desorption–gas chromatography–mass spectrometry in the multi-shot mode for determination of estrogens in river water samples 1049(2004)1

Application of solvent microextraction in a single drop for the determination of new antifouling agents in waters 1049(2004)17

Wine

Analysis of anisoles in wines using pervaporation coupled to gas chromatography–mass spectrometry 1049(2004)147

Wine analysis

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of phenolic acids 1049(2004)189

Zeolites

Adsorption characterisation of different volatile organic compounds over alumina, zeolites and activated carbon using inverse gas chromatography 1049(2004)139

Characterization of Co, Fe and Mn-exchanged zeolites by inverse gas chromatography 1049(2004)161