

Available online at www.sciencedirect.com



Journal of Chromatography A, 1052 (2004) 243-248

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 1052

Acetonitrile

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Affinity precipitation

Chitosan as a macroaffinity ligand. Purification of chitinases by affinity precipitation and aqueous two-phase extractions 1052(2004)85

Alcohol ethoxylates

Increasing UV detection sensitivity in the supercritical fluid chromatographic analysis of alcohol polyethers 1052(2004)161

Allelochemicals

Development of a liquid chromatography–electrospray mass spectrometric method for the simultaneous analysis of benzoxazolinones and their degradation products 1052(2004)53

Aminophenoxazinones

Development of a liquid chromatography–electrospray mass spectrometric method for the simultaneous analysis of benzoxazolinones and their degradation products 1052(2004)53

Angelica dahurica (Fisch. ex Hoffm) Benth, et Hook. f

Preparative isolation and purification of coumarins from *Angelica dahurica* (*Fisch. ex Hoffm*) *Benth, et Hook. f* (Chinese traditional medicinal herb) by high-speed counter-current chromatography 1052(2004)223

Anthocyanins

Analysis of aged red wine pigments by capillary zone electrophoresis 1052(2004)191

Antifouling biocides

Chromatographic behavior of pyrithiones 1052(2004)103

Antimony speciation

New considerations about the separation and quantification of antimony species by ion chromatography–hydride generation atomic fluorescence spectrometry 1052(2004)121

Artifacts

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Atomic fluorescence spectrometry

New considerations about the separation and quantification of antimony species by ion chromatography–hydride generation atomic fluorescence spectrometry 1052(2004)121

Benzene

Combining headspace gas chromatography with mass spectrometry detection for confirmation of hydrocarbon residues in virgin olive oil following automatic screening 1052(2004)137

Benzoxazolinones

Development of a liquid chromatography–electrospray mass spectrometric method for the simultaneous analysis of benzoxazolinones and their degradation products 1052(2004)53

Butyl methacrylate phase

Preparation and characterization of long methacrylate monolithic column for capillary liquid chromatography 1052(2004)205

Capillary electrochromatography

Retention behaviour of peptides in capillary electrochromatography using an embedded ammonium in dodecacyl stationary phase 1052(2004)181

Capillary ion-pair reversed-phase chromatography

Rapid characterization of oligonucleotides by capillary liquid chromatography-nano electrospray quadrupole time-of-flight mass spectrometry 1052(2004)93

Carboxylic acids

Rapid liquid chromatography–ultraviolet determination of organic acids and phenolic compounds in red wine and must 1052(2004)211

Chiral separation

Analytical method for the quantitation of sertraline hydrochloride stereoisomers by electrokinetic chromatography (Review) 1052(2004)13

Chitinases

Chitosan as a macroaffinity ligand. Purification of chitinases by affinity precipitation and aqueous two-phase extractions 1052(2004)85

Chitosan

Chitosan as a macroaffinity ligand. Purification of chitinases by affinity precipitation and aqueous two-phase extractions 1052(2004)85

Chromatographic baselines

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Cinnamic acid

Preparative isolation and purification of hydroxyanthraquinones and cinnamic acid from the Chinese medicinal herb Rheum officinale Baill. by high-speed counter-current chromatography 1052(2004)217

Coastal waters and sediments

Simultaneous extraction and fate of linear alkylbenzene sulfonates, coconut diethanol amides, nonylphenol ethoxylates and their degradation products in wastewater treatment plants, receiving coastal waters and sediments in the Catalonian area (NE Spain) 1052(2004)111

α-Copaene

Chemical composition of the essential oil of *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon 1052(2004)237

Cork taint

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography–mass spectrometry 1052(2004)145

Counter-current chromatography

Preparative isolation and purification of gastrodin from the Chinese medicinal plant *Gastrodia elata* by high-speed counter-current chromatography 1052(2004)229

Cyclodextrins

Gradient elution of organic acids on a β -cyclodextrin column in the polar organic mode and its application to drug discovery 1052(2004)69

Degradation products

Simultaneous extraction and fate of linear alkylbenzene sulfonates, coconut diethanol amides, nonylphenol ethoxylates and their degradation products in wastewater treatment plants, receiving coastal waters and sediments in the Catalonian area (NE Spain) 1052(2004)111

Derivatization

Increasing UV detection sensitivity in the supercritical fluid chromatographic analysis of alcohol polyethers 1052(2004)161

Derivatization, GC

Comparison of three derivatization ways in the separation of phenol and hydroquinone from water samples 1052(2004)233

Dityrosine

Quantitative determination of dityrosine in milk powders by liquid chromatography coupled to tandem mass spectrometry using isotope dilution 1052(2004)77

Drug discovery

Gradient elution of organic acids on a β -cyclodextrin column in the polar organic mode and its application to drug discovery 1052(2004)69

Dual gradient

Separation and determination of lanthanides, thorium and uranium using a dual gradient in reversed-phase liquid chromatography 1052(2004)131

Ecotoxicity

Micellar electrokinetic chromatography with bile salts for predicting ecotoxicity of aromatic compounds 1052(2004)171

Electrokinetic chromatography

Analytical method for the quantitation of sertraline hydrochloride stereoisomers by electrokinetic chromatography (Review) 1052(2004)13

Electroosmotic flow

Retention behaviour of peptides in capillary electrochromatography using an embedded ammonium in dodecacyl stationary phase 1052(2004)181

Emission

Correlation between emitted and total amount of 2-cyclopentyl-cyclopentanone in polyamide 6.6 allows rapid assessment by HS and HS-SPME under non-equilibrium conditions 1052(2004)151

Enantiomer separation

Analytical method for the quantitation of sertraline hydrochloride stereoisomers by electrokinetic chromatography (Review) 1052(2004)13

Environmental analysis

New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms 1052(2004)33

Essential oil composition

Chemical composition of the essential oil of *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon 1052(2004)237

Ethylbenzene

Combining headspace gas chromatography with mass spectrometry detection for confirmation of hydrocarbon residues in virgin olive oil following automatic screening 1052(2004)137

Extraction methods

New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms 1052(2004)33

Food

Determination of lycopene in food by on-line SFE coupled to HPLC using a single monolithic column for trapping and separation 1052(2004)25

Gas chromatography-mass spectrometry

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography-mass spectrometry 1052(2004)145

Gastrodia elata

Preparative isolation and purification of gastrodin from the Chinese medicinal plant *Gastrodia elata* by high-speed counter-current chromatography 1052(2004)229

Gastrodin

Preparative isolation and purification of gastrodin from the Chinese medicinal plant *Gastrodia elata* by high-speed counter-current chromatography 1052(2004)229

GC-MS

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography-mass spectrometry 1052(2004)145

Ghost peaks

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Gradient elution

Gradient elution of organic acids on a β -cyclodextrin column in the polar organic mode and its application to drug discovery 1052(2004)69

New considerations about the separation and quantification of antimony species by ion chromatography–hydride generation atomic fluorescence spectrometry 1052(2004)121

Gradient HPLC

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Head space microextraction

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography–mass spectrometry 1052(2004)145

Headspace

Correlation between emitted and total amount of 2-cyclopentyl-cyclopentanone in polyamide 6.6 allows rapid assessment by HS and HS-SPME under non-equilibrium conditions 1052(2004)151

High temperature liquid chromatography

Effect of temperature in reversed phase liquid chromatography 1052(2004)39

Highly sulfated cyclodextrin

Analytical method for the quantitation of sertraline hydrochloride stereoisomers by electrokinetic chromatography (Review) 1052(2004)13

High speed counter-current chromatography

Preparative isolation and purification of hydroxyanthraquinones and cinnamic acid from the Chinese medicinal herb Rheum officinale Baill. by high-speed counter-current chromatography 1052(2004)217

Preparative isolation and purification of coumarins from *Angelica dahurica* (*Fisch. ex Hoffm*) *Benth, et Hook. f* (Chinese traditional medicinal herb) by high-speed counter-current chromatography 1052(2004)223

Human growth hormone

Retention behaviour of peptides in capillary electrochromatography using an embedded ammonium in dodecacyl stationary phase 1052(2004)181

Hydride generation

New considerations about the separation and quantification of antimony species by ion chromatography–hydride generation atomic fluorescence spectrometry 1052(2004)121

Hydroquinone

Comparison of three derivatization ways in the separation of phenol and hydroquinone from water samples 1052(2004)233

Hydroxyanthraquinones

Preparative isolation and purification of hydroxyanthraquinones and cinnamic acid from the Chinese medicinal herb Rheum officinale Baill. by high-speed counter-current chromatography 1052(2004)217

Imperatorin

Preparative isolation and purification of coumarins from *Angelica dahurica* (*Fisch. ex Hoffm*) *Benth, et Hook. f* (Chinese traditional medicinal herb) by high-speed counter-current chromatography 1052(2004)223

Ion chromatography

New considerations about the separation and quantification of antimony species by ion chromatography–hydride generation atomic fluorescence spectrometry 1052(2004)121

Isoimperatorin

Preparative isolation and purification of coumarins from *Angelica dahurica* (*Fisch. ex Hoffin*) *Benth, et Hook. f* (Chinese traditional medicinal herb) by high-speed counter-current chromatography 1052(2004)223

Isotope dilution

Quantitative determination of dityrosine in milk powders by liquid chromatography coupled to tandem mass spectrometry using isotope dilution 1052(2004)77

Kinetic and thermodynamic behavior

Effect of temperature in reversed phase liquid chromatography 1052(2004)39

β-Lactoglobulin

Retention behaviour of peptides in capillary electrochromatography using an embedded ammonium in dodecacyl stationary phase 1052(2004)181

Lamiaceae

Chemical composition of the essential oil of *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon 1052(2004)237

Lanthanides

Separation and determination of lanthanides, thorium and uranium using a dual gradient in reversed-phase liquid chromatography 1052(2004)131

Linear alkylbenzene sulfonates

New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms 1052(2004)33

Lipase catalyzed acidolysis

Biocatalyzed acidolysis of soybean oil triacylglycerols to increase oleic acid content 1052(2004)167

Liquid chromatography

Determination of lycopene in food by on-line SFE coupled to HPLC using a single monolithic column for trapping and separation 1052(2004)25

Development of a liquid chromatography–electrospray mass spectrometric method for the simultaneous analysis of benzoxazolinones and their degradation products 1052(2004)53

Lycopene

Determination of lycopene in food by on-line SFE coupled to HPLC using a single monolithic column for trapping and separation 1052(2004)25

Malonamic acids

Development of a liquid chromatography–electrospray mass spectrometric method for the simultaneous analysis of benzoxazolinones and their degradation products 1052(2004)53

Mass spectrometry

Development of a liquid chromatography–electrospray mass spectrometric method for the simultaneous analysis of benzoxazolinones and their degradation products 1052(2004)53

Increasing UV detection sensitivity in the supercritical fluid chromatographic analysis of alcohol polyethers 1052(2004)161

Methanol

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Methylantimony species

New considerations about the separation and quantification of antimony species by ion chromatography–hydride generation atomic fluorescence spectrometry 1052(2004)121

Micellar electrokinetic chromatography

Micellar electrokinetic chromatography with bile salts for predicting ecotoxicity of aromatic compounds 1052(2004)171

Microwave-assisted extraction

Multiple headspace solid-phase microextraction of 2-cyclopentyl-cyclopentanone in polyamide 6.6: possibilities and limitations in the headspace analysis of solid hydrogen-bonding matrices 1052(2004)61

Mixed-mode stationary phase

Retention behaviour of peptides in capillary electrochromatography using an embedded ammonium in dodecacyl stationary phase 1052(2004)181

Monolithic column

Preparation and characterization of long methacrylate monolithic column for capillary liquid chromatography 1052(2004)205

Multiple headspace extraction

Multiple headspace solid-phase microextraction of 2-cyclopentyl-cyclopentanone in polyamide 6.6: possibilities and limitations in the headspace analysis of solid hydrogen-bonding matrices 1052(2004)61

Must

Rapid liquid chromatography–ultraviolet determination of organic acids and phenolic compounds in red wine and must 1052(2004)211

Myrtenol

Chemical composition of the essential oil of *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon 1052(2004)237

Nano-electrospray ionization mass spectrometry

Rapid characterization of oligonucleotides by capillary liquid chromatography–nano electrospray quadrupole time-of-flight mass spectrometry 1052(2004)93

Oligonucleotides

Rapid characterization of oligonucleotides by capillary liquid chromatography–nano electrospray quadrupole time-of-flight mass spectrometry 1052(2004)93

Omadine

Chromatographic behavior of pyrithiones 1052(2004)103

On-line coupled SFE-LC

Determination of lycopene in food by on-line SFE coupled to HPLC using a single monolithic column for trapping and separation 1052(2004)25

Organic acids

Gradient elution of organic acids on a β -cyclodextrin column in the polar organic mode and its application to drug discovery 1052(2004)69

Rapid liquid chromatography–ultraviolet determination of organic acids and phenolic compounds in red wine and must 1052(2004)211

Oxypeucedanine

Preparative isolation and purification of coumarins from *Angelica dahurica* (*Fisch. ex Hoffm*) *Benth, et Hook. f* (Chinese traditional medicinal herb) by high-speed counter-current chromatography 1052(2004)223

Peptide mapping

Retention behaviour of peptides in capillary electrochromatography using an embedded ammonium in dodecacyl stationary phase 1052(2004)181

Phenol

Comparison of three derivatization ways in the separation of phenol and hydroquinone from water samples 1052(2004)233

pH-gradient elution

Preparative isolation and purification of hydroxyanthraquinones and cinnamic acid from the Chinese medicinal herb Rheum officinale Baill. by high-speed counter-current chromatography 1052(2004)217

α-Pinene

Chemical composition of the essential oil of *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon 1052(2004)237

Plant materials

Preparative isolation and purification of gastrodin from the Chinese medicinal plant *Gastrodia elata* by high-speed counter-current chromatography 1052(2004)229

Polar chemically bonded stationary phases

Insights into the retention mechanism of neutral organic compounds on polar chemically bonded stationary phases in reversed-phase liquid chromatography 1052(2004)199

Polyamide

Multiple headspace solid-phase microextraction of 2-cyclopentyl-cyclopentanone in polyamide 6.6: possibilities and limitations in the headspace analysis of solid hydrogen-bonding matrices 1052(2004)61

Correlation between emitted and total amount of 2-cyclopentyl-cyclopentanone in polyamide 6.6 allows rapid assessment by HS and HS-SPME under non-equilibrium conditions 1052(2004)151

Polycyclic aromatic hydrocarbon

Micellar electrokinetic chromatography with bile salts for predicting ecotoxicity of aromatic compounds 1052(2004)171

Polymers

Chitosan as a macroaffinity ligand. Purification of chitinases by affinity precipitation and aqueous two-phase extractions 1052(2004)85

Correlation between emitted and total amount of 2-cyclopentyl-cyclopentanone in polyamide 6.6 allows rapid assessment by HS and HS-SPME under non-equilibrium conditions 1052(2004)151

Polymeric pigments

Analysis of aged red wine pigments by capillary zone electrophoresis 1052(2004)191

Polyphenols

Rapid liquid chromatography–ultraviolet determination of organic acids and phenolic compounds in red wine and must 1052(2004)211

Preparative chromatography

Preparative isolation and purification of gastrodin from the Chinese medicinal plant *Gastrodia elata* by high-speed counter-current chromatography 1052(2004)229

Pressurized liquid extraction (PLE)

New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms 1052(2004)33

Protein oxidation

Quantitative determination of dityrosine in milk powders by liquid chromatography coupled to tandem mass spectrometry using isotope dilution 1052(2004)77

Protein purification

Chitosan as a macroaffinity ligand. Purification of chitinases by affinity precipitation and aqueous two-phase extractions 1052(2004)85

Pyrithione

Chromatographic behavior of pyrithiones 1052(2004)103

Quadrupole time-of-flight mass spectrometer

Rapid characterization of oligonucleotides by capillary liquid chromatography–nano electrospray quadrupole time-of-flight mass spectrometry 1052(2004)93

Quality control

Rapid characterization of oligonucleotides by capillary liquid chromatography–nano electrospray quadrupole time-of-flight mass spectrometry 1052(2004)93

Red wine

Analysis of aged red wine pigments by capillary zone electrophoresis 1052(2004)191

Retention mechanism

Insights into the retention mechanism of neutral organic compounds on polar chemically bonded stationary phases in reversed-phase liquid chromatography 1052(2004)199

Reversed-phase liquid chromatography

Insights into the retention mechanism of neutral organic compounds on polar chemically bonded stationary phases in reversed-phase liquid chromatography 1052(2004)199

Rheum officinale Baill

Preparative isolation and purification of hydroxyanthraquinones and cinnamic acid from the Chinese medicinal herb Rheum officinale Baill. by high-speed counter-current chromatography 1052(2004)217

Ruditapes semidecussatus

New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms 1052(2004)33

Salvia multicaulis Vahl. var. simplicifolia Boiss.

Chemical composition of the essential oil of *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon 1052(2004)237

Sertraline hydrochloride

Analytical method for the quantitation of sertraline hydrochloride stereoisomers by electrokinetic chromatography (Review) 1052(2004)13

Solea senegalensis

New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms 1052(2004)33

Solid-phase microextraction

Multiple headspace solid-phase microextraction of 2-cyclopentyl-cyclopentanone in polyamide 6.6: possibilities and limitations in the headspace analysis of solid hydrogen-bonding matrices 1052(2004)61

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography–mass spectrometry 1052(2004)145

Correlation between emitted and total amount of 2-cyclopentyl-cyclopentanone in polyamide 6.6 allows rapid assessment by HS and HS-SPME under non-equilibrium conditions 1052(2004)151

Solvation parameter model

Insights into the retention mechanism of neutral organic compounds on polar chemically bonded stationary phases in reversed-phase liquid chromatography 1052(2004)199

Solvents

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Soybean triacylglycerols

Biocatalyzed acidolysis of soybean oil triacylglycerols to increase oleic acid content 1052(2004)167

Speciation

Chromatographic behavior of pyrithiones 1052(2004)103

Stationary phase

Retention behaviour of peptides in capillary electrochromatography using an embedded ammonium in dodecacyl stationary phase 1052(2004)181

Stationary phases, LC

Preparation and characterization of long methacrylate monolithic column for capillary liquid chromatography 1052(2004)205

Styrene

Combining headspace gas chromatography with mass spectrometry detection for confirmation of hydrocarbon residues in virgin olive oil following automatic screening 1052(2004)137

Supercritical fluid extraction

Determination of lycopene in food by on-line SFE coupled to HPLC using a single monolithic column for trapping and separation 1052(2004)25

Surfactants

New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms 1052(2004)33

System peaks

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Tandem mass spectrometry

Quantitative determination of dityrosine in milk powders by liquid chromatography coupled to tandem mass spectrometry using isotope dilution 1052(2004)77

Temperature control

Effect of temperature in reversed phase liquid chromatography 1052(2004)39

Tetrachloroanisole

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography-mass spectrometry 1052(2004)145

TFA

Ghost peaks in reversed-phase gradient HPLC: a review and update $1052(2004)1\,$

Thorium

Separation and determination of lanthanides, thorium and uranium using a dual gradient in reversed-phase liquid chromatography 1052(2004)131

Toluene

Combining headspace gas chromatography with mass spectrometry detection for confirmation of hydrocarbon residues in virgin olive oil following automatic screening 1052(2004)137

trans-Sabinyl acetate

Chemical composition of the essential oil of *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon 1052(2004)237

Trichloroanisole

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography-mass spectrometry 1052(2004)145

2,4,6-trichloroanisole (TCA)

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography-mass spectrometry 1052(2004)145

Two-phase affinity extraction

Chitosan as a macroaffinity ligand. Purification of chitinases by affinity precipitation and aqueous two-phase extractions 1052(2004)85

Ultraviolet

Increasing UV detection sensitivity in the supercritical fluid chromatographic analysis of alcohol polyethers 1052(2004)161

Uranium

Separation and determination of lanthanides, thorium and uranium using a dual gradient in reversed-phase liquid chromatography 1052(2004)131

Virgin olive oil

Combining headspace gas chromatography with mass spectrometry detection for confirmation of hydrocarbon residues in virgin olive oil following automatic screening 1052(2004)137

Volatiles

Multiple headspace solid-phase microextraction of 2-cyclopentyl-cyclopentanone in polyamide 6.6: possibilities and limitations in the headspace analysis of solid hydrogen-bonding matrices 1052(2004)61 Correlation between emitted and total amount of 2-cyclopentyl-cyclopentanone in polyamide 6.6 allows rapid assessment by HS and HS-SPME under non-equilibrium conditions 1052(2004)151

Wastewater treatment plants

Simultaneous extraction and fate of linear alkylbenzene sulfonates, coconut diethanol amides, nonylphenol ethoxylates and their degradation products in wastewater treatment plants, receiving coastal waters and sediments in the Catalonian area (NE Spain) 1052(2004)111

Water

Ghost peaks in reversed-phase gradient HPLC: a review and update (Review) 1052(2004)1

Water analysis

Comparison of three derivatization ways in the separation of phenol and hydroquinone from water samples 1052(2004)233

Wine

Determination of chloroanisole compounds in red wine by headspace solidphase microextraction and gas chromatography-mass spectrometry 1052(2004)145

Rapid liquid chromatography–ultraviolet determination of organic acids and phenolic compounds in red wine and must 1052(2004)211

Xylene isomers

Combining headspace gas chromatography with mass spectrometry detection for confirmation of hydrocarbon residues in virgin olive oil following automatic screening 1052(2004)137

Zinc pyrithione

Chromatographic behavior of pyrithiones 1052(2004)103