


Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1053 (2004) 309-314

www.elsevier.com/locate/chroma

Subject Index Vol. 1053

ACE

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

Acidic buffers

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Adsorption

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Adsorption isotherms

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylporphyrin-bonded silica 1053(2004)59

Affinity capillary electrophoresis

Determination of the amylose–amylopectin ratio of starches by iodineaffinity capillary electrophoresis 1053(2004)227

Affinity energy distribution

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Alcohol polyethoxylates

Separation of fatty alcohol polyethoxylates by capillary electrophoresis through easy electroosmotic flow control with a quaternary diammonium salt $\;\;1053(2004)235$

Aminosalicylic acid

Determination of impurities in the drug 5-aminosalicylic acid by micellar electrokinetic capillary chromatography using an electrolyte pH that approaches the isoelectric point of the parent compound 1053(2004)217

Amphipathicity

Monitoring the hydrophilicity/hydrophobicity of amino acid side-chains in the non-polar and polar faces of amphipathic α -helices by reversed-phase and hydrophilic interaction/cation-exchange chromatography 1053(2004)161

Amylopectin

Determination of the amylose-amylopectin ratio of starches by iodine-affinity capillary electrophoresis 1053(2004)227

Amylose

Determination of the amylose-amylopectin ratio of starches by iodine-affinity capillary electrophoresis 1053(2004)227

Angiotensins

Selective separations of peptides with sequence deletions, single amino acid polymorphisms, and/or epimeric centers using macrocyclic glycopeptide liquid chromatography stationary phases 1053(2004)89

Antibodies

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

Antimicrobial peptides

Monitoring the hydrophilicity/hydrophobicity of amino acid side-chains in the non-polar and polar faces of amphipathic α -helices by reversed-phase and hydrophilic interaction/cation-exchange chromatography 1053(2004)161

Band profiles

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Binding constants

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

Bradykinins

Selective separations of peptides with sequence deletions, single amino acid polymorphisms, and/or epimeric centers using macrocyclic glycopeptide liquid chromatography stationary phases 1053(2004)89

Buckminsterfullerenes

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Capillary curvature

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Carbohydrates

Latex-functionalized monolithic columns for the separation of carbohydrates by micro anion-exchange chromatography 1053(2004)101

CF

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

CE interface

Sheathless electrospray ionization interfaces for capillary electrophoresis—mass spectrometric detection. Advantages and limitations (Review) 1053(2004)37

CE/ESI-MS

Sheathless electrospray ionization interfaces for capillary electrophoresis—mass spectrometric detection. Advantages and limitations (Review) 1053(2004)37

CE/MS

Sheathless electrospray ionization interfaces for capillary electrophoresis—mass spectrometric detection. Advantages and limitations (Review) 1053(2004)37

Characterization

Development of an analytical reversed-phase high-performance liquid chromatography—electrospray ionization mass spectrometry method for characterization of recombinant antibodies 1053(2004)299

Charge variants

Development of an analytical reversed-phase high-performance liquid chromatography-electrospray ionization mass spectrometry method for characterization of recombinant antibodies 1053(2004)299

Chiral stationary phases

Novel urea-linked cinchona-calixarene hybrid-type receptors for efficient chromatographic enantiomer separation of carbamate-protected cyclic amino acids 1053(2004)119

Chromatofocusing

Use of two-dimensional liquid fractionation for separation of proteins from cell lysates without the presence of methionine oxidation 1053(2004)133

cIEF

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

CLOD

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Complexation

Determination of the amylose–amylopectin ratio of starches by iodineaffinity capillary electrophoresis 1053(2004)227

Concanavalin A

Approach to the comprehensive analysis of glycoproteins isolated from human serum using a multi-lectin affinity column 1053(2004)79

Concentric post-column splitting

 $Improved\ liquid\ chromatography-mass\ spectrometry\ performance\ in\ quantitative\ analysis\ using\ a\ nanosplitter\ interface \\ 1053(2004)151$

Concentration boundary

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Conductivity and pH distortions

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Conductivity distortion

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Cyclic amino acids

Novel urea-linked cinchona-calixarene hybrid-type receptors for efficient chromatographic enantiomer separation of carbamate-protected cyclic amino acids 1053(2004)119

CZE

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Degradation

Development of an analytical reversed-phase high-performance liquid chromatography-electrospray ionization mass spectrometry method for characterization of recombinant antibodies 1053(2004)299

Diffusion

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

2D-LC

Use of two-dimensional liquid fractionation for separation of proteins from cell lysates without the presence of methionine oxidation 1053(2004)133

DNA

Ionic boundaries in biological capillary electrophoresis (Review) 1053(2004)43

Phenolic extraction of DNA from mammalian tissues and conversion to deoxyribonucleoside-5'-monophosphates devoid of ribonucleotides 1053(2004)143

Single-molecule spectroscopy for molecular identification in capillary electrophoresis 1053(2004)173

Dopamine D4 receptor gene

Genotyping and haplotyping of the dopamine D4 receptor gene by capillary electrophoresis 1053(2004)241

Drug discovery

Improved liquid chromatography—mass spectrometry performance in quantitative analysis using a nanosplitter interface 1053(2004)151

Dyes

Single-molecule spectroscopy for molecular identification in capillary electrophoresis 1053(2004)173

Electroosmotic flow

Surfing silica surfaces superciliously (Review) 1053(2004)15

Separation of fatty alcohol polyethoxylates by capillary electrophoresis through easy electroosmotic flow control with a quaternary diammonium salt 1053(2004)235

Electrophoresis

Free flow electrophoresis coupled with liquid chromatography–mass spectrometry for a proteomic study of the human cell line (K562/CR3) 1053(2004)269

ELISAs

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

Enantiomer separation

Novel urea-linked cinchona-calixarene hybrid-type receptors for efficient chromatographic enantiomer separation of carbamate-protected cyclic amino acids 1053(2004)119

Enkephalins

Selective separations of peptides with sequence deletions, single amino acid polymorphisms, and/or epimeric centers using macrocyclic glycopeptide liquid chromatography stationary phases 1053(2004)89

Enrichment

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Enzymatic assay

Capillary electrophoretic approach to screen for enzyme inhibitors in natural extracts 1053(2004)247

Ethoxylates

Separation of fatty alcohol polyethoxylates by capillary electrophoresis through easy electroosmotic flow control with a quaternary diammonium salt 1053(2004)235

Extraction methods

Capillary liquid chromatographic determination of cellular flavins 1053(2004)71

Fatty alcohol polyethoxylates

Separation of fatty alcohol polyethoxylates by capillary electrophoresis through easy electroosmotic flow control with a quaternary diammonium salt 1053(2004)235

Flavins

Capillary liquid chromatographic determination of cellular flavins 1053(2004)71

Frontal analysis

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylporphyrin-bonded silica 1053(2004)59

Fullerene

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Gene

Genotyping and haplotyping of the dopamine D4 receptor gene by capillary electrophoresis 1053(2004)241

Glycoprotein

Approach to the comprehensive analysis of glycoproteins isolated from human serum using a multi-lectin affinity column 1053(2004)79

Glycosylation

Approach to the comprehensive analysis of glycoproteins isolated from human serum using a multi-lectin affinity column $\,$ 1053(2004)79

Gradient separation

Selective separations of peptides with sequence deletions, single amino acid polymorphisms, and/or epimeric centers using macrocyclic glycopeptide liquid chromatography stationary phases 1053(2004)89

Heterogeneity

Development of an analytical reversed-phase high-performance liquid chromatography-electrospray ionization mass spectrometry method for characterization of recombinant antibodies 1053(2004)299

Hydrophilicity

Monitoring the hydrophilicity/hydrophobicity of amino acid side-chains in the non-polar and polar faces of amphipathic α -helices by reversed-phase and hydrophilic interaction/cation-exchange chromatography 1053(2004)161

Hydrophobicity

Monitoring the hydrophilicity/hydrophobicity of amino acid side-chains in the non-polar and polar faces of amphipathic α -helices by reversed-phase and hydrophilic interaction/cation-exchange chromatography 1053(2004)161

Hyper-sharp peaks

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Iodine

Determination of the amylose–amylopectin ratio of starches by iodineaffinity capillary electrophoresis 1053(2004)227

Ion suppression

Improved liquid chromatography-mass spectrometry performance in quantitative analysis using a nanosplitter interface 1053(2004)151

Ionic boundaries

Ionic boundaries in biological capillary electrophoresis (Review) 1053(2004)43

Jacalin lectins

Approach to the comprehensive analysis of glycoproteins isolated from human serum using a multi-lectin affinity column 1053(2004)79

Joule heat

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Laser capture microscopy

Microscale protein expression profiling during disease evolvement 1053(2004)279

Latex

Latex-functionalized monolithic columns for the separation of carbohydrates by micro anion-exchange chromatography 1053(2004)101

Liquid chromatography

Free flow electrophoresis coupled with liquid chromatography–mass spectrometry for a proteomic study of the human cell line (K562/CR3) 1053(2004)269

MALDI-TOF

Use of two-dimensional liquid fractionation for separation of proteins from cell lysates without the presence of methionine oxidation 1053(2004)133

Mass spectrometry

Free flow electrophoresis coupled with liquid chromatography-mass spectrometry for a proteomic study of the human cell line (K562/CR3) 1053(2004)269

Mathematical modelling

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Matrix preparation

Effect of solvent composition on signal intensity in liquid chromatography—matrix-assisted laser desorption ionization experiments 1053(2004)291

Matrix-assisted laser desorption ionization

Effect of solvent composition on signal intensity in liquid chromatography—matrix-assisted laser desorption ionization experiments 1053(2004)291

Mediated micro analysis

Capillary electrophoretic approach to screen for enzyme inhibitors in natural extracts 1053(2004)247

Methionine oxidation

Use of two-dimensional liquid fractionation for separation of proteins from cell lysates without the presence of methionine oxidation 1053(2004)133

Methylnaphthalene

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylporphyrin-bonded silica 1053(2004)59

Migration time

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Monolithic columns

Latex-functionalized monolithic columns for the separation of carbohydrates by micro anion-exchange chromatography 1053(2004)101

Operational variables in high-performance liquid chromatography-electrospray ionization mass spectrometry of peptides and proteins using poly(styrene-divinylbenzene) monoliths 1053(2004)107

Multi-lectin affinity column

Approach to the comprehensive analysis of glycoproteins isolated from human serum using a multi-lectin affinity column 1053(2004)79

On-line preconcentration

Chromatographic preconcentration coupled on-line to capillary electrophoresis via a Tee-split interface 1053(2004)263

Peak distortion

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Peptides

Selective separations of peptides with sequence deletions, single amino acid polymorphisms, and/or epimeric centers using macrocyclic glycopeptide liquid chromatography stationary phases 1053(2004)89

Operational variables in high-performance liquid chromatography-electrospray ionization mass spectrometry of peptides and proteins using poly(styrene-divinylbenzene) monoliths 1053(2004)107

Chromatographic preconcentration coupled on-line to capillary electrophoresis via a Tee-split interface 1053(2004)263

pH distortion

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

pH effects

Determination of impurities in the drug 5-aminosalicylic acid by micellar electrokinetic capillary chromatography using an electrolyte pH that approaches the isoelectric point of the parent compound 1053(2004)217

Pharmaceutical analysis

Determination of impurities in the drug 5-aminosalicylic acid by micellar electrokinetic capillary chromatography using an electrolyte pH that approaches the isoelectric point of the parent compound 1053(2004)217

Piperazines

Surfing silica surfaces superciliously (Review) 1053(2004)15

Poly(styrene-divinylbenzene)

Operational variables in high-performance liquid chromatography-electrospray ionization mass spectrometry of peptides and proteins using poly(styrene-divinylbenzene) monoliths 1053(2004)107

Polysaccharides

Determination of the amylose–amylopectin ratio of starches by iodineaffinity capillary electrophoresis 1053(2004)227

Prefractionation

Free flow electrophoresis coupled with liquid chromatography–mass spectrometry for a proteomic study of the human cell line (K562/CR3) 1053(2004)269

Preparative chromatography

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Prion protein

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

Protein/buffer interaction

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Protein expression

Microscale protein expression profiling during disease evolvement 1053(2004)279

Protein interaction

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Protein tyrosine phosphatase

Capillary electrophoretic approach to screen for enzyme inhibitors in natural extracts 1053(2004)247

Protein-precipitated plasma samples

Improved liquid chromatography—mass spectrometry performance in quantitative analysis using a nanosplitter interface 1053(2004)151

Proteins

Strategies for shotgun identification of post-translational modifications by mass spectrometry (Review) 1053(2004)7

Operational variables in high-performance liquid chromatography-electrospray ionization mass spectrometry of peptides and proteins using poly(styrene-divinylbenzene) monoliths 1053(2004)107

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers.

I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Microscale protein expression profiling during disease evolvement 1053(2004)279

Proteomics

Strategies for shotgun identification of post-translational modifications by mass spectrometry (Review) 1053(2004)7

The role of liquid chromatography in proteomics (Review) 1053(2004)27

Approach to the comprehensive analysis of glycoproteins isolated from human serum using a multi-lectin affinity column 1053(2004)79

Free flow electrophoresis coupled with liquid chromatography–mass spectrometry for a proteomic study of the human cell line (K562/CR3) 1053(2004)269

PrPc

Capillary isoelectric focusing and affinity capillary electrophoresis approaches for the determination of binding constants for antibodies to the prion protein 1053(2004)253

Quantitative

The role of liquid chromatography in proteomics (Review) 1053(2004)27

Quantitative analysis

Improved liquid chromatography—mass spectrometry performance in quantitative analysis using a nanosplitter interface 1053(2004)151

Quaternary ammonium compounds

Surfing silica surfaces superciliously (Review) 1053(2004)15

Separation of fatty alcohol polyethoxylates by capillary electrophoresis through easy electroosmotic flow control with a quaternary diammonium salt 1053(2004)235

Recombinant antibody

Development of an analytical reversed-phase high-performance liquid chromatography–electrospray ionization mass spectrometry method for characterization of recombinant antibodies 1053(2004)299

Reversed-phase separation

Use of two-dimensional liquid fractionation for separation of proteins from cell lysates without the presence of methionine oxidation 1053(2004)133

Reviews

Strategies for shotgun identification of post-translational modifications by mass spectrometry (Review) 1053(2004)7

Surfing silica surfaces superciliously (Review) 1053(2004)15

The role of liquid chromatography in proteomics (Review) 1053(2004)27

Ristocetin A

Selective separations of peptides with sequence deletions, single amino acid polymorphisms, and/or epimeric centers using macrocyclic glycopeptide liquid chromatography stationary phases 1053(2004)89

Sedimentation

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Sheathless CE interfaces

Sheathless electrospray ionization interfaces for capillary electrophoresis—mass spectrometric detection. Advantages and limitations (Review) 1053(2004)37

Signal intensity

Effect of solvent composition on signal intensity in liquid chromatography—matrix-assisted laser desorption ionization experiments 1053(2004)291

Silica

Surfing silica surfaces superciliously (Review) 1053(2004)15

Single-molecule detection

Single-molecule spectroscopy for molecular identification in capillary electrophoresis 1053(2004)173

Solid-phase extraction

Chromatographic preconcentration coupled on-line to capillary electrophoresis via a Tee-split interface 1053(2004)263

Solid-phase ion-pair microextraction

Capillary liquid chromatographic determination of cellular flavins 1053(2004)71

Starch

Determination of the amylose–amylopectin ratio of starches by iodine-affinity capillary electrophoresis 1053(2004)227

Stationary phases, LC

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylporphyrin-bonded silica 1053(2004)59

Latex-functionalized monolithic columns for the separation of carbohydrates by micro anion-exchange chromatography 1053(2004)101

Surface coating

Surfing silica surfaces superciliously (Review) 1053(2004)15

Tee-split interface

Chromatographic preconcentration coupled on-line to capillary electrophoresis via a Tee-split interface 1053(2004)263

Teicoplanin

Selective separations of peptides with sequence deletions, single amino acid polymorphisms, and/or epimeric centers using macrocyclic glycopeptide liquid chromatography stationary phases 1053(2004)89

Tetraphenylporphyrin

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Toluene

Adsorption isotherms of the fullerenes C_{60} and C_{70} on a tetraphenylpor-phyrin-bonded silica 1053(2004)59

Urea-linked cinchona-calixarene hybrid-type selector

Novel urea-linked cinchona-calixarene hybrid-type receptors for efficient chromatographic enantiomer separation of carbamate-protected cyclic amino acids 1053(2004)119

Variance

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201

Wheat germ

Approach to the comprehensive analysis of glycoproteins isolated from human serum using a multi-lectin affinity column 1053(2004)79

Width of starting zone

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Zone sharpening

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. I. Theoretical studies 1053(2004)181

Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. II. Experimental studies at acidic pH with on-line enrichment 1053(2004)201