

Subject Index Vol. 1054

Acylated glycosides

Characterisation of flavonols in broccoli (*Brassica oleracea* L. var. *italica*) by liquid chromatography–UV diode-array detection–electrospray ionisation mass spectrometry 1054(2004)181

Alkaloids

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

Determination of pigments in vegetables (Review) 1054(2004)217

Alkylresorcinols

Chromatographic analysis of alkylresorcinols and their metabolites (Review) 1054(2004)157

Analysis

Anthocyanins in cereals (Review) 1054(2004)129

Anthocyanidin

Determination of pigments in vegetables (Review) 1054(2004)217

Anthocyanins

Anthocyanins in cereals (Review) 1054(2004)129

Determination of anthocyanins in wine by direct injection liquid chromatography–diode array detection–mass spectrometry and classification of wines using discriminant analysis 1054(2004)195

Liquid chromatographic–mass spectrometric analysis of anthocyanin composition of dark blue bee pollen from *Echium plantagineum* 1054(2004)205

Liquid chromatography–mass spectrometry identification of anthocyanins of isla oca (*Oxalis tuberosa*, Mol.) tubers 1054(2004)211

Antioxidants

Health and sensory properties of virgin olive oil hydrophilic phenols: agronomic and technological aspects of production that affect their occurrence in the oil (Review) 1054(2004)113

Aquatic species

Polychlorinated naphthalenes in animal aquatic species and human exposure through the diet (Review) 1054(2004)327

Aroma

Evaluation of two gas chromatography–olfactometry methods: the detection frequency and perceived intensity method 1054(2004)33

Artemisia capillaris

Comparison of the volatile constituents of *Artemisia capillaris* from different locations by gas chromatography–mass spectrometry and projection method 1054(2004)73

Atomic fluorescence spectrometry

Characterization of denatured metallothioneins by reversed phase coupled with on-line chemical vapour generation and atomic fluorescence spectrometric detection 1054(2004)285

Beers

Development of a rapid method based on solid-phase extraction and liquid chromatography with ultraviolet absorbance detection for the determination of polyphenols in alcohol-free beers 1054(2004)175

Betalains

Determination of pigments in vegetables (Review) 1054(2004)217

Biomarkers

Chromatographic analysis of alkylresorcinols and their metabolites (Review) 1054(2004)157

β-Blockers

Multiresidue method for the detection of tranquilisers, xylazine, and a β-blocker in animal production by liquid chromatography–tandem mass spectrometry 1054(2004)373

Brassica juncea

Chromatographic speciation of anionic and neutral selenium compounds in Se-accumulating *Brassica juncea* (Indian mustard) and in selenized yeast 1054(2004)303

Broccoli

Characterisation of flavonols in broccoli (*Brassica oleracea* L. var. *italica*) by liquid chromatography–UV diode-array detection–electrospray ionisation mass spectrometry 1054(2004)181

Carbamate insecticides

Simple and rapid assay for analyzing residues of carbamate insecticides in bovine milk: hot water extraction followed by liquid chromatography–mass spectrometry 1054(2004)351

Carotenes

Determination of pigments in vegetables (Review) 1054(2004)217

Carotenoid

Improved liquid chromatographic method for determination of carotenoids in Taiwanese mango (*Mangifera indica* L.) 1054(2004)261

α_{s1}- and α_{s2}-casein

Quantitative determination of α_{s2}- and α_{s1}-casein in goats milk with different genotypes by capillary electrophoresis 1054(2004)279

Cationization

Simultaneous detection of type A and type B trichothecenes in cereals by liquid chromatography–electrospray ionization mass spectrometry using NaCl as cationization agent 1054(2004)389

Cereals

Anthocyanins in cereals (Review) 1054(2004)129

 α -Chaconine

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

Cheese

Identification and formation of angiotensin-converting enzyme-inhibitory peptides in Manchego cheese by high-performance liquid chromatography–tandem mass spectrometry 1054(2004)269

Chiral

Natural variability of the enantiomeric composition of bioactive chiral terpenes in *Mentha piperita* 1054(2004)87

Chloramphenicol

Quantitative determination of chloramphenicol in milk powders by isotope dilution liquid chromatography coupled to tandem mass spectrometry 1054(2004)365

Chlorophyll

Determination of pigments in vegetables (Review) 1054(2004)217

Cinnamic acid

Extraction and analysis of phenolics in food (Review) 1054(2004)95

Column combinations

Comprehensive two-dimensional gas chromatography of complex samples by using a 'reversed-type' column combination: application to food analysis 1054(2004)47

Common component

Comparison of the volatile constituents of *Artemisia capillaris* from different locations by gas chromatography–mass spectrometry and projection method 1054(2004)73

Comprehensive two-dimensional chromatography

Comprehensive two-dimensional chromatography in food analysis (Review) 1054(2004)3

Comprehensive two-dimensional gas chromatography

Comprehensive two-dimensional gas chromatography of complex samples by using a 'reversed-type' column combination: application to food analysis 1054(2004)47

Comprehensive two-dimensional gas chromatography (GC \times GC)

Analysis of roasted coffee bean volatiles by using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1054(2004)57

Cyclopropenoids fatty acids (CPFA)

Evaluation of a methylation procedure to determine cyclopropenoids fatty acids from *Sterculia striata* St. Hil. Et Nauds seed oil 1054(2004)235

Degradation

Oxidative degradation of food dye E133 Brilliant Blue FCF. Liquid chromatography–electrospray mass spectrometry identification of the degradation pathway 1054(2004)379

Detection frequency

Evaluation of two gas chromatography–olfactometry methods: the detection frequency and perceived intensity method 1054(2004)33

Diacylglycerols

Determination of mono- and di-acylglycerols in milk lipids 1054(2004)251

Dietary intake

Human exposure to polybrominated diphenyl ethers through the diet (Review) 1054(2004)321

Polychlorinated naphthalenes in animal aquatic species and human exposure through the diet (Review) 1054(2004)327

Dietary supplements

Investigation of the elemental composition and chemical association of several elements in fulvic acids dietary supplements by size-exclusion chromatography UV inductively coupled plasma mass spectrometric 1054(2004)313

(3,4-Dihydroxyphenyl)ethanol

Health and sensory properties of virgin olive oil hydrophilic phenols: agronomic and technological aspects of production that affect their occurrence in the oil (Review) 1054(2004)113

Echium plantagineum

Liquid chromatographic–mass spectrometric analysis of anthocyanin composition of dark blue bee pollen from *Echium plantagineum* 1054(2004)205

Electronic nose responses

Correlating sensory attributes to gas chromatography–mass spectrometry profiles and e-nose responses using partial least squares regression analysis 1054(2004)39

Elemental speciation

Investigation of the elemental composition and chemical association of several elements in fulvic acids dietary supplements by size-exclusion chromatography UV inductively coupled plasma mass spectrometric 1054(2004)313

Enantiomer separation

On-line reversed–phase liquid chromatography–gas chromatography coupled to mass spectrometry for enantiomeric analysis of chiral compounds in fruit beverages 1054(2004)81

Natural variability of the enantiomeric composition of bioactive chiral terpenes in *Mentha piperita* 1054(2004)87

Enzyme inhibitors

Identification and formation of angiotensin-converting enzyme-inhibitory peptides in Manchego cheese by high-performance liquid chromatography–tandem mass spectrometry 1054(2004)269

Essential oils

Essential oil yield and quality of methyl eugenol rich *Ocimum tenuiflorum* L.f. (syn. *O. sanctum* L.) grown in south India as influenced by method of harvest 1054(2004)67

Extracted ion chromatograms (EICs)

Analysis of roasted coffee bean volatiles by using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1054(2004)57

Flavonoids

Extraction and analysis of phenolics in food (Review) 1054(2004)95

Characterisation of flavonols in broccoli (*Brassica oleracea* L. var. *italica*) by liquid chromatography–UV diode-array detection–electrospray ionisation mass spectrometry 1054(2004)181

Flavour

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Flow field-flow fractionation

Characterization of winemaking yeast by cell number–size distribution analysis through flow field-flow fractionation with multi-wavelength turbidimetric detection 1054(2004)293

Food analysis

Comprehensive two-dimensional chromatography in food analysis (Review) 1054(2004)3

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Evaluation of two gas chromatography–olfactometry methods: the detection frequency and perceived intensity method 1054(2004)33

On-line reversed–phase liquid chromatography–gas chromatography coupled to mass spectrometry for enantiomeric analysis of chiral compounds in fruit beverages 1054(2004)81

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

Chromatographic analysis of alkylresorcinols and their metabolites (Review) 1054(2004)157

Characterisation of flavonols in broccoli (*Brassica oleracea* L. var. *italica*) by liquid chromatography–UV diode-array detection–electrospray ionisation mass spectrometry 1054(2004)181

Liquid chromatographic analysis of milk phospholipids with on-line pre-concentration 1054(2004)241

Determination of mono- and di-acylglycerols in milk lipids 1054(2004)251

Improved liquid chromatographic method for determination of carotenoids in Taiwanese mango (*Mangifera indica* L.) 1054(2004)261

Identification and formation of angiotensin-converting enzyme-inhibitory peptides in Manchego cheese by high-performance liquid chromatography–tandem mass spectrometry 1054(2004)269

Characterization of winemaking yeast by cell number–size distribution analysis through flow field-flow fractionation with multi-wavelength turbidimetric detection 1054(2004)293

Human exposure to polybrominated diphenyl ethers through the diet (Review) 1054(2004)321

Polychlorinated naphthalenes in animal aquatic species and human exposure through the diet (Review) 1054(2004)327

Ruggedness and other performance characteristics of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in food crops 1054(2004)335

Simple and rapid assay for analyzing residues of carbamate insecticides in bovine milk: hot water extraction followed by liquid chromatography–mass spectrometry 1054(2004)351

Cold-temperature stability of five β -lactam antibiotics in bovine milk and milk extracts prepared for liquid chromatography–electrospray ionization tandem mass spectrometry analysis 1054(2004)359

Food extracts

Comprehensive two-dimensional gas chromatography of complex samples by using a ‘reversed-type’ column combination: application to food analysis 1054(2004)47

Fractionation

Investigation of the elemental composition and chemical association of several elements in fulvic acids dietary supplements by size-exclusion chromatography UV inductively coupled plasma mass spectrometric 1054(2004)313

Fructooligosaccharides

High-performance anion-exchange chromatography coupled with pulsed amperometric detection and capillary zone electrophoresis with indirect ultra violet detection as powerful tools to evaluate prebiotic properties of fructooligosaccharides and inulin 1054(2004)165

Fruit beverages

On-line reversed–phase liquid chromatography–gas chromatography coupled to mass spectrometry for enantiomeric analysis of chiral compounds in fruit beverages 1054(2004)81

Fulvic acids

Investigation of the elemental composition and chemical association of several elements in fulvic acids dietary supplements by size-exclusion chromatography UV inductively coupled plasma mass spectrometric 1054(2004)313

Gas chromatography–olfactometry

Evaluation of two gas chromatography–olfactometry methods: the detection frequency and perceived intensity method 1054(2004)33

Goats milk

Quantitative determination of α_{s2} - and α_{s1} -casein in goats milk with different genotypes by capillary electrophoresis 1054(2004)279

Headspace analysis

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Heterocyclic amines

Determination of heterocyclic amines by liquid chromatography–quadrupole time-of-flight mass spectrometry 1054(2004)409

Hot water extraction

Simple and rapid assay for analyzing residues of carbamate insecticides in bovine milk: hot water extraction followed by liquid chromatography–mass spectrometry 1054(2004)351

HPLC–MS

Oxidative degradation of food dye E133 Brilliant Blue FCF. Liquid chromatography–electrospray mass spectrometry identification of the degradation pathway 1054(2004)379

Human exposure

Human exposure to polybrominated diphenyl ethers through the diet (Review) 1054(2004)321

Polychlorinated naphthalenes in animal aquatic species and human exposure through the diet (Review) 1054(2004)327

p-Hydroxymercurybenzoate

Characterization of denatured metallothioneins by reversed phase coupled with on-line chemical vapour generation and atomic fluorescence spectrometric detection 1054(2004)285

Injection volume

Ruggedness and other performance characteristics of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in food crops 1054(2004)335

Inulin

High-performance anion-exchange chromatography coupled with pulsed amperometric detection and capillary zone electrophoresis with indirect ultra violet detection as powerful tools to evaluate prebiotic properties of fructooligosaccharides and inulin 1054(2004)165

Irradiation

Determination of volatile *N*-nitrosamines in irradiated fermented sausage by gas chromatography coupled to a thermal energy analyzer 1054(2004)403

Isla oca tubers

Liquid chromatography–mass spectrometry identification of anthocyanins of isla oca (*Oxalis tuberosa*, Mol.) tubers 1054(2004)211

Jimson weed

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

 β -Lactam antibiotics

Cold-temperature stability of five β -lactam antibiotics in bovine milk and milk extracts prepared for liquid chromatography–electrospray ionization tandem mass spectrometry analysis 1054(2004)359

Lipids

Liquid chromatographic analysis of milk phospholipids with on-line pre-concentration 1054(2004)241

Determination of mono- and di-acylglycerols in milk lipids 1054(2004)251

Maize

Anthocyanins in cereals (Review) 1054(2004)129

Matrix effects

Ruggedness and other performance characteristics of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in food crops 1054(2004)335

Measurement uncertainty

Quantitative determination of chloramphenicol in milk powders by isotope dilution liquid chromatography coupled to tandem mass spectrometry 1054(2004)365

Mechanical extraction process

Health and sensory properties of virgin olive oil hydrophilic phenols: agronomic and technological aspects of production that affect their occurrence in the oil (Review) 1054(2004)113

Mentha piperita

Natural variability of the enantiomeric composition of bioactive chiral terpenes in *Mentha piperita* 1054(2004)87

Metallothioneins

Characterization of denatured metallothioneins by reversed phase coupled with on-line chemical vapour generation and atomic fluorescence spectrometric detection 1054(2004)285

Method validation

Cold-temperature stability of five β -lactam antibiotics in bovine milk and milk extracts prepared for liquid chromatography–electrospray ionization tandem mass spectrometry analysis 1054(2004)359

Methyl eugenol

Essential oil yield and quality of methyl eugenol rich *Ocimum tenuiflorum* L.f. (syn. *O. sanctum* L.) grown in south India as influenced by method of harvest 1054(2004)67

Methylation

Evaluation of a methylation procedure to determine cyclopropanoids fatty acids from *Sterculia striata* St. Hil. Et Nauds seed oil 1054(2004)235

Microalgae

Tocopherol measurement in edible products of vegetable origin 1054(2004)227

Milk

Liquid chromatographic analysis of milk phospholipids with on-line pre-concentration 1054(2004)241

Determination of mono- and di-acylglycerols in milk lipids 1054(2004)251

Simple and rapid assay for analyzing residues of carbamate insecticides in bovine milk: hot water extraction followed by liquid chromatography–mass spectrometry 1054(2004)351

Cold-temperature stability of five β -lactam antibiotics in bovine milk and milk extracts prepared for liquid chromatography–electrospray ionization tandem mass spectrometry analysis 1054(2004)359

Milk powder

Quantitative determination of chloramphenicol in milk powders by isotope dilution liquid chromatography coupled to tandem mass spectrometry 1054(2004)365

Monoacylglycerols

Determination of mono- and di-acylglycerols in milk lipids 1054(2004)251

Multi-wavelength turbidimetry

Characterization of winemaking yeast by cell number–size distribution analysis through flow field-flow fractionation with multi-wavelength turbidimetric detection 1054(2004)293

Mycotoxins

Concentration of ochratoxin A in wines from supermarkets and stores of Valencian Community (Spain) 1054(2004)397

Nitrosamines

Determination of volatile *N*-nitrosamines in irradiated fermented sausage by gas chromatography coupled to a thermal energy analyzer 1054(2004)403

Ochratoxin A

Concentration of ochratoxin A in wines from supermarkets and stores of Valencian Community (Spain) 1054(2004)397

***Ocimum tenuiflorum* L.f.**

Essential oil yield and quality of methyl eugenol rich *Ocimum tenuiflorum* L.f. (syn. *O. sanctum* L.) grown in south India as influenced by method of harvest 1054(2004)67

Odour intensity

Evaluation of two gas chromatography–olfactometry methods: the detection frequency and perceived intensity method 1054(2004)33

Off-flavour

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Orthogonal projection method

Comparison of the volatile constituents of *Artemisia capillaris* from different locations by gas chromatography–mass spectrometry and projection method 1054(2004)73

Orthogonality

Comprehensive two-dimensional gas chromatography of complex samples by using a 'reversed-type' column combination: application to food analysis 1054(2004)47

Oxalis tuberosa

Liquid chromatography–mass spectrometry identification of anthocyanins of *isla oca* (*Oxalis tuberosa*, Mol.) tubers 1054(2004)211

Partial least squares regression analysis

Correlating sensory attributes to gas chromatography–mass spectrometry profiles and e-nose responses using partial least squares regression analysis 1054(2004)39

Particle-size distribution analysis

Characterization of winemaking yeast by cell number–size distribution analysis through flow field-flow fractionation with multi-wavelength turbidimetric detection 1054(2004)293

Penicillins

Cold-temperature stability of five β -lactam antibiotics in bovine milk and milk extracts prepared for liquid chromatography–electrospray ionization tandem mass spectrometry analysis 1054(2004)359

Peptides

Identification and formation of angiotensin-converting enzyme-inhibitory peptides in Manchego cheese by high-performance liquid chromatography–tandem mass spectrometry 1054(2004)269

Persulfate oxidation

Oxidative degradation of food dye E133 Brilliant Blue FCF. Liquid chromatography–electrospray mass spectrometry identification of the degradation pathway 1054(2004)379

Pesticide residue analysis

Ruggedness and other performance characteristics of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in food crops 1054(2004)335

Pesticides

Simple and rapid assay for analyzing residues of carbamate insecticides in bovine milk: hot water extraction followed by liquid chromatography–mass spectrometry 1054(2004)351

Phenols

Extraction and analysis of phenolics in food (Review) 1054(2004)95

Health and sensory properties of virgin olive oil hydrophilic phenols: agronomic and technological aspects of production that affect their occurrence in the oil (Review) 1054(2004)113

Phospholipids

Liquid chromatographic analysis of milk phospholipids with on-line pre-concentration 1054(2004)241

Phycobilins

Determination of pigments in vegetables (Review) 1054(2004)217

Plant pigments

Determination of pigments in vegetables (Review) 1054(2004)217

Pollen

Liquid chromatographic–mass spectrometric analysis of anthocyanin composition of dark blue bee pollen from *Echium plantagineum* 1054(2004)205

Polybrominated diphenyl ethers

Human exposure to polybrominated diphenyl ethers through the diet (Review) 1054(2004)321

Polychlorinated naphthalenes

Polychlorinated naphthalenes in animal aquatic species and human exposure through the diet (Review) 1054(2004)327

Polyphenols

Development of a rapid method based on solid-phase extraction and liquid chromatography with ultraviolet absorbance detection for the determination of polyphenols in alcohol-free beers 1054(2004)175

Determination of pigments in vegetables (Review) 1054(2004)217

Potatoes

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

Pre-concentration

Liquid chromatographic analysis of milk phospholipids with on-line pre-concentration 1054(2004)241

Quantitative determination

Quantitative determination of α_{s2} - and α_{s1} -casein in goats milk with different genotypes by capillary electrophoresis 1054(2004)279

Reviews

Anthocyanins in cereals (Review) 1054(2004)129

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

Chromatographic analysis of alkylresorcinols and their metabolites (Review) 1054(2004)157

Determination of pigments in vegetables (Review) 1054(2004)217

Human exposure to polybrominated diphenyl ethers through the diet (Review) 1054(2004)321

Polychlorinated naphthalenes in animal aquatic species and human exposure through the diet (Review) 1054(2004)327

Rice

Anthocyanins in cereals (Review) 1054(2004)129

Roasted coffee beans

Analysis of roasted coffee bean volatiles by using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1054(2004)57

Ruggedness

Ruggedness and other performance characteristics of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in food crops 1054(2004)335

Rye

Chromatographic analysis of alkylresorcinols and their metabolites (Review) 1054(2004)157

Saccharomyces

Characterization of winemaking yeast by cell number–size distribution analysis through flow field-flow fractionation with multi-wavelength turbidimetric detection 1054(2004)293

Sausages

Determination of volatile *N*-nitrosamines in irradiated fermented sausage by gas chromatography coupled to a thermal energy analyzer 1054(2004)403

Screening

Tocopherol measurement in edible products of vegetable origin 1054(2004)227

Secoiridoids

Health and sensory properties of virgin olive oil hydrophilic phenols: agronomic and technological aspects of production that affect their occurrence in the oil (Review) 1054(2004)113

Selenium

Chromatographic speciation of anionic and neutral selenium compounds in Se-accumulating *Brassica juncea* (Indian mustard) and in selenized yeast 1054(2004)303

Sensory characteristics

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Sensory scores

Correlating sensory attributes to gas chromatography–mass spectrometry profiles and e-nose responses using partial least squares regression analysis 1054(2004)39

 α -Solanine

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

Solid-phase dispersion

Simple and rapid assay for analyzing residues of carbamate insecticides in bovine milk: hot water extraction followed by liquid chromatography–mass spectrometry 1054(2004)351

Solid-phase extraction

Determination of mono- and di-acylglycerols in milk lipids 1054(2004)251

Solid-phase microextraction

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Solid-phase microextraction (SPME)

Analysis of roasted coffee bean volatiles by using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1054(2004)57

Sorghum

Anthocyanins in cereals (Review) 1054(2004)129

Speciation

Chromatographic speciation of anionic and neutral selenium compounds in Se-accumulating *Brassica juncea* (Indian mustard) and in selenized yeast 1054(2004)303

Spirulina

Tocopherol measurement in edible products of vegetable origin 1054(2004)227

Stability

Cold-temperature stability of five β -lactam antibiotics in bovine milk and milk extracts prepared for liquid chromatography–electrospray ionization tandem mass spectrometry analysis 1054(2004)359

Sterculia striata

Evaluation of a methylation procedure to determine cyclopropenoids fatty acids from *Sterculia striata* St. Hil. Et Nauds seed oil 1054(2004)235

Sub-window factor analysis

Comparison of the volatile constituents of *Artemisia capillaris* from different locations by gas chromatography–mass spectrometry and projection method 1054(2004)73

Supercritical fluid extraction

Tocopherol measurement in edible products of vegetable origin 1054(2004)227

Taiwanese mango

Improved liquid chromatographic method for determination of carotenoids in Taiwanese mango (*Mangifera indica* L.) 1054(2004)261

Terpenes

Natural variability of the enantiomeric composition of bioactive chiral terpenes in *Mentha piperita* 1054(2004)87

Tetrapyrroles

Determination of pigments in vegetables (Review) 1054(2004)217

Thermal energy analyzer

Determination of volatile *N*-nitrosamines in irradiated fermented sausage by gas chromatography coupled to a thermal energy analyzer 1054(2004)403

Time-of-flight mass spectrometry (TOFMS)

Analysis of roasted coffee bean volatiles by using comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry 1054(2004)57

Tomatoes

Analysis of biologically active compounds in potatoes (*Solanum tuberosum*), tomatoes (*Lycopersicon esculentum*), and jimson weed (*Datura stramonium*) seeds (Review) 1054(2004)143

Tranquillisers

Multiresidue method for the detection of tranquillisers, xylazine, and a β -blocker in animal production by liquid chromatography–tandem mass spectrometry 1054(2004)373

Trichothecenes

Simultaneous detection of type A and type B trichothecenes in cereals by liquid chromatography–electrospray ionization mass spectrometry using NaCl as cationization agent 1054(2004)389

Triphenylmethane dyes

Oxidative degradation of food dye E133 Brilliant Blue FCF. Liquid chromatography–electrospray mass spectrometry identification of the degradation pathway 1054(2004)379

Virgin olive oil

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Health and sensory properties of virgin olive oil hydrophilic phenols: agronomic and technological aspects of production that affect their occurrence in the oil (Review) 1054(2004)113

Vitamin E

Tocopherol measurement in edible products of vegetable origin 1054(2004)227

Volatile compounds

Volatile compounds in virgin olive oil: occurrence and their relationship with the quality (Review) 1054(2004)17

Wheat

Anthocyanins in cereals (Review) 1054(2004)129

Chromatographic analysis of alkylresorcinols and their metabolites (Review) 1054(2004)157

Wine

Determination of anthocyanins in wine by direct injection liquid chromatography–diode array detection–mass spectrometry and classification of wines using discriminant analysis 1054(2004)195

Characterization of winemaking yeast by cell number–size distribution analysis through flow field-flow fractionation with multi-wavelength turbidimetric detection 1054(2004)293

Concentration of ochratoxin A in wines from supermarkets and stores of Valencian Community (Spain) 1054(2004)397

Xanthophylls

Determination of pigments in vegetables (Review) 1054(2004)217

Xylazine

Multiresidue method for the detection of tranquillisers, xylazine, and a β -blocker in animal production by liquid chromatography–tandem mass spectrometry 1054(2004)373

Yeast

Characterization of winemaking yeast by cell number–size distribution analysis through flow field-flow fractionation with multi-wavelength turbidimetric detection 1054(2004)293

Chromatographic speciation of anionic and neutral selenium compounds in Se-accumulating *Brassica juncea* (Indian mustard) and in selenized yeast 1054(2004)303