

Subject Index Vol. 1055

Acromelic acids

Mass spectrometric determination of acromelic acid A from a new poisonous mushroom: *Clitocybe amoenolens* 1055(2004)99

n-Alkanes

Practical aspects of splitless injection of semivolatile compounds in fast gas chromatography 1055(2004)159

1,3-alternate 25,27-dipropoxy-26,28-bis-[3-propyloxy]-calix[4]arene

High-performance liquid chromatography of di- and trisubstituted aromatic positional isomers on 1,3-alternate 25,27-dipropoxy-26,28-bis-[3-propyloxy]-calix[4]arene-bonded silica gel stationary phase 1055(2004)21

Amines

Determination of aliphatic amines in mineral flotation liquors and reagents by high-performance liquid chromatography after derivatization with 4-chloro-7-nitrobenzofurazan 1055(2004)77

α -Aminonitrile

High-performance liquid chromatographic determination of α -aminonitrile enantiomers after derivatization with *o*-phthalaldehyde and chiral thiols 1055(2004)235

Antarctica ice

Speciation analysis of mercury by solid-phase microextraction and multi-capillary gas chromatography hyphenated to inductively coupled plasma-time-of-flight-mass spectrometry 1055(2004)197

Antibody production

Model-based optimization of a preparative ion-exchange step for antibody purification 1055(2004)29

Atomic fluorescence spectrometry

Solid-phase extraction–gas chromatography–mass spectrometry using a fullerene sorbent for the determination of inorganic mercury(II), methylmercury(I) and ethylmercury(I) in surface waters at sub-ng/ml levels 1055(2004)185

Benzhydrol

The effects of aromatic substituents on the chromatographic enantio-separation of diarylmethyl esters with the Whelk-O1 chiral stationary phase 1055(2004)41

Bergapten

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) *Cusson* by high-speed counter-current chromatography 1055(2004)71

Capillary columns

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Prediction of retention times in linear gradient temperature and pressure programmed analysis on capillary columns 1055(2004)151

Capillary electrophoresis

Analysis of conformational change of human serum albumin using chiral capillary electrophoresis 1055(2004)209

Short-capillary electrophoresis with electrochemiluminescence detection using porous etched joint for fast analysis of lidocaine and ofloxacin 1055(2004)223

Further research on iodine speciation in seawater by capillary zone electrophoresis with isotachopheresis preconcentration 1055(2004)229

Carboxylic acid end-group

Separation and characterization of functional poly(*n*-butyl acrylate) by critical liquid chromatography 1055(2004)123

Carrier gas

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Prediction of retention times in linear gradient temperature and pressure programmed analysis on capillary columns 1055(2004)151

Casein

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Central composite design

Simultaneous determination of six main nucleosides and bases in natural and cultured *Cordyceps* by capillary electrophoresis 1055(2004)215

Chemical heterogeneity versus molecular weight

Gel permeation chromatography followed by pyrolysis–gas chromatography–mass spectrometry via a solvent-evaporative interface 1055(2004)191

Chiral

Highly sensitive and rapid normal-phase chiral screen using high-performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry (HPLC/MS) 1055(2004)55

Chiral chromatography

The effects of aromatic substituents on the chromatographic enantio-separation of diarylmethyl esters with the Whelk-O1 chiral stationary phase 1055(2004)41

Chiral crown ether

On-line sample cleanup and chiral separation of gemifloxacin in a urinary solution using chiral crown ether as a chiral selector in microchip electrophoresis 1055(2004)241

Chiral recognition

Construction and application of a stoichiometric displacement model for retention in chiral recognition of molecular imprinting 1055(2004)1

The effects of aromatic substituents on the chromatographic enantio-separation of diarylmethyl esters with the Whelk-O1 chiral stationary phase 1055(2004)41

Chiral separation

Analysis of conformational change of human serum albumin using chiral capillary electrophoresis 1055(2004)209

On-line sample cleanup and chiral separation of gemifloxacin in a urinary solution using chiral crown ether as a chiral selector in microchip electrophoresis 1055(2004)241

Chiral solvating agent

The effects of aromatic substituents on the chromatographic enantio-separation of diarylmethyl esters with the Whelk-O1 chiral stationary phase 1055(2004)41

4-Chloro-7-nitrobenzofurazan

Determination of aliphatic amines in mineral flotation liquors and reagents by high-performance liquid chromatography after derivatization with 4-chloro-7-nitrobenzofurazan 1055(2004)77

Cholesterol oxidation products

Gas chromatographic properties of common cholesterol and phytosterol oxidation products 1055(2004)169

Classification and regression trees

Multivariate adaptive regression splines (MARS) in chromatographic quantitative structure–retention relationship studies 1055(2004)11

Cleavage sites

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Clitocybe acromelalga

Mass spectrometric determination of acromelic acid A from a new poisonous mushroom: *Clitocybe amoenolens* 1055(2004)99

Clitocybe amoenolens

Mass spectrometric determination of acromelic acid A from a new poisonous mushroom: *Clitocybe amoenolens* 1055(2004)99

***Cnidium monnieri* (L.) Cusson**

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) Cusson by high-speed counter-current chromatography 1055(2004)71

Conformational change

Analysis of conformational change of human serum albumin using chiral capillary electrophoresis 1055(2004)209

Cordyceps

Simultaneous determination of six main nucleosides and bases in natural and cultured *Cordyceps* by capillary electrophoresis 1055(2004)215

Counter-current chromatography

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) Cusson by high-speed counter-current chromatography 1055(2004)71

An efficient new method for extraction, separation and purification of psoralen and isopsoralen from Fructus Psoraleae by supercritical fluid extraction and high-speed counter-current chromatography 1055(2004)135

Critical liquid chromatography

Separation and characterization of functional poly(*n*-butyl acrylate) by critical liquid chromatography 1055(2004)123

Derivatization

Determination of aliphatic amines in mineral flotation liquors and reagents by high-performance liquid chromatography after derivatization with 4-chloro-7-nitrobenzofurazan 1055(2004)77

Derivatization, LC

High-performance liquid chromatographic determination of α -aminonitrile enantiomers after derivatization with *o*-phthalaldehyde and chiral thiols 1055(2004)235

Detector response factors

Gas chromatographic properties of common cholesterol and phytosterol oxidation products 1055(2004)169

Determination

Simultaneous determination of six main nucleosides and bases in natural and cultured *Cordyceps* by capillary electrophoresis 1055(2004)215

Diarylcarbinol

The effects of aromatic substituents on the chromatographic enantio-separation of diarylmethyl esters with the Whelk-O1 chiral stationary phase 1055(2004)41

Diarylmethanol

The effects of aromatic substituents on the chromatographic enantio-separation of diarylmethyl esters with the Whelk-O1 chiral stationary phase 1055(2004)41

Dimethyl terephthalate

Determination of solid products from the de-polymerization of poly(trimethylene terephthalate) in supercritical methanol 1055(2004)115

Electrochemical detector

Determination of tetracyclines in ovine milk by high-performance liquid chromatography with a coulometric electrode array system 1055(2004)109

Electrochemiluminescence

Short-capillary electrophoresis with electrochemiluminescence detection using porous etched joint for fast analysis of lidocaine and ofloxacin 1055(2004)223

Enantiomer separation

High-performance liquid chromatographic determination of α -aminonitrile enantiomers after derivatization with *o*-phthalaldehyde and chiral thiols 1055(2004)235

Environmentally friendly

Development of an extraction method for the determination of zearalenone in corn using less organic solvents 1055(2004)247

Enzymatic hydrolysis

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Erythralgia

Mass spectrometric determination of acromelic acid A from a new poisonous mushroom: *Clitocybe amoenolens* 1055(2004)99

Fast gas chromatography

Practical aspects of splitless injection of semivolatiles compounds in fast gas chromatography 1055(2004)159

Flotation solution analysis

Determination of aliphatic amines in mineral flotation liquors and reagents by high-performance liquid chromatography after derivatization with 4-chloro-7-nitrobenzofurazan 1055(2004)77

Froth flotation

Determination of aliphatic amines in mineral flotation liquors and reagents by high-performance liquid chromatography after derivatization with 4-chloro-7-nitrobenzofurazan 1055(2004)77

Functionality

Separation and characterization of functional poly(*n*-butyl acrylate) by critical liquid chromatography 1055(2004)123

Galactosidases

Selective and mild adsorption of large proteins on lowly activated immobilized metal ion affinity chromatography matrices. Purification of multimeric thermophilic enzymes overexpressed in *Escherichia coli* 1055(2004)93

Gas chromatography

Comparison of extraction methods for quantitation of methionine and selenomethionine in yeast by species specific isotope dilution gas chromatography–mass spectrometry 1055(2004)177

Solid-phase extraction–gas chromatography–mass spectrometry using a fullerene sorbent for the determination of inorganic mercury(II), methylmercury(I) and ethylmercury(I) in surface waters at sub-ng/ml levels 1055(2004)185

Gas–liquid chromatography

Gas chromatographic properties of common cholesterol and phytosterol oxidation products 1055(2004)169

GC–MS

Comparison of extraction methods for quantitation of methionine and selenomethionine in yeast by species specific isotope dilution gas chromatography–mass spectrometry 1055(2004)177

Gel permeation chromatography

Gel permeation chromatography followed by pyrolysis–gas chromatography–mass spectrometry via a solvent-evaporative interface 1055(2004)191

Gemifloxacin

On-line sample cleanup and chiral separation of gemifloxacin in a urinary solution using chiral crown ether as a chiral selector in microchip electrophoresis 1055(2004)241

Gradient elution

Highly sensitive and rapid normal-phase chiral screen using high-performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry (HPLC/MS) 1055(2004)55

Haloacetic acid

Supported liquid membrane microextraction with high-performance liquid chromatography–UV detection for monitoring trace haloacetic acids in water 1055(2004)63

High-performance liquid chromatography

High-performance liquid chromatography of di- and trisubstituted aromatic positional isomers on *1,3-alternate* 25,27-dipropoxy-26,28-bis-[3-propyloxy]-calix[4]arene-bonded silica gel stationary phase 1055(2004)21

High-sensitive analysis

Further research on iodine speciation in seawater by capillary zone electrophoresis with isotachopheresis preconcentration 1055(2004)229

High-throughput

Highly sensitive and rapid normal-phase chiral screen using high-performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry (HPLC/MS) 1055(2004)55

HPLC

Determination of tetracyclines in ovine milk by high-performance liquid chromatography with a coulometric electrode array system 1055(2004)109

HPLC/MS

Highly sensitive and rapid normal-phase chiral screen using high-performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry (HPLC/MS) 1055(2004)55

Human serum albumin

Analysis of conformational change of human serum albumin using chiral capillary electrophoresis 1055(2004)209

Imperatorin

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) *Cusson* by high-speed counter-current chromatography 1055(2004)71

Inductively coupled plasma–time of flight–mass spectrometry

Speciation analysis of mercury by solid-phase microextraction and multi-capillary gas chromatography hyphenated to inductively coupled plasma–time-of-flight–mass spectrometry 1055(2004)197

Inlet pressure

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Prediction of retention times in linear gradient temperature and pressure programmed analysis on capillary columns 1055(2004)151

Iodine determination

Further research on iodine speciation in seawater by capillary zone electrophoresis with isotachopheresis preconcentration 1055(2004)229

Ion-exchange modeling

Model-based optimization of a preparative ion-exchange step for antibody purification 1055(2004)29

Isopimpinellin

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) *Cusson* by high-speed counter-current chromatography 1055(2004)71

Isopsoralen

An efficient new method for extraction, separation and purification of psoralen and isopsoralen from *Fructus Psoraleae* by supercritical fluid extraction and high-speed counter-current chromatography 1055(2004)135

Isotope dilution

Comparison of extraction methods for quantitation of methionine and selenomethionine in yeast by species specific isotope dilution gas chromatography–mass spectrometry 1055(2004)177

Large volume injection

Practical aspects of splitless injection of semivolatile compounds in fast gas chromatography 1055(2004)159

LC/MS

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

LC-transform

Gel permeation chromatography followed by pyrolysis–gas chromatography–mass spectrometry via a solvent–evaporative interface 1055(2004)191

Lidocaine

Short–capillary electrophoresis with electrochemiluminescence detection using porous etched joint for fast analysis of lidocaine and ofloxacin 1055(2004)223

Liquid chromatography–mass spectrometry

Development of an extraction method for the determination of zearalenone in corn using less organic solvents 1055(2004)247

MALDI

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Marine and estuarine sediment

Speciation analysis of mercury by solid–phase microextraction and multi–capillary gas chromatography hyphenated to inductively coupled plasma–time–of–flight–mass spectrometry 1055(2004)197

Mass spectrometry

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Gas chromatographic properties of common cholesterol and phytosterol oxidation products 1055(2004)169

Mathematical models

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Prediction of retention times in linear gradient temperature and pressure programmed analysis on capillary columns 1055(2004)151

Membrane extraction

Supported liquid membrane microextraction with high–performance liquid chromatography–UV detection for monitoring trace haloacetic acids in water 1055(2004)63

Mercury speciation analysis

Speciation analysis of mercury by solid–phase microextraction and multi–capillary gas chromatography hyphenated to inductively coupled plasma–time–of–flight–mass spectrometry 1055(2004)177

Metal ion affinity

Selective and mild adsorption of large proteins on lowly activated immobilized metal ion affinity chromatography matrices. Purification of multimeric thermophilic enzymes overexpressed in *Escherichia coli* 1055(2004)93

Methionine

Comparison of extraction methods for quantitation of methionine and selenomethionine in yeast by species specific isotope dilution gas chromatography–mass spectrometry 1055(2004)177

Mexiletine

Analysis of conformational change of human serum albumin using chiral capillary electrophoresis 1055(2004)209

Microchip electrophoresis

On–line sample cleanup and chiral separation of gemifloxacin in a urinary solution using chiral crown ether as a chiral selector in microchip electrophoresis 1055(2004)241

Microextraction

Supported liquid membrane microextraction with high–performance liquid chromatography–UV detection for monitoring trace haloacetic acids in water 1055(2004)63

Milk

Determination of tetracyclines in ovine milk by high–performance liquid chromatography with a coulometric electrode array system 1055(2004)109

Model calibration

Model–based optimization of a preparative ion–exchange step for antibody purification 1055(2004)29

Molecular descriptors

Multivariate adaptive regression splines (MARS) in chromatographic quantitative structure–retention relationship studies 1055(2004)11

Molecular imprinting

Construction and application of a stoichiometric displacement model for retention in chiral recognition of molecular imprinting 1055(2004)1

Molecular modelling

High–performance liquid chromatographic determination of α -aminonitrile enantiomers after derivatization with *o*-phthalaldehyde and chiral thiols 1055(2004)235

Multicapillary gas chromatography

Speciation analysis of mercury by solid–phase microextraction and multi–capillary gas chromatography hyphenated to inductively coupled plasma–time–of–flight–mass spectrometry 1055(2004)197

Multimeric enzymes

Selective and mild adsorption of large proteins on lowly activated immobilized metal ion affinity chromatography matrices. Purification of multimeric thermophilic enzymes overexpressed in *Escherichia coli* 1055(2004)93

Multivariate adaptive regression splines

Multivariate adaptive regression splines (MARS) in chromatographic quantitative structure–retention relationship studies 1055(2004)11

Normal phase

Highly sensitive and rapid normal–phase chiral screen using high–performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry (HPLC/MS) 1055(2004)55

Ofloxacin

Short–capillary electrophoresis with electrochemiluminescence detection using porous etched joint for fast analysis of lidocaine and ofloxacin 1055(2004)223

Optimization

Model–based optimization of a preparative ion–exchange step for antibody purification 1055(2004)29

Osthole

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) *Cusson* by high–speed counter–current chromatography 1055(2004)71

Peak width at half height

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Pepsin

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Peptide sequencing

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Pesticides

Practical aspects of splitless injection of semivolatile compounds in fast gas chromatography 1055(2004)159

Phytosterol oxidation products

Gas chromatographic properties of common cholesterol and phytosterol oxidation products 1055(2004)169

Plate height

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Poisonous mushroom

Mass spectrometric determination of acromelic acid A from a new poisonous mushroom: *Clitocybe amoenolens* 1055(2004)99

Poly(trimethylene terephthalate)

Determination of solid products from the de-polymerization of poly(trimethylene terephthalate) in supercritical methanol 1055(2004)115

Polymer composition

Gel permeation chromatography followed by pyrolysis–gas chromatography–mass spectrometry via a solvent-evaporative interface 1055(2004)191

Porous graphitic carbon

Mass spectrometric determination of acromelic acid A from a new poisonous mushroom: *Clitocybe amoenolens* 1055(2004)99

Positional isomers separation

High-performance liquid chromatography of di- and trisubstituted aromatic positional isomers on 1,3-*alternate* 25,27-dipropoxy-26,28-bis-[3-propyloxy]-calix[4]arene-bonded silica gel stationary phase 1055(2004)21

Preconcentration

Further research on iodine speciation in seawater by capillary zone electrophoresis with isotachopheresis preconcentration 1055(2004)229

Preparative chromatography

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) *Cusson* by high-speed counter-current chromatography 1055(2004)71

An efficient new method for extraction, separation and purification of psoralen and isopsoralen from *Fructus Psoraleae* by supercritical fluid extraction and high-speed counter-current chromatography 1055(2004)135

Pressure and temperature programming

Prediction of retention times in linear gradient temperature and pressure programmed analysis on capillary columns 1055(2004)151

Pressure programming

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Pressurised liquid extraction

Development of an extraction method for the determination of zearalenone in corn using less organic solvents 1055(2004)247

Protein purification

Model-based optimization of a preparative ion-exchange step for antibody purification 1055(2004)29

Psoralea corylifolia

An efficient new method for extraction, separation and purification of psoralen and isopsoralen from *Fructus Psoraleae* by supercritical fluid extraction and high-speed counter-current chromatography 1055(2004)135

Psoralen

An efficient new method for extraction, separation and purification of psoralen and isopsoralen from *Fructus Psoraleae* by supercritical fluid extraction and high-speed counter-current chromatography 1055(2004)135

Pyrolysis

Gel permeation chromatography followed by pyrolysis–gas chromatography–mass spectrometry via a solvent-evaporative interface 1055(2004)191

Quality control

Simultaneous determination of six main nucleosides and bases in natural and cultured *Cordyceps* by capillary electrophoresis 1055(2004)215

Quantitative structure–retention relationships

Multivariate adaptive regression splines (MARS) in chromatographic quantitative structure–retention relationship studies 1055(2004)11

RAFT

Separation and characterization of functional poly(*n*-butyl acrylate) by critical liquid chromatography 1055(2004)123

Retention time

Prediction of retention times and efficiency in linear gradient programmed pressure analysis on capillary columns 1055(2004)141

Prediction of retention times in linear gradient temperature and pressure programmed analysis on capillary columns 1055(2004)151

Sample cleanup

On-line sample cleanup and chiral separation of gemifloxacin in a urinary solution using chiral crown ether as a chiral selector in microchip electrophoresis 1055(2004)241

Screening

Highly sensitive and rapid normal-phase chiral screen using high-performance liquid chromatography–atmospheric pressure ionization tandem mass spectrometry (HPLC/MS) 1055(2004)55

Se

Comparison of extraction methods for quantitation of methionine and selenomethionine in yeast by species specific isotope dilution gas chromatography–mass spectrometry 1055(2004)177

Seawater

Further research on iodine speciation in seawater by capillary zone electrophoresis with isotachopheresis preconcentration 1055(2004)229

Selenomethionine

Comparison of extraction methods for quantitation of methionine and selenomethionine in yeast by species specific isotope dilution gas chromatography–mass spectrometry 1055(2004)177

Solid-phase extraction

Mass spectrometric determination of acromelic acid A from a new poisonous mushroom: *Clitocybe amoenolens* 1055(2004)99

Solid-phase extraction–gas chromatography–mass spectrometry using a fullerene sorbent for the determination of inorganic mercury(II), methylmercury(I) and ethylmercury(I) in surface waters at sub-ng/ml levels 1055(2004)185

Solid-phase microextraction

Speciation analysis of mercury by solid-phase microextraction and multi-capillary gas chromatography hyphenated to inductively coupled plasma–time-of-flight-mass spectrometry 1055(2004)197

Speciation

Comparison of extraction methods for quantitation of methionine and selenomethionine in yeast by species specific isotope dilution gas chromatography–mass spectrometry 1055(2004)177

Splitless injection

Practical aspects of splitless injection of semivolatiles in fast gas chromatography 1055(2004)159

Stationary phase

High-performance liquid chromatography of di- and trisubstituted aromatic positional isomers on 1,3-*alternate* 25,27-dipropoxy-26,28-bis-[3-propyloxy]-calix[4]arene-bonded silica gel stationary phase 1055(2004)21

Stoichiometric displacement model for retention (SDM-R)

Construction and application of a stoichiometric displacement model for retention in chiral recognition of molecular imprinting 1055(2004)1

Supercritical fluid extraction (SFE)

An efficient new method for extraction, separation and purification of psoralen and isopsoralen from *Fructus Psoraleae* by supercritical fluid extraction and high-speed counter-current chromatography 1055(2004)135

Supercritical methanolytic de-polymerization

Determination of solid products from the de-polymerization of poly(trimethylene terephthalate) in supercritical methanol 1055(2004)115

Supported liquid membrane

Supported liquid membrane microextraction with high-performance liquid chromatography–UV detection for monitoring trace haloacetic acids in water 1055(2004)63

Tandem MS

Mass spectrometric characterization of peptides derived by peptic cleavage of bovine β -casein 1055(2004)87

Telechelic polymers

Separation and characterization of functional poly(*n*-butyl acrylate) by critical liquid chromatography 1055(2004)123

Tetracyclines

Determination of tetracyclines in ovine milk by high-performance liquid chromatography with a coulometric electrode array system 1055(2004)109

π – π interactions

The effects of aromatic substituents on the chromatographic enantio-separation of diarylmethyl esters with the Whelk-O1 chiral stationary phase 1055(2004)41

Trace analysis

Practical aspects of splitless injection of semivolatiles in fast gas chromatography 1055(2004)159

Transient isotachopheresis

Further research on iodine speciation in seawater by capillary zone electrophoresis with isotachopheresis preconcentration 1055(2004)229

Xanthotoxin

Preparative isolation and purification of coumarins from *Cnidium monnieri* (L.) *Cusson* by high-speed counter-current chromatography 1055(2004)71

Zearalenone

Development of an extraction method for the determination of zearalenone in corn using less organic solvents 1055(2004)247