


Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1056 (2004) 277-283

www.elsevier.com/locate/chroma

Subject Index Vol. 1056

Alcohols

Gas chromatography with mass spectrometric and electroantennographic detection: analysis of wood odorants by direct coupling of insect olfaction and mass spectrometry 1056(2004)209

Aldehydes

Gas chromatography with mass spectrometric and electroantennographic detection: analysis of wood odorants by direct coupling of insect olfaction and mass spectrometry 1056(2004)209

Anisoles

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography–ion-trap tandem mass spectrometry 1056(2004)243

Arsenic

Simultaneous determination of mercury and arsenic species in natural freshwater by liquid chromatography with on-line UV irradiation, generation of hydrides and cold vapor and tandem atomic fluorescence detection 1056(2004)139

Atomic fluorescence detection

Simultaneous determination of mercury and arsenic species in natural freshwater by liquid chromatography with on-line UV irradiation, generation of hydrides and cold vapor and tandem atomic fluorescence detection 1056(2004)139

Bioterrorism

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromatography-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Branching

Determination of low amounts of long-chain branches in polypropylene using a combination of chromatographic and rheological methods 1056(2004)217

Breakthrough

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Breath analysis

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Breath ethane

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Breath methane

On-line monitoring of breath by membrane extraction with sorbent interface coupled with ${\rm CO_2}$ sensor 1056(2004)35

γ-Butyrolactone

Simultaneous analysis of gamma-hydroxybutyric acid and its precursors in urine using liquid chromatography-tandem mass spectrometry 1056(2004)83

Carbofrit[®]

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography-ion-trap tandem mass spectrometry 1056(2004)243

Carboxen

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Chemiluminescence detection

Field-flow fractionation of cells with chemiluminescence detection 1056(2004)229

Chemiluminescent nitrogen detection

Liquid chromatography—mass spectrometry with chemiluminescent nitrogen detection for on-line quantitative analysis of compound collections: advantages and limitations 1056(2004)67

Chemometrics

Multivariate selectivity as a metric for evaluating comprehensive two-dimensional gas chromatography-time-of-flight mass spectrometry subjected to chemometric peak deconvolution 1056(2004)145

Chloroanisoles

Optimisation of a headspace solid-phase microextraction method for the direct determination of chloroanisoles related to cork taint in red wine 1056(2004)49

CO₂ sensor

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Cobalt ferrite particles

Isolation of genomic DNA using magnetic cobalt ferrite and silica particles 1056(2004)43

Cork taint

Optimisation of a headspace solid-phase microextraction method for the direct determination of chloroanisoles related to cork taint in red wine 1056(2004)49

Coulometric detection

Pressurized liquid extraction prior to liquid chromatography with electrochemical detection for the analysis of vitamin E isomers in seeds and nuts 1056(2004)249

Cryogenic trapping

Rapid sequential heart-cut multidimensional gas chromatographic analysis 1056(2004)163

Cyproterone acetate

Fully automated method for the liquid chromatographic—tandem mass spectrometric determination of cyproterone acetate in human plasma using restricted access material for on-line sample clean-up 1056(2004)105

Deconvolution

Multivariate selectivity as a metric for evaluating comprehensive twodimensional gas chromatography–time-of-flight mass spectrometry subjected to chemometric peak deconvolution 1056(2004)145

Derivatisation

Liquid chromatography coupled with inductively coupled plasma mass spectrometry in the pharmaceutical industry: selected examples (Review) 1056(2004)3

Derivatization, GC

Applicability of solid-phase microextraction followed by on-fiber silylation for the determination of estrogens in water samples by gas chromatography—tandem mass spectrometry 1056(2004)179

Derivatization, LC

Determination of α -tocopherolquinone in human serum samples by liquid chromatography with fluorescence detection and on-line post-column derivatization 1056(2004)257

Detection, GC

New gas chromatography-olfactometric investigative method, and its application to cooked *Silurus glanis* (European catfish) odor characterization 1056(2004)201

Gas chromatography with mass spectrometric and electroantennographic detection: analysis of wood odorants by direct coupling of insect olfaction and mass spectrometry 1056(2004)209

$Diazabicyclo-(5,\!4,\!0) undec-7-en$

Determination of weakly acidic endocrine-disrupting compounds by liquid chromatography-mass spectrometry with post-column base addition 1056(2004)131

Dimethylsulfoxide

Selective determination of polychlorinated biphenyls in waste oils using liquid–liquid partition followed by headspace solid-phase microextraction and gas chromatography with atomic emission detection 1056(2004)263

Dinophysistoxins

Rapid determination of polyether marine toxins using liquid chromatography–multiple tandem mass spectrometry 1056(2004)77

Diphenylbutadiene

Determination of diphenylbutadiene by liquid chromatography–UV–fluorescence in foodstuffs 1056(2004)99

Direct coupling

Direct coupling of supercritical fluid extraction to a gas phase atmospheric pressure chemical ionisation source ion trap mass spectrometer for fast extraction and analysis of food components 1056(2004)27

DNA

Isolation of genomic DNA using magnetic cobalt ferrite and silica particles 1056(2004)43

Electroantennographic detection

Gas chromatography with mass spectrometric and electroantennographic detection: analysis of wood odorants by direct coupling of insect olfaction and mass spectrometry 1056(2004)209

Electron beam irradiation

Determination of low amounts of long-chain branches in polypropylene using a combination of chromatographic and rheological methods 1056(2004)217

Electrospray emitter

Properties of an electrospray emitter coated with material of low surface energy 1056(2004)223

Emilia coccinea

On-line structure characterization of pyrrolizidine alkaloids in *Onosma* stellulatum and Emilia coccinea by liquid chromatography—ion-trap mass spectrometry 1056(2004)91

Endocrine disruptors

Determination of weakly acidic endocrine-disrupting compounds by liquid chromatography-mass spectrometry with post-column base addition 1056(2004)131

Enzymes

Determination of protein phosphorylation and the translocation of green fluorescence protein-extracellular signal-regulated kinase 2 by capillary electrophoresis using laser induced fluorescence detection 1056(2004)237

Erythromycin

Identification of impurities in erythromycin by liquid chromatography mass spectrometric detection 1056(2004)111

Estrogens

Applicability of solid-phase microextraction followed by on-fiber silylation for the determination of estrogens in water samples by gas chromatography–tandem mass spectrometry 1056(2004)179

Evaporative light scattering detection

Identification of impurities in erythromycin by liquid chromatographymass spectrometric detection 1056(2004)111

Experimental design

Optimization of solid-phase extraction for a liquid chromatographic—tandem mass spectrometric general unknown screening procedure by means of computational techniques 1056(2004)57

Extracellular signal-regulated kinase

Determination of protein phosphorylation and the translocation of green fluorescence protein-extracellular signal-regulated kinase 2 by capillary electrophoresis using laser induced fluorescence detection 1056(2004)237

Fats

Application of matrix solid-phase dispersion to the determination of polychlorinated biphenyls in fat by gas chromatography with electron-capture and mass spectrometric detection 1056(2004)187

Field-flow fractionation

Field-flow fractionation of cells with chemiluminescence detection 1056(2004)229

Fish

Gas chromatography-ion trap tandem mass spectrometry versus GC-highresolution mass spectrometry for the determination of non-*ortho*-polychlorinated biphenyls in fish 1056(2004)171 New gas chromatography-olfactometric investigative method, and its application to cooked *Silurus glanis* (European catfish) odor characterization 1056(2004)201

Flow-injection analysis

Field-flow fractionation of cells with chemiluminescence detection 1056(2004)229

Food analysis

Direct coupling of supercritical fluid extraction to a gas phase atmospheric pressure chemical ionisation source ion trap mass spectrometer for fast extraction and analysis of food components 1056(2004)27

Determination of diphenylbutadiene by liquid chromatography–UV–fluorescence in foodstuffs 1056(2004)99

Application of matrix solid-phase dispersion to the determination of polychlorinated biphenyls in fat by gas chromatography with electron-capture and mass spectrometric detection 1056(2004)187

New gas chromatography-olfactometric investigative method, and its application to cooked *Silurus glanis* (European catfish) odor characterization 1056(2004)201

Pressurized liquid extraction prior to liquid chromatography with electrochemical detection for the analysis of vitamin E isomers in seeds and nuts 1056(2004)249

Food safety

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromatography-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Gas chromatography, comprehensive two-dimensional

Multivariate selectivity as a metric for evaluating comprehensive two-dimensional gas chromatography-time-of-flight mass spectrometry subjected to chemometric peak deconvolution 1056(2004)145

Comparison of conventional gas chromatography and comprehensive two-dimensional gas chromatography for the detailed analysis of petrochemical samples 1056(2004)155

Rapid sequential heart-cut multidimensional gas chromatographic analysis 1056(2004)163

General unknown screening

Optimization of solid-phase extraction for a liquid chromatographic-tandem mass spectrometric general unknown screening procedure by means of computational techniques 1056(2004)57

Green fluorescent protein

Determination of protein phosphorylation and the translocation of green fluorescence protein-extracellular signal-regulated kinase 2 by capillary electrophoresis using laser induced fluorescence detection 1056(2004)237

Headspace

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography-ion-trap tandem mass spectrometry 1056(2004)243

Headspace analysis

Selective determination of polychlorinated biphenyls in waste oils using liquid–liquid partition followed by headspace solid-phase microextraction and gas chromatography with atomic emission detection 1056(2004)263

HT-2-toxin

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromato-graphy-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Human red blood cells

Field-flow fractionation of cells with chemiluminescence detection 1056(2004)229

Hydrocarbons

Comparison of conventional gas chromatography and comprehensive twodimensional gas chromatography for the detailed analysis of petrochemical samples 1056(2004)155

γ-Hydroxybutyric acid

Simultaneous analysis of gamma-hydroxybutyric acid and its precursors in urine using liquid chromatography-tandem mass spectrometry 1056(2004)83

Hygroscopic membrane

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography–ion-trap tandem mass spectrometry 1056(2004)243

Hylotrupes bajulus

Gas chromatography with mass spectrometric and electroantennographic detection: analysis of wood odorants by direct coupling of insect olfaction and mass spectrometry 1056(2004)209

Inductively coupled plasma mass spectrometry (ICP-MS)

Liquid chromatography coupled with inductively coupled plasma mass spectrometry in the pharmaceutical industry: selected examples (Review) 1056(2004)3

Information-dependent acquisition

Optimization of solid-phase extraction for a liquid chromatographic-tandem mass spectrometric general unknown screening procedure by means of computational techniques 1056(2004)57

Instrumentation

Properties of an electrospray emitter coated with material of low surface energy 1056(2004)223

Internal standard

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

LC-MS

Liquid chromatography—mass spectrometry with chemiluminescent nitrogen detection for on-line quantitative analysis of compound collections: advantages and limitations 1056(2004)67

Light hydrocarbon

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Lipids

Properties of an electrospray emitter coated with material of low surface energy 1056(2004)223

Mass spectrometry

Simultaneous analysis of gamma-hydroxybutyric acid and its precursors in urine using liquid chromatography-tandem mass spectrometry 1056(2004)83

Fully automated method for the liquid chromatographic–tandem mass spectrometric determination of cyproterone acetate in human plasma using restricted access material for on-line sample clean-up 1056(2004)105

Properties of an electrospray emitter coated with material of low surface energy 1056(2004)223

Matrix solid-phase dispersion

Application of matrix solid-phase dispersion to the determination of polychlorinated biphenyls in fat by gas chromatography with electron-capture and mass spectrometric detection 1056(2004)187

Membrane extraction with sorbent interface (MESI)

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Mercury

Simultaneous determination of mercury and arsenic species in natural freshwater by liquid chromatography with on-line UV irradiation, generation of hydrides and cold vapor and tandem atomic fluorescence detection 1056(2004)139

Microporous membrane liquid-liquid extraction

Determination of pesticides in red wines with on-line coupled microporous membrane liquid–liquid extraction-gas chromatography 1056(2004)267

Multielemental speciation analysis

Simultaneous determination of mercury and arsenic species in natural freshwater by liquid chromatography with on-line UV irradiation, generation of hydrides and cold vapor and tandem atomic fluorescence detection 1056(2004)139

Multivariate selectivity

Multivariate selectivity as a metric for evaluating comprehensive twodimensional gas chromatography-time-of-flight mass spectrometry subjected to chemometric peak deconvolution 1056(2004)145

Musty compounds

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography–ion-trap tandem mass spectrometry 1056(2004)243

Muti-angle laser light scattering

Determination of low amounts of long-chain branches in polypropylene using a combination of chromatographic and rheological methods 1056(2004)217

Mycotoxins

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromatography-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Net analyte signal

Multivariate selectivity as a metric for evaluating comprehensive twodimensional gas chromatography-time-of-flight mass spectrometry subjected to chemometric peak deconvolution 1056(2004)145

Nivalenol

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromato-graphy-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Non-ortho-polychlorinated biphenyls

Gas chromatography—ion trap tandem mass spectrometry versus GC—highresolution mass spectrometry for the determination of non-*ortho*-polychlorinated biphenyls in fish 1056(2004)171

Off-flavour

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography-ion-trap tandem mass spectrometry 1056(2004)243

Oils

Selective determination of polychlorinated biphenyls in waste oils using liquid–liquid partition followed by headspace solid-phase microextraction and gas chromatography with atomic emission detection 1056(2004)263

Okadaic acid

Rapid determination of polyether marine toxins using liquid chromatography–multiple tandem mass spectrometry 1056(2004)77

Olfactometry

New gas chromatography-olfactometric investigative method, and its application to cooked *Silurus glanis* (European catfish) odor characterization 1056(2004)201

On-fiber derivatization

Applicability of solid-phase microextraction followed by on-fiber silylation for the determination of estrogens in water samples by gas chromatography–tandem mass spectrometry 1056(2004)179

On-line monitoring

On-line monitoring of breath by membrane extraction with sorbent interface coupled with CO_2 sensor 1056(2004)35

Onosma stellulatum

On-line structure characterization of pyrrolizidine alkaloids in *Onosma* stellulatum and Emilia coccinea by liquid chromatography—ion-trap mass spectrometry 1056(2004)91

Optimisation

Optimisation of a headspace solid-phase microextraction method for the direct determination of chloroanisoles related to cork taint in red wine 1056(2004)49

Packaging materials

Determination of diphenylbutadiene by liquid chromatography–UV–fluorescence in foodstuffs 1056(2004)99

Parallel factor analysis

Multivariate selectivity as a metric for evaluating comprehensive twodimensional gas chromatography-time-of-flight mass spectrometry subjected to chemometric peak deconvolution 1056(2004)145

Passiflora L.

Application of a novel sol–gel polydimethylsiloxane–poly(vinyl alcohol) solid-phase microextraction fiber for gas chromatographic determination of pesticide residues in herbal infusions 1056(2004)21

Patulir

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromato-graphy-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Pectenotoxins

Rapid determination of polyether marine toxins using liquid chromatography–multiple tandem mass spectrometry 1056(2004)77

Peppermint oil

Rapid sequential heart-cut multidimensional gas chromatographic analysis 1056(2004)163

Perevaporation

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography–ion-trap tandem mass spectrometry 1056(2004)243

Pervaporation

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography-ion-trap tandem mass spectrometry 1056(2004)243

Pesticides

Application of a novel sol–gel polydimethylsiloxane–poly(vinyl alcohol) solid-phase microextraction fiber for gas chromatographic determination of pesticide residues in herbal infusions 1056(2004)21

Determination of pesticides in red wines with on-line coupled microporous membrane liquid–liquid extraction-gas chromatography 1056(2004)267

Petrochemical samples

Comparison of conventional gas chromatography and comprehensive twodimensional gas chromatography for the detailed analysis of petrochemical samples 1056(2004)155

Photoreactor

Determination of α -tocopherolquinone in human serum samples by liquid chromatography with fluorescence detection and on-line post-column derivatization 1056(2004)257

Phytomedicines

Application of a novel sol–gel polydimethylsiloxane–poly(vinyl alcohol) solid-phase microextraction fiber for gas chromatographic determination of pesticide residues in herbal infusions 1056(2004)21

Phytoplankton

Rapid determination of polyether marine toxins using liquid chromatography–multiple tandem mass spectrometry 1056(2004)77

Nano liquid chromatography with hybrid quadrupole time-of-flight mass spectrometry for the determination of yessotoxin in marine phytoplankton 1056(2004)253

Poly(vinyl alcohol)

Preparation and characterization of polydimethylsiloxane/poly(vinylalco-hol) coated solid phase microextraction fibers using sol-gel technology 1056(2004)13

Polychlorinated biphenyls

Preparation and characterization of polydimethylsiloxane/poly(vinylalco-hol) coated solid phase microextraction fibers using sol-gel technology 1056(2004)13

Gas chromatography-ion trap tandem mass spectrometry versus GC-highresolution mass spectrometry for the determination of non-*ortho*-polychlorinated biphenyls in fish 1056(2004)171

Application of matrix solid-phase dispersion to the determination of polychlorinated biphenyls in fat by gas chromatography with electron-capture and mass spectrometric detection 1056(2004)187

Selective determination of polychlorinated biphenyls in waste oils using liquid–liquid partition followed by headspace solid-phase microextraction and gas chromatography with atomic emission detection 1056(2004)263

Polydimethylsiloxane

Preparation and characterization of polydimethylsiloxane/poly(vinylalcohol) coated solid phase microextraction fibers using sol-gel technology 1056(2004)13

Polymerase chain reaction

Isolation of genomic DNA using magnetic cobalt ferrite and silica particles 1056(2004)43

Polynuclear aromatic hydrocarbons

Strategic sample composition in the screening of polycyclic aromatic hydrocarbons in drinking water samples using liquid chromatography with fluorimetric detection 1056(2004)121

Polypropylene

Determination of low amounts of long-chain branches in polypropylene using a combination of chromatographic and rheological methods 1056(2004)217

Post-column base addition

Determination of weakly acidic endocrine-disrupting compounds by liquid chromatography-mass spectrometry with post-column base addition 1056(2004)131

Pressurized liquid extraction

Pressurized liquid extraction prior to liquid chromatography with electrochemical detection for the analysis of vitamin E isomers in seeds and nuts 1056(2004)249

Prostaglandins

Properties of an electrospray emitter coated with material of low surface energy 1056(2004)223

Protein phosphorylation

Determination of protein phosphorylation and the translocation of green fluorescence protein-extracellular signal-regulated kinase 2 by capillary electrophoresis using laser induced fluorescence detection 1056(2004)237

Proteins

Properties of an electrospray emitter coated with material of low surface energy 1056(2004)223

Pyrrolizidine alkaloids

On-line structure characterization of pyrrolizidine alkaloids in *Onosma* stellulatum and Emilia coccinea by liquid chromatography-ion-trap mass spectrometry 1056(2004)91

Quantitative analysis

Liquid chromatography—mass spectrometry with chemiluminescent nitrogen detection for on-line quantitative analysis of compound collections: advantages and limitations 1056(2004)67

Rapid remobilisation

Rapid sequential heart-cut multidimensional gas chromatographic analysis 1056(2004)163

Ricinine

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromato-graphy-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Sample composition

Strategic sample composition in the screening of polycyclic aromatic hydrocarbons in drinking water samples using liquid chromatography with fluorimetric detection 1056(2004)121

Screening

Optimization of solid-phase extraction for a liquid chromatographic-tandem mass spectrometric general unknown screening procedure by means of computational techniques 1056(2004)57

Seeds and nuts

Pressurized liquid extraction prior to liquid chromatography with electrochemical detection for the analysis of vitamin E isomers in seeds and nuts 1056(2004)249

Silica particles

Isolation of genomic DNA using magnetic cobalt ferrite and silica particles 1056(2004)43

Silurus glanis

New gas chromatography-olfactometric investigative method, and its application to cooked *Silurus glanis* (European catfish) odor characterization 1056(2004)201

Sol-gel technology

Preparation and characterization of polydimethylsiloxane/poly(vinylalco-hol) coated solid phase microextraction fibers using sol-gel technology 1056(2004)13

Solid-phase extraction

Optimization of solid-phase extraction for a liquid chromatographic-tandem mass spectrometric general unknown screening procedure by means of computational techniques 1056(2004)57

Determination of weakly acidic endocrine-disrupting compounds by liquid chromatography—mass spectrometry with post-column base addition 1056(2004)131

Solid-phase microextraction

Preparation and characterization of polydimethylsiloxane/poly(vinylalco-hol) coated solid phase microextraction fibers using sol-gel technology 1056(2004)13

Optimisation of a headspace solid-phase microextraction method for the direct determination of chloroanisoles related to cork taint in red wine 1056(2004)49

Applicability of solid-phase microextraction followed by on-fiber silylation for the determination of estrogens in water samples by gas chromatography–tandem mass spectrometry 1056(2004)179

Selective determination of polychlorinated biphenyls in waste oils using liquid–liquid partition followed by headspace solid-phase microextraction and gas chromatography with atomic emission detection 1056(2004)263

Speciation analysis

Simultaneous determination of mercury and arsenic species in natural freshwater by liquid chromatography with on-line UV irradiation, generation of hydrides and cold vapor and tandem atomic fluorescence detection 1056(2004)139

Substance P

Liquid chromatography coupled with inductively coupled plasma mass spectrometry in the pharmaceutical industry: selected examples (Review) 1056(2004)3

Supercritical fluid extraction

Direct coupling of supercritical fluid extraction to a gas phase atmospheric pressure chemical ionisation source ion trap mass spectrometer for fast extraction and analysis of food components 1056(2004)27

Terpenes

Gas chromatography with mass spectrometric and electroantennographic detection: analysis of wood odorants by direct coupling of insect olfaction and mass spectrometry 1056(2004)209

Tocopherolquinones

Determination of α -tocopherolquinone in human serum samples by liquid chromatography with fluorescence detection and on-line post-column derivatization 1056(2004)257

Tocopherols

Pressurized liquid extraction prior to liquid chromatography with electrochemical detection for the analysis of vitamin E isomers in seeds and nuts 1056(2004)249

T2-toxin

Reliable identification and quantification of trichothecenes and other mycotoxins by electron impact and chemical ionization-gas chromatography-mass spectrometry, using an ion-trap system in the multiple mass spectrometry mode 1056(2004)195

Validation

Fully automated method for the liquid chromatographic–tandem mass spectrometric determination of cyproterone acetate in human plasma using restricted access material for on-line sample clean-up 1056(2004)105

Viscosity

Determination of low amounts of long-chain branches in polypropylene using a combination of chromatographic and rheological methods 1056(2004)217

Vitamin E quinones

Determination of α -tocopherolquinone in human serum samples by liquid chromatography with fluorescence detection and on-line post-column derivatization 1056(2004)257

Volatile organic compounds

New gas chromatography-olfactometric investigative method, and its application to cooked *Silurus glanis* (European catfish) odor characterization 1056(2004)201

Water analysis

Strategic sample composition in the screening of polycyclic aromatic hydrocarbons in drinking water samples using liquid chromatography with fluorimetric detection 1056(2004)121

Determination of weakly acidic endocrine-disrupting compounds by liquid chromatography-mass spectrometry with post-column base addition 1056(2004)131

Simultaneous determination of mercury and arsenic species in natural freshwater by liquid chromatography with on-line UV irradiation, generation of hydrides and cold vapor and tandem atomic fluorescence detection 1056(2004)139

Applicability of solid-phase microextraction followed by on-fiber silylation for the determination of estrogens in water samples by gas chromatography—tandem mass spectrometry 1056(2004)179

Wine

Optimisation of a headspace solid-phase microextraction method for the direct determination of chloroanisoles related to cork taint in red wine 1056(2004)49

Dynamic headspace coupled to perevaporation for the analysis of anisoles in wine by gas chromatography–ion-trap tandem mass spectrometry 1056(2004)243

Determination of pesticides in red wines with on-line coupled microporous membrane liquid—liquid extraction-gas chromatography 1056(2004)267

Wood volatiles

Gas chromatography with mass spectrometric and electroantennographic detection: analysis of wood odorants by direct coupling of insect olfaction and mass spectrometry 1056(2004)209

Yessotoxin

Nano liquid chromatography with hybrid quadrupole time-of-flight mass spectrometry for the determination of yessotoxin in marine phytoplankton 1056(2004)253

Zinc-reduction column

Determination of α -tocopherolquinone in human serum samples by liquid chromatography with fluorescence detection and on-line post-column derivatization 1056(2004)257