

## Subject Index Vol. 1057

### Acetic acid quenching

Purification of the isoflavonoid puerarin by adsorption chromatography on cross-linked 12% agarose 1057(2004)95

### Acidic

Origin of enhanced chiral selectivity by acidic additives for a polysaccharide-based stationary phase 1057(2004)75

### Additives

Origin of enhanced chiral selectivity by acidic additives for a polysaccharide-based stationary phase 1057(2004)75

### Adsorption

Macroporous chitosan layer coated on non-porous silica gel as a support for metal chelate affinity chromatographic adsorbent 1057(2004)41

### Affinity ligand

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

### Agarose cross-linker

Purification of the isoflavonoid puerarin by adsorption chromatography on cross-linked 12% agarose 1057(2004)95

### Airborne particulates

Highly sensitive and selective determination of 9,10-phenanthrenequinone in airborne particulates using high-performance liquid chromatography with pre-column derivatization and fluorescence detection 1057(2004)83

### Alcohol dehydrogenase

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

### Alignment algorithm

High-performance liquid chromatographic method with quantitative comparisons of whole chromatograms of raw and steamed *Panax notoginseng* 1057(2004)141

### Alkylphenols

Analysis of endocrine disrupting alkylphenols, chlorophenols and bisphenol-A using hollow fiber-protected liquid-phase microextraction coupled with injection port-derivatization gas chromatography–mass spectrometry 1057(2004)163

### Aminoglycosides

Enhancement of evaporative light scattering detection in high-performance liquid chromatographic determination of neomycin based on highly volatile mobile phase, high-molecular-mass ion-pairing reagents and controlled peak shape 1057(2004)125

### Antioxidant compounds

Separation of rosemary antioxidant compounds by supercritical fluid chromatography on coated packed capillary columns 1057(2004)241

### Aqueous two-phase system

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

### Aroma

Application of a headspace mass spectrometry system to the differentiation and classification of wines according to their origin, variety and ageing 1057(2004)211

### Aromatic amine

Determination of 2,4,6-tribromoaniline in the color additives D&C Red Nos. 21 and 22 (Eosin Y) using solid-phase microextraction and gas chromatography-mass spectrometry 1057(2004)185

### Arsenic

Sensitive method for the determination of roxarsone using solid-phase microextraction with multi-detector gas chromatography 1057(2004)177

### Atropine

Simple high-performance liquid chromatographic method for determination of atropine and obidoxime in a parenteral injection device 1057(2004)237

### Background correction

New background correction method for liquid chromatography with diode array detection, infrared spectroscopic detection and Raman spectroscopic detection 1057(2004)21

### Barley

Free and bound phenolic compounds in barley (*Hordeum vulgare* L.) flours. Evaluation of the extraction capability of different solvent mixtures and pressurized liquid methods by micellar electrokinetic chromatography and spectrophotometry 1057(2004)1

### Bile acid acyl glycosides

Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization 1057(2004)171

### Bisphenol-A

Analysis of endocrine disrupting alkylphenols, chlorophenols and bisphenol-A using hollow fiber-protected liquid-phase microextraction coupled with injection port-derivatization gas chromatography–mass spectrometry 1057(2004)163

### Bovine serum albumin

Macroporous chitosan layer coated on non-porous silica gel as a support for metal chelate affinity chromatographic adsorbent 1057(2004)41

### Capillary electrophoresis

Improvement of heat dissipation for polydimethylsiloxane microchip electrophoresis 1057(2004)247

Interactions of  $Pb^{2+}$  with fulvic acid by electrophoretically mediated on-capillary microanalysis 1057(2004)253

#### Capillary gas chromatography

Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization 1057(2004)171

#### Carrier-gas method

Quantitative determination of hydrogen in solids by gas chromatography 1057(2004)219

#### Cation-exchange capacity

A fast, convenient and rugged procedure for characterizing the selectivity of alkyl-silica columns 1057(2004)49

Choosing an equivalent replacement column for a reversed-phase liquid chromatographic assay procedure 1057(2004)59

#### Chemical fingerprinting

High-performance liquid chromatographic method with quantitative comparisons of whole chromatograms of raw and steamed *Panax notoginseng* 1057(2004)141

#### Chemometric techniques

Application of a headspace mass spectrometry system to the differentiation and classification of wines according to their origin, variety and ageing 1057(2004)211

#### Chiral

Origin of enhanced chiral selectivity by acidic additives for a polysaccharide-based stationary phase 1057(2004)75

#### Chirobiotic T and TAG

Direct high-performance liquid chromatographic separation of unusual secondary amino acids and a comparison of the performances of Chirobiotic T and TAG columns 1057(2004)229

#### Chromatographic pattern matching

High-performance liquid chromatographic method with quantitative comparisons of whole chromatograms of raw and steamed *Panax notoginseng* 1057(2004)141

#### Cibacron blue

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

#### Classification

Application of a headspace mass spectrometry system to the differentiation and classification of wines according to their origin, variety and ageing 1057(2004)211

#### Coated particles

Separation of rosemary antioxidant compounds by supercritical fluid chromatography on coated packed capillary columns 1057(2004)241

#### Color additives

Determination of 2,4,6-tribromoaniline in the color additives D&C Red Nos. 21 and 22 (Eosin Y) using solid-phase microextraction and gas chromatography-mass spectrometry 1057(2004)185

#### Column selectivity

A fast, convenient and rugged procedure for characterizing the selectivity of alkyl-silica columns 1057(2004)49

Choosing an equivalent replacement column for a reversed-phase liquid chromatographic assay procedure 1057(2004)59

#### Copper ion

Macroporous chitosan layer coated on non-porous silica gel as a support for metal chelate affinity chromatographic adsorbent 1057(2004)41

#### Counter-current chromatography

Preparative isolation and purification of coumarins from *Peucedanum praeruptorum* Dunn by high-speed counter-current chromatography 1057(2004)89

#### D&C Red No. 21

Determination of 2,4,6-tribromoaniline in the color additives D&C Red Nos. 21 and 22 (Eosin Y) using solid-phase microextraction and gas chromatography-mass spectrometry 1057(2004)185

#### D&C Red No. 22

Determination of 2,4,6-tribromoaniline in the color additives D&C Red Nos. 21 and 22 (Eosin Y) using solid-phase microextraction and gas chromatography-mass spectrometry 1057(2004)185

#### Derivatization

Analysis of endocrine disrupting alkylphenols, chlorophenols and bisphenol-A using hollow fiber-protected liquid-phase microextraction coupled with injection port-derivatization gas chromatography-mass spectrometry 1057(2004)163

#### Differentiation

Application of a headspace mass spectrometry system to the differentiation and classification of wines according to their origin, variety and ageing 1057(2004)211

#### Dioxins

Comparison of Series 5 gas chromatography column performances from a variety of manufacturers for separation of chlorinated dibenzo-*p*-dioxins and dibenzofurans using high-resolution mass spectrometry 1057(2004)151

#### Direct enantiomeric separation

Direct high-performance liquid chromatographic separation of unusual secondary amino acids and a comparison of the performances of Chirobiotic T and TAG columns 1057(2004)229

#### DNA

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

#### Electronic nose

Application of a headspace mass spectrometry system to the differentiation and classification of wines according to their origin, variety and ageing 1057(2004)211

#### Electrophoretically mediated microanalysis

Interactions of  $Pb^{2+}$  with fulvic acid by electrophoretically mediated on-capillary microanalysis 1057(2004)253

#### Eosins

Determination of 2,4,6-tribromoaniline in the color additives D&C Red Nos. 21 and 22 (Eosin Y) using solid-phase microextraction and gas chromatography-mass spectrometry 1057(2004)185

#### Error analysis

Estimation of significant solvent concentration ranges and its application to the enhancement of the accuracy of gradient predictions 1057(2004)31

#### European Pharmacopoeia

Static headspace gas chromatographic method for quantitative determination of residual solvents in pharmaceutical drug substances according to European Pharmacopoeia requirements 1057(2004)193

**Evaporative light scattering**

Enhancement of evaporative light scattering detection in high-performance liquid chromatographic determination of neomycin based on highly volatile mobile phase, high-molecular-mass ion-pairing reagents and controlled peak shape 1057(2004)125

**Extraction methods**

Free and bound phenolic compounds in barley (*Hordeum vulgare* L.) flours. Evaluation of the extraction capability of different solvent mixtures and pressurized liquid methods by micellar electrokinetic chromatography and spectrophotometry 1057(2004)1

**Feeds**

Enhancement of evaporative light scattering detection in high-performance liquid chromatographic determination of neomycin based on highly volatile mobile phase, high-molecular-mass ion-pairing reagents and controlled peak shape 1057(2004)125

**Fingerprint**

Fingerprinting of *Salvia miltiorrhiza* Bunge by non-aqueous capillary electrophoresis compared with high-speed counter-current chromatography 1057(2004)133

**Fluorogenic derivatization**

Highly sensitive and selective determination of 9,10-phenanthrenequinone in airborne particulates using high-performance liquid chromatography with pre-column derivatization and fluorescence detection 1057(2004)83

**Free radical scavenging activity**

Free and bound phenolic compounds in barley (*Hordeum vulgare* L.) flours. Evaluation of the extraction capability of different solvent mixtures and pressurized liquid methods by micellar electrokinetic chromatography and spectrophotometry 1057(2004)1

**Fulvic acid**

Interactions of  $Pb^{2+}$  with fulvic acid by electrophoretically mediated on-capillary microanalysis 1057(2004)253

**Furans**

Comparison of Series 5 gas chromatography column performances from a variety of manufacturers for separation of chlorinated dibenzo-*p*-dioxins and dibenzofurans using high-resolution mass spectrometry 1057(2004)151

**Gas chromatography**

Comparison of Series 5 gas chromatography column performances from a variety of manufacturers for separation of chlorinated dibenzo-*p*-dioxins and dibenzofurans using high-resolution mass spectrometry 1057(2004)151

Sensitive method for the determination of roxarsone using solid-phase microextraction with multi-detector gas chromatography 1057(2004)177

Quantitative determination of hydrogen in solids by gas chromatography 1057(2004)219

**Ginsenosides**

High-performance liquid chromatographic method with quantitative comparisons of whole chromatograms of raw and steamed *Panax notoginseng* 1057(2004)141

**Glycosidic conjugates of bile acids**

Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization 1057(2004)171

**Gradient elution**

New background correction method for liquid chromatography with diode array detection, infrared spectroscopic detection and Raman spectroscopic detection 1057(2004)21

Estimation of significant solvent concentration ranges and its application to the enhancement of the accuracy of gradient predictions 1057(2004)31

**Headspace analysis**

Static headspace gas chromatographic method for quantitative determination of residual solvents in pharmaceutical drug substances according to European Pharmacopoeia requirements 1057(2004)193

**Heat sink**

Improvement of heat dissipation for polydimethylsiloxane microchip electrophoresis 1057(2004)247

**High-performance liquid chromatography**

Direct high-performance liquid chromatographic separation of unusual secondary amino acids and a comparison of the performances of Chirobiotic T and TAG columns 1057(2004)229

**High-resolution mass spectrometry**

Comparison of Series 5 gas chromatography column performances from a variety of manufacturers for separation of chlorinated dibenzo-*p*-dioxins and dibenzofurans using high-resolution mass spectrometry 1057(2004)151

**High-speed counter-current chromatography (HSCCC)**

Fingerprinting of *Salvia miltiorrhiza* Bunge by non-aqueous capillary electrophoresis compared with high-speed counter-current chromatography 1057(2004)133

Preparative isolation and purification of psoralen and isopsoralen from *Psoralea corylifolia* by high-speed counter-current chromatography 1057(2004)225

**Hollow fiber membrane**

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

Analysis of endocrine disrupting alkylphenols, chlorophenols and bisphenol-A using hollow fiber-protected liquid-phase microextraction coupled with injection port-derivatization gas chromatography-mass spectrometry 1057(2004)163

**Hydrogen**

Quantitative determination of hydrogen in solids by gas chromatography 1057(2004)219

**Hydrogen-bond acidity**

A fast, convenient and rugged procedure for characterizing the selectivity of alkyl-silica columns 1057(2004)49

Choosing an equivalent replacement column for a reversed-phase liquid chromatography assay procedure 1057(2004)59

**Hydrogen-bond basicity**

A fast, convenient and rugged procedure for characterizing the selectivity of alkyl-silica columns 1057(2004)49

Choosing an equivalent replacement column for a reversed-phase liquid chromatography assay procedure 1057(2004)59

**Hydrophobicity**

A fast, convenient and rugged procedure for characterizing the selectivity of alkyl-silica columns 1057(2004)49

Choosing an equivalent replacement column for a reversed-phase liquid chromatographic assay procedure 1057(2004)59

**Immobilized metal affinity chromatography**

Macroporous chitosan layer coated on non-porous silica gel as a support for metal chelate affinity chromatographic adsorbent 1057(2004)41

**Instrumentation**

Improvement of heat dissipation for polydimethylsiloxane microchip electrophoresis 1057(2004)247

**Interaction of Pb<sup>2+</sup> with humic substances**

Interactions of Pb<sup>2+</sup> with fulvic acid by electrophoretically mediated on-capillary microanalysis 1057(2004)253

**Isocratic elution**

Estimation of significant solvent concentration ranges and its application to the enhancement of the accuracy of gradient predictions 1057(2004)31

**Isoflavonoid separation**

Purification of the isoflavonoid puerarin by adsorption chromatography on cross-linked 12% agarose 1057(2004)95

**Isopsoralen**

Preparative isolation and purification of psoralen and isopsoralen from *Psoralea corylifolia* by high-speed counter-current chromatography 1057(2004)225

**Joule heat**

Improvement of heat dissipation for polydimethylsiloxane microchip electrophoresis 1057(2004)247

**Laser-induced fluorescence**

Improvement of heat dissipation for polydimethylsiloxane microchip electrophoresis 1057(2004)247

**LC-DAD**

New background correction method for liquid chromatography with diode array detection, infrared spectroscopic detection and Raman spectroscopic detection 1057(2004)21

**LC-Raman**

New background correction method for liquid chromatography with diode array detection, infrared spectroscopic detection and Raman spectroscopic detection 1057(2004)21

**Library search**

New background correction method for liquid chromatography with diode array detection, infrared spectroscopic detection and Raman spectroscopic detection 1057(2004)21

**Lid beads**

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

**Liquid-phase microextraction**

Analysis of endocrine disrupting alkylphenols, chlorophenols and bisphenol-A using hollow fiber-protected liquid-phase microextraction coupled with injection port-derivatization gas chromatography-mass spectrometry 1057(2004)163

**Macrocyclic antibiotic-type stationary phases**

Direct high-performance liquid chromatographic separation of unusual secondary amino acids and a comparison of the performances of Chirobiotic T and TAG columns 1057(2004)229

**Macroporous chitosan**

Macroporous chitosan layer coated on non-porous silica gel as a support for metal chelate affinity chromatographic adsorbent 1057(2004)41

**Mass spectrometric detection**

Sensitive method for the determination of roxarsone using solid-phase microextraction with multi-detector gas chromatography 1057(2004)177

**Mass spectrometry**

Fully automated online multi-dimensional protein profiling system for complex mixtures 1057(2004)107

**Matrix medium**

Matrix media selection for the determination of residual solvents in pharmaceuticals by static headspace gas chromatography 1057(2004)203

**Medicinal herbs**

High-performance liquid chromatographic method with quantitative comparisons of whole chromatograms of raw and steamed *Panax notoginseng* 1057(2004)141

**Method validation**

Simple high-performance liquid chromatographic method for determination of atropine and obidoxime in a parenteral injection device 1057(2004)237

**Micellar electrokinetic chromatography**

Free and bound phenolic compounds in barley (*Hordeum vulgare* L.) flours. Evaluation of the extraction capability of different solvent mixtures and pressurized liquid methods by micellar electrokinetic chromatography and spectrophotometry 1057(2004)1

**Micelle**

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

**Microchip**

Improvement of heat dissipation for polydimethylsiloxane microchip electrophoresis 1057(2004)247

**Molecularly imprinted polymer**

Synthesis and application of molecularly imprinted polymer on selective solid-phase extraction for the determination of monosulfuron residue in soil 1057(2004)13

**Monosulfuron**

Synthesis and application of molecularly imprinted polymer on selective solid-phase extraction for the determination of monosulfuron residue in soil 1057(2004)13

**Multi-dimensional chromatography**

Fully automated online multi-dimensional protein profiling system for complex mixtures 1057(2004)107

**Narrow-bore short capillary column**

Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization 1057(2004)171

**Neat CO<sub>2</sub>**

Separation of rosemary antioxidant compounds by supercritical fluid chromatography on coated packed capillary columns 1057(2004)241

**Neomycin**

Enhancement of evaporative light scattering detection in high-performance liquid chromatographic determination of neomycin based on highly volatile mobile phase, high-molecular-mass ion-pairing reagents and controlled peak shape 1057(2004)125

**3-Nitro-4-hydroxyphenylarsonic acid (CASRN 121-91-7)**

Sensitive method for the determination of roxarsone using solid-phase microextraction with multi-detector gas chromatography 1057(2004)177

**Non-aqueous capillary electrophoresis (NACE)**

Fingerprinting of *Salvia miltiorrhiza* Bunge by non-aqueous capillary electrophoresis compared with high-speed counter-current chromatography 1057(2004)133

**Nonionic surfactant**

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

**Obidoxime**

Simple high-performance liquid chromatographic method for determination of atropine and obidoxime in a parenteral injection device 1057(2004)237

**ODS**

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

**Packed capillary columns**

Separation of rosemary antioxidant compounds by supercritical fluid chromatography on coated packed capillary columns 1057(2004)241

***Panax notoginseng***

High-performance liquid chromatographic method with quantitative comparisons of whole chromatograms of raw and steamed *Panax notoginseng* 1057(2004)141

**PEG imprinting**

Macroporous chitosan layer coated on non-porous silica gel as a support for metal chelate affinity chromatographic adsorbent 1057(2004)41

***Peucedanum praeruptorum* Dunn**

Preparative isolation and purification of coumarins from *Peucedanum praeruptorum* Dunn by high-speed counter-current chromatography 1057(2004)89

**Pharmaceutical drug substance**

Static headspace gas chromatographic method for quantitative determination of residual solvents in pharmaceutical drug substances according to European Pharmacopoeia requirements 1057(2004)193

**Pharmaceuticals**

Enhancement of evaporative light scattering detection in high-performance liquid chromatographic determination of neomycin based on highly volatile mobile phase, high-molecular-mass ion-pairing reagents and controlled peak shape 1057(2004)125

Matrix media selection for the determination of residual solvents in pharmaceuticals by static headspace gas chromatography 1057(2004)203

**Phenanthrenequinone**

Highly sensitive and selective determination of 9,10-phenanthrenequinone in airborne particulates using high-performance liquid chromatography with pre-column derivatization and fluorescence detection 1057(2004)83

**Phenolic compounds**

Free and bound phenolic compounds in barley (*Hordeum vulgare* L.) flours. Evaluation of the extraction capability of different solvent mixtures and pressurized liquid methods by micellar electrokinetic chromatography and spectrophotometry 1057(2004)1

**Plasmid**

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

**Plating**

Quantitative determination of hydrogen in solids by gas chromatography 1057(2004)219

**Polydimethylsiloxane**

Improvement of heat dissipation for polydimethylsiloxane microchip electrophoresis 1057(2004)247

**Polysaccharide**

Origin of enhanced chiral selectivity by acidic additives for a polysaccharide-based stationary phase 1057(2004)75

**(+)-Praeruptorin A**

Preparative isolation and purification of coumarins from *Peucedanum praeruptorum* Dunn by high-speed counter-current chromatography 1057(2004)89

**(+)-Praeruptorin B**

Preparative isolation and purification of coumarins from *Peucedanum praeruptorum* Dunn by high-speed counter-current chromatography 1057(2004)89

**Preparative chromatography**

Preparative isolation and purification of coumarins from *Peucedanum praeruptorum* Dunn by high-speed counter-current chromatography 1057(2004)89

**Proteasome**

Fully automated online multi-dimensional protein profiling system for complex mixtures 1057(2004)107

**Protein profiling**

Fully automated online multi-dimensional protein profiling system for complex mixtures 1057(2004)107

**Protein purification**

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

**Proteomics**

Fully automated online multi-dimensional protein profiling system for complex mixtures 1057(2004)107

***Psoralea corylifolia***

Preparative isolation and purification of psoralen and isopsoralen from *Psoralea corylifolia* by high-speed counter-current chromatography 1057(2004)225

**Psoralen**

Preparative isolation and purification of psoralen and isopsoralen from *Psoralea corylifolia* by high-speed counter-current chromatography 1057(2004)225

**Puerarin**

Purification of the isoflavonoid puerarin by adsorption chromatography on cross-linked 12% agarose 1057(2004)95

**Pulsed flame photometric detection**

Sensitive method for the determination of roxarsone using solid-phase microextraction with multi-detector gas chromatography 1057(2004)177

**Purification**

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

**Qianhucoumarin D**

Preparative isolation and purification of coumarins from *Peucedanum praeruptorum* Dunn by high-speed counter-current chromatography 1057(2004)89

**Residual solvents**

Static headspace gas chromatographic method for quantitative determination of residual solvents in pharmaceutical drug substances according to European Pharmacopoeia requirements 1057(2004)193

Matrix media selection for the determination of residual solvents in pharmaceuticals by static headspace gas chromatography 1057(2004)203

**Residue determination**

Synthesis and application of molecularly imprinted polymer on selective solid-phase extraction for the determination of monosulfuron residue in soil 1057(2004)13

**Restricted access material**

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

**Retention models**

Estimation of significant solvent concentration ranges and its application to the enhancement of the accuracy of gradient predictions 1057(2004)31

**Retention prediction**

Estimation of significant solvent concentration ranges and its application to the enhancement of the accuracy of gradient predictions 1057(2004)31

**RNA**

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

**Rosemary**

Separation of rosemary antioxidant compounds by supercritical fluid chromatography on coated packed capillary columns 1057(2004)241

**Roxarsone**

Sensitive method for the determination of roxarsone using solid-phase microextraction with multi-detector gas chromatography 1057(2004)177

**Salvia miltiorrhiza Bunge**

Fingerprinting of *Salvia miltiorrhiza* Bunge by non-aqueous capillary electrophoresis compared with high-speed counter-current chromatography 1057(2004)133

**Seawater analysis**

Analysis of endocrine disrupting alkylphenols, chlorophenols and bisphenol-A using hollow fiber-protected liquid-phase microextraction coupled with injection port-derivatization gas chromatography–mass spectrometry 1057(2004)163

**Secondary amino acids (“imino acids”)**

Direct high-performance liquid chromatographic separation of unusual secondary amino acids and a comparison of the performances of Chirobiotic T and TAG columns 1057(2004)229

**Selectivity parameters**

A fast, convenient and rugged procedure for characterizing the selectivity of alkyl-silica columns 1057(2004)49

Choosing an equivalent replacement column for a reversed-phase liquid chromatographic assay procedure 1057(2004)59

**Silica**

Protein separation with surfactant-coated octadecylsilyl silica involving Cibacron blue 3GA-conjugated nonionic surfactant 1057(2004)101

**Solid-phase extraction**

Synthesis and application of molecularly imprinted polymer on selective solid-phase extraction for the determination of monosulfuron residue in soil 1057(2004)13

**Solid-phase microextraction**

Sensitive method for the determination of roxarsone using solid-phase microextraction with multi-detector gas chromatography 1057(2004)177

**Spectral identification**

New background correction method for liquid chromatography with diode array detection, infrared spectroscopic detection and Raman spectroscopic detection 1057(2004)21

**Standard addition**

Static headspace gas chromatographic method for quantitative determination of residual solvents in pharmaceutical drug substances according to European Pharmacopoeia requirements 1057(2004)193

**Static headspace gas chromatography**

Matrix media selection for the determination of residual solvents in pharmaceuticals by static headspace gas chromatography 1057(2004)203

**Stationary phase**

Origin of enhanced chiral selectivity by acidic additives for a polysaccharide-based stationary phase 1057(2004)75

**Steric resistance**

A fast, convenient and rugged procedure for characterizing the selectivity of alkyl-silica columns 1057(2004)49

Choosing an equivalent replacement column for a reversed-phase liquid chromatographic assay procedure 1057(2004)59

**Sulfate**

Enhancement of evaporative light scattering detection in high-performance liquid chromatographic determination of neomycin based on highly volatile mobile phase, high-molecular-mass ion-pairing reagents and controlled peak shape 1057(2004)125

**Supercritical fluid extraction**

Separation of rosemary antioxidant compounds by supercritical fluid chromatography on coated packed capillary columns 1057(2004)241

**Tanshinones**

Fingerprinting of *Salvia miltiorrhiza* Bunge by non-aqueous capillary electrophoresis compared with high-speed counter-current chromatography 1057(2004)133

**TFA derivatives**

Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization 1057(2004)171

**Thermal desorption**

Quantitative determination of hydrogen in solids by gas chromatography 1057(2004)219

**Thermoseparation**

Integrated process for purification of plasmid DNA using aqueous two-phase systems combined with membrane filtration and lid bead chromatography 1057(2004)115

**Toxic equivalent concentration**

Comparison of Series 5 gas chromatography column performances from a variety of manufacturers for separation of chlorinated dibenzo-*p*-dioxins and dibenzofurans using high-resolution mass spectrometry 1057(2004)151

**2,4,6-Tribromoaniline**

Determination of 2,4,6-tribromoaniline in the color additives D&C Red Nos. 21 and 22 (Eosin Y) using solid-phase microextraction and gas chromatography-mass spectrometry 1057(2004)185

**Uncertainty of the method**

Simple high-performance liquid chromatographic method for determination of atropine and obidoxime in a parenteral injection device 1057(2004)237

**Validation**

Static headspace gas chromatographic method for quantitative determination of residual solvents in pharmaceutical drug substances according to European Pharmacopoeia requirements 1057(2004)193

**Wine**

Application of a headspace mass spectrometry system to the differentiation and classification of wines according to their origin, variety and ageing 1057(2004)211