

Subject Index Vol. 1058

Accurate mass

Fourier transform ion cyclotron resonance mass spectrometry of principal components in oilsands naphthenic acids 1058(2004)51

Acyl migration

Liquid chromatography–mass spectrometry study towards the pH and temperature-induced *N*-acyl migration in polymyxin B 1058(2004)183

Algorithm

Algorithm for locating analytes of interest based on mass spectral similarity in GC × GC–TOF-MS data: analysis of metabolites in human infant urine 1058(2004)209

Aminoglycosides

Hydrophilic interaction chromatography combined with tandem-mass spectrometry to determine six aminoglycosides in serum 1058(2004)197

Anthocyanins

Flavonoid metabolites in human plasma and urine after the consumption of red onions: analysis by liquid chromatography with photodiode array and full scan tandem mass spectrometric detection 1058(2004)163

Antibiotics

Hydrophilic interaction chromatography combined with tandem-mass spectrometry to determine six aminoglycosides in serum 1058(2004)197

Atmospheric pressure ionization

The ECHO technique – the more effective way of data evaluation in liquid chromatography–tandem mass spectrometry analysis 1058(2004)67

Atmospheric pressure photoionization

Determination of aldehydes and ketones using derivatization with 2,4-dinitrophenylhydrazine and liquid chromatography–atmospheric pressure photoionization-mass spectrometry 1058(2004)107

Atractyloside

Determination of atractyloside in *Callilepis laureola* using solid-phase extraction and liquid chromatography–atmospheric pressure ionisation mass spectrometry 1058(2004)153

Benzothiazoles

Determination of benzothiazoles from complex aqueous samples by liquid chromatography–mass spectrometry following solid-phase extraction 1058(2004)81

Biomarkers of exposure

Liquid chromatography–mass spectrometry in occupational toxicology: a novel approach to the study of biotransformation of industrial chemicals (Review) 1058(2004)21

β-Blockers

Screening for library-assisted identification and fully validated quantification of 22 beta-blockers in blood plasma by liquid chromatography–mass

spectrometry with atmospheric pressure chemical ionization 1058(2004)169

Calibration

The ECHO technique – the more effective way of data evaluation in liquid chromatography–tandem mass spectrometry analysis 1058(2004)67

Callilepis laureola

Determination of atractyloside in *Callilepis laureola* using solid-phase extraction and liquid chromatography–atmospheric pressure ionisation mass spectrometry 1058(2004)153

Cannabinoids

Determination of cannabinoids in cannabis products using liquid chromatography–ion trap mass spectrometry 1058(2004)143

Capillary liquid chromatography

Accurate mass measurements for the confirmation of Sudan azo-dyes in hot chilli products by capillary liquid chromatography–electrospray–tandem quadrupole orthogonal-acceleration time of flight mass spectrometry 1058(2004)127

Carbonyls

Determination of aldehydes and ketones using derivatization with 2,4-dinitrophenylhydrazine and liquid chromatography–atmospheric pressure photoionization-mass spectrometry 1058(2004)107

Cellobiohydrolase I

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

Chemical warfare agents

Packed capillary liquid chromatography–electrospray ionization (tandem) mass spectrometry of mustard hydrolysis products in soil 1058(2004)97

Chloroanilines

Miniaturised pressurised liquid extraction of chloroanilines from soil with subsequent analysis by large-volume injection–gas chromatography–mass spectrometry 1058(2004)243

Cluster chemical ionization

Identification of novel synthetic organic compounds with the supersonic gas chromatography–mass spectrometry 1058(2004)233

Comprehensive LC × GC

Group-type characterisation of mineral oil samples by two-dimensional comprehensive normal-phase liquid chromatography–gas chromatography with time-of-flight mass spectrometric detection 1058(2004)217

Comprehensive two-dimensional chromatography

Group-type characterisation of mineral oil samples by two-dimensional comprehensive normal-phase liquid chromatography–gas chromatography with time-of-flight mass spectrometric detection 1058(2004)217

Confirmation

Determination of cannabinoids in cannabis products using liquid chromatography–ion trap mass spectrometry 1058(2004)143

Cystic fibrosis patients

Selenium speciation in human serum of cystic fibrosis patients compared to serum from healthy persons 1058(2004)203

Diesel

Group-type characterisation of mineral oil samples by two-dimensional comprehensive normal-phase liquid chromatography–gas chromatography with time-of-flight mass spectrometric detection 1058(2004)217

Dihydrostreptomycin

Determination of streptomycin and dihydrostreptomycin in milk and honey by liquid chromatography with tandem mass spectrometry 1058(2004)137

2,4-Dinitrophenylhydrazine

Determination of aldehydes and ketones using derivatization with 2,4-dinitrophenylhydrazine and liquid chromatography–atmospheric pressure photoionization–mass spectrometry 1058(2004)107

Drug discovery

Generic three-column parallel LC–MS/MS system for high-throughput in vitro screens 1058(2004)121

Drug screening

Comprehensive two-dimensional gas chromatography—quadrupole mass spectrometric analysis of drugs 1058(2004)223

ECHO peak technique

The ECHO technique – the more effective way of data evaluation in liquid chromatography–tandem mass spectrometry analysis 1058(2004)67

Flavonols

Flavonoid metabolites in human plasma and urine after the consumption of red onions: analysis by liquid chromatography with photodiode array and full scan tandem mass spectrometric detection 1058(2004)163

Food analysis

Accurate mass measurements for the confirmation of Sudan azo-dyes in hot chilli products by capillary liquid chromatography–electrospray–tandem quadrupole orthogonal-acceleration time of flight mass spectrometry 1058(2004)127

Gas chromatography–high-resolution time-of-flight mass spectrometry in pesticide residue analysis: advantages and limitations 1058(2004)251

Fourier transform ion cyclotron resonance

Fourier transform ion cyclotron resonance mass spectrometry of principal components in oilsands naphthenic acids 1058(2004)51

Gas chromatography, comprehensive two-dimensional

Algorithm for locating analytes of interest based on mass spectral similarity in GC × GC–TOF-MS data: analysis of metabolites in human infant urine 1058(2004)209

Glycoforms

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

High-field asymmetric waveform ion mobility spectrometry

High-field asymmetric waveform ion mobility spectrometry: A new tool for mass spectrometry (Review) 1058(2004)3

Honey

Determination of streptomycin and dihydrostreptomycin in milk and honey by liquid chromatography with tandem mass spectrometry 1058(2004)137

HPLC–tandem mass spectrometry

Flavonoid metabolites in human plasma and urine after the consumption of red onions: analysis by liquid chromatography with photodiode array and full scan tandem mass spectrometric detection 1058(2004)163

Human plasma and urinary metabolites

Flavonoid metabolites in human plasma and urine after the consumption of red onions: analysis by liquid chromatography with photodiode array and full scan tandem mass spectrometric detection 1058(2004)163

Human serum

Selenium speciation in human serum of cystic fibrosis patients compared to serum from healthy persons 1058(2004)203

Hydrolysis

Packed capillary liquid chromatography–electrospray ionization (tandem) mass spectrometry of mustard hydrolysis products in soil 1058(2004)97

Hydrophilic interaction

Hydrophilic interaction chromatography combined with tandem-mass spectrometry to determine six aminoglycosides in serum 1058(2004)197

In vitro screens

Generic three-column parallel LC–MS/MS system for high-throughput in vitro screens 1058(2004)121

Internal standards

The ECHO technique – the more effective way of data evaluation in liquid chromatography–tandem mass spectrometry analysis 1058(2004)67

Isoelectric focusing

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

Laser desorption

Mobile resonance enhanced multiphoton ionisation–time-of-flight mass spectrometer with a novel hybrid laser desorption/molecular beam ion source for rapid detection of aromatic trace compounds from gas phase and solid samples 1058(2004)39

LC × GC–ToF MS

Group-type characterisation of mineral oil samples by two-dimensional comprehensive normal-phase liquid chromatography–gas chromatography with time-of-flight mass spectrometric detection 1058(2004)217

Leu-enkephalin

Evaluation of nano-liquid chromatography–tandem mass spectrometry in a column switching setup for the absolute quantification of peptides in the picomolar range 1058(2004)113

Mass spectrometry

Fourier transform ion cyclotron resonance mass spectrometry of principal components in oilsands naphthenic acids 1058(2004)51

Mass spectrometry library

Comprehensive two-dimensional gas chromatography—quadrupole mass spectrometric analysis of drugs 1058(2004)223

Matrix effects

Matrix effect in LC-ESI-MS and LC-APCI-MS with off-line and on-line extraction procedures 1058(2004)61

The ECHO technique – the more effective way of data evaluation in liquid chromatography–tandem mass spectrometry analysis 1058(2004)67

Determination of benzothiazoles from complex aqueous samples by liquid chromatography–mass spectrometry following solid-phase extraction 1058(2004)81

Metabolites

Liquid chromatography–mass spectrometry in occupational toxicology: a novel approach to the study of biotransformation of industrial chemicals (Review) 1058(2004)21

Methadone

Matrix effect in LC-ESI-MS and LC-APCI-MS with off-line and on-line extraction procedures 1058(2004)61

Milk

Determination of streptomycin and dihydrostreptomycin in milk and honey by liquid chromatography with tandem mass spectrometry 1058(2004)137

Mineral oil

Group-type characterisation of mineral oil samples by two-dimensional comprehensive normal-phase liquid chromatography–gas chromatography with time-of-flight mass spectrometric detection 1058(2004)217

Molecular beam

Mobile resonance enhanced multiphoton ionisation–time-of-flight mass spectrometer with a novel hybrid laser desorption/molecular beam ion source for rapid detection of aromatic trace compounds from gas phase and solid samples 1058(2004)39

Multi-analyte

Determination of cannabinoids in cannabis products using liquid chromatography–ion trap mass spectrometry 1058(2004)143

Multi-dimensional chromatography

Comprehensive two-dimensional gas chromatography–quadrupole mass spectrometric analysis of drugs 1058(2004)223

Municipal wastewater

Determination of benzothiazoles from complex aqueous samples by liquid chromatography–mass spectrometry following solid-phase extraction 1058(2004)81

Mustard

Packed capillary liquid chromatography–electrospray ionization (tandem) mass spectrometry of mustard hydrolysis products in soil 1058(2004)97

Nano-liquid chromatography–mass spectrometry

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

Naphthenic acids

Fourier transform ion cyclotron resonance mass spectrometry of principal components in oilsands naphthenic acids 1058(2004)51

Neuropeptides

Evaluation of nano-liquid chromatography–tandem mass spectrometry in a column switching setup for the absolute quantification of peptides in the picomolar range 1058(2004)113

Off-line sample preparation

Matrix effect in LC-ESI-MS and LC-APCI-MS with off-line and on-line extraction procedures 1058(2004)61

Oilsands

Fourier transform ion cyclotron resonance mass spectrometry of principal components in oilsands naphthenic acids 1058(2004)51

On-line solid-phase extraction

Matrix effect in LC-ESI-MS and LC-APCI-MS with off-line and on-line extraction procedures 1058(2004)61

Organic acid metabolites

Algorithm for locating analytes of interest based on mass spectral similarity in GC × GC–TOF-MS data: analysis of metabolites in human infant urine 1058(2004)209

Paracetamol

Characterization of a paracetamol metabolite using on-line LC-SPE-NMR-MS and a cryogenic NMR probe 1058(2004)191

Performance characteristics

Gas chromatography–high-resolution time-of-flight mass spectrometry in pesticide residue analysis: advantages and limitations 1058(2004)251

Pesticide residues

Gas chromatography–high-resolution time-of-flight mass spectrometry in pesticide residue analysis: advantages and limitations 1058(2004)251

Pesticides

The ECHO technique – the more effective way of data evaluation in liquid chromatography–tandem mass spectrometry analysis 1058(2004)67

pH

Liquid chromatography–mass spectrometry study towards the pH and temperature-induced *N*-acyl migration in polymyxin B 1058(2004)183

Phosphorylation

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

Plasma

Screening for library-assisted identification and fully validated quantification of 22 beta-blockers in blood plasma by liquid chromatography–mass spectrometry with atmospheric pressure chemical ionization 1058(2004)169

Polymyxin

Liquid chromatography–mass spectrometry study towards the pH and temperature-induced *N*-acyl migration in polymyxin B 1058(2004)183

Precursor ion scanning

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

Pressurised liquid extraction

Miniaturised pressurised liquid extraction of chloroanilines from soil with subsequent analysis by large-volume injection–gas chromatography–mass spectrometry 1058(2004)243

Programmed-temperature vaporisation

Miniaturised pressurised liquid extraction of chloroanilines from soil with subsequent analysis by large-volume injection–gas chromatography–mass spectrometry 1058(2004)243

Protein glycosylation

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

Q-Trap

Combining gel and capillary electrophoresis, nano-LC and mass spectrometry for the elucidation of post-translational modifications of *Trichoderma reesei* cellobiohydrolase I 1058(2004)263

Quadrupole/time-of-flight mass spectrometry

Accurate mass measurements for the confirmation of Sudan azo-dyes in hot chilli products by capillary liquid chromatography–electrospray–tandem quadrupole orthogonal-acceleration time of flight mass spectrometry 1058(2004)127

Quantification

Evaluation of nano-liquid chromatography–tandem mass spectrometry in a column switching setup for the absolute quantification of peptides in the picomolar range 1058(2004)113

Quaternary ammonium biocides

Determination of quaternary ammonium biocides by liquid chromatography–mass spectrometry 1058(2004)89

Quercetin-3,4'-diglucoside

Flavonoid metabolites in human plasma and urine after the consumption of red onions: analysis by liquid chromatography with photodiode array and full scan tandem mass spectrometric detection 1058(2004)163

Quercetin-4'-glucoside

Flavonoid metabolites in human plasma and urine after the consumption of red onions: analysis by liquid chromatography with photodiode array and full scan tandem mass spectrometric detection 1058(2004)163

Red onions

Flavonoid metabolites in human plasma and urine after the consumption of red onions: analysis by liquid chromatography with photodiode array and full scan tandem mass spectrometric detection 1058(2004)163

Resonance enhanced multiphoton ionisation–time-of-flight mass spectrometer

Mobile resonance enhanced multiphoton ionisation–time-of-flight mass spectrometer with a novel hybrid laser desorption/molecular beam ion source for rapid detection of aromatic trace compounds from gas phase and solid samples 1058(2004)39

Reviews

High-field asymmetric waveform ion mobility spectrometry: A new tool for mass spectrometry (Review) 1058(2004)3

Sample identification

Identification of novel synthetic organic compounds with the supersonic gas chromatography–mass spectrometry 1058(2004)233

Selenium speciation

Selenium speciation in human serum of cystic fibrosis patients compared to serum from healthy persons 1058(2004)203

Soil

Miniaturised pressurised liquid extraction of chloroanilines from soil with subsequent analysis by large-volume injection–gas chromatography–mass spectrometry 1058(2004)243

Stability study

Liquid chromatography–mass spectrometry study towards the pH and temperature-induced *N*-acyl migration in polymyxin B 1058(2004)183

Streptomycin

Determination of streptomycin and dihydrostreptomycin in milk and honey by liquid chromatography with tandem mass spectrometry 1058(2004)137

Sudan azo-dyes

Accurate mass measurements for the confirmation of Sudan azo-dyes in hot chilli products by capillary liquid chromatography–electrospray–tandem quadrupole orthogonal-acceleration time of flight mass spectrometry 1058(2004)127

Supersonic molecular beam

Identification of novel synthetic organic compounds with the supersonic gas chromatography–mass spectrometry 1058(2004)233

Synthetic organic compounds

Identification of novel synthetic organic compounds with the supersonic gas chromatography–mass spectrometry 1058(2004)233

Temperature

Liquid chromatography–mass spectrometry study towards the pH and temperature-induced *N*-acyl migration in polymyxin B 1058(2004)183

Ultra-high resolution

Fourier transform ion cyclotron resonance mass spectrometry of principal components in oilsands naphthenic acids 1058(2004)51

Urine

Liquid chromatography–mass spectrometry in occupational toxicology: a novel approach to the study of biotransformation of industrial chemicals (Review) 1058(2004)21

Validation

Determination of cannabinoids in cannabis products using liquid chromatography–ion trap mass spectrometry 1058(2004)143

Screening for library-assisted identification and fully validated quantification of 22 beta-blockers in blood plasma by liquid chromatography–mass spectrometry with atmospheric pressure chemical ionization 1058(2004)169

Water analysis

Determination of benzothiazoles from complex aqueous samples by liquid chromatography–mass spectrometry following solid-phase extraction 1058(2004)81

Determination of quaternary ammonium biocides by liquid chromatography–mass spectrometry 1058(2004)89

Workers

Liquid chromatography–mass spectrometry in occupational toxicology: a novel approach to the study of biotransformation of industrial chemicals (Review) 1058(2004)21