

Available online at www.sciencedirect.com



Journal of Chromatography A, 1059 (2004) 241-246

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

# Subject Index Vol. 1059

# Acetonitrile-water mixtures

Retention of ionisable compounds on high-performance liquid chromatography. XV. Estimation of the pH variation of aqueous buffers with the change of the acetonitrile fraction of the mobile phase 1059(2004)33

### Acorus Tatarinowii Schott.

Rapid determination of essential oil in *Acorus tatarinowii Schott*. by pressurized hot water extraction followed by solid-phase microextraction and gas chromatography-mass spectrometry 1059(2004)149

### Affinity capillary electrophoresis

Capillary electrophoresis-based analysis of phospholipid and glycosaminoglycan binding by human  $\beta_2$ -glycoprotein I 1059(2004)215

### Aflatoxins

Simultaneous determination of aflatoxins and ochratoxin A in food using a fully automated immunoaffinity column clean-up and liquid chromatography–fluorescence detection 1059(2004)13

# Air

A method for the determination of dimethylamine in air by collection on solid support sorbent with subsequent derivatization and spectrophotometric analysis 1059(2004)17

#### Alkanes

In-injection port thermal desorption and subsequent gas chromatography– mass spectrometric analysis of polycyclic aromatic hydrocarbons and *n*alkanes in atmospheric aerosol samples 1059(2004)121

#### Alkylphenols

Gas chromatography-mass spectrometry analysis of alkylphenols in produced water from offshore oil installations as pentafluorobenzoate derivatives 1059(2004)131

# Amino acids

Application of iodine-azide reaction for detection of amino acids in thinlayer chromatography 1059(2004)171

#### Anthraquinones

Rapid and sensitive determination of anthraquinones in Chinese herb using 1-butyl-3-methylimidazolium-based ionic liquid with β-cyclodextrin as modifier in capillary zone electrophoresis 1059(2004)191

# Buffers

Retention of ionisable compounds on high-performance liquid chromatography. XV. Estimation of the pH variation of aqueous buffers with the change of the acetonitrile fraction of the mobile phase 1059(2004)33

# 1-Butyl-3-methylimizolium tetrafluoroborate

Rapid and sensitive determination of anthraquinones in Chinese herb using 1-butyl-3-methylimidazolium-based ionic liquid with  $\beta$ -cyclodextrin as modifier in capillary zone electrophoresis 1059(2004)191

#### C<sub>18</sub> support

A method for the determination of dimethylamine in air by collection on solid support sorbent with subsequent derivatization and spectrophotometric analysis 1059(2004)17

# Capillary column

Peralkylated-β-cyclodextrin used as gas chromatographic stationary phase prepared by sol–gel technology for capillary column 1059(2004)111

# **Capillary coating**

Capillary electrophoresis-based analysis of phospholipid and glycosaminoglycan binding by human  $\beta_2$ -glycoprotein I 1059(2004)215

# Capillary electrochromatography

Exact electric field strength over the packed capillary electrochromatography column bed, theoretical considerations and practical determination 1059(2004)175

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# **Capillary electrophoresis**

Evaluation of newly synthesized derivative of cyclodextrin for the capillary electrophoretic separation 1059(2004)181

# Capillary zone electrophoresis

Rapid and sensitive determination of anthraquinones in Chinese herb using 1-butyl-3-methylimidazolium-based ionic liquid with  $\beta$ -cyclodextrin as modifier in capillary zone electrophoresis 1059(2004)191

# Carbohydrates

Characterisation of 1-carrageenans oligosaccharides with high-performance liquid chromatography coupled with evaporative light scattering detection 1059(2004)83

# **Carboxylic acids**

Novel stable fluorophore, 6-methoxy-4-quinolone, with strong fluorescence in wide pH range of aqueous media, and its application as a fluorescent labeling reagent 1059(2004)225

#### 1-Carrageenans

Characterisation of 1-carrageenans oligosaccharides with high-performance liquid chromatography coupled with evaporative light scattering detection 1059(2004)83

# Cereals

Simultaneous determination of aflatoxins and ochratoxin A in food using a fully automated immunoaffinity column clean-up and liquid chromatography-fluorescence detection 1059(2004)13

### Chemical warfare agents

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

#### Chemical weapons convention

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

### Chiral drugs

Evaluation of newly synthesized derivative of cyclodextrin for the capillary electrophoretic separation 1059(2004)181

# Chiral stationary phases

Adsorption of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)-ethanol on silica-bonded chiral quinidine-carbamate 1059(2004)43

Enantioseparation on  $mono(6^{A}-N-allylamino-6^{A}-deoxy)$ permethylated  $\beta$ -cyclodextrin covalently bonded silica gel 1059(2004)53

### Chromatographic column

Liquid phase separator with chromatographic column 1059(2004)223

### Chromatographic retention

Retention of ionisable compounds on high-performance liquid chromatography. XV. Estimation of the pH variation of aqueous buffers with the change of the acetonitrile fraction of the mobile phase 1059(2004)33

#### **Column characterisation**

Naphthalene sulphonic acids—new test compounds for characterization of the columns for reversed-phase chromatography 1059(2004)61

# Countercurrent chromatography

Countercurrent chromatographic isolation of lolitrem B from endophyteinfected ryegrass (*Lolium perenne* L.) seed 1059(2004)73

### Cyclodextrin

Evaluation of newly synthesized derivative of cyclodextrin for the capillary electrophoretic separation 1059(2004)181

Enantiomeric separation of naphthalene-2,3-dicarboxaldehyde derivatized DL-3,4-dihydroxyphenylalanine and optical purity analysis of L-3,4-dihydroxyphenylalanine drug by cyclodextrin-modified micellar electrokinetic chromatography 1059(2004)209

### β-Cyclodextrin

Rapid and sensitive determination of anthraquinones in Chinese herb using 1-butyl-3-methylimidazolium-based ionic liquid with  $\beta$ -cyclodextrin as modifier in capillary zone electrophoresis 1059(2004)191

#### β-Cyclodextrin derivative

Evaluation of newly synthesized derivative of cyclodextrin for the capillary electrophoretic separation 1059(2004)181

# Derivatization, LC

Continuous microwave-assisted extraction coupled with derivatization and fluorimetric monitoring for the determination of fluoroquinolone antibacterial agents from soil samples 1059(2004)25

### 3,4-Dihydroxyphenylalanine

Enantiomeric separation of naphthalene-2,3-dicarboxaldehyde derivatized DL-3,4-dihydroxyphenylalanine and optical purity analysis of L-3,4-dihydroxyphenylalanine drug by cyclodextrin-modified micellar electrokinetic chromatography 1059(2004)209

# Dimethylamine

A method for the determination of dimethylamine in air by collection on solid support sorbent with subsequent derivatization and spectrophotometric analysis 1059(2004)17

#### Disaccharides

Gas chromatographic-mass spectrometric method for the qualitative and quantitative determination of disaccharides and trisaccharides in honey 1059(2004)143

# Electric field strength

Exact electric field strength over the packed capillary electrochromatography column bed, theoretical considerations and practical determination 1059(2004)175

### Electrochemically modulated liquid chromatography

Electrochemically modulated liquid chromatographic separations of inorganic anions 1059(2004)103

### **Elution pattern**

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

#### **Enantiomer separation**

Adsorption of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)-ethanol on silica-bonded chiral quinidine-carbamate 1059(2004)43

Evaluation of newly synthesized derivative of cyclodextrin for the capillary electrophoretic separation 1059(2004)181

# **Enantiomeric separation**

Enantiomeric separation of naphthalene-2,3-dicarboxaldehyde derivatized DL-3,4-dihydroxyphenylalanine and optical purity analysis of L-3,4-dihydroxyphenylalanine drug by cyclodextrin-modified micellar electrokinetic chromatography 1059(2004)209

# Enantiomers

Peralkylated- $\beta$ -cyclodextrin used as gas chromatographic stationary phase prepared by sol-gel technology for capillary column 1059(2004)111

# Essential oils

Rapid determination of essential oil in *Acorus tatarinowii Schott.* by pressurized hot water extraction followed by solid-phase microextraction and gas chromatography-mass spectrometry 1059(2004)149

### Ethanolamines

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

### **Extraction method**

Rapid determination of essential oil in *Acorus tatarinowii Schott.* by pressurized hot water extraction followed by solid-phase microextraction and gas chromatography-mass spectrometry 1059(2004)149

# Fenitrothion

Optimization and validation of a method of analysis for fenitrothion and its main metabolites in forestry air samples using sorbent tubes with thermal desorption cold trap injection and gas chromatography-mass spectrometry 1059(2004)165

#### Flavanone

Enantioseparation on mono( $6^{A}$ -N-allylamino- $6^{A}$ -deoxy)permethylated  $\beta$ -cyclodextrin covalently bonded silica gel 1059(2004)53

# Fluorescence

# Novel stable fluorophore, 6-methoxy-4-quinolone, with strong fluorescence in wide pH range of aqueous media, and its application as a fluorescent labeling reagent 1059(2004)225

# Fluoroquinolone antibiotics

Continuous microwave-assisted extraction coupled with derivatization and fluorimetric monitoring for the determination of fluoroquinolone antibacterial agents from soil samples 1059(2004)25

# Focused microwaves

Continuous microwave-assisted extraction coupled with derivatization and fluorimetric monitoring for the determination of fluoroquinolone antibacterial agents from soil samples 1059(2004)25

#### Food analysis

Simultaneous determination of aflatoxins and ochratoxin A in food using a fully automated immunoaffinity column clean-up and liquid chromatography-fluorescence detection 1059(2004)13

# Forestry air samples

Optimization and validation of a method of analysis for fenitrothion and its main metabolites in forestry air samples using sorbent tubes with thermal desorption cold trap injection and gas chromatography-mass spectrometry 1059(2004)165

### Gas chromatography-mass spectrometry

Gas chromatographic-mass spectrometric method for the qualitative and quantitative determination of disaccharides and trisaccharides in honey 1059(2004)143

# GC analysis of aerosol organics

In-injection port thermal desorption and subsequent gas chromatography– mass spectrometric analysis of polycyclic aromatic hydrocarbons and *n*alkanes in atmospheric aerosol samples 1059(2004)121

# GC-MS

Optimization and validation of a method of analysis for fenitrothion and its main metabolites in forestry air samples using sorbent tubes with thermal desorption cold trap injection and gas chromatography-mass spectrometry 1059(2004)165

# GC-MS (NCI)

Gas chromatography-mass spectrometry analysis of alkylphenols in produced water from offshore oil installations as pentafluorobenzoate derivatives 1059(2004)131

# β<sub>2</sub>-Glycoprotein I

Capillary electrophoresis-based analysis of phospholipid and glycosaminoglycan binding by human  $\beta_2$ -glycoprotein I 1059(2004)215

# Hemoglobin

Polyethylene glycol increases purification and recovery, alters retention behavior in flow-through chromatography of hemoglobin 1059(2004)233

### Heparin

Capillary electrophoresis-based analysis of phospholipid and glycosaminoglycan binding by human  $\beta_2$ -glycoprotein I 1059(2004)215

# High temperature HPLC

High temperature liquid chromatography of triazole fungicides on polybutadiene-coated zirconia stationary phase 1059(2004)95

#### Honey

Gas chromatographic-mass spectrometric method for the qualitative and quantitative determination of disaccharides and trisaccharides in honey 1059(2004)143

#### Hydrocarbon oil index

Liquid phase separator with chromatographic column 1059(2004)223

# Hydrophobic interaction chromatography

Polyethylene glycol increases purification and recovery, alters retention behavior in flow-through chromatography of hemoglobin 1059(2004)233

# 2-Hydroxythioethers

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

# In situ

A method for the determination of dimethylamine in air by collection on solid support sorbent with subsequent derivatization and spectrophotometric analysis 1059(2004)17

# **Inorganic anions**

Electrochemically modulated liquid chromatographic separations of inorganic anions 1059(2004)103

# **Iodine-azide reaction**

Application of iodine-azide reaction for detection of amino acids in thinlayer chromatography 1059(2004)171

#### Ion exchange

Detection and purification of two antibody-antigen complexes via selective adsorption on lowly activated anion exchangers 1059(2004)89

#### Ion exchange chromatography

Electrochemically modulated liquid chromatographic separations of inorganic anions 1059(2004)103

Polyethylene glycol increases purification and recovery, alters retention behavior in flow-through chromatography of hemoglobin 1059(2004)233

# Ionic liquids

Rapid and sensitive determination of anthraquinones in Chinese herb using 1-butyl-3-methylimidazolium-based ionic liquid with  $\beta$ -cyclodextrin as modifier in capillary zone electrophoresis 1059(2004)191

#### Liquid chromatography

Enantioseparation on  $mono(6^{A}-N-allylamino-6^{A}-deoxy)$ permethylated  $\beta$ -cyclodextrin covalently bonded silica gel 1059(2004)53

#### Liquid phase separator

Liquid phase separator with chromatographic column 1059(2004)223

# Lolitrem B

Countercurrent chromatographic isolation of lolitrem B from endophyteinfected ryegrass (*Lolium perenne* L.) seed 1059(2004)73

#### Metal complexes

Separation of low-molecular mass organic acid-metal complexes by highperformance liquid chromatography (Review) 1059(2004)1

### 6-Methoxy-4-quinolone

Novel stable fluorophore, 6-methoxy-4-quinolone, with strong fluorescence in wide pH range of aqueous media, and its application as a fluorescent labeling reagent 1059(2004)225

### Micellar electrokinetic chromatography

Enantiomeric separation of naphthalene-2,3-dicarboxaldehyde derivatized DL-3,4-dihydroxyphenylalanine and optical purity analysis of L-3,4-dihydroxyphenylalanine drug by cyclodextrin-modified micellar electrokinetic chromatography 1059(2004)209

#### Mobile phase composition

Retention of ionisable compounds on high-performance liquid chromatography. XV. Estimation of the pH variation of aqueous buffers with the change of the acetonitrile fraction of the mobile phase 1059(2004)33

### **Multi-point interactions**

Detection and purification of two antibody-antigen complexes via selective adsorption on lowly activated anion exchangers 1059(2004)89

# Mycotoxins

Simultaneous determination of aflatoxins and ochratoxin A in food using a fully automated immunoaffinity column clean-up and liquid chromatography-fluorescence detection 1059(2004)13

# Naphthalene sulphonic acids

Naphthalene sulphonic acids—new test compounds for characterization of the columns for reversed-phase chromatography 1059(2004)61

# Nitrogen mustard

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

# Nuts

Simultaneous determination of aflatoxins and ochratoxin A in food using a fully automated immunoaffinity column clean-up and liquid chromatography-fluorescence detection 1059(2004)13

### **Ochratoxin A**

Simultaneous determination of aflatoxins and ochratoxin A in food using a fully automated immunoaffinity column clean-up and liquid chromatography-fluorescence detection 1059(2004)13

### Octadecylsilica

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# Organic acids

Separation of low-molecular mass organic acid-metal complexes by highperformance liquid chromatography (Review) 1059(2004)1

# Packed column bed

Exact electric field strength over the packed capillary electrochromatography column bed, theoretical considerations and practical determination 1059(2004)175

# Pentafluorobenzoyl chloride

Gas chromatography-mass spectrometry analysis of alkylphenols in produced water from offshore oil installations as pentafluorobenzoate derivatives 1059(2004)131

### Peralkylated- $\beta$ -cyclodextrin

 $\label{eq:period} Peralkylated-\beta-cyclodextrin used as gas chromatographic stationary phase prepared by sol-gel technology for capillary column $1059(2004)111$$ 

#### Permethylated cyclodextrin

Enantioseparation on mono( $6^{A}$ -*N*-allylamino- $6^{A}$ -deoxy)permethylated  $\beta$ -cyclodextrin covalently bonded silica gel 1059(2004)53

# pН

Retention of ionisable compounds on high-performance liquid chromatography. XV. Estimation of the pH variation of aqueous buffers with the change of the acetonitrile fraction of the mobile phase 1059(2004)33

#### pH hysteresis effect

Capillary electrophoresis-based analysis of phospholipid and glycosaminoglycan binding by human  $\beta_2$ -glycoprotein I 1059(2004)215

### Phenyl isothiocyanate

Application of iodine-azide reaction for detection of amino acids in thinlayer chromatography 1059(2004)171

### Phytosterol

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# Polycyclic aromatic hydrocarbons

In-injection port thermal desorption and subsequent gas chromatography– mass spectrometric analysis of polycyclic aromatic hydrocarbons and *n*alkanes in atmospheric aerosol samples 1059(2004)121

### Polyethylene glycol

Polyethylene glycol increases purification and recovery, alters retention behavior in flow-through chromatography of hemoglobin 1059(2004)233

# Porous graphitic carbon

Electrochemically modulated liquid chromatographic separations of inorganic anions 1059(2004)103

### Porous graphitized carbon

Characterisation of 1-carrageenans oligosaccharides with high-performance liquid chromatography coupled with evaporative light scattering detection 1059(2004)83

# **Positional isomer**

Peralkylated-β-cyclodextrin used as gas chromatographic stationary phase prepared by sol-gel technology for capillary column 1059(2004)111

#### Precursors

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

# Pressurized hot water extraction

Rapid determination of essential oil in *Acorus tatarinowii Schott.* by pressurized hot water extraction followed by solid-phase microextraction and gas chromatography-mass spectrometry 1059(2004)149

### **Produced** water

Gas chromatography-mass spectrometry analysis of alkylphenols in produced water from offshore oil installations as pentafluorobenzoate derivatives 1059(2004)131

# Protein adsorption

Capillary electrophoresis-based analysis of phospholipid and glycosaminoglycan binding by human  $\beta_2$ -glycoprotein I 1059(2004)215

# Purification

Countercurrent chromatographic isolation of lolitrem B from endophyteinfected ryegrass (*Lolium perenne* L.) seed 1059(2004)73

Polyethylene glycol increases purification and recovery, alters retention behavior in flow-through chromatography of hemoglobin 1059(2004)233

# Purification of protein-protein complexes

Detection and purification of two antibody-antigen complexes via selective adsorption on lowly activated anion exchangers 1059(2004)89

#### Quinidine carbamate

Adsorption of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)-ethanol on silica-bonded chiral quinidine-carbamate 1059(2004)43

# **Resistance of CEC column**

Exact electric field strength over the packed capillary electrochromatography column bed, theoretical considerations and practical determination 1059(2004)175

#### Resistivity of the mobile phase

Exact electric field strength over the packed capillary electrochromatography column bed, theoretical considerations and practical determination 1059(2004)175

# **Ryegrass seed**

Countercurrent chromatographic isolation of lolitrem B from endophyteinfected ryegrass (*Lolium perenne* L.) seed 1059(2004)73

### Sample introduction

In-injection port thermal desorption and subsequent gas chromatography– mass spectrometric analysis of polycyclic aromatic hydrocarbons and *n*alkanes in atmospheric aerosol samples 1059(2004)121

### Selective adsorption

Detection and purification of two antibody-antigen complexes via selective adsorption on lowly activated anion exchangers 1059(2004)89

#### Separation selectivity

Naphthalene sulphonic acids—new test compounds for characterization of the columns for reversed-phase chromatography 1059(2004)61

#### Soil

Separation of low-molecular mass organic acid-metal complexes by highperformance liquid chromatography (Review) 1059(2004)1

# Sol-gel technology

 $\label{eq:period} Peralkylated-\beta-cyclodextrin used as gas chromatographic stationary phase prepared by sol-gel technology for capillary column $$1059(2004)111$$ 

# Solid-phase extraction

Gas chromatography-mass spectrometry analysis of alkylphenols in produced water from offshore oil installations as pentafluorobenzoate derivatives 1059(2004)131

#### Solid-phase microextraction

Rapid determination of essential oil in *Acorus tatarinowii Schott*. by pressurized hot water extraction followed by solid-phase microextraction and gas chromatography-mass spectrometry 1059(2004)149

### Solution speciation

Separation of low-molecular mass organic acid-metal complexes by highperformance liquid chromatography (Review) 1059(2004)1

### Stationary phases

Naphthalene sulphonic acids—new test compounds for characterization of the columns for reversed-phase chromatography 1059(2004)61

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# Steryl acetate

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# Steryl benzoate

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# Steryl ferulate

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# Sulfur mustard

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

# Sulphated oligosaccharides

Characterisation of 1-carrageenans oligosaccharides with high-performance liquid chromatography coupled with evaporative light scattering detection 1059(2004)83

# Superheated water

High temperature liquid chromatography of triazole fungicides on polybutadiene-coated zirconia stationary phase 1059(2004)95

#### **Tailor-made supports**

Detection and purification of two antibody-antigen complexes via selective adsorption on lowly activated anion exchangers 1059(2004)89

### Thermal desorption

In-injection port thermal desorption and subsequent gas chromatography– mass spectrometric analysis of polycyclic aromatic hydrocarbons and *n*alkanes in atmospheric aerosol samples 1059(2004)121

Optimization and validation of a method of analysis for fenitrothion and its main metabolites in forestry air samples using sorbent tubes with thermal desorption cold trap injection and gas chromatography–mass spectrometry 1059(2004)165

### Thin-layer chromatography

Application of iodine-azide reaction for detection of amino acids in thinlayer chromatography 1059(2004)171

# Triacontylsilica

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

### **Triazole fungicides**

High temperature liquid chromatography of triazole fungicides on polybutadiene-coated zirconia stationary phase 1059(2004)95

#### 2,2,2-Trifluoro-1-(9-anthryl)-ethanol

Adsorption of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)-ethanol on silica-bonded chiral quinidine-carbamate 1059(2004)43

# Trifluoroacetylations

Gas chromatography-mass spectrometry analysis of trifluoroacetyl derivatives of precursors of nitrogen and sulfur mustards for verification of chemical weapons convention 1059(2004)157

# Trisaccharides

Gas chromatographic-mass spectrometric method for the qualitative and quantitative determination of disaccharides and trisaccharides in honey 1059(2004)143

# Vegetable oil

Capillary electrochromatography of sterols and related steryl esters derived from vegetable oils 1059(2004)199

# Visual assay

A method for the determination of dimethylamine in air by collection on solid support sorbent with subsequent derivatization and spectrophotometric analysis 1059(2004)17

# Water analysis

Liquid phase separator with chromatographic column 1059(2004)223

# Zirconia-PBD stationary phase

High temperature liquid chromatography of triazole fungicides on polybutadiene-coated zirconia stationary phase 1059(2004)95