

Subject Index Vol. 1067

Acetic acid

Use of solid-phase microextraction for the detection of acetic acid by ion trap gas chromatography–mass spectrometry and application to indoor levels in museums 1067(2005)331

Alkylphenol ethoxylates

Determination of non-ionic polyethoxylated surfactants in wastewater and river water by mixed hemimicelle extraction and liquid chromatography–ion trap mass spectrometry 1067(2005)161

Allergens

Comprehensive two-dimensional gas chromatography coupled to a rapid-scanning quadrupole mass spectrometer: principles and applications 1067(2005)245

Aminoglycoside antibiotics

Simple confirmatory assay for analyzing residues of aminoglycoside antibiotics in bovine milk: hot water extraction followed by liquid chromatography–tandem mass spectrometry 1067(2005)93

Antibiotics: lipid regulating agents

Liquid chromatography–tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review (Review) 1067(2005)1

Antiepileptics

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Antiphlogistics

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

APCI

Enhanced sensitivity for the determination of ambiphilic polyaromatic amines by LC–MS/MS after acetylation 1067(2005)181

A new LC/APCI-MS method for the determination of cholesterol oxidation products in food 1067(2005)207

APPI

Enhanced sensitivity for the determination of ambiphilic polyaromatic amines by LC–MS/MS after acetylation 1067(2005)181

β-Blockers

Liquid chromatography–tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review (Review) 1067(2005)1

Bovine

Simple confirmatory assay for analyzing residues of aminoglycoside antibiotics in bovine milk: hot water extraction followed by liquid chromatography–tandem mass spectrometry 1067(2005)93

C₃ plants

Investigation of the feeding effect on the ¹³C/¹²C isotope ratio of the hormones in bovine urine using gas chromatography/combustion isotope ratio mass spectrometry 1067(2005)323

C₄ plants

Investigation of the feeding effect on the ¹³C/¹²C isotope ratio of the hormones in bovine urine using gas chromatography/combustion isotope ratio mass spectrometry 1067(2005)323

Capillary LC–NMR

Capillary liquid chromatography–microcoil ¹H nuclear magnetic resonance spectroscopy and liquid chromatography–ion trap mass spectrometry for on-line structure elucidation of isoflavones in *Radix astragali* 1067(2005)135

Carbon isotope ratio mass spectrometry

Investigation of the feeding effect on the ¹³C/¹²C isotope ratio of the hormones in bovine urine using gas chromatography/combustion isotope ratio mass spectrometry 1067(2005)323

Cattle

Investigation of the feeding effect on the ¹³C/¹²C isotope ratio of the hormones in bovine urine using gas chromatography/combustion isotope ratio mass spectrometry 1067(2005)323

Chlorinated paraffins

Evaluation of four mass spectrometric methods for the analysis of polychlorinated *n*-alkanes 1067(2005)295

Cholesterol oxidation products

A new LC/APCI-MS method for the determination of cholesterol oxidation products in food 1067(2005)207

Collision-induced dissociation

Structure elucidation of phase II metabolites by tandem mass spectrometry: an overview (Review) 1067(2005)55

Comprehensive two-dimensional gas chromatography (GC × GC)

Characterization and pattern recognition of oil–sand naphthenic acids using comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry 1067(2005)277

Comprehensive two-dimensional gas chromatography

Comprehensive two-dimensional gas chromatography in combination with rapid scanning quadrupole mass spectrometry in perfume analysis 1067(2005)235

Quadrupole mass spectrometer operating in the electron-capture negative ion mode as detector for comprehensive two-dimensional gas chromatography 1067(2005)255

Contrast media

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Cytostatic agents

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Database

Matching unknown empirical formulas to chemical structure using LC/MS TOF accurate mass and database searching: example of unknown pesticides on tomato skins 1067(2005)127

Derivatization

Enhanced sensitivity for the determination of ambiphilic polyaromatic amines by LC-MS/MS after acetylation 1067(2005)181

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography-mass spectrometry studies 1067(2005)311

Detection, GC

Comprehensive two-dimensional gas chromatography coupled to a rapid-scanning quadrupole mass spectrometer: principles and applications 1067(2005)245

Dioxin analysis

Quadrupole mass spectrometer operating in the electron-capture negative ion mode as detector for comprehensive two-dimensional gas chromatography 1067(2005)255

Electron-capture negative ion

Quadrupole mass spectrometer operating in the electron-capture negative ion mode as detector for comprehensive two-dimensional gas chromatography 1067(2005)255

Electrospray ionization

Operational options to reduce matrix effects in liquid chromatography-electrospray ionization-mass spectrometry analysis of aqueous environmental samples 1067(2005)153

Electrospray-tandem mass spectrometry

Application of liquid chromatography-electrospray-tandem mass spectrometry for the identification and characterisation of linear alkylbenzene sulfonates and sulfophenyl carboxylates in sludge-amended soils 1067(2005)171

ESI

Enhanced sensitivity for the determination of ambiphilic polyaromatic amines by LC-MS/MS after acetylation 1067(2005)181

EU criteria

Analytical strategies for residue analysis of veterinary drugs and growth-promoting agents in food-producing animals—a review (Review) 1067(2005)15

Evaporative light scattering

A new LC/APCI-MS method for the determination of cholesterol oxidation products in food 1067(2005)207

Feeding

Investigation of the feeding effect on the $^{13}\text{C}/^{12}\text{C}$ isotope ratio of the hormones in bovine urine using gas chromatography/combustion isotope ratio mass spectrometry 1067(2005)323

Field analysis

Towards smaller and faster gas chromatography-mass spectrometry systems for field chemical detection 1067(2005)285

Flavours

Comprehensive two-dimensional gas chromatography coupled to a rapid-scanning quadrupole mass spectrometer: principles and applications 1067(2005)245

Food analysis

Comparison of liquid chromatography using triple quadrupole and quadrupole ion trap mass analyzers to determine pesticide residues in oranges 1067(2005)115

Simultaneous determination of anabolic steroids and synthetic hormones in meat by freezing-lipid filtration, solid-phase extraction and gas chromatography-mass spectrometry 1067(2005)303

Food

A new LC/APCI-MS method for the determination of cholesterol oxidation products in food 1067(2005)207

Freezing-lipid filtration

Simultaneous determination of anabolic steroids and synthetic hormones in meat by freezing-lipid filtration, solid-phase extraction and gas chromatography-mass spectrometry 1067(2005)303

Furaltadone

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography-electrospray ionisation-tandem mass spectrometry 1067(2005)85

Furazolidone

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography-electrospray ionisation-tandem mass spectrometry 1067(2005)85

Gas chromatography (GC)

Characterization and pattern recognition of oil-sand naphthenic acids using comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry 1067(2005)277

Towards smaller and faster gas chromatography-mass spectrometry systems for field chemical detection 1067(2005)285

Gas chromatography comprehensive two-dimensional

Comprehensive two-dimensional gas chromatography coupled to a rapid-scanning quadrupole mass spectrometer: principles and applications 1067(2005)245

GC × GC

Comprehensive two-dimensional gas chromatography in combination with rapid scanning quadrupole mass spectrometry in perfume analysis 1067(2005)235

GC/MS

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

GC-MS/MS

Determination of chloroacetanilides, triazines and phenylureas and some of their metabolites in soils by pressurised liquid extraction, GC-MS/MS, LC-MS and LC-MS/MS 1067(2005)225

GC-MS

Simultaneous determination of anabolic steroids and synthetic hormones in meat by freezing-lipid filtration, solid-phase extraction and gas chromatography-mass spectrometry 1067(2005)303

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography-mass spectrometry studies 1067(2005)311

Use of solid-phase microextraction for the detection of acetic acid by ion trap gas chromatography-mass spectrometry and application to indoor levels in museums 1067(2005)331

Growth hormones

Simultaneous determination of anabolic steroids and synthetic hormones in meat by freezing-lipid filtration, solid-phase extraction and gas chromatography-mass spectrometry 1067(2005)303

Growth-promoting substances

Analytical strategies for residue analysis of veterinary drugs and growth-promoting agents in food-producing animals—a review (Review) 1067(2005)15

Heated water

Simple confirmatory assay for analyzing residues of aminoglycoside antibiotics in bovine milk: hot water extraction followed by liquid chromatography-tandem mass spectrometry 1067(2005)93

Herbicides

Determination of chloroacetanilides, triazines and phenylureas and some of their metabolites in soils by pressurised liquid extraction, GC-MS/MS, LC-MS and LC-MS/MS 1067(2005)225

Hormone

Investigation of the feeding effect on the $^{13}\text{C}/^{12}\text{C}$ isotope ratio of the hormones in bovine urine using gas chromatography/combustion isotope ratio mass spectrometry 1067(2005)323

HPLC-MS

Capillary liquid chromatography-microcoil ^1H nuclear magnetic resonance spectroscopy and liquid chromatography-ion trap mass spectrometry for on-line structure elucidation of isoflavones in *Radix astragali* 1067(2005)135

Intercomparison

Evaluation of four mass spectrometric methods for the analysis of polychlorinated *n*-alkanes 1067(2005)295

Ion chromatography

Ion chromatography-electrospray mass spectrometry for the identification of low molecular weight organic acids during the 2,4-dichloro-phenol degradation 1067(2005)191

Isotope tag

Isotope tag method for quantitative analysis of carbohydrates by liquid chromatography-mass spectrometry 1067(2005)145

Kava lactones

Determination of kava lactones in food supplements by liquid chromatography-atmospheric pressure chemical ionisation tandem mass spectrometry 1067(2005)107

LC/MS/MS

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

LC-MS/MS

Simple confirmatory assay for analyzing residues of aminoglycoside antibiotics in bovine milk: hot water extraction followed by liquid chromatography-tandem mass spectrometry 1067(2005)93

Enhanced sensitivity for the determination of ambiphilic polyaromatic amines by LC-MS/MS after acetylation 1067(2005)181

Determination of chloroacetanilides, triazines and phenylureas and some of their metabolites in soils by pressurised liquid extraction, GC-MS/MS, LC-MS and LC-MS/MS 1067(2005)225

LC-MS

Analytical strategies for residue analysis of veterinary drugs and growth-promoting agents in food-producing animals—a review (Review) 1067(2005)15

Leucomalachite green

Determination of the sum of malachite green and leucomalachite green in salmon muscle by liquid chromatography-atmospheric pressure chemical ionisation-mass spectrometry 1067(2005)101

Library

Matching unknown empirical formulas to chemical structure using LC/MS TOF accurate mass and database searching: example of unknown pesticides on tomato skins 1067(2005)127

Linear alkylbenzene sulfonates

Application of liquid chromatography-electrospray-tandem mass spectrometry for the identification and characterisation of linear alkylbenzene sulfonates and sulfophenyl carboxylates in sludge-amended soils 1067(2005)171

Lipid regulators

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Liquid chromatography mass spectrometry

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography-electrospray ionisation-tandem mass spectrometry 1067(2005)85

Liquid chromatography

Determination of kava lactones in food supplements by liquid chromatography-atmospheric pressure chemical ionisation tandem mass spectrometry 1067(2005)107

Operational options to reduce matrix effects in liquid chromatography-electrospray ionisation-mass spectrometry analysis of aqueous environmental samples 1067(2005)153

A new LC/APCI-MS method for the determination of cholesterol oxidation products in food 1067(2005)207

Liquid chromatography-tandem mass spectrometry

Liquid chromatography-tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review (Review) 1067(2005)1

Malachite green

Determination of the sum of malachite green and leucomalachite green in salmon muscle by liquid chromatography-atmospheric pressure chemical ionisation-mass spectrometry 1067(2005)101

Mass spectral fragmentation

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Mass spectrometry (MS)

Matching unknown empirical formulas to chemical structure using LC/MS TOF accurate mass and database searching: example of unknown pesticides on tomato skins 1067(2005)127

Operational options to reduce matrix effects in liquid chromatography–electrospray ionization–mass spectrometry analysis of aqueous environmental samples 1067(2005)153

Ion chromatography–electrospray mass spectrometry for the identification of low molecular weight organic acids during the 2,4-dichloro-phenol degradation 1067(2005)191

Characterization and pattern recognition of oil–sand naphthenic acids using comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry 1067(2005)277

Towards smaller and faster gas chromatography–mass spectrometry systems for field chemical detection 1067(2005)285

Evaluation of four mass spectrometric methods for the analysis of polychlorinated *n*-alkanes 1067(2005)295

Matrix effect

Operational options to reduce matrix effects in liquid chromatography–electrospray ionization–mass spectrometry analysis of aqueous environmental samples 1067(2005)153

Matrix solid-phase dispersion

Simple confirmatory assay for analyzing residues of aminoglycoside antibiotics in bovine milk: hot water extraction followed by liquid chromatography–tandem mass spectrometry 1067(2005)93

Meat

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography–electrospray ionisation–tandem mass spectrometry 1067(2005)85

Simultaneous determination of anabolic steroids and synthetic hormones in meat by freezing–lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry 1067(2005)303

Milk

Simple confirmatory assay for analyzing residues of aminoglycoside antibiotics in bovine milk: hot water extraction followed by liquid chromatography–tandem mass spectrometry 1067(2005)93

Miniaturised solvent extraction

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Molecular weight (MW)

Characterization and pattern recognition of oil–sand naphthenic acids using comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry 1067(2005)277

Monosaccharides

Isotope tag method for quantitative analysis of carbohydrates by liquid chromatography–mass spectrometry 1067(2005)145

MTAD

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Museum

Use of solid-phase microextraction for the detection of acetic acid by ion trap gas chromatography–mass spectrometry and application to indoor levels in museums 1067(2005)331

Musk fragrances

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

NanoLC–MS/MS

Proteomic LC–MS systems using nanoscale liquid chromatography with tandem mass spectrometry (Review) 1067(2005)73

Nanospray

Approaches for coupling solid-phase microextraction to nanospray 1067(2005)197

Natural products

Capillary liquid chromatography–microcoil ¹H nuclear magnetic resonance spectroscopy and liquid chromatography–ion trap mass spectrometry for on-line structure elucidation of isoflavones in *Radix astragali* 1067(2005)135

Nitrite

Unusual collision-induced dissociation of fluorated and non-fluorated α -nitrotoluene analogs in a gas chromatograph triple-stage quadrupole mass spectrometer under electron-capturing negative-ion chemical ionization conditions 1067(2005)337

Nitrofurans antibiotics

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography–electrospray ionisation–tandem mass spectrometry 1067(2005)85

Nitrofurantoin

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography–electrospray ionisation–tandem mass spectrometry 1067(2005)85

Nitrofurazone

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography–electrospray ionisation–tandem mass spectrometry 1067(2005)85

Nitropyrene

Enhanced sensitivity for the determination of ambiphilic polyaromatic amines by LC–MS/MS after acetylation 1067(2005)181

Non-steroidal anti-inflammatory drugs

Liquid chromatography–tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review (Review) 1067(2005)1

Oil–sand naphthenic acids (NAs)

Characterization and pattern recognition of oil–sand naphthenic acids using comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry 1067(2005)277

Oligosaccharides

Isotope tag method for quantitative analysis of carbohydrates by liquid chromatography–mass spectrometry 1067(2005)145

Oranges

Comparison of liquid chromatography using triple quadrupole and quadrupole ion trap mass analyzers to determine pesticide residues in oranges 1067(2005)115

Organic acids

Ion chromatography–electrospray mass spectrometry for the identification of low molecular weight organic acids during the 2,4-dichloro-phenol degradation 1067(2005)191

Oxidation by-products

Ion chromatography–electrospray mass spectrometry for the identification of low molecular weight organic acids during the 2,4-dichloro-phenol degradation 1067(2005)191

Parasitoid wasps

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Pentafluorobenzyl

Unusual collision-induced dissociation of fluorated and non-fluorated α -nitrotoluene analogs in a gas chromatograph triple-stage quadrupole mass spectrometer under electron-capturing negative-ion chemical ionization conditions 1067(2005)337

Perfume analysis

Comprehensive two-dimensional gas chromatography in combination with rapid scanning quadrupole mass spectrometry in perfume analysis 1067(2005)235

Pesticide residues

Comparison of liquid chromatography using triple quadrupole and quadrupole ion trap mass analyzers to determine pesticide residues in oranges 1067(2005)115

Pesticides

Matching unknown empirical formulas to chemical structure using LC/MS TOF accurate mass and database searching: example of unknown pesticides on tomato skins 1067(2005)127

Phase II metabolites

Structure elucidation of phase II metabolites by tandem mass spectrometry: an overview (Review) 1067(2005)55

Piper methysticum

Determination of kava lactones in food supplements by liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 1067(2005)107

PLE

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Polybrominated diphenyl ethers

Quadrupole mass spectrometer operating in the electron-capture negative ion mode as detector for comprehensive two-dimensional gas chromatography 1067(2005)255

Polychlorinated alkanes

Quadrupole mass spectrometer operating in the electron-capture negative ion mode as detector for comprehensive two-dimensional gas chromatography 1067(2005)255

Polychlorinated biphenyls

Comprehensive two-dimensional gas chromatography coupled to a rapid-scanning quadrupole mass spectrometer: principles and applications 1067(2005)245

Recent advances in mass spectrometric measurement of dioxins 1067(2005)265

Polychlorinated dibenzofurans

Recent advances in mass spectrometric measurement of dioxins 1067(2005)265

Polychlorinated dibenzo-*p*-dioxins

Recent advances in mass spectrometric measurement of dioxins 1067(2005)265

Polychlorinated *n*-alkanes

Evaluation of four mass spectrometric methods for the analysis of polychlorinated *n*-alkanes 1067(2005)295

Pressurised liquid extraction

Determination of chloroacetanilides, triazines and phenylureas and some of their metabolites in soils by pressurised liquid extraction, GC–MS/MS, LC–MS and LC–MS/MS 1067(2005)225

Proteome

Proteomic LC–MS systems using nanoscale liquid chromatography with tandem mass spectrometry (Review) 1067(2005)73

Proteomics

Proteomic LC–MS systems using nanoscale liquid chromatography with tandem mass spectrometry (Review) 1067(2005)73

Psychiatric drugs

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Pyridylamination

Isotope tag method for quantitative analysis of carbohydrates by liquid chromatography–mass spectrometry 1067(2005)145

Quadrupole ion storage mass spectrometry

Recent advances in mass spectrometric measurement of dioxins 1067(2005)265

Quadrupole ion trap

Comparison of liquid chromatography using triple quadrupole and quadrupole ion trap mass analyzers to determine pesticide residues in oranges 1067(2005)115

Quadrupole mass spectrometer

Comprehensive two-dimensional gas chromatography coupled to a rapid-scanning quadrupole mass spectrometer: principles and applications 1067(2005)245

Quadrupole mass spectrometry

Comprehensive two-dimensional gas chromatography in combination with rapid scanning quadrupole mass spectrometry in perfume analysis 1067(2005)235

Quadrupole mass spectrometer operating in the electron-capture negative ion mode as detector for comprehensive two-dimensional gas chromatography 1067(2005)255

Radix astragali

Capillary liquid chromatography–microcoil ^1H nuclear magnetic resonance spectroscopy and liquid chromatography–ion trap mass spectrometry for on-line structure elucidation of isoflavones in *Radix astragali* 1067(2005)135

Resistive heating

Towards smaller and faster gas chromatography–mass spectrometry systems for field chemical detection 1067(2005)285

Restricted access materials

Approaches for coupling solid-phase microextraction to nanospray 1067(2005)197

Salmon

Determination of the sum of malachite green and leucomalachite green in salmon muscle by liquid chromatography–atmospheric pressure chemical ionisation–mass spectrometry 1067(2005)101

Semicarbazide

Quantitative determination of four nitrofurans metabolites in meat by isotope dilution liquid chromatography–electrospray ionisation–tandem mass spectrometry 1067(2005)85

Sewage

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Sewage sludge

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

Sex pheromones

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Silylation

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Sludge-amended soil

Application of liquid chromatography–electrospray–tandem mass spectrometry for the identification and characterisation of linear alkylbenzene sulfonates and sulfophenyl carboxylates in sludge-amended soils 1067(2005)171

Soils

Determination of chloroacetanilides, triazines and phenylureas and some of their metabolites in soils by pressurised liquid extraction, GC–MS/MS, LC–MS and LC–MS/MS 1067(2005)225

Solid phase microextraction

Approaches for coupling solid-phase microextraction to nanospray 1067(2005)197

Towards smaller and faster gas chromatography–mass spectrometry systems for field chemical detection 1067(2005)285

SPE clean-up

Simultaneous determination of anabolic steroids and synthetic hormones in meat by freezing–lipid filtration, solid-phase extraction and gas chromatography–mass spectrometry 1067(2005)303

SPE

Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS 1067(2005)213

SPME

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Use of solid-phase microextraction for the detection of acetic acid by ion trap gas chromatography–mass spectrometry and application to indoor levels in museums 1067(2005)331

Stable isotopes

Unusual collision-induced dissociation of fluorated and non-fluorated α -nitrotoluene analogs in a gas chromatograph triple-stage quadrupole mass spectrometer under electron-capturing negative-ion chemical ionization conditions 1067(2005)337

Structure elucidation

Capillary liquid chromatography–microcoil ^1H nuclear magnetic resonance spectroscopy and liquid chromatography–ion trap mass spectrometry for on-line structure elucidation of isoflavones in *Radix astragali* 1067(2005)135

Sulfophenyl carboxylates

Application of liquid chromatography–electrospray–tandem mass spectrometry for the identification and characterisation of linear alkylbenzene sulfonates and sulfophenyl carboxylates in sludge-amended soils 1067(2005)171

Surfactants

Application of liquid chromatography–electrospray–tandem mass spectrometry for the identification and characterisation of linear alkylbenzene sulfonates and sulfophenyl carboxylates in sludge-amended soils 1067(2005)171

Tandem in time mass spectrometry

Recent advances in mass spectrometric measurement of dioxins 1067(2005)265

Tandem mass spectrometry

Structure elucidation of phase II metabolites by tandem mass spectrometry: an overview (Review) 1067(2005)55

Determination of kava lactones in food supplements by liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 1067(2005)107

Unusual collision-induced dissociation of fluorated and non-fluorated α -nitrotoluene analogs in a gas chromatograph triple-stage quadrupole mass spectrometer under electron-capturing negative-ion chemical ionization conditions 1067(2005)337

Time-of-flight

Matching unknown empirical formulas to chemical structure using LC/MS TOF accurate mass and database searching: example of unknown pesticides on tomato skins 1067(2005)127

Characterization and pattern recognition of oil–sand naphthenic acids using comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry 1067(2005)277

Time-of-flight mass spectrometry

Recent advances in mass spectrometric measurement of dioxins 1067(2005)265

Tomato-skin extract

Matching unknown empirical formulas to chemical structure using LC/MS TOF accurate mass and database searching: example of unknown pesticides on tomato skins 1067(2005)127

Trichogramma turkestanica

Partial elucidation of *Trichogramma* putative sex pheromone at trace levels by solid-phase microextraction and gas chromatography–mass spectrometry studies 1067(2005)311

Triple quadrupole

Comparison of liquid chromatography using triple quadrupole and quadrupole ion trap mass analyzers to determine pesticide residues in oranges 1067(2005)115

Urine

Investigation of the feeding effect on the $^{13}\text{C}/^{12}\text{C}$ isotope ratio of the hormones in bovine urine using gas chromatography/combustion isotope ratio mass spectrometry 1067(2005)323

Veterinary drugs

Analytical strategies for residue analysis of veterinary drugs and growth-promoting agents in food-producing animals—a review (Review) 1067(2005)15

Water analysis

Determination of non-ionic polyethoxylated surfactants in wastewater and river water by mixed hemimicelle extraction and liquid chromatography–ion trap mass spectrometry 1067(2005)161

Ion chromatography–electrospray mass spectrometry for the identification of low molecular weight organic acids during the 2,4-dichloro-phenol degradation 1067(2005)191