

Subject Index Vol. 1070

***Acer truncatum* Bunge**

Isolation of quercetin-3-O-L-rhamnoside from *Acer truncatum* Bunge by high-speed counter-current chromatography 1070(2005)211

Acid–base interactions

Study of a core-shell type impact modifier by inverse gas chromatography 1070(2005)147

Adsorption

Influence of the pressure on the properties of chromatographic columns. I. Measurement of the compressibility of methanol–water mixtures on a mesoporous silica adsorbent 1070(2005)1

Airborne molecular contaminants

Direct quantitative analysis of phthalate esters as micro-contaminants in cleanroom air and wafer surfaces by auto-thermal desorption–gas chromatography–mass spectrometry 1070(2005)137

Amines

Chiral separation of amines in subcritical fluid chromatography using polysaccharide stationary phases and acidic additives 1070(2005)163

***p*-Aminobenzamidine**

Quantitative determination of the ligand content in Benzamidine Sepharose 4 Fast Flow media with ion-pair chromatography 1070(2005)103

***p*-Aminobenzoic acid**

Quantitative determination of the ligand content in Benzamidine Sepharose 4 Fast Flow media with ion-pair chromatography 1070(2005)103

α -Amylase

One-step purification of α -amylase from the cultivation supernatant of recombinant *Bacillus subtilis* by high-speed counter-current chromatography with aqueous polymer two-phase systems 1070(2005)215

Aqueous polymer two-phase system

One-step purification of α -amylase from the cultivation supernatant of recombinant *Bacillus subtilis* by high-speed counter-current chromatography with aqueous polymer two-phase systems 1070(2005)215

Atropisomers

Vesicles as pseudostationary phase for enantiomer separation by capillary electrophoresis 1070(2005)185

Benzamidine Sepharose 4 Fast Flow

Quantitative determination of the ligand content in Benzamidine Sepharose 4 Fast Flow media with ion-pair chromatography 1070(2005)103

CAAT enhancer binding protein

Oligonucleotide trapping method for transcription factor purification systematic optimization using electrophoretic mobility shift assay 1070(2005)23

Capillary electrophoresis

Determination of herbicides in mineral and stagnant waters at ng/L levels using capillary electrophoresis and UV detection combined with solid-phase extraction and sample stacking 1070(2005)171

Vesicles as pseudostationary phase for enantiomer separation by capillary electrophoresis 1070(2005)185

Carboxybetaine

Zwitterionic ion chromatography with carboxybetaine surfactant-coated particle packed and monolithic type columns 1070(2005)71

Chinese Ephedra

Molecularly imprinted solid-phase extraction of (–)-ephedrine from Chinese Ephedra 1070(2005)125

Chiral separation

Chiral separation of amines in subcritical fluid chromatography using polysaccharide stationary phases and acidic additives 1070(2005)163

Chromatographic fingerprint

Fingerprint quality control of Tianjihuang by high-performance liquid chromatography–photodiode array detection 1070(2005)35

Cleanroom

Direct quantitative analysis of phthalate esters as micro-contaminants in cleanroom air and wafer surfaces by auto-thermal desorption–gas chromatography–mass spectrometry 1070(2005)137

Coherence

Determination of adsorption isotherms of proteins by H-root method: Comparison between open micro-channels and conventional packed columns 1070(2005)201

Column back-pressure

Influence of pressure on the properties of chromatographic columns. II. The column hold-up volume 1070(2005)13

Column liquid chromatography

Separation of water-soluble vitamins by reversed-phase high performance liquid chromatography with ultra-violet detection: Application to polyvitaminated premixes 1070(2005)49

Core-shell particulates

Study of a core-shell type impact modifier by inverse gas chromatography 1070(2005)147

Counter pressure

Approach to quasi stationary electrokinetic chromatography 1070(2005)179

Counter-current chromatography

Preparative isolation and purification of germacrone and curdione from the essential oil of the rhizomes of *Curcuma wenyujin* by high-speed counter-current chromatography 1070(2005)207

Curcuma wenyujin

Preparative isolation and purification of germacrone and curdione from the essential oil of the rhizomes of *Curcuma wenyujin* by high-speed counter-current chromatography 1070(2005)207

Curdione

Preparative isolation and purification of germacrone and curdione from the essential oil of the rhizomes of *Curcuma wenyujin* by high-speed counter-current chromatography 1070(2005)207

Degradation

Comprehensive two-dimensional liquid chromatography and hyphenated liquid chromatography to study the degradation of poly(bisphenol A) carbonate 1070(2005)79

Diterpenes

Determination of triptolide in root extracts of *Tripterygium wilfordii* by solid-phase extraction and reverse-phase high-performance liquid chromatography 1070(2005)65

DNA

Oligonucleotide trapping method for transcription factor purification systematic optimization using electrophoretic mobility shift assay 1070(2005)23

Dual trap

Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics 1070(2005)193

Electrokinetic chromatography

Approach to quasi stationary electrokinetic chromatography 1070(2005)179

Enantiomer separation

Vesicles as pseudostationary phase for enantiomer separation by capillary electrophoresis 1070(2005)185

End-capping

Influence of pressure on the properties of chromatographic columns. II. The column hold-up volume 1070(2005)13

Enhanced biological phosphorus removal

Optimisation of poly- β -hydroxyalkanoate analysis using gas chromatography for enhanced biological phosphorus removal systems 1070(2005)131

Environmental analysis

Improved method for analyzing estrogens in water by liquid chromatography–electrospray mass spectrometry 1070(2005)221

(–)-Ephedrine

Molecularly imprinted solid-phase extraction of (–)-ephedrine from Chinese Ephedra 1070(2005)125

Estrogens

Improved method for analyzing estrogens in water by liquid chromatography–electrospray mass spectrometry 1070(2005)221

Experimental design

A better global resolution function and a novel iterative stochastic search method for optimization of high-performance liquid chromatographic separation 1070(2005)89

Flos Lonicerae

Quality evaluation of *Flos Lonicerae* through a simultaneous determination of seven saponins by HPLC with ELSD 1070(2005)43

Flow gradients

Zwitterionic ion chromatography with carboxybetaine surfactant-coated particle packed and monolithic type columns 1070(2005)71

Fucose

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

Fucosidase

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

GC–MS

Direct quantitative analysis of phthalate esters as micro-contaminants in cleanroom air and wafer surfaces by auto-thermal desorption–gas chromatography–mass spectrometry 1070(2005)137

Germacrone

Preparative isolation and purification of germacrone and curdione from the essential oil of the rhizomes of *Curcuma wenyujin* by high-speed counter-current chromatography 1070(2005)207

Glycogen accumulating organisms

Optimisation of poly- β -hydroxyalkanoate analysis using gas chromatography for enhanced biological phosphorus removal systems 1070(2005)131

Glycoproteins

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

Glycoproteome

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

Glycosylation pattern change

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

GPEC

Comprehensive two-dimensional liquid chromatography and hyphenated liquid chromatography to study the degradation of poly(bisphenol A) carbonate 1070(2005)79

Gradient elution

Effect of mobile phase composition on the SMB processes efficiency 1070(2005)111

Herbal medicines

Fingerprint quality control of Tianjihuang by high-performance liquid chromatography–photodiode array detection 1070(2005)35

High-speed counter-current chromatography

Isolation of quercetin-3-O-L-rhamnoside from *Acer truncatum* Bunge by high-speed counter-current chromatography 1070(2005)211

One-step purification of α -amylase from the cultivation supernatant of recombinant *Bacillus subtilis* by high-speed counter-current chromatography with aqueous polymer two-phase systems 1070(2005)215

HPLC columns

Influence of pressure on the properties of chromatographic columns. II. The column hold-up volume 1070(2005)13

HPLC optimization

A better global resolution function and a novel iterative stochastic search method for optimization of high-performance liquid chromatographic separation 1070(2005)89

HPLC-DAD

Fingerprint quality control of Tianjihuang by high-performance liquid chromatography-photodiode array detection 1070(2005)35

HPLC-ELSD

Quality evaluation of *Flos Lonicerae* through a simultaneous determination of seven saponins by HPLC with ELSD 1070(2005)43

H-root method

Determination of adsorption isotherms of proteins by H-root method: Comparison between open micro-channels and conventional packed columns 1070(2005)201

Human serum

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

***Hypericum japonicum* Thunb (Tianjihuang)**

Fingerprint quality control of Tianjihuang by high-performance liquid chromatography-photodiode array detection 1070(2005)35

Impact modifier

Study of a core-shell type impact modifier by inverse gas chromatography 1070(2005)147

Inverse gas chromatography

Study of a core-shell type impact modifier by inverse gas chromatography 1070(2005)147

Ion-pair chromatography

Quantitative determination of the ligand content in Benzamidine Sepharose 4 Fast Flow media with ion-pair chromatography 1070(2005)103

Isotherm prediction

Determination of adsorption isotherms of proteins by H-root method: Comparison between open micro-channels and conventional packed columns 1070(2005)201

Isothermal liquid compressibility

Influence of the pressure on the properties of chromatographic columns. I. Measurement of the compressibility of methanol-water mixtures on a mesoporous silica adsorbent 1070(2005)1

Jurkat T-cells

Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics 1070(2005)193

Langmuir isotherm

Determination of adsorption isotherms of proteins by H-root method: Comparison between open micro-channels and conventional packed columns 1070(2005)201

LC × SEC

Comprehensive two-dimensional liquid chromatography and hyphenated liquid chromatography to study the degradation of poly(bisphenol A) carbonate 1070(2005)79

LC-CC

Comprehensive two-dimensional liquid chromatography and hyphenated liquid chromatography to study the degradation of poly(bisphenol A) carbonate 1070(2005)79

LC-ESI-MS

Improved method for analyzing estrogens in water by liquid chromatography-electrospray mass spectrometry 1070(2005)221

Lectin

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

Ligand content

Quantitative determination of the ligand content in Benzamidine Sepharose 4 Fast Flow media with ion-pair chromatography 1070(2005)103

Liquid chromatography-mass spectrometry

Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics 1070(2005)193

MALDI-TOF-MS

Comprehensive two-dimensional liquid chromatography and hyphenated liquid chromatography to study the degradation of poly(bisphenol A) carbonate 1070(2005)79

MBS rubber

Study of a core-shell type impact modifier by inverse gas chromatography 1070(2005)147

Methanol-water mixture

Influence of the pressure on the properties of chromatographic columns. I. Measurement of the compressibility of methanol-water mixtures on a mesoporous silica adsorbent 1070(2005)1

Micellar electrokinetic chromatography

Approach to quasi stationary electrokinetic chromatography 1070(2005)179

Microbial fermentation

A better global resolution function and a novel iterative stochastic search method for optimization of high-performance liquid chromatographic separation 1070(2005)89

Molecularly imprinted solid phase extraction

Molecularly imprinted solid-phase extraction of (-)-ephedrine from Chinese Ephedra 1070(2005)125

Monolithic columns

Zwitterionic ion chromatography with carboxybetaine surfactant-coated particle packed and monolithic type columns 1070(2005)71

Monomer

Simplified multiple headspace extraction gas chromatographic technique for determination of monomer solubility in water 1070(2005)225

Multiple headspace extraction

Simplified multiple headspace extraction gas chromatographic technique for determination of monomer solubility in water 1070(2005)225

Nanoflow liquid chromatography

Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics 1070(2005)193

Neuraminidase

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

Nucleoside derivatives

Development of a solid-phase extraction/gas chromatographic–mass spectrometric method for quantification of succinic acid in nucleoside derivatives for oligonucleotide synthesis 1070(2005)155

On-line concentration

Determination of herbicides in mineral and stagnant waters at ng/L levels using capillary electrophoresis and UV detection combined with solid-phase extraction and sample stacking 1070(2005)171

μPPS

Determination of adsorption isotherms of proteins by H-root method: Comparison between open micro-channels and conventional packed columns 1070(2005)201

Optimum search method

A better global resolution function and a novel iterative stochastic search method for optimization of high-performance liquid chromatographic separation 1070(2005)89

μOTS

Determination of adsorption isotherms of proteins by H-root method: Comparison between open micro-channels and conventional packed columns 1070(2005)201

Partial filling electrokinetic chromatography

Approach to quasi stationary electrokinetic chromatography 1070(2005)179

Permeability

Influence of pressure on the properties of chromatographic columns. II. The column hold-up volume 1070(2005)13

Pesticides

Determination of herbicides in mineral and stagnant waters at ng/L levels using capillary electrophoresis and UV detection combined with solid-phase extraction and sample stacking 1070(2005)171

Pharmaceutical analysis

Determination of triptolide in root extracts of *Tripterygium wilfordii* by solid-phase extraction and reverse-phase high-performance liquid chromatography 1070(2005)65

Phenyl column

Improved method for analyzing estrogens in water by liquid chromatography–electrospray mass spectrometry 1070(2005)221

Phthalate esters

Direct quantitative analysis of phthalate esters as micro-contaminants in cleanroom air and wafer surfaces by auto-thermal desorption–gas chromatography–mass spectrometry 1070(2005)137

Plant materials

Determination of triptolide in root extracts of *Tripterygium wilfordii* by solid-phase extraction and reverse-phase high-performance liquid chromatography 1070(2005)65

Poly(bisphenol A)carbonate

Comprehensive two-dimensional liquid chromatography and hyphenated liquid chromatography to study the degradation of poly(bisphenol A) carbonate 1070(2005)79

Poly-β-hydroxy-2-methylvalerate

Optimisation of poly-β-hydroxyalkanoate analysis using gas chromatography for enhanced biological phosphorus removal systems 1070(2005)131

Poly-β-hydroxyalkanoate

Optimisation of poly-β-hydroxyalkanoate analysis using gas chromatography for enhanced biological phosphorus removal systems 1070(2005)131

Polymeric dye

Approach to quasi stationary electrokinetic chromatography 1070(2005)179

Polyphosphate accumulating organisms

Optimisation of poly-β-hydroxyalkanoate analysis using gas chromatography for enhanced biological phosphorus removal systems 1070(2005)131

Polyvitaminated premixes

Separation of water-soluble vitamins by reversed-phase high performance liquid chromatography with ultra-violet detection: Application to polyvitaminated premixes 1070(2005)49

Preparative chromatography

Isolation of quercetin-3-O-L-rhamnoside from *Acer truncatum* Bunge by high-speed counter-current chromatography 1070(2005)211

Pressure

Influence of the pressure on the properties of chromatographic columns. I. Measurement of the compressibility of methanol-water mixtures on a mesoporous silica adsorbent 1070(2005)1

Propionate

Optimisation of poly-β-hydroxyalkanoate analysis using gas chromatography for enhanced biological phosphorus removal systems 1070(2005)131

Proteins

Oligonucleotide trapping method for transcription factor purification systematic optimization using electrophoretic mobility shift assay 1070(2005)23

Proteomics

Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics 1070(2005)193

Purification

Preparative isolation and purification of germacrone and curdione from the essential oil of the rhizomes of *Curcuma wenyujin* by high-speed counter-current chromatography 1070(2005)207

One-step purification of α-amylase from the cultivation supernatant of recombinant *Bacillus subtilis* by high-speed counter-current chromatography with aqueous polymer two-phase systems 1070(2005)215

Quality control

Fingerprint quality control of Tianjihuang by high-performance liquid chromatography–photodiode array detection 1070(2005)35

Quantification

Quality evaluation of *Flos Lonicerae* through a simultaneous determination of seven saponins by HPLC with ELSD 1070(2005)43

Quasi stationary separation additive

Approach to quasi stationary electrokinetic chromatography 1070(2005)179

Quercetin-3-O-L-rhamnoside

Isolation of quercetin-3-O-L-rhamnoside from *Acer truncatum* Bunge by high-speed counter-current chromatography 1070(2005)211

Resolution function

A better global resolution function and a novel iterative stochastic search method for optimization of high-performance liquid chromatographic separation 1070(2005)89

Resolve

Influence of the pressure on the properties of chromatographic columns. I. Measurement of the compressibility of methanol–water mixtures on a mesoporous silica adsorbent 1070(2005)1

Influence of pressure on the properties of chromatographic columns. II. The column hold-up volume 1070(2005)13

Resolve-C₁₈

Influence of pressure on the properties of chromatographic columns. II. The column hold-up volume 1070(2005)13

Response element

Oligonucleotide trapping method for transcription factor purification systematic optimization using electrophoretic mobility shift assay 1070(2005)23

Retention modelling

A better global resolution function and a novel iterative stochastic search method for optimization of high-performance liquid chromatographic separation 1070(2005)89

Sample clean-up

Molecularly imprinted solid-phase extraction of (–)-ephedrine from Chinese Ephedra 1070(2005)125

Saponins

Quality evaluation of *Flos Lonicerae* through a simultaneous determination of seven saponins by HPLC with ELSD 1070(2005)43

Sialic acid

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

Silica column

Influence of the pressure on the properties of chromatographic columns. I. Measurement of the compressibility of methanol–water mixtures on a mesoporous silica adsorbent 1070(2005)1

Simulated moving bed chromatography

Effect of mobile phase composition on the SMB processes efficiency 1070(2005)111

Solid-phase extraction protocol

Development of a solid-phase extraction/gas chromatographic–mass spectrometric method for quantification of succinic acid in nucleoside derivatives for oligonucleotide synthesis 1070(2005)155

Solubility

Simplified multiple headspace extraction gas chromatographic technique for determination of monomer solubility in water 1070(2005)225

Stacking

Determination of herbicides in mineral and stagnant waters at ng/L levels using capillary electrophoresis and UV detection combined with solid-phase extraction and sample stacking 1070(2005)171

Stochastic optimization

Effect of mobile phase composition on the SMB processes efficiency 1070(2005)111

Subcritical fluid chromatography

Chiral separation of amines in subcritical fluid chromatography using polysaccharide stationary phases and acidic additives 1070(2005)163

Succinic acid

Development of a solid-phase extraction/gas chromatographic–mass spectrometric method for quantification of succinic acid in nucleoside derivatives for oligonucleotide synthesis 1070(2005)155

Surface desorption

Direct quantitative analysis of phthalate esters as micro-contaminants in cleanroom air and wafer surfaces by auto-thermal desorption–gas chromatography–mass spectrometry 1070(2005)137

Symmetry-C₁₈

Influence of pressure on the properties of chromatographic columns 1070(2005)13

Tandem mass spectrometry

Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics 1070(2005)193

Thiourea

Influence of the pressure on the properties of chromatographic columns. I. Measurement of the compressibility of methanol–water mixtures on a mesoporous silica adsorbent 1070(2005)1

Influence of pressure on the properties of chromatographic columns. II. The column hold-up volume 1070(2005)13

Transcription factor

Oligonucleotide trapping method for transcription factor purification systematic optimization using electrophoretic mobility shift assay 1070(2005)23

Transferrin

Monitoring glycosylation pattern changes of glycoproteins using multi-lectin affinity chromatography 1070(2005)57

Tripterygium wilfordii

Determination of triptolide in root extracts of *Tripterygium wilfordii* by solid-phase extraction and reverse-phase high-performance liquid chromatography 1070(2005)65

Triptolide

Determination of triptolide in root extracts of *Tripterygium wilfordii* by solid-phase extraction and reverse-phase high-performance liquid chromatography 1070(2005)65

Two-dimensional liquid chromatography

Comprehensive two-dimensional liquid chromatography and hyphenated liquid chromatography to study the degradation of poly(bisphenol A) carbonate 1070(2005)79

Two-dimensional

Dual-purpose sample trap for on-line strong cation-exchange chromatography/reversed-phase liquid chromatography/tandem mass spectrometry for shotgun proteomics 1070(2005)193

Vesicles

Vesicles as pseudostationary phase for enantiomer separation by capillary electrophoresis 1070(2005)185

Wafer contamination

Direct quantitative analysis of phthalate esters as micro-contaminants in cleanroom air and wafer surfaces by auto-thermal desorption–gas chromatography–mass spectrometry 1070(2005)137

Water

Determination of herbicides in mineral and stagnant waters at ng/L levels using capillary electrophoresis and UV detection combined with solid-phase extraction and sample stacking 1070(2005)171

Water-soluble vitamins

Separation of water-soluble vitamins by reversed-phase high performance liquid chromatography with ultra-violet detection: Application to polyvitaminated premixes 1070(2005)49

Zwitterionic ion chromatography

Zwitterionic ion chromatography with carboxybetaine surfactant-coated particle packed and monolithic type columns 1070(2005)71