

Subject Index Vol. 1072

Activation energy

Determination of rate constants and activation energy of 3-chloro-1,2-propanediol hydrolysis by capillary electrophoresis with electrochemical detection 1072(2005)267

Adsorption isotherms

Use of lipophilic ion adsorption isotherms to determine the surface area and the monolayer capacity of a chromatographic packing, as well as the thermodynamic equilibrium constant for its adsorption 1072(2005)201

Aesculetin

Isolation and purification of coumarin compounds from *Cortex fraxinus* by high-speed counter-current chromatography 1072(2005)195

Aesculin

Isolation and purification of coumarin compounds from *Cortex fraxinus* by high-speed counter-current chromatography 1072(2005)195

Air analysis

Sampling and analysis of polychlorinated biphenyls in indoor air by sorbent enrichment followed by headspace solid-phase microextraction and gas chromatography–tandem mass spectrometry 1072(2005)99

Amino sugars

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

Anionic additive

Role of ion pairing in anionic additive effects on the separation of cationic drugs in reversed-phase liquid chromatography 1072(2005)169

Automation

Equilibrium in-fibre standardisation technique for solid-phase microextraction 1072(2005)13

Basic pharmaceuticals

Role of ion pairing in anionic additive effects on the separation of cationic drugs in reversed-phase liquid chromatography 1072(2005)169

Biota samples

Development of a matrix solid-phase dispersion method for the screening of polybrominated diphenyl ethers and polychlorinated biphenyls in biota samples using gas chromatography with electron-capture detection 1072(2005)83

Calibration

Equilibrium in-fibre standardisation technique for solid-phase microextraction 1072(2005)13

Capillary electrophoresis

Role of ion pairing in anionic additive effects on the separation of cationic drugs in reversed-phase liquid chromatography 1072(2005)169

Method for on-line derivatization and separation of aspartic acid enantiomer in pharmaceuticals application by the coupling of flow injection with micellar electrokinetic chromatography 1072(2005)259

Determination of rate constants and activation energy of 3-chloro-1,2-propanediol hydrolysis by capillary electrophoresis with electrochemical detection 1072(2005)267

Capillary LC

Large-bore particle-entrapped monolithic precolumns prepared by a sol-gel method for on-line peptides trapping and preconcentration in multidimensional liquid chromatography system for proteome analysis 1072(2005)223

Capillary zone electrophoresis

Enantioseparation of 2-*O*- β -D-glucopyranosyl-2H-1,4-benzoxazin-3(4H)-one and its 7-chloro-derivative by capillary zone electrophoresis using native and substituted β -cyclodextrins as chiral additives 1072(2005)279

Carbamates

Application of hollow fiber liquid phase microextraction for the determination of insecticides in water 1072(2005)55

Carbosphere

Microtrap modulated flame ionization detector for on-line monitoring of methane 1072(2005)243

Carbowax 20M

Highly porous solid-phase microextraction fiber coating based on poly(ethylene glycol)-modified ormosils synthesized by sol-gel technology 1072(2005)7

Carrier mediated transport

Liquid-phase microextraction based on carrier mediated transport combined with liquid chromatography–mass spectrometry. New concept for the determination of polar drugs in a single drop of human plasma 1072(2005)29

Ceramic Dosimeter

Time-integrated monitoring of polycyclic aromatic hydrocarbons (PAHs) in groundwater using the Ceramic Dosimeter passive sampling device 1072(2005)137

Chiral capillary electrophoresis

Enantiomeric determination, validation and robustness studies of racemic citalopram in pharmaceutical formulations by capillary electrophoresis 1072(2005)249

Chiral separation

Enantioseparation of 2-*O*- β -D-glucopyranosyl-2H-1,4-benzoxazin-3(4H)-one and its 7-chloro-derivative by capillary zone electrophoresis using native and substituted β -cyclodextrins as chiral additives 1072(2005)279

Chlorinated anilines

Ionic liquid for high temperature headspace liquid-phase microextraction of chlorinated anilines in environmental water samples 1072(2005)3

Chlorinated compounds

Sampling and analysis of polychlorinated biphenyls in indoor air by sorbent enrichment followed by headspace solid-phase microextraction and gas chromatography–tandem mass spectrometry 1072(2005)99

3-Chloro-1,2-propanediol

Determination of rate constants and activation energy of 3-chloro-1,2-propanediol hydrolysis by capillary electrophoresis with electrochemical detection 1072(2005)267

Chlorobenzenes

Indirect determination of low vapour pressures using solid-phase microextraction—application to tetrachlorobenzenes and tetrachlorobenzyltoluenes 1072(2005)93

Chlorophenols

Membrane-assisted solvent extraction of seven phenols combined with large volume injection–gas chromatography–mass spectrometric detection 1072(2005)37

Chromatographically accessible area

Use of lipophilic ion adsorption isotherms to determine the surface area and the monolayer capacity of a chromatographic packing, as well as the thermodynamic equilibrium constant for its adsorption 1072(2005)201

Copper–tryptophan complex

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

Cortex fraxinus

Isolation and purification of coumarin compounds from *Cortex fraxinus* by high-speed counter-current chromatography 1072(2005)195

Counter-current chromatography

Isolation and purification of coumarin compounds from *Cortex fraxinus* by high-speed counter-current chromatography 1072(2005)195

Cyclic nitramines

Detection of nitroaromatic and cyclic nitramine compounds by cyclodextrin assisted capillary electrophoresis quadrupole ion trap mass spectrometry 1072(2005)73

Cyclodextrin

Enantiomeric determination, validation and robustness studies of racemic citalopram in pharmaceutical formulations by capillary electrophoresis 1072(2005)249

Enantioseparation of 2-*O*- β -D-glucopyranosyl-2H-1,4-benzoxazin-3(4H)-one and its 7-chloro-derivative by capillary zone electrophoresis using native and substituted β -cyclodextrins as chiral additives 1072(2005)279

DDHP

Simultaneous quantification of differently glycosylated, acetylated, and 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one-conjugated soya-saponins using reversed-phase high-performance liquid chromatography with evaporative light scattering detection 1072(2005)185

DDT

Indirect determination of low vapour pressures using solid-phase microextraction—application to tetrachlorobenzenes and tetrachlorobenzyltoluenes 1072(2005)93

Degradation

DDT degradation during enhanced solid–liquid extractions. A consideration 1072(2005)117

***p,p'*-DDT**

DDT degradation during enhanced solid–liquid extractions. A consideration 1072(2005)117

1,6-Diphenyl-1,3,5-hexatriene

Fluorescence probe assisted post-column detection for lipid analysis in microbore-LC 1072(2005)149

Drinking water

Use of temperature programming to improve resolution of inorganic anions, haloacetic acids and oxyhalides in drinking water by suppressed ion chromatography 1072(2005)207

Drugs

Liquid-phase microextraction based on carrier mediated transport combined with liquid chromatography–mass spectrometry. New concept for the determination of polar drugs in a single drop of human plasma 1072(2005)29

Electrochemical detection

Determination of rate constants and activation energy of 3-chloro-1,2-propanediol hydrolysis by capillary electrophoresis with electrochemical detection 1072(2005)267

Electrokinetic chromatography

Detection of nitroaromatic and cyclic nitramine compounds by cyclodextrin assisted capillary electrophoresis quadrupole ion trap mass spectrometry 1072(2005)73

Enantiomer separation

Method for on-line derivatization and separation of aspartic acid enantiomer in pharmaceuticals application by the coupling of flow injection with micellar electrokinetic chromatography 1072(2005)259

Enantiomers/citalopram

Enantiomeric determination, validation and robustness studies of racemic citalopram in pharmaceutical formulations by capillary electrophoresis 1072(2005)249

Enantiomers

Enantioseparation of 2-*O*- β -D-glucopyranosyl-2H-1,4-benzoxazin-3(4H)-one and its 7-chloro-derivative by capillary zone electrophoresis using native and substituted β -cyclodextrins as chiral additives 1072(2005)279

Environmental analysis

Detection of nitroaromatic and cyclic nitramine compounds by cyclodextrin assisted capillary electrophoresis quadrupole ion trap mass spectrometry 1072(2005)73

Development and validation of methods for the trace determination of phthalates in sludge and vegetables 1072(2005)233

Evaporative light scattering detection

Simultaneous quantification of differently glycosylated, acetylated, and 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one-conjugated soya-saponins using reversed-phase high-performance liquid chromatography with evaporative light scattering detection 1072(2005)185

Exhaustive extraction

Sampling and determination of volatile organic compounds with needle trap devices 1072(2005)127

Explosives

Detection of nitroaromatic and cyclic nitramine compounds by cyclodextrin assisted capillary electrophoresis quadrupole ion trap mass spectrometry 1072(2005)73

Extraction conditions

Membrane-assisted solvent extraction of seven phenols combined with large volume injection–gas chromatography–mass spectrometric detection 1072(2005)37

Extraction methods

Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters 1072(2005)63

Development and validation of methods for the trace determination of phthalates in sludge and vegetables 1072(2005)233

Extraction time

New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation 1072(2005)19

Factorial design

Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters 1072(2005)63

Sampling and analysis of polychlorinated biphenyls in indoor air by sorbent enrichment followed by headspace solid-phase microextraction and gas chromatography–tandem mass spectrometry 1072(2005)99

Flow injection

Method for on-line derivatization and separation of aspartic acid enantiomer in pharmaceuticals application by the coupling of flow injection with micellar electrokinetic chromatography 1072(2005)259

Fluidized-bed extraction

DDT degradation during enhanced solid–liquid extractions. A consideration 1072(2005)117

Fluorescence quenching

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

Fluorescence

Fluorescence probe assisted post-column detection for lipid analysis in microbore-LC 1072(2005)149

Fractionation

Development of a matrix solid-phase dispersion method for the screening of polybrominated diphenyl ethers and polychlorinated biphenyls in biota samples using gas chromatography with electron-capture detection 1072(2005)83

Fraxetin

Isolation and purification of coumarin compounds from *Cortex fraxinus* by high-speed counter-current chromatography 1072(2005)195

Fraxin

Isolation and purification of coumarin compounds from *Cortex fraxinus* by high-speed counter-current chromatography 1072(2005)195

Gas chromatography

Sampling and determination of volatile organic compounds with needle trap devices 1072(2005)127

GC–MS

Optimization of solid-phase microextraction conditions for the determination of triclosan and possible related compounds in water samples 1072(2005)107

D-Galactosamine

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

D-Glucosamine

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

Grape seed extracts

Large-scale isolation of flavan-3-ol phloroglucinol adducts by high-speed counter-current chromatography 1072(2005)217

Ground water samples

Membrane-assisted solvent extraction of seven phenols combined with large volume injection–gas chromatography–mass spectrometric detection 1072(2005)37

Groundwater

Time-integrated monitoring of polycyclic aromatic hydrocarbons (PAHs) in groundwater using the Ceramic Dosimeter passive sampling device 1072(2005)137

Haloacetic acids

Use of temperature programming to improve resolution of inorganic anions, haloacetic acids and oxyhalides in drinking water by suppressed ion chromatography 1072(2005)207

Headspace liquid-phase microextraction

Ionic liquid for high temperature headspace liquid-phase microextraction of chlorinated anilines in environmental water samples 1072(2005)3

Headspace

New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation 1072(2005)19

Hexachlorocyclohexane isomers

Indirect determination of low vapour pressures using solid-phase microextraction—application to tetrachlorobenzenes and tetrachlorobenzyltoluenes 1072(2005)93

High purity gases

Microtrap modulated flame ionization detector for on-line monitoring of methane 1072(2005)243

High temperature

Ionic liquid for high temperature headspace liquid-phase microextraction of chlorinated anilines in environmental water samples 1072(2005)3

High-speed counter-current chromatography

Large-scale isolation of flavan-3-ol phloroglucinol adducts by high-speed counter-current chromatography 1072(2005)217

Hollow fiber liquid phase microextraction (HF-LPME)

Application of hollow fiber liquid phase microextraction for the determination of insecticides in water 1072(2005)55

IAM chromatography

Modeling Caco-2 permeability of drugs using immobilized artificial membrane chromatography and physicochemical descriptors 1072(2005)159

Indirect fluorescence detection

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

Internal standardisation

Equilibrium in-fibre standardisation technique for solid-phase microextraction 1072(2005)13

Ion mobility spectrometry

Continuous on-line determination of methyl *tert*-butyl ether in water samples using ion mobility spectrometry 1072(2005)45

Ion pair formation constant

Role of ion pairing in anionic additive effects on the separation of cationic drugs in reversed-phase liquid chromatography 1072(2005)169

Ionic liquid

Ionic liquid for high temperature headspace liquid-phase microextraction of chlorinated anilines in environmental water samples 1072(2005)3

Large volume injection

Membrane-assisted solvent extraction of seven phenols combined with large volume injection–gas chromatography–mass spectrometric detection 1072(2005)37

Large-bore

Large-bore particle-entrapped monolithic precolumns prepared by a sol–gel method for on-line peptides trapping and preconcentration in multidimensional liquid chromatography system for proteome analysis 1072(2005)223

LC/MS

Role of ion pairing in anionic additive effects on the separation of cationic drugs in reversed-phase liquid chromatography 1072(2005)169

LC

Use of lipophilic ion adsorption isotherms to determine the surface area and the monolayer capacity of a chromatographic packing, as well as the thermodynamic equilibrium constant for its adsorption 1072(2005)201

Lipid classes

Fluorescence probe assisted post-column detection for lipid analysis in microbore-LC 1072(2005)149

Lipid species

Fluorescence probe assisted post-column detection for lipid analysis in microbore-LC 1072(2005)149

Liquid-phase microextraction

Liquid-phase microextraction based on carrier mediated transport combined with liquid chromatography–mass spectrometry. New concept for the determination of polar drugs in a single drop of human plasma 1072(2005)29

Long-term monitoring

Time-integrated monitoring of polycyclic aromatic hydrocarbons (PAHs) in groundwater using the Ceramic Dosimeter passive sampling device 1072(2005)137

Matrix solid-phase dispersion

Development of a matrix solid-phase dispersion method for the screening of polybrominated diphenyl ethers and polychlorinated biphenyls in biota samples using gas chromatography with electron-capture detection 1072(2005)83

D-Mannosamine

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

Mechanical agitation

New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation 1072(2005)19

Membrane inlet

Continuous on-line determination of methyl *tert*-butyl ether in water samples using ion mobility spectrometry 1072(2005)45

Membrane-assisted solvent extraction

Membrane-assisted solvent extraction of seven phenols combined with large volume injection–gas chromatography–mass spectrometric detection 1072(2005)37

Methane

Microtrap modulated flame ionization detector for on-line monitoring of methane 1072(2005)243

Methyl *tert*-butyl ether

Continuous on-line determination of methyl *tert*-butyl ether in water samples using ion mobility spectrometry 1072(2005)45

Microbore-LC

Fluorescence probe assisted post-column detection for lipid analysis in microbore-LC 1072(2005)149

Microtrap

Microtrap modulated flame ionization detector for on-line monitoring of methane 1072(2005)243

Microwave-assisted extraction

DDT degradation during enhanced solid–liquid extractions. A consideration 1072(2005)117

Monolayer capacity

Use of lipophilic ion adsorption isotherms to determine the surface area and the monolayer capacity of a chromatographic packing, as well as the thermodynamic equilibrium constant for its adsorption 1072(2005)201

Monolithic precolumns

Large-bore particle-entrapped monolithic precolumns prepared by a sol–gel method for on-line peptides trapping and preconcentration in multidimensional liquid chromatography system for proteome analysis 1072(2005)223

Multifactor optimization

Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters 1072(2005)63

Needle trap devices

Sampling and determination of volatile organic compounds with needle trap devices 1072(2005)127

Nitroaromatic compounds

Detection of nitroaromatic and cyclic nitramine compounds by cyclodextrin assisted capillary electrophoresis quadrupole ion trap mass spectrometry 1072(2005)73

Novel materials

Highly porous solid-phase microextraction fiber coating based on poly(ethylene glycol)-modified ormosils synthesized by sol–gel technology 1072(2005)7

On-fibre derivatization

Optimization of solid-phase microextraction conditions for the determination of triclosan and possible related compounds in water samples 1072(2005)107

On-line derivatization

Method for on-line derivatization and separation of aspartic acid enantiomer in pharmaceuticals application by the coupling of flow injection with micellar electrokinetic chromatography 1072(2005)259

Organophosphates

Application of hollow fiber liquid phase microextraction for the determination of insecticides in water 1072(2005)55

Organotins

New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation 1072(2005)19

Oxyhalides

Use of temperature programming to improve resolution of inorganic anions, haloacetic acids and oxyhalides in drinking water by suppressed ion chromatography 1072(2005)207

Passive sampling

Time-integrated monitoring of polycyclic aromatic hydrocarbons (PAHs) in groundwater using the Ceramic Dosimeter passive sampling device 1072(2005)137

PBDEs

Development of a matrix solid-phase dispersion method for the screening of polybrominated diphenyl ethers and polychlorinated biphenyls in biota samples using gas chromatography with electron-capture detection 1072(2005)83

PCBs

Development of a matrix solid-phase dispersion method for the screening of polybrominated diphenyl ethers and polychlorinated biphenyls in biota samples using gas chromatography with electron-capture detection 1072(2005)83

Peptide preconcentration

Large-bore particle-entrapped monolithic precolumns prepared by a sol-gel method for on-line peptides trapping and preconcentration in multidimensional liquid chromatography system for proteome analysis 1072(2005)223

Phenols

Membrane-assisted solvent extraction of seven phenols combined with large volume injection-gas chromatography-mass spectrometric detection 1072(2005)37

Phloroglucinol

Large-scale isolation of flavan-3-ol phloroglucinol adducts by high-speed counter-current chromatography 1072(2005)217

Phthalate esters

Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters 1072(2005)63

Phthalates

Development and validation of methods for the trace determination of phthalates in sludge and vegetables 1072(2005)233

Physicochemical descriptors

Modeling Caco-2 permeability of drugs using immobilized artificial membrane chromatography and physicochemical descriptors 1072(2005)159

Polar

Liquid-phase microextraction based on carrier mediated transport combined with liquid chromatography-mass spectrometry. New concept for the determination of polar drugs in a single drop of human plasma 1072(2005)29

Polychlorinated biphenyls

Indirect determination of low vapour pressures using solid-phase microextraction-application to tetrachlorobenzenes and tetrachlorobenzyltoluenes 1072(2005)93

Sampling and analysis of polychlorinated biphenyls in indoor air by sorbent enrichment followed by headspace solid-phase microextraction and gas chromatography-tandem mass spectrometry 1072(2005)99

Polycyclic aromatic hydrocarbons (PAHs)

Time-integrated monitoring of polycyclic aromatic hydrocarbons (PAHs) in groundwater using the Ceramic Dosimeter passive sampling device 1072(2005)137

Post-column detection

Fluorescence probe assisted post-column detection for lipid analysis in microbore-LC 1072(2005)149

Pressure

New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation 1072(2005)19

Pressurized-liquid extraction

DDT degradation during enhanced solid-liquid extractions. A consideration 1072(2005)117

Proanthocyanidins

Large-scale isolation of flavan-3-ol phloroglucinol adducts by high-speed counter-current chromatography 1072(2005)217

Procyanidins

Large-scale isolation of flavan-3-ol phloroglucinol adducts by high-speed counter-current chromatography 1072(2005)217

Quantitative structure-activity relationships

New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation 1072(2005)19

Rate constants

Determination of rate constants and activation energy of 3-chloro-1,2-propanediol hydrolysis by capillary electrophoresis with electrochemical detection 1072(2005)267

Retention mechanism

Role of ion pairing in anionic additive effects on the separation of cationic drugs in reversed-phase liquid chromatography 1072(2005)169

Reversed phase HPLC

Simultaneous quantification of differently glycosylated, acetylated, and 2,3-dihydro-2,5-dihydroxy-6-methyl-4H-pyran-4-one-conjugated soya-saponins using reversed-phase high-performance liquid chromatography with evaporative light scattering detection 1072(2005)185

Robustness

Enantiomeric determination, validation and robustness studies of racemic citalopram in pharmaceutical formulations by capillary electrophoresis 1072(2005)249

RPLC

Role of ion pairing in anionic additive effects on the separation of cationic drugs in reversed-phase liquid chromatography 1072(2005)169

Sewage sludge

Development and validation of methods for the trace determination of phthalates in sludge and vegetables 1072(2005)233

Solid-phase extraction

Sampling and analysis of polychlorinated biphenyls in indoor air by sorbent enrichment followed by headspace solid-phase microextraction and gas chromatography–tandem mass spectrometry 1072(2005)99

Solid-phase microextraction

Equilibrium in-fibre standardisation technique for solid-phase microextraction 1072(2005)13

New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation 1072(2005)19

Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters 1072(2005)63

Indirect determination of low vapour pressures using solid-phase microextraction—application to tetrachlorobenzenes and tetrachlorobenzyltoluenes 1072(2005)93

Sampling and analysis of polychlorinated biphenyls in indoor air by sorbent enrichment followed by headspace solid-phase microextraction and gas chromatography–tandem mass spectrometry 1072(2005)99

Sol–gel

Highly porous solid-phase microextraction fiber coating based on poly(ethylene glycol)-modified ormosils synthesized by sol–gel technology 1072(2005)7

Large-bore particle-entrapped monolithic precolumns prepared by a sol–gel method for on-line peptides trapping and preconcentration in multidimensional liquid chromatography system for proteome analysis 1072(2005)223

Soy

Simultaneous quantification of differently glycosylated, acetylated, and 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one-conjugated soyasaponins using reversed-phase high-performance liquid chromatography with evaporative light scattering detection 1072(2005)185

Soyasaponin

Simultaneous quantification of differently glycosylated, acetylated, and 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one-conjugated soyasaponins using reversed-phase high-performance liquid chromatography with evaporative light scattering detection 1072(2005)185

Soygerm

Simultaneous quantification of differently glycosylated, acetylated, and 2,3-dihydro-2,5-dihydroxy-6-methyl-4*H*-pyran-4-one-conjugated soyasaponins using reversed-phase high-performance liquid chromatography with evaporative light scattering detection 1072(2005)185

SPME

Highly porous solid-phase microextraction fiber coating based on poly(ethylene glycol)-modified ormosils synthesized by sol–gel technology 1072(2005)7

Optimization of solid-phase microextraction conditions for the determination of triclosan and possible related compounds in water samples 1072(2005)107

Suppressed gradient ion chromatography

Use of temperature programming to improve resolution of inorganic anions, haloacetic acids and oxyhalides in drinking water by suppressed ion chromatography 1072(2005)207

Surface potential

Use of lipophilic ion adsorption isotherms to determine the surface area and the monolayer capacity of a chromatographic packing, as well as the thermodynamic equilibrium constant for its adsorption 1072(2005)201

Temperature programming

Use of temperature programming to improve resolution of inorganic anions, haloacetic acids and oxyhalides in drinking water by suppressed ion chromatography 1072(2005)207

Tetrachlorobenzyltoluenes

Indirect determination of low vapour pressures using solid-phase microextraction—application to tetrachlorobenzenes and tetrachlorobenzyltoluenes 1072(2005)93

Thermodynamic equilibrium constant

Use of lipophilic ion adsorption isotherms to determine the surface area and the monolayer capacity of a chromatographic packing, as well as the thermodynamic equilibrium constant for its adsorption 1072(2005)201

Time weighted average sampling

Sampling and determination of volatile organic compounds with needle trap devices 1072(2005)127

Time-weighted average concentrations

Time-integrated monitoring of polycyclic aromatic hydrocarbons (PAHs) in groundwater using the Ceramic Dosimeter passive sampling device 1072(2005)137

Triclosan

Optimization of solid-phase microextraction conditions for the determination of triclosan and possible related compounds in water samples 1072(2005)107

Tryptophan analogue compounds

Indirect fluorescence detection of amino sugars with the use of copper complexes of tryptophan and its analogues following high-performance liquid chromatographic separation 1072(2005)273

Validation

Enantiomeric determination, validation and robustness studies of racemic citalopram in pharmaceutical formulations by capillary electrophoresis 1072(2005)249

Vapour pressure

Indirect determination of low vapour pressures using solid-phase microextraction—application to tetrachlorobenzenes and tetrachlorobenzyltoluenes 1072(2005)93

Volatile organic compounds

Sampling and determination of volatile organic compounds with needle trap devices 1072(2005)127

Wastewater

Ionic liquid for high temperature headspace liquid-phase microextraction of chlorinated anilines in environmental water samples 1072(2005)3

Water analysis

Application of hollow fiber liquid phase microextraction for the determination of insecticides in water 1072(2005)55

Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters 1072(2005)63

Water samples

Continuous on-line determination of methyl *tert*-butyl ether in water samples using ion mobility spectrometry 1072(2005)45