

Subject Index Vol. 1073

Acidic durability

Synthesis and characterization of stable polymer-coated C₈ stationary phase with high durability under extreme pH conditions for high-performance liquid chromatography 1073(2005)163

Adsorption–desorption chromatography

New principle of electromagnetophoretic adsorption–desorption microchromatography 1073(2005)93

Aglycone

Chromatographic, capillary electrophoretic and capillary electrochromatographic techniques in the analysis of flavonoids (Review) 1073(2005)201

AGP-chiral stationary phase

Determination of total and free concentrations of the enantiomers of methadone and its metabolite (2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine) in human plasma by enantioselective liquid chromatography with mass spectrometric detection 1073(2005)237

Alkylated silica

Synthesis and characterization of stable polymer-coated C₈ stationary phase with high durability under extreme pH conditions for high-performance liquid chromatography 1073(2005)163

Angelica spp.

Development of high-performance liquid chromatographic fingerprints for distinguishing Chinese Angelica from related umbelliferae herbs 1073(2005)383

Anion chromatography

New stationary phase for anion-exchange chromatography 1073(2005)147

Anticancer drugs

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Antioxidants

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Azaarenes

Thermodynamic and kinetic characterization of nitrogen-containing polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography 1073(2005)63

BADGE

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

Band broadening

On the optimisation of the bed porosity and the particle shape of ordered chromatographic separation media 1073(2005)43

Influence of the packing heterogeneity on the performance of liquid chromatography supports 1073(2005)53

Basic durability

Synthesis and characterization of stable polymer-coated C₈ stationary phase with high durability under extreme pH conditions for high-performance liquid chromatography 1073(2005)163

Basic peptides

Comparison of an organic polymeric column and a silica-based reversed-phase for the analysis of basic peptides by high-performance liquid chromatography 1073(2005)137

Benzoic acid

Simultaneous determination of preservatives (benzoic acid, sorbic acid, methylparaben and propylparaben) in foodstuffs using high-performance liquid chromatography 1073(2005)393

Benzoylcegonine

Direct injection determination of benzoylcegonine, heroin, 6-monoacetylmorphine and morphine in serum by MLC 1073(2005)277

Beta-blockers

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxycarbonylvaline 1073(2005)181

BFDGE

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

Biopharmaceutical products

Analysis of guanidine in high salt and protein matrices by cation-exchange chromatography and UV detection 1073(2005)263

Bisphenol A

Novel surface modified molecularly imprinted polymer focused on the removal of interference in environmental water samples for chromatographic determination 1073(2005)363

n-Butyloligostyrenes

Utilising retention correlation for the separation of oligostyrenes by coupled-column liquid chromatography 1073(2005)3

Caffeine

Monitoring bronchodilators with direct injection 1073(2005)309

Camptothecin

Liquid chromatographic–tandem mass spectrometric assay for the simultaneous quantification of Camptosar® and its metabolite SN-38 in mouse plasma and tissues 1073(2005)249

Canned food

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

Capillary electrophoresis

Over 1000-fold protein preconcentration for microliter-volume samples at a pH junction using capillary electrophoresis 1073(2005)175

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxycarbonylvaline 1073(2005)181

Carbohydrate analysis

Novel, highly robust method of carbohydrate pre-purification by two-dimensional liquid chromatography prior to liquid chromatography/mass spectrometry or gas chromatography/mass spectrometry 1073(2005)11

β-Carotene

Extraction and chromatography of carotenoids from pumpkin 1073(2005)371

Carotenoids

Extraction and chromatography of carotenoids from pumpkin 1073(2005)371

Chiral chromatography

Determination of total and free concentrations of the enantiomers of methadone and its metabolite (2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine) in human plasma by enantioselective liquid chromatography with mass spectrometric detection 1073(2005)237

Chiral separation

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxycarbonylvaline 1073(2005)181

Chiral

Molecular-length and chiral discriminations by β-structural poly(L-alanine) on silica 1073(2005)169

Cholesterol

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Chromatography

A simplified monobuffer multidimensional chromatography for high-throughput proteome fractionation 1073(2005)25

Chromatographic, capillary electrophoretic and capillary electrochromatographic techniques in the analysis of flavonoids (Review) 1073(2005)201

C₁₈ column

Utilising retention correlation for the separation of oligostyrenes by coupled-column liquid chromatography 1073(2005)3

Cnidium officinale

Development of high-performance liquid chromatographic fingerprints for distinguishing Chinese Angelica from related umbelliferae herbs 1073(2005)383

Column stability

Titanized silicas, modified by C₁₈, as promising stationary phases for high pH separations 1073(2005)155

Column switching HPLC

Novel surface modified molecularly imprinted polymer focused on the removal of interference in environmental water samples for chromatographic determination 1073(2005)363

Computational fluid dynamics

On the optimisation of the bed porosity and the particle shape of ordered chromatographic separation media 1073(2005)43

Influence of the packing heterogeneity on the performance of liquid chromatography supports 1073(2005)53

Counter-ion

Evaluation of a monolithic silica column operated in the hydrophilic interaction chromatography mode with evaporative light scattering detection for the separation and detection of counter-ions 1073(2005)269

CPT-11

Liquid chromatographic–tandem mass spectrometric assay for the simultaneous quantification of Camptosar® and its metabolite SN-38 in mouse plasma and tissues 1073(2005)249

Cr(III)–EDTA

Simultaneous determination of Cr(III)–EDTA and Cr(VI) by ion interaction chromatography using a C₁₈ column 1073(2005)291

Cr(VI)

Simultaneous determination of Cr(III)–EDTA and Cr(VI) by ion interaction chromatography using a C₁₈ column 1073(2005)291

2D liquid chromatography

Novel, highly robust method of carbohydrate pre-purification by two-dimensional liquid chromatography prior to liquid chromatography/mass spectrometry or gas chromatography/mass spectrometry 1073(2005)11

Daphnoretin

Measurement of daphnoretin in plasma of freely moving rat by liquid chromatography 1073(2005)285

Deuterated polystyrenes

Molecular differences between deuterated and protonated polystyrenes using reversed-phase high-performance liquid chromatography 1073(2005)83

1,2-Dioleoyl-*sn*-glycero-3-phosphocholine

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Direct injection

Direct injection determination of benzoylcegonine, heroin, 6-monoacetylmorphine and morphine in serum by MLC 1073(2005)277

Monitoring bronchodilators with direct injection 1073(2005)309

DNA separation

Modification of poly(methyl methacrylate) microchannels for highly efficient and reproducible electrophoretic separations of double-stranded DNA 1073(2005)191

Dodecoxycarbonylvaline

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxycarbonylvaline 1073(2005)181

Dynamic coating

Modification of poly(methyl methacrylate) microchannels for highly efficient and reproducible electrophoretic separations of double-stranded DNA 1073(2005)191

Electromagnetophoresis

New principle of electromagnetophoretic adsorption-desorption microchromatography 1073(2005)93

Enantiomers

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxycarbonylvaline 1073(2005)181

Enthalpy/entropy compensation

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxycarbonylvaline 1073(2005)181

Epoxy resin

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

ESI-MS

Effects of chromatography conditions on intact protein separations for top-down proteomics 1073(2005)35

Etched columns

On the optimisation of the bed porosity and the particle shape of ordered chromatographic separation media 1073(2005)43

Evaporative light scattering detection

Evaluation of a monolithic silica column operated in the hydrophilic interaction chromatography mode with evaporative light scattering detection for the separation and detection of counter-ions 1073(2005)269

Fast SEC

Poppe plots for size-exclusion chromatography 1073(2005)87

Fingerprint

Development of high-performance liquid chromatographic fingerprints for distinguishing Chinese *Angelica* from related umbelliferae herbs 1073(2005)383

Flavonoid glycoside

Chromatographic, capillary electrophoretic and capillary electrochromatographic techniques in the analysis of flavonoids (Review) 1073(2005)201

Flavonoid's analysis

Chromatographic, capillary electrophoretic and capillary electrochromatographic techniques in the analysis of flavonoids (Review) 1073(2005)201

Flow resistance

Influence of the packing heterogeneity on the performance of liquid chromatography supports 1073(2005)53

Fluorinated

Solute attributes and molecular interactions contributing to "U-shape" retention on a fluorinated high-performance liquid chromatography stationary phase 1073(2005)99

Food analysis

Capillary electrophoresis for analyzing pesticides in fruits and vegetables using solid-phase extraction and stir-bar sorptive extraction 1073(2005)229

Simultaneous determination of preservatives (benzoic acid, sorbic acid, methylparaben and propylparaben) in foodstuffs using high-performance liquid chromatography 1073(2005)393

GC-MS

Determination of polynuclear aromatic hydrocarbons in marine samples of Siokolo Fishing Settlement 1073(2005)323

Novel solid-phase extraction protocol for 11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol from urine samples employing a polymeric mixed-mode cation-exchange resin, Strata-X-C, suitable for gas chromatography-mass spectrometry or liquid chromatography-mass spectrometry analysis 1073(2005)355

Genistein

Concurrent measurement of unbound genistein in the blood, brain and bile of anesthetized rats using microdialysis and its pharmacokinetic application 1073(2005)317

Gold nanoparticles

Modification of poly(methyl methacrylate) microchannels for highly efficient and reproducible electrophoretic separations of double-stranded DNA 1073(2005)191

Guanidine HCl

Analysis of guanidine in high salt and protein matrices by cation-exchange chromatography and UV detection 1073(2005)263

***Harpagophytum procumbens* (Devil's Claw)**

Fast HPLC for quality control of *Harpagophytum procumbens* by using a monolithic silica column: method transfer from conventional particle-based silica column 1073(2005)377

HbA1c

Silica monolithic membrane as separation medium. Summable property of different membranes for high-performance liquid chromatographic separation 1073(2005)123

Hepatobiliary excretion

Measurement of unbound ranitidine in blood and bile of anesthetized rats using microdialysis coupled to liquid chromatography and its pharmacokinetic application 1073(2005)297

Concurrent measurement of unbound genistein in the blood, brain and bile of anesthetized rats using microdialysis and its pharmacokinetic application 1073(2005)317

Heroin

Direct injection determination of benzoylcegonine, heroin, 6-monoacetylmorphine and morphine in serum by MLC 1073(2005)277

Highly ordered structure

Molecular-length and chiral discriminations by β -structural poly(L-alanine) on silica 1073(2005)169

High-throughput analysis

Development of miniaturized multi-channel high-performance liquid chromatography for high-throughput analysis 1073(2005)17

High-throughput screening

Poppe plots for size-exclusion chromatography 1073(2005)87

HPLC

Fast HPLC for quality control of *Harpagophytum procumbens* by using a monolithic silica column: method transfer from conventional particle-based silica column 1073(2005)377

HPLC-FD

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

Human plasma

Novel, highly robust method of carbohydrate pre-purification by two-dimensional liquid chromatography prior to liquid chromatography/mass spectrometry or gas chromatography/mass spectrometry 1073(2005)11

Human serum proteins

A simplified monobuffer multidimensional chromatography for high-throughput proteome fractionation 1073(2005)25

Hydrophilic interaction chromatography

Evaluation of a monolithic silica column operated in the hydrophilic interaction chromatography mode with evaporative light scattering detection for the separation and detection of counter-ions 1073(2005)269

Intact proteins

Effects of chromatography conditions on intact protein separations for top-down proteomics 1073(2005)35

 π - π Interaction

Molecular-length and chiral discriminations by β -structural poly(L-alanine) on silica 1073(2005)169

Ion interaction chromatography

Simultaneous determination of Cr(III)-EDTA and Cr(VI) by ion interaction chromatography using a C₁₈ column 1073(2005)291

Ion-exchange

Solute attributes and molecular interactions contributing to "U-shape" retention on a fluorinated high-performance liquid chromatography stationary phase 1073(2005)99

Isoelectric point

Over 1000-fold protein preconcentration for microliter-volume samples at a pH junction using capillary electrophoresis 1073(2005)175

Ketoprofen

Development and validation of a stability-indicating high-performance liquid chromatographic assay for ketoprofen topical penetrating gel 1073(2005)341

Kidney

Determination of microcystins in biological samples by matrix solid-phase dispersion and liquid chromatography-mass spectrometry 1073(2005)257

Kinetics

Thermodynamic and kinetic characterization of nitrogen-containing polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography 1073(2005)63

Korea

Extraction and chromatography of carotenoids from pumpkin 1073(2005)371

LC-MS

Novel, highly robust method of carbohydrate pre-purification by two-dimensional liquid chromatography prior to liquid chromatography/mass spectrometry or gas chromatography/mass spectrometry 1073(2005)11

Novel solid-phase extraction protocol for 11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol from urine samples employing a polymeric mixed-mode cation-exchange resin, Strata-X-C, suitable for gas chromatography-mass spectrometry or liquid chromatography-mass spectrometry analysis 1073(2005)355

Ligusticum chuanxiong

Development of high-performance liquid chromatographic fingerprints for distinguishing Chinese Angelica from related umbelliferae herbs 1073(2005)383

Lipids

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Liposomes

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Liquid chromatography

Utilising retention correlation for the separation of oligostyrenes by coupled-column liquid chromatography 1073(2005)3

Solute attributes and molecular interactions contributing to "U-shape" retention on a fluorinated high-performance liquid chromatography stationary phase 1073(2005)99

Molecular-length and chiral discriminations by β -structural poly(L-alanine) on silica 1073(2005)169

Liquid chromatographic-tandem mass spectrometric assay for the simultaneous quantification of Camptosar[®] and its metabolite SN-38 in mouse plasma and tissues 1073(2005)249

Measurement of daphnoretin in plasma of freely moving rat by liquid chromatography 1073(2005)285

Liquid chromatography-mass spectrometry

Determination of microcystins in biological samples by matrix solid-phase dispersion and liquid chromatography-mass spectrometry 1073(2005)257

Liquid-liquid extraction

Extraction and chromatography of carotenoids from pumpkin 1073(2005)371

Liver

Determination of microcystins in biological samples by matrix solid-phase dispersion and liquid chromatography-mass spectrometry 1073(2005)257

Local anesthetics

Reversed-phase liquid chromatographic retention and membrane activity relationships of local anesthetics 1073(2005)303

Marine samples

Determination of polynuclear aromatic hydrocarbons in marine samples of Siokolo Fishing Settlement 1073(2005)323

Mass spectrometry

A simplified monobuffer multidimensional chromatography for high-throughput proteome fractionation 1073(2005)25

Solute attributes and molecular interactions contributing to "U-shape" retention on a fluorinated high-performance liquid chromatography stationary phase 1073(2005)99

Matrix solid-phase dispersion

Determination of microcystins in biological samples by matrix solid-phase dispersion and liquid chromatography-mass spectrometry 1073(2005)257

Membrane fluidization

Reversed-phase liquid chromatographic retention and membrane activity relationships of local anesthetics 1073(2005)303

Membrane

Silica monolithic membrane as separation medium. Summable property of different membranes for high-performance liquid chromatographic separation 1073(2005)123

Method transfer and method validation

Fast HPLC for quality control of *Harpagophytum procumbens* by using a monolithic silica column: method transfer from conventional particle-based silica column 1073(2005)377

Method validation

High-performance liquid chromatographic determination of pesticides in tomatoes using laboratory-made NH_2 and C_{18} solid-phase extraction materials 1073(2005)75

(R)-Methadone

Determination of total and free concentrations of the enantiomers of methadone and its metabolite (2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine) in human plasma by enantioselective liquid chromatography with mass spectrometric detection 1073(2005)237

(S)-Methadone

Determination of total and free concentrations of the enantiomers of methadone and its metabolite (2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine) in human plasma by enantioselective liquid chromatography with mass spectrometric detection 1073(2005)237

Mice

Liquid chromatographic–tandem mass spectrometric assay for the simultaneous quantification of Camptosar[®] and its metabolite SN-38 in mouse plasma and tissues 1073(2005)249

Micellar electrokinetic chromatography

Capillary electrophoresis for analyzing pesticides in fruits and vegetables using solid-phase extraction and stir-bar sorptive extraction 1073(2005)229

Micellar liquid chromatography

Direct injection determination of benzoylcegonine, heroin, 6-monoacetylmorphine and morphine in serum by MLC 1073(2005)277

Monitoring bronchodilators with direct injection 1073(2005)309

Microcystins

Determination of microcystins in biological samples by matrix solid-phase dispersion and liquid chromatography–mass spectrometry 1073(2005)257

Microdialysis

Measurement of unbound ranitidine in blood and bile of anesthetized rats using microdialysis coupled to liquid chromatography and its pharmacokinetic application 1073(2005)297

Concurrent measurement of unbound genistein in the blood, brain and bile of anesthetized rats using microdialysis and its pharmacokinetic application 1073(2005)317

Microemulsion electrokinetic chromatography

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxy carbonylvaline 1073(2005)181

Microfluidic devices

Modification of poly(methyl methacrylate) microchannels for highly efficient and reproducible electrophoretic separations of double-stranded DNA 1073(2005)191

Micro-particles

New principle of electromagnetophoretic adsorption–desorption microchromatography 1073(2005)93

Microwave radiation

Characterization of a new stationary phase based on microwave immobilized polybutadiene on titanium oxide-modified silica 1073(2005)127

Migration

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

Miniaturized HPLC

Development of miniaturized multi-channel high-performance liquid chromatography for high-throughput analysis 1073(2005)17

Molecularly imprinted polymers

Novel surface modified molecularly imprinted polymer focused on the removal of interference in environmental water samples for chromatographic determination 1073(2005)363

Monitoring of bronchodilators

Monitoring bronchodilators with direct injection 1073(2005)309

6-Monoacetylmorphine

Direct injection determination of benzoylcegonine, heroin, 6-monoacetylmorphine and morphine in serum by MLC 1073(2005)277

Monolith

Silica monolithic membrane as separation medium. Summable property of different membranes for high-performance liquid chromatographic separation 1073(2005)123

Monolithic columns

Evaluation of a monolithic silica column operated in the hydrophilic interaction chromatography mode with evaporative light scattering detection for the separation and detection of counter-ions 1073(2005)269

Monolithic silica column

Development of miniaturized multi-channel high-performance liquid chromatography for high-throughput analysis 1073(2005)17

Fast HPLC for quality control of *Harpagophytum procumbens* by using a monolithic silica column: method transfer from conventional particle-based silica column 1073(2005)377

Morphine

Direct injection determination of benzoylcegonine, heroin, 6-monoacetylmorphine and morphine in serum by MLC 1073(2005)277

Multi-channel HPLC

Development of miniaturized multi-channel high-performance liquid chromatography for high-throughput analysis 1073(2005)17

Multiclass pesticide analysis

High-performance liquid chromatographic determination of pesticides in tomatoes using laboratory-made NH_2 and C_{18} solid-phase extraction materials 1073(2005)75

Nanoliter-scale sample preparation

Over 1000-fold protein preconcentration for microliter-volume samples at a pH junction using capillary electrophoresis 1073(2005)175

Nano-RPLC

Effects of chromatography conditions on intact protein separations for top-down proteomics 1073(2005)35

Organosol resin

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

Overloading

Comparison of an organic polymeric column and a silica-based reversed-phase for the analysis of basic peptides by high-performance liquid chromatography 1073(2005)137

P-glycoprotein

Measurement of unbound ranitidine in blood and bile of anesthetized rats using microdialysis coupled to liquid chromatography and its pharmacokinetic application 1073(2005)297

Packing heterogeneity

Influence of the packing heterogeneity on the performance of liquid chromatography supports 1073(2005)53

PAH

Determination of polynuclear aromatic hydrocarbons in marine samples of Siokolo Fishing Settlement 1073(2005)323

Parabens

Simultaneous determination of preservatives (benzoic acid, sorbic acid, methylparaben and propylparaben) in foodstuffs using high-performance liquid chromatography 1073(2005)393

Pentafluorophenylpropyl

Solute attributes and molecular interactions contributing to "U-shape" retention on a fluorinated high-performance liquid chromatography stationary phase 1073(2005)99

Pesticides

Capillary electrophoresis for analyzing pesticides in fruits and vegetables using solid-phase extraction and stir-bar sorptive extraction 1073(2005)229

Pharmacokinetics ranitidine

Measurement of unbound ranitidine in blood and bile of anesthetized rats using microdialysis coupled to liquid chromatography and its pharmacokinetic application 1073(2005)297

Pharmacokinetics

Liquid chromatographic-tandem mass spectrometric assay for the simultaneous quantification of Camptosar[®] and its metabolite SN-38 in mouse plasma and tissues 1073(2005)249

Concurrent measurement of unbound genistein in the blood, brain and bile of anesthetized rats using microdialysis and its pharmacokinetic application 1073(2005)317

Phospholipids

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Poly(ethylene oxide)

Modification of poly(methyl methacrylate) microchannels for highly efficient and reproducible electrophoretic separations of double-stranded DNA 1073(2005)191

Poly(L-alanine)

Molecular-length and chiral discriminations by β -structural poly(L-alanine) on silica 1073(2005)169

Poly(L-leucine)

Molecular-length and chiral discriminations by β -structural poly(L-alanine) on silica 1073(2005)169

Poly(methyl methacrylate)

Modification of poly(methyl methacrylate) microchannels for highly efficient and reproducible electrophoretic separations of double-stranded DNA 1073(2005)191

Polybutadiene

Characterization of a new stationary phase based on microwave immobilized polybutadiene on titanium oxide-modified silica 1073(2005)127

Polycyclic aromatic compounds

Thermodynamic and kinetic characterization of nitrogen-containing polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography 1073(2005)63

Polycyclic aromatic hydrocarbons

Molecular-length and chiral discriminations by β -structural poly(L-alanine) on silica 1073(2005)169

Polymer coating

Synthesis and characterization of stable polymer-coated C₈ stationary phase with high durability under extreme pH conditions for high-performance liquid chromatography 1073(2005)163

Polymeric strong cation exchange sorbent

Novel solid-phase extraction protocol for 11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol from urine samples employing a polymeric mixed-mode cation-exchange resin, Strata-X-C, suitable for gas chromatography-mass spectrometry or liquid chromatography-mass spectrometry analysis 1073(2005)355

Polymers

Poppe plots for size-exclusion chromatography 1073(2005)87

Poppe plots

Poppe plots for size-exclusion chromatography 1073(2005)87

POR

Investigation of the steric mass action formalism in the simulation of breakthrough curves on a monolithic and a packed bed column 1073(2005)111

Prefractionation

A simplified monobuffer multidimensional chromatography for high-throughput proteome fractionation 1073(2005)25

Preservatives

Simultaneous determination of preservatives (benzoic acid, sorbic acid, methylparaben and propylparaben) in foodstuffs using high-performance liquid chromatography 1073(2005)393

Propylpyridinium

New stationary phase for anion-exchange chromatography 1073(2005)147

Protein preconcentration

Over 1000-fold protein preconcentration for microliter-volume samples at a pH junction using capillary electrophoresis 1073(2005)175

Proteins

Investigation of the steric mass action formalism in the simulation of breakthrough curves on a monolithic and a packed bed column 1073(2005)111

Protonated polystyrenes

Molecular differences between deuterated and protonated polystyrenes using reversed-phase high-performance liquid chromatography 1073(2005)83

Pumpkin

Extraction and chromatography of carotenoids from pumpkin 1073(2005)371

Pyridine

Synthesis and characterization of stable polymer-coated C_8 stationary phase with high durability under extreme pH conditions for high-performance liquid chromatography 1073(2005)163

Rat

Determination of microcystins in biological samples by matrix solid-phase dispersion and liquid chromatography–mass spectrometry 1073(2005)257

Reagent clearance testing

Analysis of guanidine in high salt and protein matrices by cation-exchange chromatography and UV detection 1073(2005)263

Retention and membrane activity relationships

Reversed-phase liquid chromatographic retention and membrane activity relationships of local anesthetics 1073(2005)303

Retention mechanisms

Solute attributes and molecular interactions contributing to “U-shape” retention on a fluorinated high-performance liquid chromatography stationary phase 1073(2005)99

Reversed-phase liquid chromatography

Thermodynamic and kinetic characterization of nitrogen-containing polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography 1073(2005)63

Molecular differences between deuterated and protonated polystyrenes using reversed-phase high-performance liquid chromatography 1073(2005)83

Reversed-phase liquid chromatographic retention and membrane activity relationships of local anesthetics 1073(2005)303

Reviews

Chromatographic, capillary electrophoretic and capillary electrochromatographic techniques in the analysis of flavonoids (Review) 1073(2005)201

Sample preparation

High-performance liquid chromatographic determination of pesticides in tomatoes using laboratory-made NH_2 and C_{18} solid-phase extraction materials 1073(2005)75

Separation

New principle of electromagnetophoretic adsorption–desorption microchromatography 1073(2005)93

Serum samples

Monitoring bronchodilators with direct injection 1073(2005)309

Serum

Direct injection determination of benzoylcegonine, heroin, 6-monoacetylmorphine and morphine in serum by MLC 1073(2005)277

Silanization

Titanized silicas, modified by C_{18} , as promising stationary phases for high pH separations 1073(2005)155

Silanol interactions

Comparison of an organic polymeric column and a silica-based reversed-phase for the analysis of basic peptides by high-performance liquid chromatography 1073(2005)137

Silica column

Evaluation of a monolithic silica column operated in the hydrophilic interaction chromatography mode with evaporative light scattering detection for the separation and detection of counter-ions 1073(2005)269

Silica

Silica monolithic membrane as separation medium. Summable property of different membranes for high-performance liquid chromatographic separation 1073(2005)123

New stationary phase for anion-exchange chromatography 1073(2005)147

Titanized silicas, modified by C_{18} , as promising stationary phases for high pH separations 1073(2005)155

Molecular-length and chiral discriminations by β -structural poly(L-alanine) on silica 1073(2005)169

Size-exclusion chromatography

Poppe plots for size-exclusion chromatography 1073(2005)87

SMA

Investigation of the steric mass action formalism in the simulation of breakthrough curves on a monolithic and a packed bed column 1073(2005)111

SN-38

Liquid chromatographic–tandem mass spectrometric assay for the simultaneous quantification of Camptosar[®] and its metabolite SN-38 in mouse plasma and tissues 1073(2005)249

Solid-phase extraction protocol

Novel solid-phase extraction protocol for 11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol from urine samples employing a polymeric mixed-mode cation-exchange resin, Strata-X-C, suitable for gas chromatography–mass spectrometry or liquid chromatography–mass spectrometry analysis 1073(2005)355

Solid-phase extraction

High-performance liquid chromatographic determination of pesticides in tomatoes using laboratory-made NH_2 and C_{18} solid-phase extraction materials 1073(2005)75

Capillary electrophoresis for analyzing pesticides in fruits and vegetables using solid-phase extraction and stir-bar sorptive extraction 1073(2005)229

Sorbic acid

Simultaneous determination of preservatives (benzoic acid, sorbic acid, methylparaben and propylparaben) in foodstuffs using high-performance liquid chromatography 1073(2005)393

Stability studies

Development and validation of a stability-indicating high-performance liquid chromatographic assay for ketoprofen topical penetrating gel 1073(2005)341

Stationary phase

Solute attributes and molecular interactions contributing to “U-shape” retention on a fluorinated high-performance liquid chromatography stationary phase 1073(2005)99

Characterization of a new stationary phase based on microwave immobilized polybutadiene on titanium oxide-modified silica 1073(2005)127

New stationary phase for anion-exchange chromatography 1073(2005)147

Stationary phases, LC

Synthesis and characterization of stable polymer-coated C₈ stationary phase with high durability under extreme pH conditions for high-performance liquid chromatography 1073(2005)163

Stir-bar sorptive extraction

Capillary electrophoresis for analyzing pesticides in fruits and vegetables using solid-phase extraction and stir-bar sorptive extraction 1073(2005)229

β-Structure

Molecular-length and chiral discriminations by β-structural poly(L-alanine) on silica 1073(2005)169

Supercritical fluid extraction

Extraction and chromatography of carotenoids from pumpkin 1073(2005)371

Surface modification

Novel surface modified molecularly imprinted polymer focused on the removal of interference in environmental water samples for chromatographic determination 1073(2005)363

Surface-enhanced laser desorption/ionization

A simplified monobuffer multidimensional chromatography for high-throughput proteome fractionation 1073(2005)25

Tandem mass spectrometry

Liquid chromatographic–tandem mass spectrometric assay for the simultaneous quantification of Camptosar[®] and its metabolite SN-38 in mouse plasma and tissues 1073(2005)249

Theophylline

Monitoring bronchodilators with direct injection 1073(2005)309

Thermodynamics

Thermodynamic and kinetic characterization of nitrogen-containing polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography 1073(2005)63

Titanium oxide

Titanized silicas, modified by C₁₈, as promising stationary phases for high pH separations 1073(2005)155

Titanized silica

Characterization of a new stationary phase based on microwave immobilized polybutadiene on titanium oxide-modified silica 1073(2005)127

Tocopherols

A rapid isocratic high-performance liquid chromatography method for determination of cholesterol and 1,2-dioleoyl-*sn*-glycero-3-phosphocholine in liposome-based drug formulations 1073(2005)347

Tomatoes

High-performance liquid chromatographic determination of pesticides in tomatoes using laboratory-made NH₂ and C₁₈ solid-phase extraction materials 1073(2005)75

Top-down proteomics

Effects of chromatography conditions on intact protein separations for top-down proteomics 1073(2005)35

Topical gel

Development and validation of a stability-indicating high-performance liquid chromatographic assay for ketoprofen topical penetrating gel 1073(2005)341

Umbelliferae herbs

Development of high-performance liquid chromatographic fingerprints for distinguishing Chinese Angelica from related umbelliferae herbs 1073(2005)383

Validation

Simultaneous determination of bisphenol-A-diglycidyl ether, bisphenol-F-diglycidyl ether, and their derivatives in oil-in-water and aqueous-based canned foods by high-performance liquid chromatography with fluorescence detection 1073(2005)331

van't Hoff

Temperature effects on chiral microemulsion electrokinetic chromatography employing the chiral surfactant dodecoxycarbonylvaline 1073(2005)181

Wikstroemia indica

Measurement of daphnoretin in plasma of freely moving rat by liquid chromatography 1073(2005)285

Zwitterionic surfactant

Over 1000-fold protein preconcentration for microliter-volume samples at a pH junction using capillary electrophoresis 1073(2005)175