


Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A 1075 (2005) 221–225

www.elsevier.com/locate/chroma

Subject Index Vol. 1075

Abscisic acid

Purification and determination of plant hormones auxin and abscisic acid using solid phase extraction and two-dimensional high performance liquid chromatography 1075(2005)159

Acrylamide

Occurrence and analytical methods of acrylamide in heat-treated foods. Review and recent developments (Review) 1075(2005)1

Adsorption

Influence of the pressure on the properties of chromatographic columns. III. Retention volume of thiourea, hold-up volume, and compressibility of the C_{18} -bonded layer 1075(2005)117

Alkaline protease

One-step purification and characterization of an alkaline protease from haloalkaliphilic *Bacillus* sp. 1075(2005)103

Aminoacidic composition

Is it possible to predict the average surface hydrophobicity of a protein using only its amino acid composition? 1075(2005)133

Analysis of high-boiling compounds

Ultra-short open capillary columns in gas-liquid chromatography 1075(2005)197

Analysis of thermolabile compounds

Ultra-short open capillary columns in gas-liquid chromatography 1075(2005)197

Analytical methods

Occurrence and analytical methods of acrylamide in heat-treated foods. Review and recent developments (Review) 1075(2005)1

Anions

Fast ion chromatography of inorganic anions and cations on a lysine bonded porous silica monolith 1075(2005)167

1-Anthroylnitrile

Analysis of T-2 and HT-2 toxins in cereal grains by immunoaffinity cleanup and liquid chromatography with fluorescence detection 1075(2005)151

Aqueous two-phase system

Two-step recovery process for tryptophan tagged cutinase: Interfacing aqueous two-phase extraction and hydrophobic interaction chromatography 1075(2005)33

Auxin

Purification and determination of plant hormones auxin and abscisic acid using solid phase extraction and two-dimensional high performance liquid chromatography 1075(2005)159

Bacillus sp.

One-step purification and characterization of an alkaline protease from haloalkaliphilic Bacillus sp. 1075(2005)103

Basic drugs

Study of overloading of basic drugs and peptides in reversed-phase highperformance liquid chromatography using pH adjustment of weak acid mobile phases suitable for mass spectrometry 1075(2005)57

Biocatalysis

Development and validation of a microsomal online cytochrome P450 bioreactor coupled to solid-phase extraction and reversed-phase liquid chromatography 1075(2005)205

Biofluid

Stir bar sorptive extraction based on restricted access material for the direct extraction of caffeine and metabolites in biological fluids 1075(2005)43

Biological matrix extraction

Complexities in tetracycline analysis—chemistry, matrix extraction, cleanup, and liquid chromatography (Review) 1075(2005)23

Caffeine

Stir bar sorptive extraction based on restricted access material for the direct extraction of caffeine and metabolites in biological fluids 1075(2005)43

Capillary gas chromatography

Ultra-short open capillary columns in gas-liquid chromatography 1075(2005)197

Carrier gas velocity

Ultra-short open capillary columns in gas-liquid chromatography 1075(2005)197

Cations

Fast ion chromatography of inorganic anions and cations on a lysine bonded porous silica monolith 1075(2005)167

Cereals

Analysis of T-2 and HT-2 toxins in cereal grains by immunoaffinity cleanup and liquid chromatography with fluorescence detection 1075(2005)151

CHIRALPAK® IA

Solvent versatility of immobilized 3,5-dimethylphenylcarbamate of amylose in enantiomeric separations by HPLC 1075(2005)65

Chromatography

Complexities in tetracycline analysis—chemistry, matrix extraction, cleanup, and liquid chromatography (Review) 1075(2005)23

doi:10.1016/S0021-9673(05)00834-4

Studies of complex reactions using modern hyphenated methods: α -Pinene ozonolysis as a model reaction 1075(2005)185

Cleavable linker

Characterisation of glycoprotein ligands synthesised using solid-phase combinatorial chemistry 1075(2005)95

Clodinafop

Erratum to "Liquid chromatographic method for the micro-quantitative determination of clodinafop in soil, wheat and *Phalaris minor*" [J. Chromatogr. A 1065 (2005) 199–206] 1075(2005)217

Column liquid chromatography

Separation of amino acids with simulated moving bed chromatography 1075(2005)77

Column selectivity

Comparative characteristics of HPLC columns based on quantitative structure–retention relationships (QSRR) and hydrophobic-subtraction model 1075(2005)109

Counter-current chromatography

Isolation and purification of four flavonoid constituents from the flowers of *Paeonia suffruticosa* by high-speed counter-current chromatography 1075(2005)127

Cutinase

Two-step recovery process for tryptophan tagged cutinase: Interfacing aqueous two-phase extraction and hydrophobic interaction chromatography 1075(2005)33

Cytochrome P450

Development and validation of a microsomal online cytochrome P450 bioreactor coupled to solid-phase extraction and reversed-phase liquid chromatography 1075(2005)205

3,5-Dimethylphenylcarbamate of amylose

Solvent versatility of immobilized 3,5-dimethylphenylcarbamate of amylose in enantiomeric separations by HPLC 1075(2005)65

Direct extraction

Stir bar sorptive extraction based on restricted access material for the direct extraction of caffeine and metabolites in biological fluids 1075(2005)43

Drug metabolism

Development and validation of a microsomal online cytochrome P450 bioreactor coupled to solid-phase extraction and reversed-phase liquid chromatography 1075(2005)205

Effect of temperature

Separation of amino acids with simulated moving bed chromatography 1075(2005)77

Efficiency

Ultra-short open capillary columns in gas-liquid chromatography 1075(2005)197

Enantiomeric separation

Solvent versatility of immobilized 3,5-dimethylphenylcarbamate of amylose in enantiomeric separations by HPLC 1075(2005)65

Escherichia coli

Two-step recovery process for tryptophan tagged cutinase: Interfacing aqueous two-phase extraction and hydrophobic interaction chromatography 1075(2005)33

Extraction

Two-step recovery process for tryptophan tagged cutinase: Interfacing aqueous two-phase extraction and hydrophobic interaction chromatography 1075(2005)33

Fast separation

Rapid molecular weight analysis of polymers by temperature gradient interaction chromatography 1075(2005)145

Flavonoids

Isolation and purification of four flavonoid constituents from the flowers of *Paeonia suffruticosa* by high-speed counter-current chromatography 1075(2005)127

Fluorescence labelling

Analysis of T-2 and HT-2 toxins in cereal grains by immunoaffinity cleanup and liquid chromatography with fluorescence detection 1075(2005)151

Food analysis

Analysis of T-2 and HT-2 toxins in cereal grains by immunoaffinity cleanup and liquid chromatography with fluorescence detection 1075(2005)151

GC-MS

Occurrence and analytical methods of acrylamide in heat-treated foods. Review and recent developments (Review) 1075(2005)1

Gel-phase NMR

Characterisation of glycoprotein ligands synthesised using solid-phase combinatorial chemistry 1075(2005)95

Glycoprotein

Characterisation of glycoprotein ligands synthesised using solid-phase combinatorial chemistry 1075(2005)95

Haloalkaliphilic

One-step purification and characterization of an alkaline protease from haloalkaliphilic Bacillus sp. 1075(2005)103

Heat-treated foods

Occurrence and analytical methods of acrylamide in heat-treated foods. Review and recent developments (Review) 1075(2005)1

Highly aqueous mobile phases

Mechanism of retention loss when $\rm C_8$ and $\rm C_{18}$ HPLC columns are used with highly aqueous mobile phases $\rm 1075(2005)177$

HPLC

Study of overloading of basic drugs and peptides in reversed-phase high-performance liquid chromatography using pH adjustment of weak acid mobile phases suitable for mass spectrometry 1075(2005)57

Solvent versatility of immobilized 3,5-dimethylphenylcarbamate of amylose in enantiomeric separations by HPLC 1075(2005)65

Mechanism of retention loss when C_8 and C_{18} HPLC columns are used with highly aqueous mobile phases 1075(2005)177

2D-HPLC

Purification and determination of plant hormones auxin and abscisic acid using solid phase extraction and two-dimensional high performance liquid chromatography 1075(2005)159

HPLC-mass spectrometry

Study of overloading of basic drugs and peptides in reversed-phase highperformance liquid chromatography using pH adjustment of weak acid mobile phases suitable for mass spectrometry 1075(2005)57

HT-2 toxin

Analysis of T-2 and HT-2 toxins in cereal grains by immunoaffinity cleanup and liquid chromatography with fluorescence detection 1075(2005)151

Hydrophilic hypercrosslinked sorbent

Evaluation of a new hypercrosslinked polymer as a sorbent for solid-phase extraction of polar compounds 1075(2005)51

Hydrophobic interaction chromatography

Two-step recovery process for tryptophan tagged cutinase: Interfacing aqueous two-phase extraction and hydrophobic interaction chromatography 1075(2005)33

One-step purification and characterization of an alkaline protease from haloalkaliphilic *Bacillus* sp. 1075(2005)103

Hydrophobicity

Is it possible to predict the average surface hydrophobicity of a protein using only its amino acid composition? 1075(2005)133

Hyphenated techniques

Studies of complex reactions using modern hyphenated methods: α -Pinene ozonolysis as a model reaction 1075(2005)185

Immobilization

High-performance liquid chromatographic stationary phases based on poly(dimethylsiloxane) immobilized on silica 1075(2005)87

Immobilized polysaccharide-based chiral stationary phase

Solvent versatility of immobilized 3,5-dimethylphenylcarbamate of amylose in enantiomeric separations by HPLC 1075(2005)65

Immunoaffinity column

Analysis of T-2 and HT-2 toxins in cereal grains by immunoaffinity cleanup and liquid chromatography with fluorescence detection 1075(2005)151

Infrared spectroscopy

Studies of complex reactions using modern hyphenated methods: $\alpha\text{-Pinene}$ ozonolysis as a model reaction 1075(2005)185

Ion chromatography

Fast ion chromatography of inorganic anions and cations on a lysine bonded porous silica monolith 1075(2005)167

Isothermal liquid compressibility

Influence of the pressure on the properties of chromatographic columns. III. Retention volume of thiourea, hold-up volume, and compressibility of the $\rm C_{18}$ -bonded layer 1075(2005)117

LC-MS/MS

Occurrence and analytical methods of acrylamide in heat-treated foods. Review and recent developments (Review) 1075(2005)1

Lysine

Fast ion chromatography of inorganic anions and cations on a lysine bonded porous silica monolith 1075(2005)167

Mass spectrometry

Studies of complex reactions using modern hyphenated methods: α -Pinene ozonolysis as a model reaction 1075(2005)185

Mathematical modeling

Is it possible to predict the average surface hydrophobicity of a protein using only its amino acid composition? 1075(2005)133

Mechanism of retention

Comparative characteristics of HPLC columns based on quantitative structure–retention relationships (QSRR) and hydrophobic-subtraction model 1075(2005)109

Metabolic profiling

Development and validation of a microsomal online cytochrome P450 bioreactor coupled to solid-phase extraction and reversed-phase liquid chromatography 1075(2005)205

Metabolites

Stir bar sorptive extraction based on restricted access material for the direct extraction of caffeine and metabolites in biological fluids 1075(2005)43

Methanol-water mixture

Influence of the pressure on the properties of chromatographic columns. III. Retention volume of thiourea, hold-up volume, and compressibility of the C_{18} -bonded layer 1075(2005)117

Monolithic silica

Fast ion chromatography of inorganic anions and cations on a lysine bonded porous silica monolith 1075(2005)167

Neural network

Is it possible to predict the average surface hydrophobicity of a protein using only its amino acid composition? 1075(2005)133

Non-standard mobile phases

Solvent versatility of immobilized 3,5-dimethylphenylcarbamate of amylose in enantiomeric separations by HPLC 1075(2005)65

Occurrence

Occurrence and analytical methods of acrylamide in heat-treated foods. Review and recent developments (Review) 1075(2005)1

Online bioreactor

Development and validation of a microsomal online cytochrome P450 bioreactor coupled to solid-phase extraction and reversed-phase liquid chromatography 1075(2005)205

Overloading

Study of overloading of basic drugs and peptides in reversed-phase highperformance liquid chromatography using pH adjustment of weak acid mobile phases suitable for mass spectrometry 1075(2005)57

Paeonia suffruticosa

Isolation and purification of four flavonoid constituents from the flowers of *Paeonia suffruticosa* by high-speed counter-current chromatography 1075(2005)127

Peptides

Study of overloading of basic drugs and peptides in reversed-phase highperformance liquid chromatography using pH adjustment of weak acid mobile phases suitable for mass spectrometry 1075(2005)57

Phalaris minor

Erratum to "Liquid chromatographic method for the micro-quantitative determination of clodinafop in soil, wheat and *Phalaris minor*" [J. Chromatogr. A 1065 (2005) 199–206] 1075(2005)217

Plant materials

Isolation and purification of four flavonoid constituents from the flowers of *Paeonia suffruticosa* by high-speed counter-current chromatography 1075(2005)127

Polar pollutants

Evaluation of a new hypercrosslinked polymer as a sorbent for solid-phase extraction of polar compounds 1075(2005)51

Poly(dimethylsiloxane)

High-performance liquid chromatographic stationary phases based on poly(dimethylsiloxane) immobilized on silica 1075(2005)87

Polystyrene

Rapid molecular weight analysis of polymers by temperature gradient interaction chromatography 1075(2005)145

Pressure effects

Influence of the pressure on the properties of chromatographic columns. III. Retention volume of thiourea, hold-up volume, and compressibility of the C_{18} -bonded layer 1075(2005)117

Principal component analysis (PCA)

Comparative characteristics of HPLC columns based on quantitative structure–retention relationships (QSRR) and hydrophobic-subtraction model 1075(2005)109

Protein hydrophobicity prediction

Is it possible to predict the average surface hydrophobicity of a protein using only its amino acid composition? 1075(2005)133

Protein purification

One-step purification and characterization of an alkaline protease from haloalkaliphilic *Bacillus* sp. 1075(2005)103

Proteins

Is it possible to predict the average surface hydrophobicity of a protein using only its amino acid composition? 1075(2005)133

Quantitative structure-retention relationships (QSRR)

Comparative characteristics of HPLC columns based on quantitative structure–retention relationships (QSRR) and hydrophobic-subtraction model 1075(2005)109

Recovery

Erratum to "Liquid chromatographic method for the micro-quantitative determination of clodinafop in soil, wheat and *Phalaris minor*" [J. Chromatogr. A 1065 (2005) 199–206] 1075(2005)217

Residue

Erratum to "Liquid chromatographic method for the micro-quantitative determination of clodinafop in soil, wheat and *Phalaris minor*" [J. Chromatogr. A 1065 (2005) 199–206] 1075(2005)217

Resolve

Influence of the pressure on the properties of chromatographic columns. III. Retention volume of thiourea, hold-up volume, and compressibility of the C_{18} -bonded layer $\phantom{C_{18}}\phantom{C_{18}}\phantom{C_{18}}\phantom{C_{18}}\phantom{C_{18}}\phantom{C_{18}}$

Restricted access materials (RAM)

Stir bar sorptive extraction based on restricted access material for the direct extraction of caffeine and metabolites in biological fluids 1075(2005)43

Retention loss

Mechanism of retention loss when C_8 and C_{18} HPLC columns are used with highly aqueous mobile phases 1075(2005)177

Reversed phase polymeric resin

Separation of amino acids with simulated moving bed chromatography 1075(2005)77

Reversed-phase

High-performance liquid chromatographic stationary phases based on poly(dimethylsiloxane) immobilized on silica 1075(2005)87

Mechanism of retention loss when C_8 and C_{18} HPLC columns are used with highly aqueous mobile phases 1075(2005)177

Reviews

Occurrence and analytical methods of acrylamide in heat-treated foods. Review and recent developments (Review) 1075(2005)1

RP-HPLC columns

Comparative characteristics of HPLC columns based on quantitative structure–retention relationships (QSRR) and hydrophobic-subtraction model 1075(2005)109

Short and ultra-short open capillary columns

Ultra-short open capillary columns in gas-liquid chromatography 1075(2005)197

Silica column

Influence of the pressure on the properties of chromatographic columns. III. Retention volume of thiourea, hold-up volume, and compressibility of the C_{18} -bonded layer 1075(2005)117

Sinomenine

Supercritical fluid extraction of sinomenine from Sinomenium acutum (Thumb) Rehd et Wils 1075(2005)213

Sinomenium acutum (Thumb) Rehd et Wils

Supercritical fluid extraction of sinomenine from Sinomenium acutum (Thumb) Rehd et Wils 1075(2005)213

Soil

Erratum to "Liquid chromatographic method for the micro-quantitative determination of clodinafop in soil, wheat and *Phalaris minor*" [J. Chromatogr. A 1065 (2005) 199–206] 1075(2005)217

Solid phase extraction

Evaluation of a new hypercrosslinked polymer as a sorbent for solid-phase extraction of polar compounds 1075(2005)51

Purification and determination of plant hormones auxin and abscisic acid using solid phase extraction and two-dimensional high performance liquid chromatography 1075(2005)159

Solid-phase combinatorial chemistry

Characterisation of glycoprotein ligands synthesised using solid-phase combinatorial chemistry 1075(2005)95

Stability

High-performance liquid chromatographic stationary phases based on poly(dimethylsiloxane) immobilized on silica 1075(2005)87

Stir bar sorptive extraction (SBSE)

Stir bar sorptive extraction based on restricted access material for the direct extraction of caffeine and metabolites in biological fluids 1075(2005)43

Supercritical fluid extraction

Supercritical fluid extraction of sinomenine from Sinomenium acutum (Thumb) Rehd et Wils 1075(2005)213

Surfactant stability

One-step purification and characterization of an alkaline protease from haloalkaliphilic *Bacillus* sp. 1075(2005)103

T-2 toxin

Analysis of T-2 and HT-2 toxins in cereal grains by immunoaffinity clean-up and liquid chromatography with fluorescence detection 1075(2005)151

Temperature gradient interaction chromatography (TGIC)

Rapid molecular weight analysis of polymers by temperature gradient interaction chromatography 1075(2005)145

Tetracycline antibiotics

Complexities in tetracycline analysis—chemistry, matrix extraction, cleanup, and liquid chromatography (Review) 1075(2005)23

Thiourea

Influence of the pressure on the properties of chromatographic columns. III. Retention volume of thiourea, hold-up volume, and compressibility of the C_{18} -bonded layer 1075(2005)117

Three-zone simulated moving bed

Separation of amino acids with simulated moving bed chromatography 1075(2005)77

Water analysis

Evaluation of a new hypercrosslinked polymer as a sorbent for solid-phase extraction of polar compounds 1075(2005)51

Wheat

Erratum to "Liquid chromatographic method for the micro-quantitative determination of clodinafop in soil, wheat and *Phalaris minor*" [J. Chromatogr. A 1065 (2005) 199–206] 1075(2005)217