


Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A 1077 (2005) 209-213

www.elsevier.com/locate/chroma

Subject Index Vol. 1077

Acetonitrile-water mixtures

Effect of temperature on the chromatographic retention of ionizable compounds. II. Acetonitrile–water mobile phases 1077(2005)159

Acid-base equilibria

Effect of temperature on the chromatographic retention of ionizable compounds. II. Acetonitrile–water mobile phases 1077(2005)159

Acrylamide

Determination of acrylamide and methacrylamide by normal phase high performance liquid chromatography and UV detection 1077(2005)128

Acrylic acid

Determination of acrylamide and methacrylamide by normal phase high performance liquid chromatography and UV detection 1077(2005)128

Adsorption isotherms

Determination of partition behavior of organic surrogates between paperboard packaging materials and air 1077(2005)74

Alcohols

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

Aminopropyl column

Analysis of sialyl oligosaccharides by high-performance liquid chromatography-electrospray ionisation-mass spectrometry with differentiation of α 2-3 and α 2-6 sialyl linkages 1077(2005)136

Anthraquinones

High-performance thin layer chromatography method for quantitative determination of four major anthraquinone derivatives in *Rheum emodi* 1077(2005)202

Aromatic hydrocarbons

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

Artistic

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Astilbin

Purification of astilbin and isoastilbin in the extract of *smilax glabra rhizome* by high-speed counter-current chromatography 1077(2005)98

Automated solid-phase extraction

Automated solid-phase extraction and high-performance liquid chromatographic determination of nitrosamines using post-column photolysis and tris(2,2'-bipyridyl) ruthenium(III) chemiluminescence 1077(2005)49

Baby food

Analysis of semicarbazide in baby food by liquid chromatography tandem mass spectrometry (LC-MS-MS)—In-house method validation 1077(2005)151

Band broadening

A first principles explanation for the experimentally observed increase in A-term band broadening in small domain silica monoliths and other chromatographic supports 1077(2005)28

Bathing waters

Determination of UV-filter residues in bathing waters by liquid chromatography UV-diode array and gas chromatography—mass spectrometry after micelle mediated extraction-solvent back extraction 1077(2005)19

Bed voidage

Variations of particle size and bed voidage distributions in expanded bed during transient operation processes 1077(2005)143

tris(2,2'-Bipyridyl)ruthenium(III) photo-generated

Automated solid-phase extraction and high-performance liquid chromatographic determination of nitrosamines using post-column photolysis and tris(2,2'-bipyridyl) ruthenium(III) chemiluminescence 1077(2005)49

Binding media

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Bovine colostrum

Analysis of sialyl oligosaccharides by high-performance liquid chromatography-electrospray ionisation-mass spectrometry with differentiation of $\alpha 2$ -3 and $\alpha 2$ -6 sialyl linkages 1077(2005)136

Brazilein

Development and optimization of a method for the analysis of Brazilein by HPLC with electrochemical detection 1077(2005)44

Caesalpinia sappan L.

Development and optimization of a method for the analysis of Brazilein by HPLC with electrochemical detection 1077(2005)44

Calculation

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

doi:10.1016/S0021-9673(05)00969-6

Capillary electrophoresis

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Determination of ephedrine alkaloid stereoisomers in dietary supplements by capillary electrophoresis 1077(2005)90

Catechins

Separation of eight selected flavan-3-ols on cellulose thin-layer chromatographic plates 1077(2005)188

Cell culture

Determination of total ribonucleotide pool in plant materials by high-pH anion-exchange high-performance liquid chromatography following extraction with potassium hydroxide 1077(2005)120

Cellulose HPTLC plates

Separation of eight selected flavan-3-ols on cellulose thin-layer chromatographic plates 1077(2005)188

Chemi-luminescence detection

Automated solid-phase extraction and high-performance liquid chromatographic determination of nitrosamines using post-column photolysis and tris(2,2'-bipyridyl) ruthenium(III) chemiluminescence 1077(2005)49

Chrysophanol glycoside

High-performance thin layer chromatography method for quantitative determination of four major anthraquinone derivatives in *Rheum emodi* 1077(2005)202

Chrysophanol

High-performance thin layer chromatography method for quantitative determination of four major anthraquinone derivatives in *Rheum emodi* 1077(2005)202

Closed loop stripping analysis

Determination of chlorinated toluenes in raw and treated water samples from the Llobregat river by closed loop stripping analysis and gas chromatography-mass spectrometry detection 1077(2005)68

Cloud point extraction

Determination of UV-filter residues in bathing waters by liquid chromatography UV-diode array and gas chromatography—mass spectrometry after micelle mediated extraction-solvent back extraction 1077(2005)19

Computational fluid dynamics

A first principles explanation for the experimentally observed increase in A-term band broadening in small domain silica monoliths and other chromatographic supports 1077(2005)28

Counter-current chromatography

Purification of astilbin and isoastilbin in the extract of *smilax glabra rhizome* by high-speed counter-current chromatography 1077(2005)98

Diene acetates

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Distribution coefficients

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

DMDS derivatives

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Domain size

A first principles explanation for the experimentally observed increase in A-term band broadening in small domain silica monoliths and other chromatographic supports 1077(2005)28

Double bond

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Dwell volume

A practical approach to transferring linear gradient elution methods 1077(2005)110

EDDS

Determination of [S,S']-ethylenediamine disuccinic acid (EDDS) by high performance liquid chromatography after derivatization with FMOC 1077(2005)37

Electrochemical detection

Development and optimization of a method for the analysis of Brazilein by HPLC with electrochemical detection 1077(2005)44

Emodin

High-performance thin layer chromatography method for quantitative determination of four major anthraquinone derivatives in *Rheum emodi* 1077(2005)202

Ephedrine

Determination of ephedrine alkaloid stereoisomers in dietary supplements by capillary electrophoresis 1077(2005)90

ESI-MS

Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography—mass spectrometry, and their rapid quantification together with Vitamin C 1077(2005)170

Ethylenediamine disuccinic acid

Determination of [S,S']-ethylenediamine disuccinic acid (EDDS) by high performance liquid chromatography after derivatization with FMOC 1077(2005)37

Expanded bed adsorption

Variations of particle size and bed voidage distributions in expanded bed during transient operation processes 1077(2005)143

Extraction methods

Determination of chlorinated toluenes in raw and treated water samples from the Llobregat river by closed loop stripping analysis and gas chromatography-mass spectrometry detection 1077(2005)68

Fish tissue

Application of matrix solid-phase dispersion in the analysis of priority polycyclic aromatic hydrocarbons in fish samples 1077(2005)103

Flavan-3-ols

Separation of eight selected flavan-3-ols on cellulose thin-layer chromatographic plates 1077(2005)188

Fluorescence detection

Determination of [S,S']-ethylenediamine disuccinic acid (EDDS) by high performance liquid chromatography after derivatization with FMOC 1077(2005)37

Gas chromatography

Determination of UV-filter residues in bathing waters by liquid chromatography UV-diode array and gas chromatography—mass spectro-metry after micelle mediated extraction-solvent back extraction 1077(2005)19

GC analysis

Determination of partition behavior of organic surrogates between paperboard packaging materials and air 1077(2005)74

GC-MS

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Glues

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Gradient elution

A practical approach to transferring linear gradient elution methods 1077(2005)110

Green tea

Separation of eight selected flavan-3-ols on cellulose thin-layer chromatographic plates 1077(2005)188

Halogenated toluenes

Determination of chlorinated toluenes in raw and treated water samples from the Llobregat river by closed loop stripping analysis and gas chromatography-mass spectrometry detection 1077(2005)68

Historic works

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

HPAEC

Determination of total ribonucleotide pool in plant materials by high-pH anion-exchange high-performance liquid chromatography following extraction with potassium hydroxide 1077(2005)120

HPLO

Determination of [S,S']-ethylenediamine disuccinic acid (EDDS) by high performance liquid chromatography after derivatization with FMOC 1077(2005)37

Development and optimization of a method for the analysis of Brazilein by HPLC with electrochemical detection 1077(2005)44

Automated solid-phase extraction and high-performance liquid chromatographic determination of nitrosamines using post-column photolysis and tris(2,2'-bipyridyl) ruthenium(III) chemiluminescence 1077(2005)49

Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography-mass spectrometry, and their rapid quantification together with Vitamin C 1077(2005)170

HPLC-ESI-MS

Analysis of sialyl oligosaccharides by high-performance liquid chromatography-electrospray ionisation-mass spectrometry with differentiation of α 2-3 and α 2-6 sialyl linkages 1077(2005)136

HPTLC

High-performance thin layer chromatography method for quantitative determination of four major anthraquinone derivatives in *Rheum emodi* 1077(2005)202

In-house validation

Analysis of semicarbazide in baby food by liquid chromatography tandem mass spectrometry (LC-MS-MS)—In-house method validation 1077(2005)151

Ionizable solutes

Effect of temperature on the chromatographic retention of ionizable compounds. II. Acetonitrile–water mobile phases 1077(2005)159

Ketones

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

Leaves

Determination of total ribonucleotide pool in plant materials by high-pH anion-exchange high-performance liquid chromatography following extraction with potassium hydroxide 1077(2005)120

Leguminosae

Development and optimization of a method for the analysis of Brazilein by HPLC with electrochemical detection 1077(2005)44

Liliaceae

Purification of astilbin and isoastilbin in the extract of *smilax glabra rhizome* by high-speed counter-current chromatography 1077(2005)98

Liquid chromatography tandem mass spectrometry

Analysis of semicarbazide in baby food by liquid chromatography tandem mass spectrometry (LC-MS-MS)—In-house method validation 1077(2005)151

Liquid chromatography

Determination of UV-filter residues in bathing waters by liquid chromatography UV-diode array and gas chromatography—mass spectro-metry after micelle mediated extraction-solvent back extraction 1077(2005)19

A first principles explanation for the experimentally observed increase in A-term band broadening in small domain silica monoliths and other chromatographic supports 1077(2005)28

$\text{Log } K_{\text{ow}}$

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

Mass spectrometric identification

Determination of [S,S']-ethylenediamine disuccinic acid (EDDS) by high performance liquid chromatography after derivatization with FMOC 1077(2005)37

Mass spectrometry

Limitations of current proteomics technologies (Review) 1077(2005)1

Mass spectrum

Analysis of sialyl oligosaccharides by high-performance liquid chromatography-electrospray ionisation-mass spectrometry with differentiation of $\alpha 2$ -3 and $\alpha 2$ -6 sialyl linkages 1077(2005)136

Matrix solid-phase dispersion

Application of matrix solid-phase dispersion in the analysis of priority polycyclic aromatic hydrocarbons in fish samples 1077(2005)103

Methacrylamide

Determination of acrylamide and methacrylamide by normal phase high performance liquid chromatography and UV detection 1077(2005)128

Methacrylic acid

Determination of acrylamide and methacrylamide by normal phase high performance liquid chromatography and UV detection 1077(2005)128

Method transfer

A practical approach to transferring linear gradient elution methods 1077(2005)110

Methylthiolation

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Museum objects

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Natural binders

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Neuroproteomics

Limitations of current proteomics technologies (Review) 1077(2005)1

Nitrosamines

Automated solid-phase extraction and high-performance liquid chromatographic determination of nitrosamines using post-column photolysis and tris(2,2'-bipyridyl) ruthenium(III) chemiluminescence 1077(2005)49

Normal phase HPLC

Determination of acrylamide and methacrylamide by normal phase high performance liquid chromatography and UV detection 1077(2005)128

Oak

Separation of eight selected flavan-3-ols on cellulose thin-layer chromatographic plates 1077(2005)188

Organic surrogates

Determination of partition behavior of organic surrogates between paperboard packaging materials and air 1077(2005)74

Packing heterogeneity

A first principles explanation for the experimentally observed increase in A-term band broadening in small domain silica monoliths and other chromatographic supports 1077(2005)28

Paint layers

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Paint

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Paperboard packaging materials

Determination of partition behavior of organic surrogates between paperboard packaging materials and air 1077(2005)74

Partial reduction

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Particle size distribution

Variations of particle size and bed voidage distributions in expanded bed during transient operation processes 1077(2005)143

Partition coefficients

Determination of partition behavior of organic surrogates between paperboard packaging materials and air 1077(2005)74

Pheromones

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Photohydrolysis

Automated solid-phase extraction and high-performance liquid chromatographic determination of nitrosamines using post-column photolysis and tris(2,2'-bipyridyl) ruthenium(III) chemiluminescence 1077(2005)49

Physcion

High-performance thin layer chromatography method for quantitative determination of four major anthraquinone derivatives in *Rheum emodi* 1077(2005)202

Plant gums

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Plant

Determination of total ribonucleotide pool in plant materials by high-pH anion-exchange high-performance liquid chromatography following extraction with potassium hydroxide 1077(2005)120

Polycyclic aromatic hydrocarbons

Application of matrix solid-phase dispersion in the analysis of priority polycyclic aromatic hydrocarbons in fish samples 1077(2005)103

Polysaccharides

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Proanthocyanidin glycosides

Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography-mass spectrometry, and their rapid quantification together with Vitamin C 1077(2005)170

Proanthocyanidins

Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography—mass spectrometry, and their rapid quantification together with Vitamin C $\,$ 1077(2005)170

Procvanidins

Separation of eight selected flavan-3-ols on cellulose thin-layer chromatographic plates 1077(2005)188

Proteomics limitations

Limitations of current proteomics technologies (Review) 1077(2005)1

Proteomics

Limitations of current proteomics technologies (Review) 1077(2005)1

PTI-GC-MS

Improved analysis of volatile halogenated hydrocarbons in water by purgeand-trap with gas chromatography and mass spectrometric detection 1077(2005)181

Purification

Purification of astilbin and isoastilbin in the extract of *smilax glabra rhizome* by high-speed counter-current chromatography 1077(2005)98

Rapid quantitative analysis

Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography—mass spectrometry, and their rapid quantification together with Vitamin C 1077(2005)170

Reversed-phase selectivity

Effect of temperature on the chromatographic retention of ionizable compounds. II. Acetonitrile–water mobile phases 1077(2005)159

Rheum emodi

High-performance thin layer chromatography method for quantitative determination of four major anthraquinone derivatives in *Rheum emodi* 1077(2005)202

Ribonucleotide

Determination of total ribonucleotide pool in plant materials by high-pH anion-exchange high-performance liquid chromatography following extraction with potassium hydroxide 1077(2005)120

Rose hips

Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography—mass spectrometry, and their rapid quantification together with Vitamin C 1077(2005)170

Selectivity

A practical approach to transferring linear gradient elution methods 1077(2005)110

Semicarbazide

Analysis of semicarbazide in baby food by liquid chromatography tandem mass spectrometry (LC-MS-MS)—In-house method validation 1077(2005)151

Sialyl linkage

Analysis of sialyl oligosaccharides by high-performance liquid chromatography-electrospray ionisation-mass spectrometry with differentiation of α 2-3 and α 2-6 sialyl linkages 1077(2005)136

Sialyl oligosaccharides

Analysis of sialyl oligosaccharides by high-performance liquid chromatography-electrospray ionisation-mass spectrometry with differentiation of α 2-3 and α 2-6 sialyl linkages 1077(2005)136

Silica monoliths

A first principles explanation for the experimentally observed increase in A-term band broadening in small domain silica monoliths and other chromatographic supports 1077(2005)28

Smilax glabra

Purification of astilbin and isoastilbin in the extract of *smilax glabra rhizome* by high-speed counter-current chromatography 1077(2005)98

Solid-phase microextraction

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

Solvent extraction

Determination of partition behavior of organic surrogates between paper-board packaging materials and air 1077(2005)74

Stereoisomers

Determination of ephedrine alkaloid stereoisomers in dietary supplements by capillary electrophoresis $\;1077(2005)90\;$

Sugars

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

Sunscreen agents

Determination of UV-filter residues in bathing waters by liquid chromatography UV-diode array and gas chromatography—mass spectro-metry after micelle mediated extraction-solvent back extraction 1077(2005)19

Temperature

Effect of temperature on the chromatographic retention of ionizable compounds. II. Acetonitrile–water mobile phases 1077(2005)159

Terpenes

Experimental determination and calculation of distribution coefficients between air and fiber with polydimethylsiloxane coating for some groups of organic compounds 1077(2005)195

Thin-layer chromatography

Separation of eight selected flavan-3-ols on cellulose thin-layer chromatographic plates 1077(2005)188

Transient phenomena

Variations of particle size and bed voidage distributions in expanded bed during transient operation processes 1077(2005)143

Triene acetates

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Two-dimensional electrophoresis

Limitations of current proteomics technologies (Review) 1077(2005)1

Unsaturation

Location of double bonds in diene and triene acetates by partial reduction followed by methylthiolation 1077(2005)57

Uronic acids

Characterisation of natural polysaccharides (plant gums) used as binding media for artistic and historic works by capillary zone electrophoresis 1077(2005)80

UV detection

Determination of acrylamide and methacrylamide by normal phase high performance liquid chromatography and UV detection 1077(2005)128

Vitamin C

Characterisation of proanthocyanidin aglycones and glycosides from rose hips by high-performance liquid chromatography—mass spectrometry, and their rapid quantification together with Vitamin C 1077(2005)170

Volatile halogenated compounds

Improved analysis of volatile halogenated hydrocarbons in water by purgeand-trap with gas chromatography and mass spectrometric detection 1077(2005)181

Water analysis

Automated solid-phase extraction and high-performance liquid chromatographic determination of nitrosamines using post-column photolysis and tris(2,2'-bipyridyl) ruthenium(III) chemiluminescence 1077(2005)49

Determination of chlorinated toluenes in raw and treated water samples from the Llobregat river by closed loop stripping analysis and gas chromatography-mass spectrometry detection 1077(2005)68

Improved analysis of volatile halogenated hydrocarbons in water by purgeand-trap with gas chromatography and mass spectrometric detection 1077(2005)181