

Subject Index Vol. 1078

Acrylate-based monoliths

Capillary electrochromatography column behavior of butyl and lauryl acrylate porous polymer monoliths 1078(2005)171

Air analysis

Adsorption of water vapour from humid air by selected carbon adsorbents 1078(2005)7

Albumin

High-performance anion-exchange chromatography combined with intrinsic fluorescence detection to determine erythropoietin in pharmaceutical products 1078(2005)113

Alkoxyglycerols

Study of the analysis of alkoxyglycerols and other non-polar lipids by liquid chromatography coupled with evaporative light scattering detector 1078(2005)28

4-Alkylphenols

Ion-pair solid-phase extractive derivatization of 4-alkylphenols with pentafluoropyridine for gas chromatography–mass spectrometry 1078(2005)1

Alpha-keto acid

A new strategy for the selective determination of D-amino acids: Enzymatic and chemical modifications for pre-column derivatization 1078(2005)51

D-Amino acid oxidase

A new strategy for the selective determination of D-amino acids: Enzymatic and chemical modifications for pre-column derivatization 1078(2005)51

D-Amino acid

A new strategy for the selective determination of D-amino acids: Enzymatic and chemical modifications for pre-column derivatization 1078(2005)51

Amines

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Amino acids

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Amino alcohols

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Anatoxin-a

Analysis of anatoxin-a using polyaniline as a sorbent in solid-phase microextraction coupled to gas chromatography–mass spectrometry 1078(2005)120

Antibody

Performance of a membrane adsorber for trace impurity removal in biotechnology manufacturing 1078(2005)74

Atropisomers

Characterization of the in vitro atropisomeric interconversion rates of an endothelin A antagonist by enantioselective liquid chromatography 1078(2005)67

Betalain

A novel method using high-performance liquid chromatography with fluorescence detection for the determination of betaxanthins 1078(2005)83

Betaxanthin

A novel method using high-performance liquid chromatography with fluorescence detection for the determination of betaxanthins 1078(2005)83

Biphenyl

Characterization of the in vitro atropisomeric interconversion rates of an endothelin A antagonist by enantioselective liquid chromatography 1078(2005)67

Capillary electrochromatography

Capillary electrochromatography column behavior of butyl and lauryl acrylate porous polymer monoliths 1078(2005)171

Carbon molecular sieves

Adsorption of water vapour from humid air by selected carbon adsorbents 1078(2005)7

Chemically bounded type

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Chiral comprehensive two-dimensional

Chiral comprehensive two-dimensional gas chromatography with electron-capture detection applied to the analysis of chiral polychlorinated biphenyls in food samples 1078(2005)128

Chiral monoterpenoids

Thermodynamic studies of complexation and enantioselective recognition processes of monoterpenoids by α - and β -cyclodextrin in gas chromatography 1078(2005)136

Chiral stationary phases

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Citrulline

Determination of citrulline in watermelon rind 1078(2005)196

Citrus

Extraction methods for analysis of *Citrus* leaf proteins by two-dimensional gel electrophoresis 1078(2005)201

Counter-current chromatography

One step isolation and purification of liquiritigenin and isoliquiritigenin from *Glycyrrhiza uralensis* Risch. using high-speed counter-current chromatography 1078(2005)188

Cross validation

High performance liquid chromatography–mass spectrometry based chemometric characterization of olive oils 1078(2005)90

Crown ethers

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Cyclodextrins

Thermodynamic studies of complexation and enantioselective recognition processes of monoterpenoids by α - and β -cyclodextrin in gas chromatography 1078(2005)136

Derivatization with pentafluoropyridine

Ion-pair solid-phase extractive derivatization of 4-alkylphenols with pentafluoropyridine for gas chromatography–mass spectrometry 1078(2005)1

Derringer's desirability function

Simultaneous optimization of the resolution and analysis time in micellar liquid chromatography of phenyl thiohydantoin amino acids using Derringer's desirability function 1078(2005)42

Drug–serum interaction

Characterization of the in vitro atropisomeric interconversion rates of an endothelin A antagonist by enantioselective liquid chromatography 1078(2005)67

Efficiency

Efficiency for unretained solutes in packed column supercritical fluid chromatography. I. Theory for isothermal conditions and correction factors for carbon dioxide 1078(2005)152

Efficiency for unretained solutes in packed column supercritical fluid chromatography. II. Experimental results for elution of methane using large pressure drops 1078(2005)162

ELSD

Study of the analysis of alkoxyglycerols and other non-polar lipids by liquid chromatography coupled with evaporative light scattering detector 1078(2005)28

Enantiomer separation

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Chiral comprehensive two-dimensional gas chromatography with electron-capture detection applied to the analysis of chiral polychlorinated biphenyls in food samples 1078(2005)128

Thermodynamic studies of complexation and enantioselective recognition processes of monoterpenoids by α - and β -cyclodextrin in gas chromatography 1078(2005)136

Enantiomerization

Characterization of the in vitro atropisomeric interconversion rates of an endothelin A antagonist by enantioselective liquid chromatography 1078(2005)67

Environmental analysis

Ion-pair solid-phase extractive derivatization of 4-alkylphenols with pentafluoropyridine for gas chromatography–mass spectrometry 1078(2005)1

Epoetin-alpha

High-performance anion-exchange chromatography combined with intrinsic fluorescence detection to determine erythropoietin in pharmaceutical products 1078(2005)113

Epoetin-beta

High-performance anion-exchange chromatography combined with intrinsic fluorescence detection to determine erythropoietin in pharmaceutical products 1078(2005)113

Erythropoietin

High-performance anion-exchange chromatography combined with intrinsic fluorescence detection to determine erythropoietin in pharmaceutical products 1078(2005)113

ESI

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

Extraction

Investigation of the extraction behavior of the main monoglutamate folates from spinach by liquid chromatography–electrospray ionization tandem mass spectrometry 1078(2005)59

Fluorescence

A novel method using high-performance liquid chromatography with fluorescence detection for the determination of betaxanthins 1078(2005)83

Folates

Investigation of the extraction behavior of the main monoglutamate folates from spinach by liquid chromatography–electrospray ionization tandem mass spectrometry 1078(2005)59

Food analysis

Chiral comprehensive two-dimensional gas chromatography with electron-capture detection applied to the analysis of chiral polychlorinated biphenyls in food samples 1078(2005)128

Ganglioside

Facile method for the preparation of lyso-GM1 and lyso-GM2 1078(2005)193

Gas chromatography

Chiral comprehensive two-dimensional gas chromatography with electron-capture detection applied to the analysis of chiral polychlorinated biphenyls in food samples 1078(2005)128

Thermodynamic studies of complexation and enantioselective recognition processes of monoterpenoids by α - and β -cyclodextrin in gas chromatography 1078(2005)136

GC-MS

Ion-pair solid-phase extractive derivatization of 4-alkylphenols with pentafluoropyridine for gas chromatography-mass spectrometry 1078(2005)1

Glass temperature

New approach for evaluation of capillary column inverse gas chromatography 1078(2005)144

Glycyrrhiza uralensis

One step isolation and purification of liquiritigenin and isoliquiritigenin from *Glycyrrhiza uralensis* Risch. using high-speed counter-current chromatography 1078(2005)188

Graphitized carbon adsorbents

Adsorption of water vapour from humid air by selected carbon adsorbents 1078(2005)7

High temperature liquid chromatography (HTLC)

Optimization of the coupling of high-temperature liquid chromatography and flame ionization detection. Application to the separations of alcohols 1078(2005)22

HPAEC

High-performance anion-exchange chromatography combined with intrinsic fluorescence detection to determine erythropoietin in pharmaceutical products 1078(2005)113

HPLC

Study of the analysis of alkoxyglycerols and other non-polar lipids by liquid chromatography coupled with evaporative light scattering detector 1078(2005)28

A novel method using high-performance liquid chromatography with fluorescence detection for the determination of betaxanthins 1078(2005)83

High-performance anion-exchange chromatography combined with intrinsic fluorescence detection to determine erythropoietin in pharmaceutical products 1078(2005)113

HPLC-MS

High performance liquid chromatography-mass spectrometry based chemometric characterization of olive oils 1078(2005)90

HPLC-UV

Combination of microwave assisted micellar extraction and liquid chromatography for the determination of organophosphorous pesticides in soil samples 1078(2005)13

HTLC-FID coupling

Optimization of the coupling of high-temperature liquid chromatography and flame ionization detection. Application to the separations of alcohols 1078(2005)22

IGC

New approach for evaluation of capillary column inverse gas chromatography 1078(2005)144

Inclusion complexes

Thermodynamic studies of complexation and enantioselective recognition processes of monoterpenoids by α - and β -cyclodextrin in gas chromatography 1078(2005)136

Intrinsic fluorescence

High-performance anion-exchange chromatography combined with intrinsic fluorescence detection to determine erythropoietin in pharmaceutical products 1078(2005)113

Ionic liquid

Separation and determination of lignans from seeds of *Schisandra* species by micellar electrokinetic capillary chromatography using ionic liquid as modifier 1078(2005)181

Ion-pair solid-phase extraction

Ion-pair solid-phase extractive derivatization of 4-alkylphenols with pentafluoropyridine for gas chromatography-mass spectrometry 1078(2005)1

Isoliquiritigenin

One step isolation and purification of liquiritigenin and isoliquiritigenin from *Glycyrrhiza uralensis* Risch. using high-speed counter-current chromatography 1078(2005)188

Kinetics

Characterization of the in vitro atropisomeric interconversion rates of an endothelin A antagonist by enantioselective liquid chromatography 1078(2005)67

Kurtosis

New approach for evaluation of capillary column inverse gas chromatography 1078(2005)144

LCMS

Preparation and evaluation of a chiral stationary phase covalently bound with chiral pseudo-18-crown-6 ether having 1-phenyl-1,2-cyclohexanediol as a chiral unit 1078(2005)35

LC-MS/MS

Investigation of the extraction behavior of the main monoglutamate folates from spinach by liquid chromatography-electrospray ionization tandem mass spectrometry 1078(2005)59

Leaf tissue

Extraction methods for analysis of *Citrus* leaf proteins by two-dimensional gel electrophoresis 1078(2005)201

Leucoemeraldine form

Analysis of anatoxin-a using polyaniline as a sorbent in solid-phase microextraction coupled to gas chromatography-mass spectrometry 1078(2005)120

Lignans

Separation and determination of lignans from seeds of *Schisandra* species by micellar electrokinetic capillary chromatography using ionic liquid as modifier 1078(2005)181

Linear discriminant analysis

High performance liquid chromatography-mass spectrometry based chemometric characterization of olive oils 1078(2005)90

Liquiritigenin

One step isolation and purification of liquiritigenin and isoliquiritigenin from *Glycyrrhiza uralensis* Risch. using high-speed counter-current chromatography 1078(2005)188

Lyso-ganglioside

Facile method for the preparation of lyso-GM1 and lyso-GM2 1078(2005)193

Lyso-GM1

Facile method for the preparation of lyso-GM1 and lyso-GM2 1078(2005)193

Lyso-GM2

Facile method for the preparation of lyso-GM1 and lyso-GM2 1078(2005)193

Mathematical modeling

Characterization of a peptide affinity support that binds selectively to staphylococcal enterotoxin B 1078(2005)98

Membrane adsorber

Performance of a membrane adsorber for trace impurity removal in biotechnology manufacturing 1078(2005)74

Membrane chromatography

Performance of a membrane adsorber for trace impurity removal in biotechnology manufacturing 1078(2005)74

Micellar electrokinetic capillary chromatography

Separation and determination of lignans from seeds of *Schisandra* species by micellar electrokinetic capillary chromatography using ionic liquid as modifier 1078(2005)181

Micellar liquid chromatography

Simultaneous optimization of the resolution and analysis time in micellar liquid chromatography of phenyl thiohydantoin amino acids using Derringer's desirability function 1078(2005)42

Microwave assisted micellar extraction

Combination of microwave assisted micellar extraction and liquid chromatography for the determination of organophosphorous pesticides in soil samples 1078(2005)13

Modeling

Simultaneous optimization of the resolution and analysis time in micellar liquid chromatography of phenyl thiohydantoin amino acids using Derringer's desirability function 1078(2005)42

Monolithic columns

Capillary electrochromatography column behavior of butyl and lauryl acrylate porous polymer monoliths 1078(2005)171

Non-polar lipids

Study of the analysis of alkoxyglycerols and other non-polar lipids by liquid chromatography coupled with evaporative light scattering detector 1078(2005)28

Normal-phase

Study of the analysis of alkoxyglycerols and other non-polar lipids by liquid chromatography coupled with evaporative light scattering detector 1078(2005)28

Oil cultivar

High performance liquid chromatography–mass spectrometry based chemometric characterization of olive oils 1078(2005)90

Olive oil

High performance liquid chromatography–mass spectrometry based chemometric characterization of olive oils 1078(2005)90

Optimization

Simultaneous optimization of the resolution and analysis time in micellar liquid chromatography of phenyl thiohydantoin amino acids using Derringer's desirability function 1078(2005)42

Organophosphorous pesticides

Combination of microwave assisted micellar extraction and liquid chromatography for the determination of organophosphorous pesticides in soil samples 1078(2005)13

Peptide affinity chromatography

Characterization of a peptide affinity support that binds selectively to staphylococcal enterotoxin B 1078(2005)98

Peptide density

Characterization of a peptide affinity support that binds selectively to staphylococcal enterotoxin B 1078(2005)98

Pharmaceutical analysis

One step isolation and purification of liquiritigenin and isoliquiritigenin from *Glycyrrhiza uralensis* Risch. using high-speed counter-current chromatography 1078(2005)188

Phenyl thiohydantoin amino acids

Simultaneous optimization of the resolution and analysis time in micellar liquid chromatography of phenyl thiohydantoin amino acids using Derringer's desirability function 1078(2005)42

***o*-Phenylenediamine**

A new strategy for the selective determination of D-amino acids: Enzymatic and chemical modifications for pre-column derivatization 1078(2005)51

Pigment

A novel method using high-performance liquid chromatography with fluorescence detection for the determination of betaxanthins 1078(2005)83

Plant materials

One step isolation and purification of liquiritigenin and isoliquiritigenin from *Glycyrrhiza uralensis* Risch. using high-speed counter-current chromatography 1078(2005)188

Polyaniline

Analysis of anatoxin-a using polyaniline as a sorbent in solid-phase microextraction coupled to gas chromatography–mass spectrometry 1078(2005)120

Polychlorinated biphenyls

Chiral comprehensive two-dimensional gas chromatography with electron-capture detection applied to the analysis of chiral polychlorinated biphenyls in food samples 1078(2005)128

Polypyrrole

Analysis of anatoxin-a using polyaniline as a sorbent in solid-phase microextraction coupled to gas chromatography–mass spectrometry 1078(2005)120

Pre-column derivatization

A new strategy for the selective determination of D-amino acids: Enzymatic and chemical modifications for pre-column derivatization 1078(2005)51

Preparative chromatography

Performance of a membrane adsorber for trace impurity removal in biotechnology manufacturing 1078(2005)74

Pressure drop

Efficiency for unretained solutes in packed column supercritical fluid chromatography. I. Theory for isothermal conditions and correction factors for carbon dioxide 1078(2005)152

Efficiency for unretained solutes in packed column supercritical fluid chromatography. II. Experimental results for elution of methane using large pressure drops 1078(2005)162

Protein extraction

Extraction methods for analysis of *Citrus* leaf proteins by two-dimensional gel electrophoresis 1078(2005)201

Rind

Determination of citrulline in watermelon rind 1078(2005)196

Sample preparation

Adsorption of water vapour from humid air by selected carbon adsorbents 1078(2005)7

Schisandra species

Separation and determination of lignans from seeds of *Schisandra* species by micellar electrokinetic capillary chromatography using ionic liquid as modifier 1078(2005)181

Separation of alcohols

Optimization of the coupling of high-temperature liquid chromatography and flame ionization detection. Application to the separations of alcohols 1078(2005)22

Serum

Characterization of the in vitro atropisomeric interconversion rates of an endothelin A antagonist by enantioselective liquid chromatography 1078(2005)67

Solid-phase microextraction

Analysis of anatoxin-a using polyaniline as a sorbent in solid-phase microextraction coupled to gas chromatography–mass spectrometry 1078(2005)120

Sphingolipid ceramide deacylase

Facile method for the preparation of lyso-GM1 and lyso-GM2 1078(2005)193

Spinach

Investigation of the extraction behavior of the main monoglutamate folates from spinach by liquid chromatography–electrospray ionization tandem mass spectrometry 1078(2005)59

Stability constants

Thermodynamic studies of complexation and enantioselective recognition processes of monoterpenoids by α - and β -cyclodextrin in gas chromatography 1078(2005)136

Staphylococcal enterotoxin B

Characterization of a peptide affinity support that binds selectively to staphylococcal enterotoxin B 1078(2005)98

Stationary phases

Capillary electrochromatography column behavior of butyl and lauryl acrylate porous polymer monoliths 1078(2005)171

Supercritical fluid chromatography

Efficiency for unretained solutes in packed column supercritical fluid chromatography. I. Theory for isothermal conditions and correction factors for carbon dioxide 1078(2005)152

Efficiency for unretained solutes in packed column supercritical fluid chromatography. II. Experimental results for elution of methane using large pressure drops 1078(2005)162

Surfactants

Combination of microwave assisted micellar extraction and liquid chromatography for the determination of organophosphorous pesticides in soil samples 1078(2005)13

Taylor dispersion

New approach for evaluation of capillary column inverse gas chromatography 1078(2005)144

Temperature drop

Efficiency for unretained solutes in packed column supercritical fluid chromatography. II. Experimental results for elution of methane using large pressure drops 1078(2005)162

Thermodynamics

Thermodynamic studies of complexation and enantioselective recognition processes of monoterpenoids by α - and β -cyclodextrin in gas chromatography 1078(2005)136

Two-dimensional electrophoresis

Extraction methods for analysis of *Citrus* leaf proteins by two-dimensional gel electrophoresis 1078(2005)201

Volatile organic compounds

Adsorption of water vapour from humid air by selected carbon adsorbents 1078(2005)7

Water adsorption

Adsorption of water vapour from humid air by selected carbon adsorbents 1078(2005)7

Water analysis

Ion-pair solid-phase extractive derivatization of 4-alkylphenols with pentafluoropyridine for gas chromatography–mass spectrometry 1078(2005)1

Watermelon

Determination of citrulline in watermelon rind 1078(2005)196