

Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A 1079 (2005) 418-424

www.elsevier.com/locate/chroma

Subject Index Vol. 1079

Acidic herbicides

Polypyrrole-coated capillaries for capillary zone electrophoresis 1079(2005)344

Adsorption isotherms

Retrograde adsorption isotherms: An impossible fact? 1079(2005)77

Affinity enrichment

Solid-phase capture and release of arginine peptides by selective tagging and boronate affinity chromatography 1079(2005)187

Amino acid substitution

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

Amino acids

Amino acids determination using capillary electrophoresis with oncapillary derivatization and laser-induced fluorescence detection 1079(2005)335

Anion-exchange

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Antibiotics

Exploiting pH mismatch in preparative high-performance liquid chromatographic recovery of ertapenem from mother liquor streams 1079(2005)80

Arginine-peptides

Solid-phase capture and release of arginine peptides by selective tagging and boronate affinity chromatography 1079(2005)187

Band narrowing

Dynamic pH junction technique for on-line preconcentration of peptides in capillary electrophoresis 1079(2005)266

Basic solutes

Comparison of silanization/hydrosilation and organosilanization modification procedures on etched capillaries for electrokinetic chromatography 1079(2005)366

Batch release

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

Biocompatible

Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis 1079(2005)382

doi:10.1016/S0021-9673(05)01002-2

Biopharmaceuticals

Studies on the use of needle-free injection device on proteins 1079(2005)397

Caco-2 cell permeability

pH effects on drug interactions with lipid bilayers by liposome electro kinetic chromatography 1079(2005)307

Capillary columns

Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis 1079(2005)382

Capillary electrochromatography

Homogeneous gels for capillary electrochromatography (Review) 1079(2005)50

Electrochemical properties of columns in capillary electrochromatography. I. Ohm's law, resistivity and field strength (Review) 1079(2005)69

Use of mixed-mode sorbents for the electrochromatographic separation of thrombin receptor antagonistic peptides (Review) 1079(2005)328

Comparison of silanization/hydrosilation and organosilanization modification procedures on etched capillaries for electrokinetic chromatography 1079(2005)366

Capillary electrophoresis

Haplotyping by capillary electrophoresis (Review) 1079(2005)41

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

Rapid quantitative capillary zone electrophoresis method for monitoring the micro-heterogeneity of an intact recombinant glycoprotein 1079(2005)254

Amino acids determination using capillary electrophoresis with oncapillary derivatization and laser-induced fluorescence detection 1079(2005)335

Polypyrrole-coated capillaries for capillary zone electrophoresis 1079(2005)344

Capillary zone electrophoresis

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

CEC

Use of electrokinetic measurements for characterization of columns used in capillary electrochromatography 1079(2005)299

Cellulose digest

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

Chain conformation

Molecular simulation study of the bonded-phase structure in reversedphase liquid chromatography with neat aqueous solvent 1079(2005)127

Characterization

Use of electrokinetic measurements for characterization of columns used in capillary electrochromatography 1079(2005)299

Cholic acid

Buffer system for the separation of neutral and charged small molecules using micellar electrokinetic chromatography with mass spectrometric detection 1079(2005)372

Chromatography

High temperature fast chromatography of proteins using a silica-based stationary phase with greatly enhanced low pH stability 1079(2005) 213

Competitive adsorption

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Competitive binding

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Competitive isotherms

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Compound libraries

Application of main component fraction collection method for purification of compound libraries 1079(2005)349

Conductivity

Use of electrokinetic measurements for characterization of columns used in capillary electrochromatography 1079(2005)299

Contactless conductivity detection

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

Cyclodextrin stationary phases

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

Cytochrome c

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

L-Deprenvl

Detection of N^{ϵ} -monomethyllysine using high-performance liquid chromatography and high-performance liquid chromatography-mass spectrometry 1079(2005)208

Derivatization

Application of capillary zone electrophoresis and reversed-phase high-performance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

Automated headspace-solid-phase micro extraction-retention time lockedisotope dilution gas chromatography-mass spectrometry for the analysis of organotin compounds in water and sediment samples 1079(2005)408

Dextran digest

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

Dextransulfate

Polypyrrole-coated capillaries for capillary zone electrophoresis 1079(2005)344

Dielectrophoresis

Harnessing dielectric forces for separations of cells, fine particles and macromolecules (Review) 1079(2005)59

Disaccharide separations

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

Disc-electrophoresis

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Displacement chromatography

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

Effect of charge regulation on steric mass-action equilibrium for the ion-exchange adsorption of proteins 1079(2005)92

Drug

pH effects on drug interactions with lipid bilayers by liposome electrokinetic chromatography 1079(2005)307

Drug delivery

Studies on the use of needle-free injection device on proteins 1079(2005)397

Dynamic pH junction

Dynamic pH junction technique for on-line preconcentration of peptides in capillary electrophoresis 1079(2005)266

EDCs

Analyses of phenolic endocrine disrupting chemicals in marine samples by both gas and liquid chromatography—mass spectrometry 1079(2005)136

Electrochemical properties of packed capillaries

Electrochemical properties of columns in capillary electrochromatography. I. Ohm's law, resistivity and field strength (Review) 1079(2005)69

Electrochromatography

Use of electrokinetic measurements for characterization of columns used in capillary electrochromatography 1079(2005)299

Electroosmotic flow

Polypyrrole-coated capillaries for capillary zone electrophoresis 1079(2005)344

Electrophoretic methodologies

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Electrospray ionization mass spectrometry

Separation, detection, and identification of peptides by ion-pair reversedphase high-performance liquid chromatography-electrospray ionization mass spectrometry at high and low pH 1079(2005)274

Electrospray ionization

Characterisation and evaluation of metal-loaded iminodiacetic acid-silica of different porosity for the selective enrichment of phosphopeptides 1079(2005)197

Entropy-enthalpy compensation

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

Epimerization

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

Fraction

Application of main component fraction collection method for purification of compound libraries 1079(2005)349

Free energy relationships

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

Frontal analysis

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

Gas chromatography-mass spectrometry

Analyses of phenolic endocrine disrupting chemicals in marine samples by both gas and liquid chromatography—mass spectrometry 1079(2005)136

Genotype

Haplotyping by capillary electrophoresis (Review) 1079(2005)41

Glycans

Affinity chromatography with monolithic capillary columns. II. Polymethacrylate monoliths with immobilized lectins for the separation of glycoconjugates by nano-liquid affinity chromatography 1079(2005)236

Glycomics

Affinity chromatography with monolithic capillary columns. II. Polymethacrylate monoliths with immobilized lectins for the separation of glycoconjugates by nano-liquid affinity chromatography 1079(2005)236

Glycoproteins

Affinity chromatography with monolithic capillary columns. II. Polymethacrylate monoliths with immobilized lectins for the separation of glycoconjugates by nano-liquid affinity chromatography 1079(2005)236

Rapid quantitative capillary zone electrophoresis method for monitoring the micro-heterogeneity of an intact recombinant glycoprotein 1079(2005)254

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

Gradient elution

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

Theory of peak capacity in gradient elution 1079(2005)153

Modeling of overloaded gradient elution of nociceptin/orphanin FQ in reversed-phase liquid chromatography 1079(2005)162

Hafnia monoliths

Metal oxide monolithic columns 1079(2005)392

Haplotype

Haplotyping by capillary electrophoresis (Review) 1079(2005)41

Heteroconjugation

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

HETP

Use of electrokinetic measurements for characterization of columns used in capillary electrochromatography 1079(2005)299

HIC

Effect of pH changes on water release values in hydrophobic interaction chromatographic systems 1079(2005)229

High temperature

High temperature fast chromatography of proteins using a silica-based stationary phase with greatly enhanced low pH stability 1079(2005)213

High throughput analysis

Buffer system for the separation of neutral and charged small molecules using micellar electrokinetic chromatography with mass spectrometric detection 1079(2005)372

Homogeneous gels

Homogeneous gels for capillary electrochromatography (Review) 1079(2005)50

HPLC/MS

Detection of N^{ϵ} -monomethyllysine using high-performance liquid chromatography and high-performance liquid chromatography–mass spectrometry 1079(2005)208

HPLC

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

Detection of N^{ϵ} -monomethyllysine using high-performance liquid chromatography and high-performance liquid chromatography-mass spectrometry 1079(2005)208

Hydrophobic interaction

Hydrophobic interaction chromatography of proteins. III. Unfolding of proteins upon adsorption 1079(2005)221

Use of mixed-mode sorbents for the electrochromatographic separation of thrombin receptor antagonistic peptides 1079(2005)328

Hyphenated techniques

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Immobilized lectins

Affinity chromatography with monolithic capillary columns. II. Polymethacrylate monoliths with immobilized lectins for the separation of glycoconjugates by nano-liquid affinity chromatography 1079(2005)236

Immuno-electrophoresis

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Induced dipole

Harnessing dielectric forces for separations of cells, fine particles and macromolecules (Review) 1079(2005)59

Ion exchange

Two-component protein adsorption kinetics in porous ion exchange media 1079(2005)105

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Use of mixed-mode sorbents for the electrochromatographic separation of thrombin receptor antagonistic peptides 1079(2005)328

Ion-exchange equilibrium

Effect of charge regulation on steric mass-action equilibrium for the ion-exchange adsorption of proteins 1079(2005)92

Isoelectric focusing

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Isotachophoresis

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Isotherm determination

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

Modeling of overloaded gradient elution of nociceptin/orphanin FQ in reversed-phase liquid chromatography 1079(2005)162

Isotope dilution

Automated headspace-solid-phase micro extraction-retention time locked-isotope dilution gas chromatography-mass spectrometry for the analysis of organotin compounds in water and sediment samples 1079(2005)408

Langmuir-Freundlich isotherm

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Hydrophobic interaction chromatography of proteins. III. Unfolding of proteins upon adsorption 1079(2005)221

Laser-induced fluorescence detection

Amino acids determination using capillary electrophoresis with oncapillary derivatization and laser-induced fluorescence detection 1079(2005)335

Lauric acid

Buffer system for the separation of neutral and charged small molecules using micellar electrokinetic chromatography with mass spectrometric detection 1079(2005)372

LC/MS

Evaluation of multidimensional (ion-exchange/reversed-phase) protein separations using linear and step gradients in the first dimension 1079(2005)287

LC

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

LC-ESI-MS

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

LIF

Amino acids determination using capillary electrophoresis with oncapillary derivatization and laser-induced fluorescence detection 1079(2005)335

Lipid bilayers

pH effects on drug interactions with lipid bilayers by liposome electro-kinetic chromatography 1079(2005)307

Lipophilicity

pH effects on drug interactions with lipid bilayers by liposome electrokinetic chromatography 1079(2005)307

Liposome electrokinetic chromatography

pH effects on drug interactions with lipid bilayers by liposome electrokinetic chromatography 1079(2005)307

Liquid chromatography

Separation, detection, and identification of peptides by ion-pair reversedphase high-performance liquid chromatography-electrospray ionization mass spectrometry at high and low pH 1079(2005)274

Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis 1079(2005)382

Liquid chromatography-mass spectrometry

Analyses of phenolic endocrine disrupting chemicals in marine samples by both gas and liquid chromatography—mass spectrometry 1079(2005)136

Mannan digest

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

Mass spectrometry (MS)

Buffer system for the separation of neutral and charged small molecules using micellar electrokinetic chromatography with mass spectrometric detection 1079(2005)372

Mass spectrometry

Solid-phase capture and release of arginine peptides by selective tagging and boronate affinity chromatography 1079(2005)187

Mass transfer modeling

Two-component protein adsorption kinetics in porous ion exchange media 1079(2005)105

Metal oxide

Metal oxide monolithic columns 1079(2005)392

Micellar electrokinetic chromatography (MEKC)

Buffer system for the separation of neutral and charged small molecules using micellar electrokinetic chromatography with mass spectrometric detection 1079(2005)372

Microchip electrophoresis

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Microdevice

Homogeneous gels for capillary electrochromatography (Review) 1079(2005)50

Mobility

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

 $Use of electrokinetic measurements for characterization of columns used in capillary electrochromatography \\ 1079 (2005) 299$

Molecular parameters

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

Molecular simulation

Molecular simulation study of the bonded-phase structure in reversed-phase liquid chromatography with neat aqueous solvent 1079(2005)127

Monolith columns

Use of electrokinetic measurements for characterization of columns used in capillary electrochromatography 1079(2005)299

Monolith

Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis 1079(2005)382

Monolithic capillary

Affinity chromatography with monolithic capillary columns. II. Polymethacrylate monoliths with immobilized lectins for the separation of glycoconjugates by nano-liquid affinity chromatography 1079(2005)236

Monolithic column

Metal oxide monolithic columns 1079(2005)392

Monoliths

Homogeneous gels for capillary electrochromatography (Review) 1079(2005)50

Separation, detection, and identification of peptides by ion-pair reversedphase high-performance liquid chromatography-electrospray ionization mass spectrometry at high and low pH 1079(2005)274

Metal oxide monolithic columns 1079(2005)392

N^{ε} -Monomethyllysine

Detection of N^{ϵ} -monomethyllysine using high-performance liquid chromatography and high-performance liquid chromatography—mass spectrometry 1079(2005)208

Monosaccharides

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

Multidimensional chromatography

Evaluation of multidimensional (ion-exchange/reversed-phase) protein separations using linear and step gradients in the first dimension 1079(2005)287

Nano-liquid affinity chromatography

Affinity chromatography with monolithic capillary columns. II. Polymethacrylate monoliths with immobilized lectins for the separation of glycoconjugates by nano-liquid affinity chromatography 1079(2005)236

Needle-free injection

Studies on the use of needle-free injection device on proteins 1079(2005)397

Negative mode

Separation, detection, and identification of peptides by ion-pair reversedphase high-performance liquid chromatography-electrospray ionization mass spectrometry at high and low pH 1079(2005)274

Nitromethane

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

Non-aqueous

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

Nonlinear chromatography

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

On-capillary derivatization

Amino acids determination using capillary electrophoresis with oncapillary derivatization and laser-induced fluorescence detection 1079(2005)335

Oral bioavailability

pH effects on drug interactions with lipid bilayers by liposome electrokinetic chromatography 1079(2005)307

Organic buffer systems

Buffer system for the separation of neutral and charged small molecules using micellar electrokinetic chromatography with mass spectrometric detection 1079(2005)372

Organic solvent

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

Organotin compounds analysis

Automated headspace-solid-phase micro extraction-retention time lockedisotope dilution gas chromatography-mass spectrometry for the analysis of organotin compounds in water and sediment samples 1079(2005)408

Partition coefficient

pH effects on drug interactions with lipid bilayers by liposome electrokinetic chromatography 1079(2005)307

Passive transmembrane permeability

pH effects on drug interactions with lipid bilayers by liposome electrokinetic chromatography 1079(2005)307

Peak capacity

Theory of peak capacity in gradient elution 1079(2005)153

Pentides

Dynamic pH junction technique for on-line preconcentration of peptides in capillary electrophoresis 1079(2005)266

Separation, detection, and identification of peptides by ion-pair reversedphase high-performance liquid chromatography-electrospray ionization mass spectrometry at high and low pH 1079(2005)274

Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis 1079(2005)382

pΗ

Effect of pH changes on water release values in hydrophobic interaction chromatographic systems 1079(2005)229

Pharmaceutical analysis

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

Pharmaceutical drugs

Amino acids determination using capillary electrophoresis with oncapillary derivatization and laser-induced fluorescence detection 1079(2005)335

Phenolic endocrine disrupting chemicals

Analyses of phenolic endocrine disrupting chemicals in marine samples by both gas and liquid chromatography–mass spectrometry 1079(2005)136

Phenylboronic acid beads

Solid-phase capture and release of arginine peptides by selective tagging and boronate affinity chromatography 1079(2005)187

Phosphopeptides

Characterisation and evaluation of metal-loaded iminodiacetic acid-silica of different porosity for the selective enrichment of phosphopeptides 1079(2005)197

pK_{α} shift

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

Planar electrochromatography

Characterization of flow and voltage profiles in planar electrochromato graphy 1079(2005)317

Plasma samples

Amino acids determination using capillary electrophoresis with on-capillary derivatization and laser-induced fluorescence detection 1079(2005)335

Polarizability

Harnessing dielectric forces for separations of cells, fine particles and macromolecules (Review) 1079(2005)59

Polyethylene glycol acrylate

Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis 1079(2005)382

Polymorphism

Haplotyping by capillary electrophoresis (Review) 1079(2005)41

Polypeptides

Modeling of overloaded gradient elution of nociceptin/orphanin FQ in reversed-phase liquid chromatography 1079(2005)162

Polypyrrole-coated capillaries

Polypyrrole-coated capillaries for capillary zone electrophoresis 1079(2005)344

Positive mode

Separation, detection, and identification of peptides by ion-pair reversedphase high-performance liquid chromatography-electrospray ionization mass spectrometry at high and low pH 1079(2005)274

Preparative chromatography

Exploiting pH mismatch in preparative high-performance liquid chromatographic recovery of ertapenem from mother liquor streams 1079(2005)80

Pressure injection

Studies on the use of needle-free injection device on proteins 1079(2005)397

Proteins

High temperature fast chromatography of proteins using a silica-based stationary phase with greatly enhanced low pH stability 1079(2005)213

Hydrophobic interaction chromatography of proteins. III. Unfolding of proteins upon adsorption 1079(2005)221

Evaluation of multidimensional (ion-exchange/reversed-phase) protein separations using linear and step gradients in the first dimension 1079(2005)287

Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis 1079(2005)382

Protein adsorption

Effect of charge regulation on steric mass-action equilibrium for the ion-exchange adsorption of proteins 1079(2005)92

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Protein adsorption kinetics

Two-component protein adsorption kinetics in porous ion exchange media 1079(2005)105

Protein HPLC

Studies on the use of needle-free injection device on proteins 1079(2005)397

Protein micro-heterogeneity

Rapid quantitative capillary zone electrophoresis method for monitoring the micro-heterogeneity of an intact recombinant glycoprotein 1079(2005)254

Protein stability

Studies on the use of needle-free injection device on proteins 1079(2005)397

Pulse response

Hydrophobic interaction chromatography of proteins. III. Unfolding of proteins upon adsorption 1079(2005)221

Purification

Application of main component fraction collection method for purification of compound libraries 1079(2005)349

Reacetylation

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

Resistivity of buffers

Electrochemical properties of columns in capillary electrochromatography. I. Ohm's law, resistivity and field strength 1079(2005)69

Retention mechanism

Use of mixed-mode sorbents for the electrochromatographic separation of thrombin receptor antagonistic peptides 1079(2005)328

Retention time locking

Automated headspace-solid-phase micro extraction-retention time lockedisotope dilution gas chromatography-mass spectrometry for the analysis of organotin compounds in water and sediment samples 1079(2005)408

Retention

Effect of pH changes on water release values in hydrophobic interaction chromatographic systems 1079(2005)229

Retrograde adsorption behavior

Retrograde adsorption isotherms: An impossible fact? 1079(2005)77

Reversed-phase chromatography

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

Reversed-phase liquid chromatography

Molecular simulation study of the bonded-phase structure in reversedphase liquid chromatography with neat aqueous solvent 1079(2005)127

Reversed-phase

Exploiting pH mismatch in preparative high-performance liquid chromatographic recovery of ertapenem from mother liquor streams 1079(2005)80

RP.HPLC

Application of capillary zone electrophoresis and reversed-phase highperformance liquid chromatography in the biopharmaceutical industry for the quantitative analysis of the monosaccharides released from a highly glycosylated therapeutic protein 1079(2005)354

RPLC

Modeling of overloaded gradient elution of nociceptin/orphanin FQ in reversed-phase liquid chromatography 1079(2005)162

Salt type

Effect of pH changes on water release values in hydrophobic interaction chromatographic systems 1079(2005)229

Scale-up

Exploiting pH mismatch in preparative high-performance liquid chromatographic recovery of ertapenem from mother liquor streams 1079(2005)80

SDS-electrophoresis

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Sediment samples

Automated headspace-solid-phase micro extraction-retention time lockedisotope dilution gas chromatography-mass spectrometry for the analysis of organotin compounds in water and sediment samples 1079(2005)408

Separation

Separation and characterization of underivatized oligosaccharides using liquid chromatography and liquid chromatography–electrospray ionization mass spectrometry 1079(2005)146

Use of mixed-mode sorbents for the electrochromatographic separation of thrombin receptor antagonistic peptides 1079(2005)328

Separations

Harnessing dielectric forces for separations of cells, fine particles and macromolecules 1079(2005)59

Silica particles

Characterisation and evaluation of metal-loaded iminodiacetic acid-silica of different porosity for the selective enrichment of phosphopeptides 1079(2005)197

Silver stains

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

SNP

Haplotyping by capillary electrophoresis (Review) 1079(2005)41

Solid-phase extraction (SPE)

Analyses of phenolic endocrine disrupting chemicals in marine samples by both gas and liquid chromatography—mass spectrometry 1079(2005)136

Spectral deconvolution

Evaluation of multidimensional (ion-exchange/reversed-phase) protein separations using linear and step gradients in the first dimension 1079(2005)287

Stationary phases

Comparison of silanization/hydrosilation and organosilanization modification procedures on etched capillaries for electrokinetic chromatography 1079(2005)366

Steric mass-action isotherm

Effect of charge regulation on steric mass-action equilibrium for the ion-exchange adsorption of proteins 1079(2005)92

Stoichiometric displacement model

Csaba Horváth and preparative liquid chromatography (Review) 1079(2005)7

Sulfonate adsorption

Retrograde adsorption isotherms: An impossible fact? 1079(2005)77

Surface area dependencies

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

Synthetic peptides

Use of mixed-mode sorbents for the electrochromatographic separation of thrombin receptor antagonistic peptides 1079(2005)328

Temkin isotherm

Competitive ion-exchange adsorption of proteins: Competitive isotherms with controlled competitor concentration 1079(2005)116

Theory of chromatography

Theory of peak capacity in gradient elution 1079(2005)153

Transmethylation

Detection of N^e-monomethyllysine using high-performance liquid chromatography and high-performance liquid chromatography-mass spectrometry 1079(2005)208

Tryptic digest

Solid-phase capture and release of arginine peptides by selective tagging and boronate affinity chromatography 1079(2005)187

Two-dimensional maps

Electrophoresis: The march of pennies, the march of dimes (Review) 1079(2005)24

Unfolding

Hydrophobic interaction chromatography of proteins. III. Unfolding of proteins upon adsorption 1079(2005)221

UV detection

Nitromethane as solvent in capillary electrophoresis 1079(2005)246

Van't Hoff plots

Binding behaviour and conformational properties of globular proteins in the presence of immobilised non-polar ligands used in reversed-phase liquid chromatography 1079(2005)173

Water penetration

Molecular simulation study of the bonded-phase structure in reversedphase liquid chromatography with neat aqueous solvent 1079(2005)127

Water release

Effect of pH changes on water release values in hydrophobic interaction chromatographic systems 1079(2005)229

Water

Automated headspace-solid-phase micro extraction-retention time locked-isotope dilution gas chromatography-mass spectrometry for the analysis of organotin compounds in water and sediment samples 1079(2005)408

Xenoestrogens

Analyses of phenolic endocrine disrupting chemicals in marine samples by both gas and liquid chromatography–mass spectrometry 1079(2005)136

Zirconia monoliths

Metal oxide monolithic columns 1079(2005)392