

Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A 1080 (2005) 206–209

www.elsevier.com/locate/chroma

Subject Index Vol. 1080

Accreditation requirements

Long-term stability of pure standards and stock standard solutions for the determination of pesticide residues using gas chromatography 1080(2005)166

Acetonitrile

Viscous fingering induced flow instability in multidimensional liquid chromatography 1080(2005)124

Addiction drug

Automated multiple development thin-layer chromatography for separation of opiate alkaloids and derivatives 1080(2005)186

Affinity screening

Application of protein-coupled liposomes to effective affinity screening from phage library 1080(2005)22

Affinity-tagged proteins

Production of milligram quantities of affinity tagged-proteins using automated multistep chromatographic purification 1080(2005)84

ÄKTAxpress

Production of milligram quantities of affinity tagged-proteins using automated multistep chromatographic purification 1080(2005)84

AMD

Automated multiple development thin-layer chromatography for separation of opiate alkaloids and derivatives 1080(2005)186

Amperometric detection;

Integrated capillary electrophoresis amperometric detection microchip with replaceable microdisk working electrode. II. Influence of channel cross-sectional area on the separation and detection of dopamine and catechol 1080(2005)192

Anionic ion-pairing reagents

Effect of anionic ion-pairing reagent hydrophobicity on selectivity of peptide separations by reversed-phase liquid chromatography 1080(2005)68

Anions

The perchlorate anion is more effective than the trifluoroacetate anion as an ion-pairing reagent for reversed-phase chromatography of peptides 1080(2005)49

Annular chromatography

Continuous matrix assisted refolding of α -lactal bumin by ion exchange chromatography with recycling of aggregates combined with ultradiafiltration 1080(2005)29

Antioxidants

Solid-phase microextraction for qualitative and quantitative determination of migrated degradation products of antioxidants in an organic aqueous solution 1080(2005)107

Antithrombin

On the variation of glycosylation in human plasma derived antithrombin $1080(2005)15\,$

Antitussives

Automated multiple development thin-layer chromatography for separation of opiate alkaloids and derivatives 1080(2005)186

Automated multistep chromatography

Production of milligram quantities of affinity tagged-proteins using automated multistep chromatographic purification 1080(2005)84

Biopanning

Application of protein-coupled liposomes to effective affinity screening from phage library 1080(2005)22

Building block principle

Immobilisation of a repressor protein for binding of plasmid DNA 1080(2005)76

Cationic surfactant

Enantiomer separation by reversed-phase liquid chromatography with novel hydrophobic phases composed of chiral cationic surfactants 1080(2005)140

9-Chloromethylanthracene

Confirmation of okadaic acid, dinophysistoxin-1 and dinophysistoxin-2 in shellfish as their anthrylmethyl derivatives using UV radiation 1080(2005)148

Chromatographic system

Viscous fingering induced flow instability in multidimensional liquid chromatography 1080(2005)124

Cobalt ferrite magnetic particles

Ferrite supports for isolation of DNA from complex samples and polymerase chain reaction amplification 1080(2005)90

Comprehensive two-dimensional

Determination of aromatic hydrocarbons in gasolines by flow modulated comprehensive two-dimensional gas chromatography 1080(2005)157

Confirmation

Confirmation of okadaic acid, dinophysistoxin-1 and dinophysistoxin-2 in shellfish as their anthrylmethyl derivatives using UV radiation 1080(2005)148

Dairy products

Ferrite supports for isolation of DNA from complex samples and polymerase chain reaction amplification 1080(2005)90

Derivatives

Automated multiple development thin-layer chromatography for separation of opiate alkaloids and derivatives 1080(2005)186

DNA

Ferrite supports for isolation of DNA from complex samples and polymerase chain reaction amplification 1080(2005)90

Dopamine and catechol

Integrated capillary electrophoresis amperometric detection microchip with replaceable microdisk working electrode. II. Influence of channel cross-sectional area on the separation and detection of dopamine and catechol 1080(2005)192

DTX-1

Confirmation of okadaic acid, dinophysistoxin-1 and dinophysistoxin-2 in shellfish as their anthrylmethyl derivatives using UV radiation 1080(2005)148

DTX-2

Confirmation of okadaic acid, dinophysistoxin-1 and dinophysistoxin-2 in shellfish as their anthrylmethyl derivatives using UV radiation 1080(2005)148

Electrophoresis

Identification of non-idealities in gel electrophoresis 1080(2005)2

Enantiomer separation using aqueous media

Enantiomer separation by reversed-phase liquid chromatography with novel hydrophobic phases composed of chiral cationic surfactants 1080(2005)140

Fish

Determination of microcystins in fish by solvent extraction and liquid chromatography 1080(2005)199

Flow through microdispenser

Flow-through microdispenser for interfacing μ -HPLC to Raman and mid-IR spectroscopic detection 1080(2005)132

Fluorescence

Confirmation of okadaic acid, dinophysistoxin-1 and dinophysistoxin-2 in shellfish as their anthrylmethyl derivatives using UV radiation 1080(2005)148

FTIR microscopy

Flow-through microdispenser for interfacing µ-HPLC to Raman and mid-IR spectroscopic detection 1080(2005)132

Gas chromatography

Determination of aromatic hydrocarbons in gasolines by flow modulated comprehensive two-dimensional gas chromatography 1080(2005)157

Long-term stability of pure standards and stock standard solutions for the determination of pesticide residues using gas chromatography 1080(2005)166

Gasolines

Determination of aromatic hydrocarbons in gasolines by flow modulated comprehensive two-dimensional gas chromatography 1080(2005)157

Gene therapy

Immobilisation of a repressor protein for binding of plasmid DNA 1080(2005)76

Genetic vaccination

Immobilisation of a repressor protein for binding of plasmid DNA 1080(2005)76

Glycoform analysis

On the variation of glycosylation in human plasma derived antithrombin $1080(2005)15\,$

Glycoproteins

On the variation of glycosylation in human plasma derived antithrombin $1080(2005)15\,$

Glycosaminoglycans

Analysis of proteoglycans derived sulphated disaccharides by liquid chromatography/mass spectrometry 1080(2005)43

GST

Production of milligram quantities of affinity tagged-proteins using automated multistep chromatographic purification 1080(2005)84

Half lipid structure

Enantiomer separation by reversed-phase liquid chromatography with novel hydrophobic phases composed of chiral cationic surfactants 1080(2005)140

Heart cutting

Viscous fingering induced flow instability in multidimensional liquid chromatography 1080(2005)124

Hexahistidine

Production of milligram quantities of affinity tagged-proteins using automated multistep chromatographic purification 1080(2005)84

HFBA

Effect of anionic ion-pairing reagent hydrophobicity on selectivity of peptide separations by reversed-phase liquid chromatography 1080(2005)68

High voltage interference;

Integrated capillary electrophoresis amperometric detection microchip with replaceable microdisk working electrode. II. Influence of channel cross-sectional area on the separation and detection of dopamine and catechol 1080(2005)192

HPLC

Flow-through microdispenser for interfacing μ -HPLC to Raman and mid-IR spectroscopic detection 1080(2005)132

Hydrocarbons aromatic

Determination of aromatic hydrocarbons in gasolines by flow modulated comprehensive two-dimensional gas chromatography 1080(2005)157

Intestine

Determination of microcystins in fish by solvent extraction and liquid chromatography 1080(2005)199

Ion exchange chromatography

Continuous matrix assisted refolding of α -lactalbumin by ion exchange chromatography with recycling of aggregates combined with ultradiafiltration 1080(2005)29

LC/DAD

Determination of microcystins in fish by solvent extraction and liquid chromatography 1080(2005)199

LC/MS

Determination of microcystins in fish by solvent extraction and liquid chromatography 1080(2005)199

LC-MS/MS

Development and application of a new on-line SPE system combined with LC-MS/MS detection for high throughput direct analysis of pharmaceutical compounds in plasma 1080(2005)99

Lectin-affinity chromatography

On the variation of glycosylation in human plasma derived antithrombin $1080(2005)15\,$

Liposome

Application of protein-coupled liposomes to effective affinity screening from phage library 1080(2005)22

Liquid chromatography

Analysis of proteoglycans derived sulphated disaccharides by liquid chromatography/mass spectrometry 1080(2005)43

Liver

Determination of microcystins in fish by solvent extraction and liquid chromatography 1080(2005)199

Mass spectrometry

Analysis of proteoglycans derived sulphated disaccharides by liquid chromatography/mass spectrometry 1080(2005)43

Fast on-column protein digestion with subsequent peptide mapping using tandem mass spectrometry with information dependent acquisition 1080(2005)117

Matrix assisted refolding

Continuous matrix assisted refolding of α -lactalbumin by ion exchange chromatography with recycling of aggregates combined with ultradiafiltration 1080(2005)29

Microcystins

Determination of microcystins in fish by solvent extraction and liquid chromatography 1080(2005)199

Microchip capillary electrophoresis;

Integrated capillary electrophoresis amperometric detection microchip with replaceable microdisk working electrode. II. Influence of channel cross-sectional area on the separation and detection of dopamine and catechol 1080(2005)192

Migration

Solid-phase microextraction for qualitative and quantitative determination of migrated degradation products of antioxidants in an organic aqueous solution 1080(2005)107

Modeling

Identification of non-idealities in gel electrophoresis 1080(2005)2

Okadaic acid

Confirmation of okadaic acid, dinophysistoxin-1 and dinophysistoxin-2 in shellfish as their anthrylmethyl derivatives using UV radiation 1080(2005)148

On-column cleavage

Production of milligram quantities of affinity tagged-proteins using automated multistep chromatographic purification 1080(2005)84

On-column refolding

Continuous matrix assisted refolding of α -lactalbumin by ion exchange chromatography with recycling of aggregates combined with ultradiafiltration 1080(2005)29

On-line digestion

Fast on-column protein digestion with subsequent peptide mapping using tandem mass spectrometry with information dependent acquisition 1080(2005)117

Opiate alkaloids

Automated multiple development thin-layer chromatography for separation of opiate alkaloids and derivatives 1080(2005)186

Peptides

The perchlorate anion is more effective than the trifluoroacetate anion as an ion-pairing reagent for reversed-phase chromatography of peptides 1080(2005)49

Effect of anionic ion-pairing reagent concentration (1-60 mM) on reversed-phase liquid chromatography elution behaviour of peptides 1080(2005)58

Effect of anionic ion-pairing reagent hydrophobicity on selectivity of peptide separations by reversed-phase liquid chromatography 1080(2005)68

Perchlorate

The perchlorate anion is more effective than the trifluoroacetate anion as an ion-pairing reagent for reversed-phase chromatography of peptides 1080(2005)49

Pesticide standards

Long-term stability of pure standards and stock standard solutions for the determination of pesticide residues using gas chromatography 1080(2005)166

PFPA

Effect of anionic ion-pairing reagent hydrophobicity on selectivity of peptide separations by reversed-phase liquid chromatography 1080(2005)68

Phage display

Application of protein-coupled liposomes to effective affinity screening from phage library 1080(2005)22

Plasma

Development and application of a new on-line SPE system combined with LC–MS/MS detection for high throughput direct analysis of pharmaceutical compounds in plasma 1080(2005)99

Plasmid DNA purification

Immobilisation of a repressor protein for binding of plasmid DNA 1080(2005)76

Plasmid DNA

Immobilisation of a repressor protein for binding of plasmid DNA 1080(2005)76

Polymerase chain reaction

Ferrite supports for isolation of DNA from complex samples and polymerase chain reaction amplification 1080(2005)90

Protein characterization

Fast on-column protein digestion with subsequent peptide mapping using tandem mass spectrometry with information dependent acquisition 1080(2005)117

Protein purification

Production of milligram quantities of affinity tagged-proteins using automated multistep chromatographic purification 1080(2005)84

Protein–DNA interaction

Immobilisation of a repressor protein for binding of plasmid DNA 1080(2005)76

208

Proteoliposome

Application of protein-coupled liposomes to effective affinity screening from phage library 1080(2005)22

Proteomics

Identification of non-idealities in gel electrophoresis 1080(2005)2

Pulsed flame photometric detection

Sensitive quantification of sulfur compounds in wine by headspace solid-phase microextraction technique 1080(2005)177

Quantification

Sensitive quantification of sulfur compounds in wine by headspace solid-phase microextraction technique 1080(2005)177

Raman microspectrometry

Flow-through microdispenser for interfacing μ -HPLC to Raman and mid-IR spectroscopic detection 1080(2005)132

Random peptide library

Application of protein-coupled liposomes to effective affinity screening from phage library 1080(2005)22

Reproducibility

Identification of non-idealities in gel electrophoresis 1080(2005)2

Reversed-phase liquid chromatography

Effect of anionic ion-pairing reagent hydrophobicity on selectivity of peptide separations by reversed-phase liquid chromatography 1080(2005)68

Enantiomer separation by reversed-phase liquid chromatography with novel hydrophobic phases composed of chiral cationic surfactants 1080(2005)140

RP-HPLC

The perchlorate anion is more effective than the trifluoroacetate anion as an ion-pairing reagent for reversed-phase chromatography of peptides 1080(2005)49

Effect of anionic ion-pairing reagent concentration (1–60 mM) on reversed-phase liquid chromatography elution behaviour of peptides 1080(2005)58

SDS-PAGE

Identification of non-idealities in gel electrophoresis 1080(2005)2

Sequence coverage

Fast on-column protein digestion with subsequent peptide mapping using tandem mass spectrometry with information dependent acquisition 1080(2005)117

Solid-phase microextraction

Solid-phase microextraction for qualitative and quantitative determination of migrated degradation products of antioxidants in an organic aqueous solution 1080(2005)107

Solvent extraction

Determination of microcystins in fish by solvent extraction and liquid chromatography 1080(2005)199

SPE

Development and application of a new on-line SPE system combined with LC–MS/MS detection for high throughput direct analysis of pharmaceutical compounds in plasma 1080(2005)99

SPME

Solid-phase microextraction for qualitative and quantitative determination of migrated degradation products of antioxidants in an organic aqueous solution 1080(2005)107

Sensitive quantification of sulfur compounds in wine by headspace solid-phase microextraction technique 1080(2005)177

Standard stability

Long-term stability of pure standards and stock standard solutions for the determination of pesticide residues using gas chromatography 1080(2005)166

Steady state refolding

Continuous matrix assisted refolding of α -lactalbumin by ion exchange chromatography with recycling of aggregates combined with ultradiafiltration 1080(2005)29

Sulphated disaccharides

Analysis of proteoglycans derived sulphated disaccharides by liquid chromatography/mass spectrometry 1080(2005)43

Tandem mass spectrometry

On the variation of glycosylation in human plasma derived antithrombin 1080(2005)15

TFA

Effect of anionic ion-pairing reagent hydrophobicity on selectivity of peptide separations by reversed-phase liquid chromatography 1080(2005)68

q-TOF

Fast on-column protein digestion with subsequent peptide mapping using tandem mass spectrometry with information dependent acquisition 1080(2005)117

Transformation products

Solid-phase microextraction for qualitative and quantitative determination of migrated degradation products of antioxidants in an organic aqueous solution 1080(2005)107

Trifluoroacetate

The perchlorate anion is more effective than the trifluoroacetate anion as an ion-pairing reagent for reversed-phase chromatography of peptides 1080(2005)49

Trypsin

Fast on-column protein digestion with subsequent peptide mapping using tandem mass spectrometry with information dependent acquisition 1080(2005)117

UV

Confirmation of okadaic acid, dinophysistoxin-1 and dinophysistoxin-2 in shellfish as their anthrylmethyl derivatives using UV radiation 1080(2005)148

Viscous fingering

Viscous fingering induced flow instability in multidimensional liquid chromatography 1080(2005)124

Volatile perfluorinated acid

Effect of anionic ion-pairing reagent concentration (1–60 mM) on reversed-phase liquid chromatography elution behaviour of peptides 1080(2005)58

Volatile sulfur compound

Sensitive quantification of sulfur compounds in wine by headspace solid-phase microextraction technique 1080(2005)177

Wine off-flavor

Sensitive quantification of sulfur compounds in wine by headspace solid-phase microextraction technique 1080(2005)177