

Subject Index Vol. 1084

Adsorbed macromolecules

Studies on high-performance size-exclusion chromatography of synthetic polymers. I. Volume of silica gel column packing pores reduced by retained macromolecules 1084(2005)167

Adsorption promoting solvent

Separation of copolymers using high-performance liquid chromatography with polymeric stationary phase and liquefied carbon dioxide as adsorption promoting solvent 1084(2005)201

Affinity capillary electrophoresis

Preparation and testing of stationary phases and modified capillaries for affinity chromatography and affinity capillary electrophoresis of pepsin 1084(2005)207

Affinity chromatography

Affinity chromatography of porcine pepsin A using quinolin-8-ol as ligand 1084(2005)108

Affinity liquid chromatography

Preparation and testing of stationary phases and modified capillaries for affinity chromatography and affinity capillary electrophoresis of pepsin 1084(2005)207

Air dust particles

Reversed-phase liquid chromatographic characterization and analysis of air particulates humic (-like) substances in presence of pollens 1084(2005)39

Antioxidants

Pressurized liquid extraction–capillary electrophoresis–mass spectrometry for the analysis of polar antioxidants in rosemary extracts 1084(2005)54

Apple

Fast gas chromatography with solid phase extraction clean-up for ultratrace analysis of pesticide residues in baby food 1084(2005)46

Aromatic amines

Strategies for continuous on-line high performance liquid chromatography coupled with diode array detection and electrospray tandem mass spectrometry for process monitoring of sulphonated azo dyes and their intermediates in anaerobic–aerobic bioreactors 1084(2005)119

Artificial neural networks

Optimization of the capillary zone electrophoresis method for Huperzine A determination using experimental design and artificial neural networks 1084(2005)7

Optimization of solid-phase extraction using artificial neural networks in combination with experimental design for determination of resveratrol by capillary zone electrophoresis in wines 1084(2005)180

Azo dyes

Strategies for continuous on-line high performance liquid chromatography coupled with diode array detection and electrospray tandem mass spectrometry for process monitoring of sulphonated azo dyes and their intermediates in anaerobic–aerobic bioreactors 1084(2005)119

Baby food

Fast gas chromatography with solid phase extraction clean-up for ultratrace analysis of pesticide residues in baby food 1084(2005)46

Band broadening

Direct determination of band broadening in size exclusion chromatography 1084(2005)160

Barrier methods

Liquid chromatography of polymers under limiting conditions of adsorption. IV. Sample recovery 1084(2005)173

Breath analysis

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Cadmium

Simultaneous femtomole determination of cysteine, reduced and oxidized glutathione, and phytochelatin in maize (*Zea mays* L.) kernels using high-performance liquid chromatography with electrochemical detection 1084(2005)134

Cancer

Strategy for metabonomics research based on high-performance liquid chromatography and liquid chromatography coupled with tandem mass spectrometry 1084(2005)214

Capillary columns

Investigations of a new field in gas chromatography: Capillary columns with a super-thick layer of stationary liquid phase 1084(2005)18

Capillary electrophoresis

Optimization of the capillary zone electrophoresis method for Huperzine A determination using experimental design and artificial neural networks 1084(2005)7

Pressurized liquid extraction–capillary electrophoresis–mass spectrometry for the analysis of polar antioxidants in rosemary extracts 1084(2005)54

Optimization of solid-phase extraction using artificial neural networks in combination with experimental design for determination of resveratrol by capillary zone electrophoresis in wines 1084(2005)180

Separation of microorganisms using electromigration techniques 1084(2005)186

Capillary GC–MS

Computerized separation of chromatographically unresolved peaks 1084(2005)80

Capillary isotachopheresis

Effects of non-ionic surfactants on isotachopheretic separations of 2-arylpropionic acids 1084(2005)152

Characterization

Reversed-phase liquid chromatographic characterization and analysis of air particulates humic (-like) substances in presence of pollens 1084(2005)39

Chemical composition

Separation of copolymers using high-performance liquid chromatography with polymeric stationary phase and liquefied carbon dioxide as adsorption promoting solvent 1084(2005)201

Chloro-triazines

On-line coupled extraction and separation using superheated water for the analysis of triazine herbicides in spiked compost samples 1084(2005)194

Chromatography of polymers

Liquid chromatography of polymers under limiting conditions of adsorption. IV. Sample recovery 1084(2005)173

Composition

Use of low volatility mobile phases in electroosmotic thin-layer chromatography 1084(2005)13

Compost

On-line coupled extraction and separation using superheated water for the analysis of triazine herbicides in spiked compost samples 1084(2005)194

Copolymer separation

Separation of copolymers using high-performance liquid chromatography with polymeric stationary phase and liquefied carbon dioxide as adsorption promoting solvent 1084(2005)201

DAD

Reversed-phase liquid chromatographic characterization and analysis of air particulates humic (-like) substances in presence of pollens 1084(2005)39

DAI

Gas chromatographic determination of benzene, toluene, ethylbenzene and xylenes using flame ionization detector in water samples with direct aqueous injection up to 250 μ l 1084(2005)90

Deconvolution of overlapped peaks

Computerized separation of chromatographically unresolved peaks 1084(2005)80

Desorption promoting solvent

Separation of copolymers using high-performance liquid chromatography with polymeric stationary phase and liquefied carbon dioxide as adsorption promoting solvent 1084(2005)201

Determination BTEX

Gas chromatographic determination of benzene, toluene, ethylbenzene and xylenes using flame ionization detector in water samples with direct aqueous injection up to 250 μ l 1084(2005)90

Determination of bacteria

Separation of microorganisms using electromigration techniques 1084(2005)186

Diabetic cataract

Electrophoretic analysis of oxidatively modified eye lens proteins in vitro: implications for diabetic cataract 1084(2005)95

3,5-Diiodo-L-tyrosine

Preparation and testing of stationary phases and modified capillaries for affinity chromatography and affinity capillary electrophoresis of pepsin 1084(2005)207

Electrochemical detection

Simultaneous femtomole determination of cysteine, reduced and oxidized glutathione, and phytochelatin in maize (*Zea mays* L.) kernels using high-performance liquid chromatography with electrochemical detection 1084(2005)134

Electroosmotic flow

Separation of microorganisms using electromigration techniques 1084(2005)186

Electroosmotic thin-layer chromatography

Use of low volatility mobile phases in electroosmotic thin-layer chromatography 1084(2005)13

Electrophoresis on chip

Determination of total sulfite in wine. Zone electrophoresis–isotachopheresis quantitation of sulfate on a chip after an in-sample oxidation of total sulfite 1084(2005)101

Electrophoretic mobility

Separation of microorganisms using electromigration techniques 1084(2005)186

Electrospray mass spectrometry

Pressurized liquid extraction–capillary electrophoresis–mass spectrometry for the analysis of polar antioxidants in rosemary extracts 1084(2005)54

Essential oils

Comparison of three different solid-phase microextraction fibres for analysis of essential oils in yacon (*Smallanthus sonchifolius*) leaves 1084(2005)2

Experimental design

Optimization of the capillary zone electrophoresis method for Huperzine A determination using experimental design and artificial neural networks 1084(2005)7

Optimization of solid-phase extraction using artificial neural networks in combination with experimental design for determination of resveratrol by capillary zone electrophoresis in wines 1084(2005)180

Eye lens proteins

Electrophoretic analysis of oxidatively modified eye lens proteins in vitro: implications for diabetic cataract 1084(2005)95

Fast GC

Fast gas chromatography with solid phase extraction clean-up for ultratrace analysis of pesticide residues in baby food 1084(2005)46

Fast GC–MS

Search on ruggedness of fast gas chromatography–mass spectrometry in pesticide residues analysis 1084(2005)63

Fluorescence detection

Reversed-phase liquid chromatographic characterization and analysis of air particulates humic (-like) substances in presence of pollens 1084(2005)39

Fluorescence spectrometry

Effects of non-ionic surfactants on isotachopheretic separations of 2-arylpropionic acids 1084(2005)152

Food analysis

Determination of total sulfite in wine. Zone electrophoresis–isotachopheresis quantitation of sulfate on a chip after an in-sample oxidation of total sulfite 1084(2005)101

Foodstuffs

Determination of isoflavones in soy bits by fast column high-performance liquid chromatography coupled with UV–visible diode-array detection 1084(2005)71

Gas chromatography

Investigations of a new field in gas chromatography: Capillary columns with a super-thick layer of stationary liquid phase 1084(2005)18

GC-FID

Gas chromatographic determination of benzene, toluene, ethylbenzene and xylenes using flame ionization detector in water samples with direct aqueous injection up to 250 μ l 1084(2005)90

Giberrellic acid

Introduction to time-of-flight secondary ion mass spectrometry application in chromatographic analysis 1084(2005)113

Gradient

Rapid analysis of porphyrins at low ng/l and μ g/l levels in human urine by a gradient liquid chromatography method using octadecylsilica monolithic columns 1084(2005)24

Heavy metals

Simultaneous femtomole determination of cysteine, reduced and oxidized glutathione, and phytochelatin in maize (*Zea mays* L.) kernels using high-performance liquid chromatography with electrochemical detection 1084(2005)134

High-performance liquid chromatography

Determination of isoflavones in soy bits by fast column high-performance liquid chromatography coupled with UV–visible diode-array detection 1084(2005)71

Simultaneous femtomole determination of cysteine, reduced and oxidized glutathione, and phytochelatin in maize (*Zea mays* L.) kernels using high-performance liquid chromatography with electrochemical detection 1084(2005)134

Human serum

Simple solid-phase extraction method for determination of polychlorinated biphenyls and selected organochlorine pesticides in human serum 1084(2005)33

Humic substances and HULIS analysis

Reversed-phase liquid chromatographic characterization and analysis of air particulates humic (-like) substances in presence of pollens 1084(2005)39

Huperzine A

Optimization of the capillary zone electrophoresis method for Huperzine A determination using experimental design and artificial neural networks 1084(2005)7

Hydroxyl radical

Electrophoretic analysis of oxidatively modified eye lens proteins in vitro: implications for diabetic cataract 1084(2005)95

IMS

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Interfacing

Introduction to time-of-flight secondary ion mass spectrometry application in chromatographic analysis 1084(2005)113

Ion mobility spectrometry

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Isoflavones

Determination of isoflavones in soy bits by fast column high-performance liquid chromatography coupled with UV–visible diode-array detection 1084(2005)71

Kernels

Simultaneous femtomole determination of cysteine, reduced and oxidized glutathione, and phytochelatin in maize (*Zea mays* L.) kernels using high-performance liquid chromatography with electrochemical detection 1084(2005)134

Large volume injection

Investigations of a new field in gas chromatography: Capillary columns with a super-thick layer of stationary liquid phase 1084(2005)18

Large volume

Gas chromatographic determination of benzene, toluene, ethylbenzene and xylenes using flame ionization detector in water samples with direct aqueous injection up to 250 μ l 1084(2005)90

Limiting conditions of adsorption

Liquid chromatography of polymers under limiting conditions of adsorption. IV. Sample recovery 1084(2005)173

Liquefied carbon dioxide

Separation of copolymers using high-performance liquid chromatography with polymeric stationary phase and liquefied carbon dioxide as adsorption promoting solvent 1084(2005)201

Liver

Strategy for metabonomics research based on high-performance liquid chromatography and liquid chromatography coupled with tandem mass spectrometry 1084(2005)214

Maize (*Zea mays*)

Simultaneous femtomole determination of cysteine, reduced and oxidized glutathione, and phytochelatin in maize (*Zea mays* L.) kernels using high-performance liquid chromatography with electrochemical detection 1084(2005)134

Matrix effects

Search on ruggedness of fast gas chromatography–mass spectrometry in pesticide residues analysis 1084(2005)63

Metabolomics

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Metabonomics

Strategy for metabonomics research based on high-performance liquid chromatography and liquid chromatography coupled with tandem mass spectrometry 1084(2005)214

Method evaluation

Simultaneous femtomole determination of cysteine, reduced and oxidized glutathione, and phytochelatin in maize (*Zea mays* L.) kernels using high-performance liquid chromatography with electrochemical detection 1084(2005)134

Methyl Red

Introduction to time-of-flight secondary ion mass spectrometry application in chromatographic analysis 1084(2005)113

Micelles

Effects of non-ionic surfactants on isotachophoretic separations of 2-arylpropionic acids 1084(2005)152

Mobile phase

Use of low volatility mobile phases in electroosmotic thin-layer chromatography 1084(2005)13

Modified capillary

Separation of microorganisms using electromigration techniques 1084(2005)186

Monolithic column

Rapid analysis of porphyrins at low ng/l and µg/l levels in human urine by a gradient liquid chromatography method using octadecylsilica monolithic columns 1084(2005)24

Multi-residue analysis

Computerized separation of chromatographically unresolved peaks 1084(2005)80

Multivariable approach

Optimization of solid-phase extraction using artificial neural networks in combination with experimental design for determination of resveratrol by capillary zone electrophoresis in wines 1084(2005)180

Non-ionic surfactant

Effects of non-ionic surfactants on isotachophoretic separations of 2-arylpropionic acids 1084(2005)152

On-line LC-MS/MS

Strategies for continuous on-line high performance liquid chromatography coupled with diode array detection and electrospray tandem mass spectrometry for process monitoring of sulphonated azo dyes and their intermediates in anaerobic-aerobic bioreactors 1084(2005)119

Organic acids

Effects of non-ionic surfactants on isotachophoretic separations of 2-arylpropionic acids 1084(2005)152

Organochlorine pesticides

Simple solid-phase extraction method for determination of polychlorinated biphenyls and selected organochlorine pesticides in human serum 1084(2005)33

Pattern recognition

Strategy for metabonomics research based on high-performance liquid chromatography and liquid chromatography coupled with tandem mass spectrometry 1084(2005)214

Peak alignment

Strategy for metabonomics research based on high-performance liquid chromatography and liquid chromatography coupled with tandem mass spectrometry 1084(2005)214

Pepsin

Preparation and testing of stationary phases and modified capillaries for affinity chromatography and affinity capillary electrophoresis of pepsin 1084(2005)207

Peroxy radical

Electrophoretic analysis of oxidatively modified eye lens proteins in vitro: implications for diabetic cataract 1084(2005)95

Pesticide residues

Fast gas chromatography with solid phase extraction clean-up for ultratrace analysis of pesticide residues in baby food 1084(2005)46

Search on ruggedness of fast gas chromatography-mass spectrometry in pesticide residues analysis 1084(2005)63

Pesticides

Computerized separation of chromatographically unresolved peaks 1084(2005)80

Planar chromatography

Use of low volatility mobile phases in electroosmotic thin-layer chromatography 1084(2005)13

Poisson distribution

Direct determination of band broadening in size exclusion chromatography 1084(2005)160

Pollen interference

Reversed-phase liquid chromatographic characterization and analysis of air particulates humic (-like) substances in presence of pollens 1084(2005)39

Polychlorinated biphenyls

Simple solid-phase extraction method for determination of polychlorinated biphenyls and selected organochlorine pesticides in human serum 1084(2005)33

Polymer gel

Separation of copolymers using high-performance liquid chromatography with polymeric stationary phase and liquefied carbon dioxide as adsorption promoting solvent 1084(2005)201

Porcine pepsin A

Affinity chromatography of porcine pepsin A using quinolin-8-ol as ligand 1084(2005)108

Porphyrins

Rapid analysis of porphyrins at low ng/l and µg/l levels in human urine by a gradient liquid chromatography method using octadecylsilica monolithic columns 1084(2005)24

Pressurized liquid extraction

Pressurized liquid extraction-capillary electrophoresis-mass spectrometry for the analysis of polar antioxidants in rosemary extracts 1084(2005)54

Determination of isoflavones in soy bits by fast column high-performance liquid chromatography coupled with UV-visible diode-array detection 1084(2005)71

Programmed temperature vaporizer

Search on ruggedness of fast gas chromatography-mass spectrometry in pesticide residues analysis 1084(2005)63

Protein cross-linking

Electrophoretic analysis of oxidatively modified eye lens proteins in vitro: implications for diabetic cataract 1084(2005)95

Protein sulfhydryls

Electrophoretic analysis of oxidatively modified eye lens proteins in vitro: implications for diabetic cataract 1084(2005)95

Quinolin-8-ol

Affinity chromatography of porcine pepsin A using quinolin-8-ol as ligand 1084(2005)108

Rapid RP-HPLC

Rapid analysis of porphyrins at low ng/l and µg/l levels in human urine by a gradient liquid chromatography method using octadecylsilica monolithic columns 1084(2005)24

Reactive Black 5

Strategies for continuous on-line high performance liquid chromatography coupled with diode array detection and electrospray tandem mass spectrometry for process monitoring of sulphonated azo dyes and their intermediates in anaerobic–aerobic bioreactors 1084(2005)119

Reduction of effective packing pore volume

Studies on high-performance size-exclusion chromatography of synthetic polymers. I. Volume of silica gel column packing pores reduced by retained macromolecules 1084(2005)167

Resveratrol

Optimization of solid-phase extraction using artificial neural networks in combination with experimental design for determination of resveratrol by capillary zone electrophoresis in wines 1084(2005)180

Retention time locking (RTL)

Computerized separation of chromatographically unresolved peaks 1084(2005)80

Rosemary

Pressurized liquid extraction–capillary electrophoresis–mass spectrometry for the analysis of polar antioxidants in rosemary extracts 1084(2005)54

RP-HPLC

Reversed-phase liquid chromatographic characterization and analysis of air particulates humic (-like) substances in presence of pollens 1084(2005)39

Sample preparation

Fast gas chromatography with solid phase extraction clean-up for ultratrace analysis of pesticide residues in baby food 1084(2005)46

Sample recovery

Liquid chromatography of polymers under limiting conditions of adsorption. IV. Sample recovery 1084(2005)173

SDS-PAGE

Electrophoretic analysis of oxidatively modified eye lens proteins in vitro: implications for diabetic cataract 1084(2005)95

Single variable approach

Optimization of solid-phase extraction using artificial neural networks in combination with experimental design for determination of resveratrol by capillary zone electrophoresis in wines 1084(2005)180

Size-exclusion chromatography

Direct determination of band broadening in size exclusion chromatography 1084(2005)160

Studies on high-performance size-exclusion chromatography of synthetic polymers. I. Volume of silica gel column packing pores reduced by retained macromolecules 1084(2005)167

Solid-phase extraction

Simple solid-phase extraction method for determination of polychlorinated biphenyls and selected organochlorine pesticides in human serum 1084(2005)33

Optimization of solid-phase extraction using artificial neural networks in combination with experimental design for determination of resveratrol by capillary zone electrophoresis in wines 1084(2005)180

Solid-phase microextraction

Comparison of three different solid-phase microextraction fibres for analysis of essential oils in yacon (*Smallanthus sonchifolius*) leaves 1084(2005)2

Solvent gradient chromatography

Separation of copolymers using high-performance liquid chromatography with polymeric stationary phase and liquefied carbon dioxide as adsorption promoting solvent 1084(2005)201

Soy bits

Determination of isoflavones in soy bits by fast column high-performance liquid chromatography coupled with UV–visible diode-array detection 1084(2005)71

Stationary phases, GC, Ultra thick film

Investigations of a new field in gas chromatography: Capillary columns with a super-thick layer of stationary liquid phase 1084(2005)18

Sulfite in food

Determination of total sulfite in wine. Zone electrophoresis–isotachopheresis quantitation of sulfate on a chip after an in-sample oxidation of total sulfite 1084(2005)101

Sulphonic acids

Strategies for continuous on-line high performance liquid chromatography coupled with diode array detection and electrospray tandem mass spectrometry for process monitoring of sulphonated azo dyes and their intermediates in anaerobic–aerobic bioreactors 1084(2005)119

Superheated water chromatography

On-line coupled extraction and separation using superheated water for the analysis of triazine herbicides in spiked compost samples 1084(2005)194

Superheated water extraction

On-line coupled extraction and separation using superheated water for the analysis of triazine herbicides in spiked compost samples 1084(2005)194

Terpinolen

Introduction to time-of-flight secondary ion mass spectrometry application in chromatographic analysis 1084(2005)113

Thermal degradation

On-line coupled extraction and separation using superheated water for the analysis of triazine herbicides in spiked compost samples 1084(2005)194

Thermal desorption

On-line coupled extraction and separation using superheated water for the analysis of triazine herbicides in spiked compost samples 1084(2005)194

Thin layer chromatography

Introduction to time-of-flight secondary ion mass spectrometry application in chromatographic analysis 1084(2005)113

Thiomethyl-triazines

On-line coupled extraction and separation using superheated water for the analysis of triazine herbicides in spiked compost samples 1084(2005)194

TOF–SIMS

Introduction to time-of-flight secondary ion mass spectrometry application in chromatographic analysis 1084(2005)113

Trace gas analysis

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Ultrasonic extraction

Determination of isoflavones in soy bits by fast column high-performance liquid chromatography coupled with UV–visible diode-array detection 1084(2005)71

Ultra-trace (ng/l; µg/l) analysis

Rapid analysis of porphyrins at low ng/l and µg/l levels in human urine by a gradient liquid chromatography method using octadecylsilica monolithic columns 1084(2005)24

Urine sample

Rapid analysis of porphyrins at low ng/l and µg/l levels in human urine by a gradient liquid chromatography method using octadecylsilica monolithic columns 1084(2005)24

Van Deemter equation

Direct determination of band broadening in size exclusion chromatography 1084(2005)160

VOCs

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Volatile metabolites

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Volatile organic compounds

Detection of human metabolites using multi-capillary columns coupled to ion mobility spectrometers 1084(2005)145

Wine analysis

Determination of total sulfite in wine. Zone electrophoresis–isotachophoresis quantitation of sulfate on a chip after an in-sample oxidation of total sulfite 1084(2005)101

Yacon (*Smallanthus sonchifolius*)

Comparison of three different solid-phase microextraction fibres for analysis of essential oils in yacon (*Smallanthus sonchifolius*) leaves 1084(2005)2

Zone electrophoresis–isotachophoresis chip

Determination of total sulfite in wine. Zone electrophoresis–isotachophoresis quantitation of sulfate on a chip after an in-sample oxidation of total sulfite 1084(2005)101