

Subject index of volumes 1087 and 1088

Acrylamide

Determination of acrylamide in potato chips and crisps by high-performance liquid chromatography 1088(2005)193

Acrylic copolymer

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Activity

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt–Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

β-Adrenergic antagonists

Chiral separation of beta-adrenergic antagonists, profen non-steroidal anti-inflammatory drugs and chlorophenoxypropionic acid herbicides using teicoplanin as the chiral selector in capillary liquid chromatography 1088(2005)82

Albumin

Detection of polychlorinated biphenyls using an antibody column in tandem with a fluorescent liposome column. Effect of albumin on phospholipase A₂-catalyzed membrane leakage 1087(2005)229

Alkylphenolic residues

Determination of alkylphenolic residues in fresh fruits and vegetables by extractive steam distillation and gas chromatography–mass spectrometry 1088(2005)200

Alkylphenols and bisphenol-A

Determination of alkylphenols and bisphenol-A. A comparative investigation of functional polymer-coated membrane microextraction and solid-phase microextraction techniques 1087(2005)274

Amantadine

Fluorimetric liquid chromatographic analysis of amantadine in urine and pharmaceutical formulation 1088(2005)175

Amino acids

Source identification of Indian opium based on chromatographic fingerprinting of amino acids 1088(2005)158

Amino endcapped phases

Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns containing polar embedded groups/amino endcappings using principal component analysis 1088(2005)1

Anaerobe protein degradation

Liquid chromatographic–mass spectrometric—analyses of anaerobe protein degradation products 1088(2005)121

Analytical performances

Analytical performances of two liquid crystals and their mixture as stationary phases in capillary gas chromatography 1087(2005)52

Anionic liposomes

Detection of polychlorinated biphenyls using an antibody column in tandem with a fluorescent liposome column. Effect of albumin on phospholipase A₂-catalyzed membrane leakage 1087(2005)229

Antibiotics

Analysis of neomycin sulfate and framycetin sulfate by high-performance liquid chromatography using evaporative light scattering detection 1087(2005)236

Atmospheric pressure chemical ionisation

Liquid chromatographic–mass spectrometric—analyses of anaerobe protein degradation products 1088(2005)121

Atropine

Chiral separation of atropine by high-performance liquid chromatography 1088(2005)104

Background electrolyte

Carrier ampholytes-based capillary electrophoresis as an alternative to capillary zone electrophoresis in classical background electrolytes 1087(2005)183

Benzoic acid derivatives

Chromatography *in silica*, quantitative analysis of retention mechanisms of benzoic acid derivatives 1087(2005)45

1,1'-Binaphthyl-2,2'-diamine

Mechanism of molecular recognition on molecular imprinted monolith by capillary electrochromatography 1087(2005)20

Binding constant

Study of structural features and thermodynamic parameters, determining the chromatographic behaviour of drug–cyclodextrin complexes 1087(2005)86

Biogenic amines

Behavior and characteristics of biogenic amines, ornithine and lysine derivatized with the *o*-phthalaldehyde–ethanethiol–fluorenylmethyl chloroformate reagent 1087(2005)210

Bisphenol-A

Sol–gel-coated oligomers as novel stationary phases for solid-phase microextraction 1087(2005)252

Blood–brain barrier

Measurement and pharmacokinetics of vincamine in rat blood and brain using microdialysis 1088(2005)146

Bupivacaine

Simultaneous determination of bupivacaine, mepivacain, prilocaine and ropivacain in human serum by liquid chromatography–tandem mass spectrometry 1088(2005)126

Buthylhydroxyanisol

Validation of liquid chromatographic method for analysis of lidocaine hydrochloride, dexamethasone acetate, calcium dobesilate, buthylhydroxyanisol and degradation product hydroquinone in suppositories and ointment 1088(2005)182

CABCE

Carrier ampholytes-based capillary electrophoresis as an alternative to capillary zone electrophoresis in classical background electrolytes 1087(2005)183

Calcium dobesilate

Validation of liquid chromatographic method for analysis of lidocaine hydrochloride, dexamethasone acetate, calcium dobesilate, buthylhydroxyanisol and degradation product hydroquinone in suppositories and ointment 1088(2005)182

Capillary electrochromatography

Mechanism of molecular recognition on molecular imprinted monolith by capillary electrochromatography 1087(2005)20

Capillary electrophoresis

Analysis of phenoxymethylpenicillin potassium by capillary electrophoresis 1087(2005)197

In-capillary non-covalent labeling of insulin and one gastrointestinal peptide for their analyses by capillary electrophoresis with laser-induced fluorescence detection 1087(2005)203

Carbon dioxide-modifier mobile phases

Effects of modifiers in subcritical fluid chromatography on retention with porous graphitic carbon 1087(2005)64

Carboxylic acids

Development and validation of a reversed-phase liquid chromatography method for the quantitative determination of carboxylic acids in industrial reaction mixtures 1088(2005)49

Carrier ampholytes

Carrier ampholytes-based capillary electrophoresis as an alternative to capillary zone electrophoresis in classical background electrolytes 1087(2005)183

CDs

Study of structural features and thermodynamic parameters, determining the chromatographic behaviour of drug–cyclodextrin complexes 1087(2005)86

Central composite design

Headspace solid-phase microextraction-gas chromatography–mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

Ceramides

Modelling of ceramide interactions with porous graphite carbon in non-aqueous liquid chromatography 1087(2005)77

Chiral capillary zone electrophoresis

Enantiomeric separation of gemfibrozil chiral analogues by capillary electrophoresis with heptakis(2,3,6-tri-*O*-methyl)- β -cyclodextrin as chiral selector 1088(2005)110

Chiral stationary phases

Comparative study of three teicoplanin-based chiral stationary phases using the linear free energy relationship model 1088(2005)57

Chiral separation of beta-adrenergic antagonists, profen non-steroidal anti-inflammatory drugs and chlorophenoxypropionic acid herbicides using teicoplanin as the chiral selector in capillary liquid chromatography 1088(2005)82

Comparison of vancomycin-based stationary phases with different chiral selector coverage for enantioselective separation of selected drugs in high-performance liquid chromatography 1088(2005)94

Chlorophenoxypropionic acids

Chiral separation of beta-adrenergic antagonists, profen non-steroidal anti-inflammatory drugs and chlorophenoxypropionic acid herbicides using teicoplanin as the chiral selector in capillary liquid chromatography 1088(2005)82

Chlortetracycline

Analytical procedure for the determination of chlortetracycline and 4-epi-chlortetracycline in pig kidneys 1088(2005)169

Chromatography modelling

Numerical simulation of the chromatographic process for direct ligand–macromolecule binding studies 1087(2005)95

Citrus fruits

Routine application using single quadrupole liquid chromatography–mass spectrometry to pesticides analysis in citrus fruits 1088(2005)224

Cloud thickness

Estimation of the particle–wall interaction energy in sedimentation field flow fractionation 1087(2005)13

Cluster analysis

Reversed-phase liquid chromatography testing. Role of organic solvent through an extended set of columns 1088(2005)16

Column characterization

Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns containing polar embedded groups/amino endcappings using principal component analysis 1088(2005)1

Column liquid chromatography

Phase system selectivity and two-dimensional separations in liquid column chromatography 1087(2005)112

Column testing

Reversed-phase liquid chromatography testing. Role of organic solvent through an extended set of columns 1088(2005)16

Compression of chromatographic zones

Preparative frontal size-exclusion chromatography of mineral ions on neutral hypercrosslinked polystyrene 1087(2005)3

Computational chemistry

Chromatography *in silico*, quantitative analysis of retention mechanisms of benzoic acid derivatives 1087(2005)45

Cotinine

Simultaneous determination of nicotine and its metabolite, cotinine, in rat blood and brain tissue using microdialysis coupled with liquid chromatography: Pharmacokinetic application 1088(2005)152

Cryogels

Screening of peptide affinity tags using immobilised metal affinity chromatography in 96-well plate format 1087(2005)38

Cyclosporine

Measurement and pharmacokinetics of vincamine in rat blood and brain using microdialysis 1088(2005)146

 β -Cyclodextrin

β -Cyclodextrin-bonded silica particles as the solid-phase extraction medium for the determination of phenol compounds in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1087(2005)283

CZE

Carrier ampholytes-based capillary electrophoresis as an alternative to capillary zone electrophoresis in classical background electrolytes 1087(2005)183

Deposition velocities

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Derivatization

Behavior and characteristics of biogenic amines, ornithine and lysine derivatized with the *o*-phthalaldehyde–ethanethiol–fluorenylmethyl chloroformate reagent 1087(2005)210

Enantiomeric analysis of (+)-menthol and (–)-menthol by fluorogenic derivatization and liquid chromatography 1087(2005)223

Fluorimetric liquid chromatographic analysis of amantadine in urine and pharmaceutical formulation 1088(2005)175

Determination

Determination of tropicamide in pharmaceutical formulations using high-performance liquid chromatography 1088(2005)136

Deuterated standards

High precision procedure for determination of selected herbicides and their degradation products in drinking water by solid-phase extraction and gas chromatography–mass spectrometry 1088(2005)234

Dexamethasone acetate

Validation of liquid chromatographic method for analysis of lidocaine hydrochloride, dexamethasone acetate, calcium dobesilate, butylhydroxy-anisol and degradation product hydroquinone in suppositories and ointment 1088(2005)182

2,6-Dichlorobenzamide

High precision procedure for determination of selected herbicides and their degradation products in drinking water by solid-phase extraction and gas chromatography–mass spectrometry 1088(2005)234

Differential scanning calorimetry

Analytical performances of two liquid crystals and their mixture as stationary phases in capillary gas chromatography 1087(2005)52

Direct zonal separation

Numerical simulation of the chromatographic process for direct ligand–macromolecule binding studies 1087(2005)95

Discriminant analysis and source identification

Source identification of Indian opium based on chromatographic fingerprinting of amino acids 1088(2005)158

Dispersive SPE

Dispersive solid-phase extraction for the determination of sulfonamides in chicken muscle by liquid chromatography 1087(2005)259

Dissociation constant

Chromatography *in silica*, quantitative analysis of retention mechanisms of benzoic acid derivatives 1087(2005)45

Dissociation kinetics

Numerical simulation of the chromatographic process for direct ligand–macromolecule binding studies 1087(2005)95

Dissociation

Study of structural features and thermodynamic parameters, determining the chromatographic behaviour of drug–cyclodextrin complexes 1087(2005)86

Drug discovery

Screening approach for chiral separation of pharmaceuticals. Part III. Supercritical fluid chromatography for analysis and purification in drug discovery 1088(2005)67

Drugs

Reversed-phase liquid chromatography testing. Role of organic solvent through an extended set of columns 1088(2005)16

Comparison of vancomycin-based stationary phases with different chiral selector coverage for enantioselective separation of selected drugs in high-performance liquid chromatography 1088(2005)94

Dry deposition

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

E. coli

Screening of peptide affinity tags using immobilised metal affinity chromatography in 96-well plate format 1087(2005)38

Effective steam distillation

Determination of alkylphenolic residues in fresh fruits and vegetables by extractive steam distillation and gas chromatography–mass spectrometry 1088(2005)200

Electrospray ionisation

Liquid chromatographic–mass spectrometric—analyses of anaerobe protein degradation products 1088(2005)121

ELSD

Analysis of neomycin sulfate and framycetin sulfate by high-performance liquid chromatography using evaporative light scattering detection 1087(2005)236

Embedded groups

Preparation and characterization of a new C₁₈ urea phase based on titanized silica 1087(2005)29

Enantiomer separation

Chiral separation of beta-adrenergic antagonists, profen non-steroidal anti-inflammatory drugs and chlorophenoxypropionic acid herbicides using teicoplanin as the chiral selector in capillary liquid chromatography 1088(2005)82

Enantiomeric analysis

Enantiomeric analysis of (+)-menthol and (–)-menthol by fluorogenic derivatization and liquid chromatography 1087(2005)223

Enantiomeric separations

Comparison of vancomycin-based stationary phases with different chiral selector coverage for enantioselective separation of selected drugs in high-performance liquid chromatography 1088(2005)94

Enantiomeric separation of gemfibrozil chiral analogues by capillary electrophoresis with heptakis(2,3,6-tri-*O*-methyl)- β -cyclodextrin as chiral selector 1088(2005)110

Enantiomers

Chiral separation of atropine by high-performance liquid chromatography 1088(2005)104

Endocrine disruptors

Determination of alkylphenols and bisphenol-A. A comparative investigation of functional polymer-coated membrane microextraction and solid-phase microextraction techniques 1087(2005)274

Enkephalin

Comparison of zirconia- and silica-based reversed stationary phases for separation of enkephalins 1087(2005)104

Environmental analysis

Determination of alkylphenols and bisphenol-A. A comparative investigation of functional polymer-coated membrane microextraction and solid-phase microextraction techniques 1087(2005)274

Dynamic hollow fiber-supported headspace liquid-phase microextraction 1087(2005)289

4-epi-Chlortetracycline

Analytical procedure for the determination of chlortetracycline and 4-epi-chlortetracycline in pig kidneys 1088(2005)169

Estradiol

A comparison of performance of various analytical columns in pharmaceutical analysis: conventional C₁₈ and high throughput C₁₈ Zorbax columns 1088(2005)24

Ethylene oxide–propylene oxide (co)oligomers

Phase system selectivity and two-dimensional separations in liquid column chromatography 1087(2005)112

Evodia

Headspace solid-phase microextraction-gas chromatography–mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

Experimental design

Optimisation of the selectivity of a pulsed flame photometric detector for unknown compound screening 1087(2005)124

Headspace solid-phase microextraction-gas chromatography–mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

Extraction methods

Determination of alkylphenols and bisphenol-A. A comparative investigation of functional polymer-coated membrane microextraction and solid-phase microextraction techniques 1087(2005)274

Field flow fractionation

Estimation of the particle–wall interaction energy in sedimentation field flow fractionation 1087(2005)13

Field-amplified sample stacking

Trace analysis of zotepine and its active metabolite in plasma by capillary electrophoresis with solid phase extraction and head-column field-amplified sample stacking 1087(2005)189

Flavonoids

Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of *Hypericum perforatum* L. 1088(2005)205

(Fluoro)quinolone

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography–tandem mass spectrometry. Part II: Intercomparison exercise 1088(2005)40

Fluorescent probe

In-capillary non-covalent labeling of insulin and one gastrointestinal peptide for their analyses by capillary electrophoresis with laser-induced fluorescence detection 1087(2005)203

Fluorescent whitening agents

Determination of fluorescent whitening agents in laundry detergents and surface waters by solid-phase extraction and ion-pair high-performance liquid chromatography 1088(2005)218

Fluorescent

Detection of polychlorinated biphenyls using an antibody column in tandem with a fluorescent liposome column. Effect of albumin on phospholipase A₂-catalyzed membrane leakage 1087(2005)229

Fluorimetry

Fluorimetric liquid chromatographic analysis of amantadine in urine and pharmaceutical formulation 1088(2005)175

Fluoroquinolone

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography–tandem mass spectrometry. I. Laboratory-validated method 1088(2005)32

Food analysis

Routine application using single quadrupole liquid chromatography–mass spectrometry to pesticides analysis in citrus fruits 1088(2005)224

Fosinoprilat

Development of liquid chromatographic method for fosinoprilat determination in human plasma using microemulsion as eluent 1088(2005)187

Framycetin

Analysis of neomycin sulfate and framycetin sulfate by high-performance liquid chromatography using evaporative light scattering detection 1087(2005)236

Fruits

Determination of alkylphenolic residues in fresh fruits and vegetables by extractive steam distillation and gas chromatography–mass spectrometry 1088(2005)200

Furosemide

Sequential injection extraction based on restricted access material for determination of furosemide in serum 1087(2005)245

Gas chromatography

Analytical performances of two liquid crystals and their mixture as stationary phases in capillary gas chromatography 1087(2005)52

Gas chromatography–mass spectrometry

Determination of alkylphenolic residues in fresh fruits and vegetables by extractive steam distillation and gas chromatography–mass spectrometry 1088(2005)200

GC–MS

Headspace solid-phase microextraction-gas chromatography–mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

High precision procedure for determination of selected herbicides and their degradation products in drinking water by solid-phase extraction and gas chromatography–mass spectrometry 1088(2005)234

Gel electrophoresis

Prototype for integrated two-dimensional gel electrophoresis for protein separation 1087(2005)177

Gemfibrozil

Enantiomeric separation of gemfibrozil chiral analogues by capillary electrophoresis with heptakis(2,3,6-tri-*O*-methyl)- β -cyclodextrin as chiral selector 1088(2005)110

Gliclazide

High-performance liquid chromatography with electrochemical detection for analysis of gliclazide in plasma 1088(2005)131

Green fluorescent protein

Screening of peptide affinity tags using immobilised metal affinity chromatography in 96-well plate format 1087(2005)38

Groundwater

High precision procedure for determination of selected herbicides and their degradation products in drinking water by solid-phase extraction and gas chromatography–mass spectrometry 1088(2005)234

Headspace liquid-phase microextraction

Dynamic hollow fiber-supported headspace liquid-phase microextraction 1087(2005)289

heptakis(2,3,6-Tri-*O*-methyl)- β -cyclodextrin

Enantiomeric separation of gemfibrozil chiral analogues by capillary electrophoresis with heptakis(2,3,6-tri-*O*-methyl)- β -cyclodextrin as chiral selector 1088(2005)110

Herbicides

Sol-gel-coated oligomers as novel stationary phases for solid-phase microextraction 1087(2005)252

High density polyethylene

Retention indices as identification tool in pyrolysis-capillary gas chromatography 1087(2005)131

High throughput screening

Screening of peptide affinity tags using immobilised metal affinity chromatography in 96-well plate format 1087(2005)38

High-performance liquid chromatography

Determination of fluorescent whitening agents in laundry detergents and surface waters by solid-phase extraction and ion-pair high-performance liquid chromatography 1088(2005)218

High-throughput chiral separations

Screening approach for chiral separation of pharmaceuticals. Part III. Supercritical fluid chromatography for analysis and purification in drug discovery 1088(2005)67

HPLC

Chromatography *in silica*, quantitative analysis of retention mechanisms of benzoic acid derivatives 1087(2005)45

A comparison of performance of various analytical columns in pharmaceutical analysis: conventional C₁₈ and high throughput C₁₈ Zorbax columns 1088(2005)24

Comparative study of three teicoplanin-based chiral stationary phases using the linear free energy relationship model 1088(2005)57

Determination of tropicamide in pharmaceutical formulations using high-performance liquid chromatography 1088(2005)136

Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of *Hypericum perforatum* L. 1088(2005)205

HPLC–MS n

Liquid chromatographic–mass spectrometric—analyses of anaerobe protein degradation products 1088(2005)121

HS-SPME

Headspace solid-phase microextraction-gas chromatography–mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

Human plasma

Development of liquid chromatographic method for fosinoprilat determination in human plasma using microemulsion as eluent 1088(2005)187

Hydroquinone

Validation of liquid chromatographic method for analysis of lidocaine hydrochloride, dexamethasone acetate, calcium dobesilate, buthylhydroxylanisol and degradation product hydroquinone in suppositories and ointment 1088(2005)182

Hypercrosslinked polystyrene

Preparative frontal size-exclusion chromatography of mineral ions on neutral hypercrosslinked polystyrene 1087(2005)3

***Hypericum perforatum* L.**

Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of *Hypericum perforatum* L. 1088(2005)205

Ideal separation process

Preparative frontal size-exclusion chromatography of mineral ions on neutral hypercrosslinked polystyrene 1087(2005)3

Immobilised metal affinity chromatography

Screening of peptide affinity tags using immobilised metal affinity chromatography in 96-well plate format 1087(2005)38

Immunoassay

Detection of polychlorinated biphenyls using an antibody column in tandem with a fluorescent liposome column. Effect of albumin on phospholipase A₂-catalyzed membrane leakage 1087(2005)229

Improved retention

Determination of acrylamide in potato chips and crisps by high-performance liquid chromatography 1088(2005)193

In-capillary labeling

In-capillary non-covalent labeling of insulin and one gastrointestinal peptide for their analyses by capillary electrophoresis with laser-induced fluorescence detection 1087(2005)203

Indian opium

Source identification of Indian opium based on chromatographic fingerprinting of amino acids 1088(2005)158

Intercomparison exercise

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography-tandem mass spectrometry. Part II: Intercomparison exercise 1088(2005)40

Inverse gas chromatography

Solid surface mapping by inverse gas chromatography 1087(2005)142

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt-Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Ion trap

Liquid chromatographic-mass spectrometric—analyses of anaerobe protein degradation products 1088(2005)121

Ketoprofen

Study of structural features and thermodynamic parameters, determining the chromatographic behaviour of drug-cyclodextrin complexes 1087(2005)86

Kidneys

Analytical procedure for the determination of chlortetracycline and 4-epi-chlortetracycline in pig kidneys 1088(2005)169

Laser induced fluorescence (LIF)

In-capillary non-covalent labeling of insulin and one gastrointestinal peptide for their analyses by capillary electrophoresis with laser-induced fluorescence detection 1087(2005)203

Laundry detergents

Determination of fluorescent whitening agents in laundry detergents and surface waters by solid-phase extraction and ion-pair high-performance liquid chromatography 1088(2005)218

LC

Behavior and characteristics of biogenic amines, ornithine and lysine derivatized with the o-phthalaldehyde-ethanethiol-fluorenylmethyl chloroformate reagent 1087(2005)210

Analysis of neomycin sulfate and framycetin sulfate by high-performance liquid chromatography using evaporative light scattering detection 1087(2005)236

Dispersive solid-phase extraction for the determination of sulfonamides in chicken muscle by liquid chromatography 1087(2005)259

Reversed-phase liquid chromatography testing. Role of organic solvent through an extended set of columns 1088(2005)16

Chiral separation of beta-adrenergic antagonists, profen non-steroidal anti-inflammatory drugs and chlorophenoxypropionic acid herbicides using teicoplanin as the chiral selector in capillary liquid chromatography 1088(2005)82

Fluorimetric liquid chromatographic analysis of amantadine in urine and pharmaceutical formulation 1088(2005)175

LC-MS-MS

Simultaneous determination of bupivacaine, mepivacain, prilocaine and ropivacain in human serum by liquid chromatography-tandem mass spectrometry 1088(2005)126

LFER

Comparative study of three teicoplanin-based chiral stationary phases using the linear free energy relationship model 1088(2005)57

Lidocaine hydrochloride

Validation of liquid chromatographic method for analysis of lidocaine hydrochloride, dexamethasone acetate, calcium dobesilate, butylhydroxy-anisol and degradation product hydroquinone in suppositories and ointment 1088(2005)182

Ligand-macromolecule binding

Numerical simulation of the chromatographic process for direct ligand-macromolecule binding studies 1087(2005)95

Linear solvation energy relationship (LSER)

Modelling of ceramide interactions with porous graphite carbon in non-aqueous liquid chromatography 1087(2005)77

Linear solvation energy relationship

Effects of modifiers in subcritical fluid chromatography on retention with porous graphitic carbon 1087(2005)64

Liposome column

Detection of polychlorinated biphenyls using an antibody column in tandem with a fluorescent liposome column. Effect of albumin on phospholipase A₂-catalyzed membrane leakage 1087(2005)229

Liquid chromatography

Chiral separation of atropine by high-performance liquid chromatography 1088(2005)104

Determination and pharmacokinetic analysis of salvianolic acid B in rat blood and bile by microdialysis and liquid chromatography 1088(2005)140

Source identification of Indian opium based on chromatographic fingerprinting of amino acids 1088(2005)158

Validation of liquid chromatographic method for analysis of lidocaine hydrochloride, dexamethasone acetate, calcium dobesilate, butylhydroxy-anisol and degradation product hydroquinone in suppositories and ointment 1088(2005)182

Development of liquid chromatographic method for fosinoprilat determination in human plasma using microemulsion as eluent 1088(2005)187

Liquid chromatography-tandem mass spectrometry

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography-tandem mass spectrometry. I. Laboratory-validated method 1088(2005)32

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography-tandem mass spectrometry. Part II: Intercomparison exercise 1088(2005)40

Liquid crystal mixture

Analytical performances of two liquid crystals and their mixture as stationary phases in capillary gas chromatography 1087(2005)52

Lysine

Behavior and characteristics of biogenic amines, ornithine and lysine derivatized with the *o*-phthalaldehyde–ethanethiol–fluorenylmethyl chloroformate reagent 1087(2005)210

Macrocyclic glycopeptide

Comparative study of three teicoplanin-based chiral stationary phases using the linear free energy relationship model 1088(2005)57

Marble

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Mass spectrometry

Chiral separation of atropine by high-performance liquid chromatography 1088(2005)104

Memantine

Fluorimetric liquid chromatographic analysis of amantadine in urine and pharmaceutical formulation 1088(2005)175

Menthol

Enantiomeric analysis of (+)-menthol and (–)-menthol by fluorogenic derivatization and liquid chromatography 1087(2005)223

Mepivacaine

Simultaneous determination of bupivacaine, mepivacain, prilocaine and ropivacain in human serum by liquid chromatography–tandem mass spectrometry 1088(2005)126

Methanol extraction

Determination of acrylamide in potato chips and crisps by high-performance liquid chromatography 1088(2005)193

Method validation

Development and validation of a reversed-phase liquid chromatography method for the quantitative determination of carboxylic acids in industrial reaction mixtures 1088(2005)49

Methylated teicoplanin aglycon

Comparative study of three teicoplanin-based chiral stationary phases using the linear free energy relationship model 1088(2005)57

Microdialysis

Determination and pharmacokinetic analysis of salvianolic acid B in rat blood and bile by microdialysis and liquid chromatography 1088(2005)140

Measurement and pharmacokinetics of vincamine in rat blood and brain using microdialysis 1088(2005)146

Simultaneous determination of nicotine and its metabolite, cotinine, in rat blood and brain tissue using microdialysis coupled with liquid chromatography: Pharmacokinetic application 1088(2005)152

Mineral electrolytes

Preparative frontal size-exclusion chromatography of mineral ions on neutral hypercrosslinked polystyrene 1087(2005)3

Miniaturization

Prototype for integrated two-dimensional gel electrophoresis for protein separation 1087(2005)177

Molecular interaction

Chromatography *in silica*, quantitative analysis of retention mechanisms of benzoic acid derivatives 1087(2005)45

Molecularly imprinted polymer

Mechanism of molecular recognition on molecular imprinted monolith by capillary electrochromatography 1087(2005)20

Monitoring stations

Peak tailoring concept in gas chromatographic analysis of volatile organic pollutants in the atmosphere 1087(2005)150

Monolith

Mechanism of molecular recognition on molecular imprinted monolith by capillary electrochromatography 1087(2005)20

Monolithic column

Comparison of the performance of conventional microparticulates and monolithic reversed-phase columns for liquid chromatography separation of eleven pollutant phenols 1087(2005)57

Muscle

Dispersive solid-phase extraction for the determination of sulfonamides in chicken muscle by liquid chromatography 1087(2005)259

Naphthodianthrones

Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of *Hypericum perforatum* L. 1088(2005)205

Neomycin

Analysis of neomycin sulfate and framycetin sulfate by high-performance liquid chromatography using evaporative light scattering detection 1087(2005)236

Nicotine

Simultaneous determination of nicotine and its metabolite, cotinine, in rat blood and brain tissue using microdialysis coupled with liquid chromatography: Pharmacokinetic application 1088(2005)152

NMR

Enantiomeric separation of gemfibrozil chiral analogues by capillary electrophoresis with heptakis(2,3,6-tri-*O*-methyl)- β -cyclodextrin as chiral selector 1088(2005)110

Non-aqueous reversed-phase liquid chromatography (NARP-LC)

Modelling of ceramide interactions with porous graphite carbon in non-aqueous liquid chromatography 1087(2005)77

Octadecyl silica-based stationary phase

Comparison of zirconia- and silica-based reversed stationary phases for separation of enkephalins 1087(2005)104

Optimisation

Optimisation of the selectivity of a pulsed flame photometric detector for unknown compound screening 1087(2005)124

Optimization

Headspace solid-phase microextraction-gas chromatography–mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

Ornithine

Behavior and characteristics of biogenic amines, ornithine and lysine derivatized with the *o*-phthalaldehyde–ethanethiol–fluorenylmethyl chloroformate reagent 1087(2005)210

Ozone precursors

Peak tailoring concept in gas chromatographic analysis of volatile organic pollutants in the atmosphere 1087(2005)150

Particle-wall interaction

Estimation of the particle-wall interaction energy in sedimentation field flow fractionation 1087(2005)13

PCBs detection

Detection of polychlorinated biphenyls using an antibody column in tandem with a fluorescent liposome column. Effect of albumin on phospholipase A₂-catalyzed membrane leakage 1087(2005)229

Peak capacity

Phase system selectivity and two-dimensional separations in liquid column chromatography 1087(2005)112

PEM fuel-cells

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt-Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

Peptide library

Screening of peptide affinity tags using immobilised metal affinity chromatography in 96-well plate format 1087(2005)38

Peptides

Comparison of zirconia- and silica-based reversed stationary phases for separation of enkephalins 1087(2005)104

In-capillary non-covalent labeling of insulin and one gastrointestinal peptide for their analyses by capillary electrophoresis with laser-induced fluorescence detection 1087(2005)203

Pesticide residues

Routine application using single quadrupole liquid chromatography-mass spectrometry to pesticides analysis in citrus fruits 1088(2005)224

Pesticides and alkylphenols

Sol-gel-coated oligomers as novel stationary phases for solid-phase microextraction 1087(2005)252

Pesticides

High precision procedure for determination of selected herbicides and their degradation products in drinking water by solid-phase extraction and gas chromatography-mass spectrometry 1088(2005)234

P-glycoprotein

Measurement and pharmacokinetics of vincamine in rat blood and brain using microdialysis 1088(2005)146

Pharmaceutical analysis

Analysis of phenoxymethylpenicillin potassium by capillary electrophoresis 1087(2005)197

Pharmaceutical analytes

Analysis of neomycin sulfate and framycetin sulfate by high-performance liquid chromatography using evaporative light scattering detection 1087(2005)236

Pharmacokinetics

Measurement and pharmacokinetics of vincamine in rat blood and brain using microdialysis 1088(2005)146

Simultaneous determination of nicotine and its metabolite, cotinine, in rat blood and brain tissue using microdialysis coupled with liquid chromatography: Pharmacokinetic application 1088(2005)152

Phase system selectivity

Phase system selectivity and two-dimensional separations in liquid column chromatography 1087(2005)112

Phenolic compounds

β -Cyclodextrin-bonded silica particles as the solid-phase extraction medium for the determination of phenol compounds in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1087(2005)283

Phenols

Comparison of the performance of conventional microparticulates and monolithic reversed-phase columns for liquid chromatography separation of eleven pollutant phenols 1087(2005)57

Phenoxymethylpenicillin

Analysis of phenoxymethylpenicillin potassium by capillary electrophoresis 1087(2005)197

Phloroglucinols

Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of *Hypericum perforatum* L. 1088(2005)205

Physicochemical measurements

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt-Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

Phytochemical analysis

Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of *Hypericum perforatum* L. 1088(2005)205

Pig kidney

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography-tandem mass spectrometry. I. Laboratory-validated method 1088(2005)32

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography-tandem mass spectrometry. Part II: Intercomparison exercise 1088(2005)40

PLA₂

Detection of polychlorinated biphenyls using an antibody column in tandem with a fluorescent liposome column. Effect of albumin on phospholipase A₂-catalyzed membrane leakage 1087(2005)229

Plant materials

Headspace solid-phase microextraction-gas chromatography-mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

Plasma

Trace analysis of zotepine and its active metabolite in plasma by capillary electrophoresis with solid phase extraction and head-column field-amplified sample stacking 1087(2005)189

Platinum-Rhodium alloy catalysts

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt-Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

Polar embedded phases

Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns containing polar embedded groups/amino endcappings using principal component analysis 1088(2005)1

Poly(ethylene glycol) stationary phase

Chromatographic performance of a new polar poly(ethylene glycol) bonded phase for the phytochemical analysis of *Hypericum perforatum* L. 1088(2005)205

Polycyclic aromatic hydrocarbons

Dynamic hollow fiber-supported headspace liquid-phase microextraction 1087(2005)289

Polymer-coated hollow fiber microextraction

Determination of alkylphenols and bisphenol-A. A comparative investigation of functional polymer-coated membrane microextraction and solid-phase microextraction techniques 1087(2005)274

Polymethylmethacrylate

Retention indices as identification tool in pyrolysis-capillary gas chromatography 1087(2005)131

Porous graphitic carbon (PGC)

Modelling of ceramide interactions with porous graphite carbon in non-aqueous liquid chromatography 1087(2005)77

Porous graphitic carbon

Effects of modifiers in subcritical fluid chromatography on retention with porous graphitic carbon 1087(2005)64

Potato chips

Determination of acrylamide in potato chips and crisps by high-performance liquid chromatography 1088(2005)193

Potential barrier field flow fractionation

Estimation of the particle-wall interaction energy in sedimentation field flow fractionation 1087(2005)13

Potential energy

Estimation of the particle-wall interaction energy in sedimentation field flow fractionation 1087(2005)13

Preferential oxidation (PROX)

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt-Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

Prilocaine

Simultaneous determination of bupivacaine, mepivacain, prilocaine and ropivacain in human serum by liquid chromatography-tandem mass spectrometry 1088(2005)126

Principal component analysis

Reversed-phase liquid chromatography testing. Role of organic solvent through an extended set of columns 1088(2005)16

Profen NSAIDs

Chiral separation of beta-adrenergic antagonists, profen non-steroidal anti-inflammatory drugs and chlorophenoxypropionic acid herbicides using teicoplanin as the chiral selector in capillary liquid chromatography 1088(2005)82

Programmable syringe pump

Dynamic hollow fiber-supported headspace liquid-phase microextraction 1087(2005)289

Proteins

Prototype for integrated two-dimensional gel electrophoresis for protein separation 1087(2005)177

Carrier ampholytes-based capillary electrophoresis as an alternative to capillary zone electrophoresis in classical background electrolytes 1087(2005)183

Pulsed flame photometric detection

Optimisation of the selectivity of a pulsed flame photometric detector for unknown compound screening 1087(2005)124

Pyrolysis

Retention indices as identification tool in pyrolysis-capillary gas chromatography 1087(2005)131

Quantitative analysis

Development and validation of a reversed-phase liquid chromatography method for the quantitative determination of carboxylic acids in industrial reaction mixtures 1088(2005)49

Quantitative structure-retention relationship

Chromatography *in silica*, quantitative analysis of retention mechanisms of benzoic acid derivatives 1087(2005)45

Reaction probabilities

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Recognition mechanism

Mechanism of molecular recognition on molecular imprinted monolith by capillary electrochromatography 1087(2005)20

Residues

Dispersive solid-phase extraction for the determination of sulfonamides in chicken muscle by liquid chromatography 1087(2005)259

Analytical procedure for the determination of chlortetracycline and 4-epi-chlortetracycline in pig kidneys 1088(2005)169

Restricted access materials

Sequential injection extraction based on restricted access material for determination of furosemide in serum 1087(2005)245

Retention indices

Retention indices as identification tool in pyrolysis-capillary gas chromatography 1087(2005)131

Reversed-phase columns

Comparison of the performance of conventional microparticulates and monolithic reversed-phase columns for liquid chromatography separation of eleven pollutant phenols 1087(2005)57

Reversed-phase liquid chromatography

Development and validation of a reversed-phase liquid chromatography method for the quantitative determination of carboxylic acids in industrial reaction mixtures 1088(2005)49

Ring trial

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography-tandem mass spectrometry. Part II: Intercomparison exercise 1088(2005)40

Ropivacaine

Simultaneous determination of bupivacaine, mepivacain, prilocaine and ropivacain in human serum by liquid chromatography-tandem mass spectrometry 1088(2005)126

RP-HPLC

Comparison of zirconia- and silica-based reversed stationary phases for separation of enkephalins 1087(2005)104

Salvianolic acid B

Determination and pharmacokinetic analysis of salvianolic acid B in rat blood and bile by microdialysis and liquid chromatography 1088(2005)140

Screening strategy

Screening approach for chiral separation of pharmaceuticals. Part III. Supercritical fluid chromatography for analysis and purification in drug discovery 1088(2005)67

Sedimentation field flow fractionation

Estimation of the particle-wall interaction energy in sedimentation field flow fractionation 1087(2005)13

Selective CO oxidation (SCO)

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt-Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

Selectivity

Optimisation of the selectivity of a pulsed flame photometric detector for unknown compound screening 1087(2005)124

Inverse gas chromatographic investigation of the effect of hydrogen in carbon monoxide adsorption over silica supported Rh and Pt-Rh alloy catalysts, under hydrogen-rich conditions 1087(2005)158

Selector coverage

Comparison of vancomycin-based stationary phases with different chiral selector coverage for enantioselective separation of selected drugs in high-performance liquid chromatography 1088(2005)94

Sensitivity

Optimisation of the selectivity of a pulsed flame photometric detector for unknown compound screening 1087(2005)124

Sequential injection analysis

Sequential injection extraction based on restricted access material for determination of furosemide in serum 1087(2005)245

Serum

Sequential injection extraction based on restricted access material for determination of furosemide in serum 1087(2005)245

Siloxane

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Size-exclusion chromatography

Preparative frontal size-exclusion chromatography of mineral ions on neutral hypercrosslinked polystyrene 1087(2005)3

Solid-phase extraction

Trace analysis of zotepine and its active metabolite in plasma by capillary electrophoresis with solid phase extraction and head-column field-amplified sample stacking 1087(2005)189

β -Cyclodextrin-bonded silica particles as the solid-phase extraction medium for the determination of phenol compounds in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1087(2005)283

Determination of fluorescent whitening agents in laundry detergents and surface waters by solid-phase extraction and ion-pair high-performance liquid chromatography 1088(2005)218

Solid-phase microextraction

Sol-gel-coated oligomers as novel stationary phases for solid-phase microextraction 1087(2005)252

Determination of alkylphenols and bisphenol-A. A comparative investigation of functional polymer-coated membrane microextraction and solid-phase microextraction techniques 1087(2005)274

Sol-gel

Sol-gel-coated oligomers as novel stationary phases for solid-phase microextraction 1087(2005)252

Solvent effects

Reversed-phase liquid chromatography testing. Role of organic solvent through an extended set of columns 1088(2005)16

Stationary phases, LC

Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns containing polar embedded groups/amino endcappings using principal component analysis 1088(2005)1

Stationary phases

Reversed-phase liquid chromatography testing. Role of organic solvent through an extended set of columns 1088(2005)16

Subcritical fluid chromatography

Effects of modifiers in subcritical fluid chromatography on retention with porous graphitic carbon 1087(2005)64

Sulfate

Analysis of neomycin sulfate and framycetin sulfate by high-performance liquid chromatography using evaporative light scattering detection 1087(2005)236

Sulfonamides

Dispersive solid-phase extraction for the determination of sulfonamides in chicken muscle by liquid chromatography 1087(2005)259

Sulfur dioxide

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Supercritical fluid chromatography

Screening approach for chiral separation of pharmaceuticals. Part III. Supercritical fluid chromatography for analysis and purification in drug discovery 1088(2005)67

Surface diffusion coefficients

New gas chromatographic instrumentation for studying the action of sulfur dioxide on marbles 1087(2005)169

Surface free energy

Solid surface mapping by inverse gas chromatography 1087(2005)142

Surface mapping

Solid surface mapping by inverse gas chromatography 1087(2005)142

Surface waters

Determination of fluorescent whitening agents in laundry detergents and surface waters by solid-phase extraction and ion-pair high-performance liquid chromatography 1088(2005)218

Surrogates

High precision procedure for determination of selected herbicides and their degradation products in drinking water by solid-phase extraction and gas chromatography-mass spectrometry 1088(2005)234

Sypro orange

In-capillary non-covalent labeling of insulin and one gastrointestinal peptide for their analyses by capillary electrophoresis with laser-induced fluorescence detection 1087(2005)203

Teicoplanin aglycon

Comparative study of three teicoplanin-based chiral stationary phases using the linear free energy relationship model 1088(2005)57

Teicoplanin

Comparative study of three teicoplanin-based chiral stationary phases using the linear free energy relationship model 1088(2005)57

Chiral separation of beta-adrenergic antagonists, profen non-steroidal anti-inflammatory drugs and chlorophenoxypropionic acid herbicides using teicoplanin as the chiral selector in capillary liquid chromatography 1088(2005)82

Thermodynamics

Study of structural features and thermodynamic parameters, determining the chromatographic behaviour of drug-cyclodextrin complexes 1087(2005)86

Titanium-grafted silicas

Preparation and characterization of a new C₁₈ urea phase based on titanized silica 1087(2005)29

Tolfenamic acid

Study of structural features and thermodynamic parameters, determining the chromatographic behaviour of drug-cyclodextrin complexes 1087(2005)86

Triacylglycerols

Phase system selectivity and two-dimensional separations in liquid column chromatography 1087(2005)112

Tropicamide

Determination of tropicamide in pharmaceutical formulations using high-performance liquid chromatography 1088(2005)136

Two-dimensional separations

Phase system selectivity and two-dimensional separations in liquid column chromatography 1087(2005)112

Urea phases

Preparation and characterization of a new C₁₈ urea phase based on titanized silica 1087(2005)29

UV detection

Determination of acrylamide in potato chips and crisps by high-performance liquid chromatography 1088(2005)193

Validation

Determination of (fluoro)quinolone antibiotic residues in pig kidney using liquid chromatography-tandem mass spectrometry. I. Laboratory-validated method 1088(2005)32

Validation of liquid chromatographic method for analysis of lidocaine hydrochloride, dexamethasone acetate, calcium dobesilate, butylhydroxy-anisol and degradation product hydroquinone in suppositories and ointment 1088(2005)182

Vancomycin

Comparison of vancomycin-based stationary phases with different chiral selector coverage for enantioselective separation of selected drugs in high-performance liquid chromatography 1088(2005)94

Vincamine

Measurement and pharmacokinetics of vincamine in rat blood and brain using microdialysis 1088(2005)146

Volatile compounds

Headspace solid-phase microextraction-gas chromatography-mass spectrometry analysis of the volatile compounds of *Evodia* species fruits 1087(2005)265

Volatile organic compounds

Peak tailoring concept in gas chromatographic analysis of volatile organic pollutants in the atmosphere 1087(2005)150

Water analysis

β-Cyclodextrin-bonded silica particles as the solid-phase extraction medium for the determination of phenol compounds in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1087(2005)283

Zirconia-based stationary phase

Comparison of zirconia- and silica-based reversed stationary phases for separation of enkephalins 1087(2005)104

Zorbax column

A comparison of performance of various analytical columns in pharmaceutical analysis: conventional C₁₈ and high throughput C₁₈ Zorbax columns 1088(2005)24

Zotepine and norzotepine

Trace analysis of zotepine and its active metabolite in plasma by capillary electrophoresis with solid phase extraction and head-column field-amplified sample stacking 1087(2005)189