

#### Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A 1090 (2005) 204-208

www.elsevier.com/locate/chroma

# Subject index of volume 1090

#### Accelerated solvent extraction

Comprehensive comparison of classic Soxhlet extraction with Soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil 1090(2005)1

### Acetonitrile

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

# Adsorption equilibrium

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

#### Affinity energy distribution

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

#### n-Alkanes

Possibilities and limitations of quadrupole mass spectrometric detector in fast gas chromatography 1090(2005)126

# Amberlite XAD resin

Sulfinylcalix[4]arene-impregnated Amberlite XAD-7 resin for the separation of niobium(V) from tantalum(V) 1090(2005)197

# Amytriptyline

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

### Aromatic amines

HPLC-MS degradation study of E110 Sunset Yellow FCF in a commercial beverage 1090(2005)107

### **Baltic Sea**

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98

# Biodegradation

Multivariate statistical methods for evaluating biodegradation of mineral oil 1090(2005)133

# **BSA** peptides

Capillary high-performance liquid chromatography/electrospray ion trap time-of-flight mass spectrometry using a novel nanoflow gradient generator 1090(2005)178

# Calixarene

Sulfinylcalix[4]arene-impregnated Amberlite XAD-7 resin for the separation of niobium(V) from tantalum(V) 1090(2005)197

doi:10.1016/S0021-9673(05)01654-7

# Capillary columns

Evaluation of ring-opening metathesis polymerization (ROMP)-derived monolithic capillary high performance liquid chromatography columns 1090(2005)81

#### Carthamus tinctorium

Isolation of a novel flavanone 6-glucoside from the flowers of *Carthamus tinctorium* (Honghua) by high-speed counter-current chromatography 1090(2005)193

#### **CCD** detection

Quantitative measurements on wetted thin layer chromatography plates using a charge coupled device camera 1090(2005)165

#### Chelating reagent-impregnated sorbent

Sulfinylcalix[4]arene-impregnated Amberlite XAD-7 resin for the separation of niobium(V) from tantalum(V) 1090(2005)197

## Chemical fingerprinting

Multivariate statistical methods for evaluating biodegradation of mineral oil 1090(2005)133

# Chiral separation

Rapid and efficient chiral separation of nateglinide and its L-enantiomer on monolithic molecularly imprinted polymers 1090(2005)68

# Chiral stationary phases

Rapid and efficient chiral separation of nateglinide and its L-enantiomer on monolithic molecularly imprinted polymers 1090(2005)68

#### Citrus reticulata Blanco

Preparative isolation and purification of polymethoxylated flavones from Tangerine peel using high-speed counter-current chromatography 1090(2005)188

#### Column heterogeneity

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

# Compost

Determination of pesticides in compost by pressurized liquid extraction and gas chromatography-mass spectrometry 1090(2005)10

### Comprehensive two-dimensional

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

# Contaminants

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry 1090(2005)146

#### Counter-current chromatography

Preparative isolation and purification of polymethoxylated flavones from Tangerine peel using high-speed counter-current chromatography 1090(2005)188

#### COW

Multivariate statistical methods for evaluating biodegradation of mineral oil 1090(2005)133

#### Cyclone-type capillary column

Preparation of packed capillary columns using supercritical carbon dioxide on cyclone-type slurry reservoir 1090(2005)172

#### Degradation

HPLC-MS degradation study of E110 Sunset Yellow FCF in a commercial beverage 1090(2005)107

#### Determination

Determination of pesticides in compost by pressurized liquid extraction and gas chromatography-mass spectrometry 1090(2005)10

### Discovery-C<sub>18</sub>

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

#### Dye

HPLC-MS degradation study of E110 Sunset Yellow FCF in a commercial beverage 1090(2005)107

#### Electrophoresis

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

# **Elution mechanism**

Study of the elution mechanism of sodium aryl sulfonates on bare silica and a cyano bonded phase with methanol-modified carbon dioxide containing an ionic additive 1090(2005)155

# **Endocrine disruptors**

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98

# **Estrogens**

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98

# Fast gas chromatography

Possibilities and limitations of quadrupole mass spectrometric detector in fast gas chromatography 1090(2005)126

# Fast GC-MS

Possibilities and limitations of quadrupole mass spectrometric detector in fast gas chromatography 1090(2005)126

# Flavoprotein

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

## Fluorescence detection

Determination of ochratoxin A at part-per-trillion level in Italian salami by immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 1090(2005)184

### Frontal analysis

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

#### Gas chromatography

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase micro-extraction coupled to gas chromatography/mass spectrometry 1090(2005)146

#### GC-MS

Determination of pesticides in compost by pressurized liquid extraction and gas chromatography–mass spectrometry 1090(2005)10

Multivariate statistical methods for evaluating biodegradation of mineral oil 1090(2005)133

#### Heavy naphtha

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

#### Hen egg white fractionation

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

# High-performance liquid chromatography with diode array detection

An approach to develop two-dimensional fingerprint for the quality control of *Qingkailing* injection by high-performance liquid chromatography with diode array detection 1090(2005)90

#### High-speed counter-current chromatography

Isolation of a novel flavanone 6-glucoside from the flowers of *Carthamus tinctorium* (Honghua) by high-speed counter-current chromatography 1090(2005)193

#### Homogentisic acid

Direct chromatographic methods for the rapid determination of homogentisic acid in strawberry tree (*Arbutus unedo* L.) honey 1090(2005)76

#### Honey

Direct chromatographic methods for the rapid determination of homogentisic acid in strawberry tree (*Arbutus unedo* L.) honey 1090(2005)76

# **HPLC**

Determination of ochratoxin A at part-per-trillion level in Italian salami by immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 1090(2005)184

#### **HPLC-MS**

HPLC-MS degradation study of E110 Sunset Yellow FCF in a commercial beverage 1090(2005)107

#### HPLC-ESI-MS/MS

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98

#### Hydrocarbons

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

#### IC

Direct chromatographic methods for the rapid determination of homogentisic acid in strawberry tree (*Arbutus unedo* L.) honey 1090(2005)76

#### **Immunoaffinity**

Determination of ochratoxin A at part-per-trillion level in Italian salami by immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 1090(2005)184

# Ion exchange chromatography

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### Ionic additives

Study of the elution mechanism of sodium aryl sulfonates on bare silica and a cyano bonded phase with methanol-modified carbon dioxide containing an ionic additive 1090(2005)155

#### LC

Evaluation of ring-opening metathesis polymerization (ROMP)-derived monolithic capillary high performance liquid chromatography columns 1090(2005)81

# LC-MS-MS

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

# Light polycyclic aromatic hydrocarbons

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase micro-extraction coupled to gas chromatography/mass spectrometry 1090(2005)146

#### Lysozyme

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### Marine environment

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98

# Mass spectrometry

Possibilities and limitations of quadrupole mass spectrometric detector in fast gas chromatography 1090(2005)126

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry 1090(2005)146

Capillary high-performance liquid chromatography/electrospray ion trap time-of-flight mass spectrometry using a novel nanoflow gradient generator 1090(2005)178

#### Matrix interferences

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98

# Metathesis polymerization

Evaluation of ring-opening metathesis polymerization (ROMP)-derived monolithic capillary high performance liquid chromatography columns 1090(2005)81

# Molecularly imprinted polymer

Rapid and efficient chiral separation of nateglinide and its L-enantiomer on monolithic molecularly imprinted polymers 1090(2005)68

# Monolithic capillary column

Capillary high-performance liquid chromatography/electrospray ion trap time-of-flight mass spectrometry using a novel nanoflow gradient generator 1090(2005)178

#### Monolithic column

Rapid and efficient chiral separation of nateglinide and its L-enantiomer on monolithic molecularly imprinted polymers 1090(2005)68

Evaluation of ring-opening metathesis polymerization (ROMP)-derived monolithic capillary high performance liquid chromatography columns 1090(2005)81

#### Multidimensional

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

#### Mycotoxins

Determination of ochratoxin A at part-per-trillion level in Italian salami by immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 1090(2005)184

#### Nanoflow gradient elution

Capillary high-performance liquid chromatography/electrospray ion trap time-of-flight mass spectrometry using a novel nanoflow gradient generator 1090(2005)178

#### Nateglinide

Rapid and efficient chiral separation of nateglinide and its L-enantiomer on monolithic molecularly imprinted polymers 1090(2005)68

#### Niobium

Sulfinylcalix[4]arene-impregnated Amberlite XAD-7 resin for the separation of niobium(V) from tantalum(V) 1090(2005)197

#### Nortriptyline

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

# Ochratoxin A

Determination of ochratoxin A at part-per-trillion level in Italian salami by immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 1090(2005)184

# Oil spills

Multivariate statistical methods for evaluating biodegradation of mineral oil 1090(2005)133

# Olefin trap

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

#### **Olefins**

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

# Ovalbumin gene X

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### Ovalbumin gene Y

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

### Ovalbumin

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### Ovoglycoprotein

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### Ovomucoid

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### Ovotransferrin

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### Packed capillary columns

Preparation of packed capillary columns using supercritical carbon dioxide on cyclone-type slurry reservoir 1090(2005)172

#### Packing method

Preparation of packed capillary columns using supercritical carbon dioxide on cyclone-type slurry reservoir 1090(2005)172

#### **PCA**

Multivariate statistical methods for evaluating biodegradation of mineral oil 1090(2005)133

#### **Peptides**

Evaluation of ring-opening metathesis polymerization (ROMP)-derived monolithic capillary high performance liquid chromatography columns 1090(2005)81

### Pesticide

Determination of pesticides in compost by pressurized liquid extraction and gas chromatography-mass spectrometry 1090(2005)10

Possibilities and limitations of quadrupole mass spectrometric detector in fast gas chromatography 1090(2005)126

#### **PIONA** analysis

Multidimensional gas chromatography for the detailed PIONA analysis of heavy naphtha: Hyphenation of an olefin trap to comprehensive two-dimensional gas chromatography 1090(2005)116

# Polychlorinated biphenyls

Comprehensive comparison of classic Soxhlet extraction with Soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil 1090(2005)1

# Polymethoxylated flavones

Preparative isolation and purification of polymethoxylated flavones from Tangerine peel using high-speed counter-current chromatography 1090(2005)188

# Preparative chromatography

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

Preparative isolation and purification of polymethoxylated flavones from Tangerine peel using high-speed counter-current chromatography 1090(2005)188

#### Pressure

Effects of high pressure in liquid chromatography 1090(2005)16

# Pressurized liquid extraction

Determination of pesticides in compost by pressurized liquid extraction and gas chromatography-mass spectrometry 1090(2005)10

#### **Proteins**

Evaluation of ring-opening metathesis polymerization (ROMP)-derived monolithic capillary high performance liquid chromatography columns 1090(2005)81

# Qingkailing injection

An approach to develop two-dimensional fingerprint for the quality control of *Qingkailing* injection by high-performance liquid chromatography with diode array detection 1090(2005)90

# **Quality control**

An approach to develop two-dimensional fingerprint for the quality control of *Qingkailing* injection by high-performance liquid chromatography with diode array detection 1090(2005)90

#### Retention mechanism

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

# Reverse-phase chromatography

Hen egg white fractionation by ion-exchange chromatography 1090(2005)58

#### RP-HPLC

Direct chromatographic methods for the rapid determination of homogentisic acid in strawberry tree (*Arbutus unedo L.*) honey 1090(2005)76

#### Salami

Determination of ochratoxin A at part-per-trillion level in Italian salami by immunoaffinity clean-up and high-performance liquid chromatography with fluorescence detection 1090(2005)184

#### Separation

Sulfinylcalix[4]arene-impregnated Amberlite XAD-7 resin for the separation of niobium(V) from tantalum(V) 1090(2005)197

#### Silica

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

# Single and competitive adsorption isotherms

Separation mechanism of nortriptyline and amytriptyline in RPLC 1090(2005)39

#### Soil

Comprehensive comparison of classic Soxhlet extraction with Soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil 1090(2005)1

# Solid-phase extraction

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98

# Solid-phase microextraction

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry 1090(2005)146

#### Soxhle

Comprehensive comparison of classic Soxhlet extraction with Soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil 1090(2005)1

#### Soxtec

Comprehensive comparison of classic Soxhlet extraction with Soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil 1090(2005)1

#### **SPME**

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry 1090(2005)146

#### Stationary phases

Evaluation of ring-opening metathesis polymerization (ROMP)-derived monolithic capillary high performance liquid chromatography columns 1090(2005)81

#### Strawberry tree

Direct chromatographic methods for the rapid determination of homogentisic acid in strawberry tree (*Arbutus unedo* L.) honey 1090(2005)76

#### Sulfonates

Study of the elution mechanism of sodium aryl sulfonates on bare silica and a cyano bonded phase with methanol-modified carbon dioxide containing an ionic additive 1090(2005)155

# Supercritical fluid chromatography

Study of the elution mechanism of sodium aryl sulfonates on bare silica and a cyano bonded phase with methanol-modified carbon dioxide containing an ionic additive 1090(2005)155

#### Supercritical fluid extraction

Comprehensive comparison of classic Soxhlet extraction with Soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil 1090(2005)1

#### **Tantalum**

Sulfinylcalix[4]arene-impregnated Amberlite XAD-7 resin for the separation of niobium(V) from tantalum(V) = 1090(2005)197

#### (2S)-4',5,6,7-Tetrahydroxyflavavone 6-O-β-D-glucopyranoside

Isolation of a novel flavanone 6-glucoside from the flowers of *Carthamus tinctorium* (Honghua) by high-speed counter-current chromatography 1090(2005)193

#### Thin-layer chromatography

Quantitative measurements on wetted thin layer chromatography plates using a charge coupled device camera 1090(2005)165

#### **Traditional Chinese medicines**

An approach to develop two-dimensional fingerprint for the quality control of *Qingkailing* injection by high-performance liquid chromatography with diode array detection 1090(2005)90

#### Transition phase chromatography

Preparation of packed capillary columns using supercritical carbon dioxide on cyclone-type slurry reservoir 1090(2005)172

# Two-dimensional fingerprint

An approach to develop two-dimensional fingerprint for the quality control of *Qingkailing* injection by high-performance liquid chromatography with diode array detection 1090(2005)90

#### Ultrasonication extraction

Comprehensive comparison of classic Soxhlet extraction with Soxtec extraction, ultrasonication extraction, supercritical fluid extraction, microwave assisted extraction and accelerated solvent extraction for the determination of polychlorinated biphenyls in soil 1090(2005)1

#### Videodensitometry

Quantitative measurements on wetted thin layer chromatography plates using a charge coupled device camera 1090(2005)165

#### Virgin olive oil

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase micro-extraction coupled to gas chromatography/mass spectrometry 1090(2005)146

### Volatile aromatic hydrocarbons

Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase micro-extraction coupled to gas chromatography/mass spectrometry 1090(2005)146

# Xenoestrogens

Liquid chromatography-tandem mass spectrometry analysis of estrogenic compounds in coastal surface water of the Baltic Sea 1090(2005)98