

Subject index of volume 1091

Amino acids

Enantiomeric separation of amino acids derivatized with 7-fluoro-4-nitrobenzoxadiazole by capillary liquid chromatography/tandem mass spectrometry 1091(2005)102

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of seleno amino acids 1091(2005)177

Amperometric detection

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of seleno amino acids 1091(2005)177

Anthocyanin

Screening for anthocyanins using high-performance liquid chromatography coupled to electrospray ionization tandem mass spectrometry with precursor-ion analysis, product-ion analysis, common-neutral-loss analysis, and selected reaction monitoring 1091(2005)72

Antimony

Simultaneous speciation analysis of Sb(III), Sb(V) and $(\text{CH}_3)_3\text{SbCl}_2$ by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry detection (HPLC-HG-AFS): Application to antimony speciation in sea water 1091(2005)94

Antiretroviral agents

Determination of antiretroviral agents in human serum by capillary electrophoresis 1091(2005)169

Antiulcer drugs

Comparative study of the enantioselective separation of several antiulcer drugs by high-performance liquid chromatography and supercritical fluid chromatography 1091(2005)118

Atropa belladonna

Simultaneous analysis of hyoscyamine, scopolamine, 6 β -hydroxyhyoscyamine and apoatropine in Solanaceous hairy roots by reversed-phase high-performance liquid chromatography 1091(2005)32

Azo-dyes

Specific determination of 20 primary aromatic amines in aqueous food simulants by liquid chromatography–electrospray ionization–tandem mass spectrometry 1091(2005)40

6 β -Hydroxyhyoscyamine

Simultaneous analysis of hyoscyamine, scopolamine, 6 β -hydroxyhyoscyamine and apoatropine in Solanaceous hairy roots by reversed-phase high-performance liquid chromatography 1091(2005)32

Beeswax

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Biochromatography

Analysis of sample–solvent induced modifier–solute peak interactions in biochromatography using equilibrium theory and detailed simulations 1091(2005)60

Candellila wax

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Capillary electrophoresis

Enantioseparation of acidic enantiomers in capillary electrophoresis using a novel single-isomer of positively charged β -cyclodextrin: Mono-6^A-*N*-pentylammonium-6^A-deoxy- β -cyclodextrin chloride 1091(2005)152

Study of quantitative analysis of traces in low-conductivity samples using capillary electrophoresis with electrokinetic injection 1091(2005)163

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of seleno amino acids 1091(2005)177

Indirect chemiluminescence detection for capillary zone electrophoresis of monoamines and catechol using luminol- $\text{K}_3[\text{Fe}(\text{CN})_6]$ system 1091(2005)194

Carnauba wax

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Catecholamines

Indirect chemiluminescence detection for capillary zone electrophoresis of monoamines and catechol using luminol- $\text{K}_3[\text{Fe}(\text{CN})_6]$ system 1091(2005)194

CCIGC

The influence of nonuniform coating and Taylor dispersion on the evaluation of capillary column inverse gas chromatography 1091(2005)137

Characterization

Screening for anthocyanins using high-performance liquid chromatography coupled to electrospray ionization tandem mass spectrometry with precursor-ion analysis, product-ion analysis, common-neutral-loss analysis, and selected reaction monitoring 1091(2005)72

Chemiluminescence

Indirect chemiluminescence detection for capillary zone electrophoresis of monoamines and catechol using luminol- $\text{K}_3[\text{Fe}(\text{CN})_6]$ system 1091(2005)194

Chiral separation

Enantiomeric separation of amino acids derivatized with 7-fluoro-4-nitrobenzoxadiazole by capillary liquid chromatography/tandem mass spectrometry 1091(2005)102

Chiral stationary phase

Chromatographic behavior of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)ethanol on a quinidine-carbamate chiral stationary phase 1091(2005)183

3-Chloro-1-Phenylpropanol

Chromatographic separation of phenylpropanol enantiomers on a quinidine carbamate-type chiral stationary phase 1091(2005)11

Chromatography

A thermodynamic study of retention of poly(ethylene glycol)s in liquid adsorption chromatography on reversed phases 1091(2005)110

Circular proteins

Peptide quantification by matrix-assisted laser desorption ionisation time-of-flight mass spectrometry: Investigations of the cyclotide kalata B1 in biological fluids 1091(2005)187

Clemastanin B

Isolation and purification of clemastanin B and indigotcoside A from *Radix Isatidis* by high-speed counter-current chromatography 1091(2005)89

Compensation effect

Chromatographic separation of phenylpropanol enantiomers on a quinidine carbamate-type chiral stationary phase 1091(2005)11

Cosmetic cream

Determination of phenolics in cosmetic creams and similar emulsions 1091(2005)83

Counter-current chromatography

Isolation and purification of clemastanin B and indigotcoside A from *Radix Isatidis* by high-speed counter-current chromatography 1091(2005)89

Cultural heritage

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Cyclotides

Peptide quantification by matrix-assisted laser desorption ionisation time-of-flight mass spectrometry: Investigations of the cyclotide kalata B1 in biological fluids 1091(2005)187

Datura innoxia

Simultaneous analysis of hyoscyamine, scopolamine, 6 β -hydroxy-hyoscyamine and apoatropine in Solanaceous hairy roots by reversed-phase high-performance liquid chromatography 1091(2005)32

Double peaks

Analysis of sample-solvent induced modifier-solute peak interactions in biochromatography using equilibrium theory and detailed simulations 1091(2005)60

Electrochemiluminescence

Microfluidic chip with electrochemiluminescence detection using 2-(2-aminoethyl)-1-methylpyrrolidine labeling 1091(2005)158

Electrokinetic injection

Study of quantitative analysis of traces in low-conductivity samples using capillary electrophoresis with electrokinetic injection 1091(2005)163

Emulsion

Determination of phenolics in cosmetic creams and similar emulsions 1091(2005)83

Enantiomer separation

Chromatographic behavior of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)ethanol on a quinidine-carbamate chiral stationary phase 1091(2005)183

Enantiomer

Enantiomeric separation of amino acids derivatized with 7-fluoro-4-nitrobenzoxadiazole by capillary liquid chromatography/tandem mass spectrometry 1091(2005)102

Enantiomeric separation

Comparative study of the enantioselective separation of several antiulcer drugs by high-performance liquid chromatography and supercritical fluid chromatography 1091(2005)118

Enantioseparation

Chromatographic separation of phenylpropanol enantiomers on a quinidine carbamate-type chiral stationary phase 1091(2005)11

Enantioseparation of acidic enantiomers in capillary electrophoresis using a novel single-isomer of positively charged β -cyclodextrin: Mono-6^A-*N*-pentylammonium-6^A-deoxy- β -cyclodextrin chloride 1091(2005)152

Equilibrium theory

Analysis of sample-solvent induced modifier-solute peak interactions in biochromatography using equilibrium theory and detailed simulations 1091(2005)60

Experimental design

Determination of phenolics in cosmetic creams and similar emulsions 1091(2005)83

External calibration

Study of quantitative analysis of traces in low-conductivity samples using capillary electrophoresis with electrokinetic injection 1091(2005)163

Extraction method

Determination of phenolics in cosmetic creams and similar emulsions 1091(2005)83

Film eccentricity

The influence of nonuniform coating and Taylor dispersion on the evaluation of capillary column inverse gas chromatography 1091(2005)137

Food contact materials

Specific determination of 20 primary aromatic amines in aqueous food simulants by liquid chromatography-electrospray ionization-tandem mass spectrometry 1091(2005)40

Fruits

Screening for anthocyanins using high-performance liquid chromatography coupled to electrospray ionization tandem mass spectrometry with precursor-ion analysis, product-ion analysis, common-neutral-loss analysis, and selected reaction monitoring 1091(2005)72

High temperature gas chromatography-mass spectrometry

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

High-performance liquid chromatography (HPLC)

Screening for anthocyanins using high-performance liquid chromatography coupled to electrospray ionization tandem mass spectrometry with precursor-ion analysis, product-ion analysis, common-neutral-loss analysis, and selected reaction monitoring 1091(2005)72

HPLC

Chromatographic separation of phenylpropanol enantiomers on a quinidine carbamate-type chiral stationary phase 1091(2005)11

Simultaneous speciation analysis of Sb(III), Sb(V) and $(\text{CH}_3)_3\text{SbCl}_2$ by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry detection (HPLC-HG-AFS): Application to antimony speciation in sea water 1091(2005)94

HPLC-MS/MS

Enantiomeric separation of amino acids derivatized with 7-fluoro-4-nitrobenzoxadiazole by capillary liquid chromatography/tandem mass spectrometry 1091(2005)102

Human immunodeficiency virus

Determination of antiretroviral agents in human serum by capillary electrophoresis 1091(2005)169

Hydride generation-atomic fluorescence spectrometry

Simultaneous speciation analysis of Sb(III), Sb(V) and $(\text{CH}_3)_3\text{SbCl}_2$ by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry detection (HPLC-HG-AFS): Application to antimony speciation in sea water 1091(2005)94

Hyoscyamine

Simultaneous analysis of hyoscyamine, scopolamine, 6 β -hydroxyhyoscyamine and apatropine in Solanaceous hairy roots by reversed-phase high-performance liquid chromatography 1091(2005)32

***Ilex paraguariensis* St. Hil**

Stir bar sorptive extraction and high-performance liquid chromatography-fluorescence detection for the determination of polycyclic aromatic hydrocarbons in Mate teas 1091(2005)2

Indigoticoside A

Isolation and purification of clemastanin B and indigoticoside A from *Radix Isatidis* by high-speed counter-current chromatography 1091(2005)89

Interaction parameters

Use of inverse gas chromatography to account for the pervaporation performance in the microemulsion breakdown 1091(2005)145

Inverse gas chromatography

Use of inverse gas chromatography to account for the pervaporation performance in the microemulsion breakdown 1091(2005)145

Japan wax

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

kalata B1

Peptide quantification by matrix-assisted laser desorption ionisation time-of-flight mass spectrometry: Investigations of the cyclotide kalata B1 in biological fluids 1091(2005)187

LC/MS

Peptide quantification by matrix-assisted laser desorption ionisation time-of-flight mass spectrometry: Investigations of the cyclotide kalata B1 in biological fluids 1091(2005)187

LC

Determination of lipophilicity by reversed-phase high-performance liquid chromatography. Influence of 1-octanol in the mobile phase 1091(2005)51

LC-MS/MS

Specific determination of 20 primary aromatic amines in aqueous food simulants by liquid chromatography-electrospray ionization-tandem mass spectrometry 1091(2005)40

Lignan

Isolation and purification of clemastanin B and indigoticoside A from *Radix Isatidis* by high-speed counter-current chromatography 1091(2005)89

Lipophilicity

Determination of lipophilicity by reversed-phase high-performance liquid chromatography. Influence of 1-octanol in the mobile phase 1091(2005)51

Liquid chromatography

Comparative study of the enantioselective separation of several antiulcer drugs by high-performance liquid chromatography and supercritical fluid chromatography 1091(2005)118

log k_w

Determination of lipophilicity by reversed-phase high-performance liquid chromatography. Influence of 1-octanol in the mobile phase 1091(2005)51

log P_{oct}

Determination of lipophilicity by reversed-phase high-performance liquid chromatography. Influence of 1-octanol in the mobile phase 1091(2005)51

MALDI-TOF mass spectrometry

Peptide quantification by matrix-assisted laser desorption ionisation time-of-flight mass spectrometry: Investigations of the cyclotide kalata B1 in biological fluids 1091(2005)187

Mate tea

Stir bar sorptive extraction and high-performance liquid chromatography-fluorescence detection for the determination of polycyclic aromatic hydrocarbons in Mate teas 1091(2005)2

Micellar electrokinetic chromatography

Determination of antiretroviral agents in human serum by capillary electrophoresis 1091(2005)169

Microchip

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of seleno amino acids 1091(2005)177

Microemulsion

Use of inverse gas chromatography to account for the pervaporation performance in the microemulsion breakdown 1091(2005)145

Microfluidic chip

Microfluidic chip with electrochemiluminescence detection using 2-(2-aminoethyl)-1-methylpyrrolidine labeling 1091(2005)158

Migration

Specific determination of 20 primary aromatic amines in aqueous food simulants by liquid chromatography-electrospray ionization-tandem mass spectrometry 1091(2005)40

Mobile phase

Determination of lipophilicity by reversed-phase high-performance liquid chromatography. Influence of 1-octanol in the mobile phase 1091(2005)51

Mono-6^A-N-pentylammonium-6^A-deoxy-β-cyclodextrin chloride

Enantioseparation of acidic enantiomers in capillary electrophoresis using a novel single-isomer of positively charged β-cyclodextrin: Mono-6^A-N-pentylammonium-6^A-deoxy-β-cyclodextrin chloride 1091(2005)152

NBD-F

Enantiomeric separation of amino acids derivatized with 7-fluoro-4-nitrobenzoxadiazole by capillary liquid chromatography/tandem mass spectrometry 1091(2005)102

1-Octanol

Determination of lipophilicity by reversed-phase high-performance liquid chromatography. Influence of 1-octanol in the mobile phase 1091(2005)51

Ozokerite

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Paraffin

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

PDMS membrane

Use of inverse gas chromatography to account for the pervaporation performance in the microemulsion breakdown 1091(2005)145

Pervaporation

Use of inverse gas chromatography to account for the pervaporation performance in the microemulsion breakdown 1091(2005)145

1-Phenylpropanol

Chromatographic separation of phenylpropanol enantiomers on a quinidine carbamate-type chiral stationary phase 1091(2005)11

Phenolics

Determination of phenolics in cosmetic creams and similar emulsions 1091(2005)83

2-Phenylpropanol

Chromatographic separation of phenylpropanol enantiomers on a quinidine carbamate-type chiral stationary phase 1091(2005)11

Pine resin

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Poly(ethylene glycol)

A thermodynamic study of retention of poly(ethylene glycol)s in liquid adsorption chromatography on reversed phases 1091(2005)110

Polycyclic aromatic hydrocarbons

Stir bar sorptive extraction and high-performance liquid chromatography–fluorescence detection for the determination of polycyclic aromatic hydrocarbons in Mate teas 1091(2005)2

Polyurethane

Specific determination of 20 primary aromatic amines in aqueous food simulants by liquid chromatography–electrospray ionization–tandem mass spectrometry 1091(2005)40

Positively charged β-CD

Enantioseparation of acidic enantiomers in capillary electrophoresis using a novel single-isomer of positively charged β-cyclodextrin: Mono-6^A-N-pentylammonium-6^A-deoxy-β-cyclodextrin chloride 1091(2005)152

Preparative chromatography

Isolation and purification of clemastanin B and indigoticoside A from *Radix Isatidis* by high-speed counter-current chromatography 1091(2005)89

Primary aromatic amines

Specific determination of 20 primary aromatic amines in aqueous food simulants by liquid chromatography–electrospray ionization–tandem mass spectrometry 1091(2005)40

Quantification

Peptide quantification by matrix-assisted laser desorption ionisation time-of-flight mass spectrometry: Investigations of the cyclotide kalata B1 in biological fluids 1091(2005)187

Quinidine carbamate

Chromatographic separation of phenylpropanol enantiomers on a quinidine carbamate-type chiral stationary phase 1091(2005)11

Chromatographic behavior of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)ethanol on a quinidine-carbamate chiral stationary phase 1091(2005)183

Radix Isatidis

Isolation and purification of clemastanin B and indigoticoside A from *Radix Isatidis* by high-speed counter-current chromatography 1091(2005)89

Retention prediction

Retention prediction in ternary solvent reversed-phase liquid chromatography systems based on the variation of retention with binary mobile phase composition 1091(2005)21

Reversed phase liquid chromatography

Retention prediction in ternary solvent reversed-phase liquid chromatography systems based on the variation of retention with binary mobile phase composition 1091(2005)21

Sample–solvent

Analysis of sample–solvent induced modifier–solute peak interactions in bi chromatography using equilibrium theory and detailed simulations 1091(2005)60

Scopolamine

Simultaneous analysis of hyoscyamine, scopolamine, 6β-hydroxy-hyoscyamine and apatropine in Solanaceous hairy roots by reversed-phase high-performance liquid chromatography 1091(2005)32

Sea water

Simultaneous speciation analysis of Sb(III), Sb(V) and (CH₃)₃SbCl₂ by high performance liquid chromatography–hydride generation–atomic fluorescence spectrometry detection (HPLC–HG–AFS): Application to antimony speciation in sea water 1091(2005)94

Selenoamino acids

Microchip capillary electrophoresis with amperometric detection for rapid separation and detection of seleno amino acids 1091(2005)177

Separation mechanism

A thermodynamic study of retention of poly(ethylene glycol)s in liquid adsorption chromatography on reversed phases 1091(2005)110

Single-isomer

Enantioseparation of acidic enantiomers in capillary electrophoresis using a novel single-isomer of positively charged β-cyclodextrin: Mono-6^A-N-pentylammonium-6^A-deoxy-β-cyclodextrin chloride 1091(2005)152

Speciation

Simultaneous speciation analysis of Sb(III), Sb(V) and $(\text{CH}_3)_3\text{SbCl}_2$ by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry detection (HPLC-HG-AFS): Application to antimony speciation in sea water 1091(2005)94

Spermaceti wax

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Stability

Simultaneous speciation analysis of Sb(III), Sb(V) and $(\text{CH}_3)_3\text{SbCl}_2$ by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry detection (HPLC-HG-AFS): Application to antimony speciation in sea water 1091(2005)94

Stationary phase

Determination of lipophilicity by reversed-phase high-performance liquid chromatography. Influence of 1-octanol in the mobile phase 1091(2005)51

Stearin

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124

Stir bar sorptive extraction

Stir bar sorptive extraction and high-performance liquid chromatography-fluorescence detection for the determination of polycyclic aromatic hydrocarbons in Mate teas 1091(2005)2

Supercritical fluid chromatography

Comparative study of the enantioselective separation of several antiulcer drugs by high-performance liquid chromatography and supercritical fluid chromatography 1091(2005)118

Tandem mass spectrometry (MS/MS)

Screening for anthocyanins using high-performance liquid chromatography coupled to electrospray ionization tandem mass spectrometry with

precursor-ion analysis, product-ion analysis, common-neutral-loss analysis, and selected reaction monitoring 1091(2005)72

Taylor dispersion

The influence of nonuniform coating and Taylor dispersion on the evaluation of capillary column inverse gas chromatography 1091(2005)137

Teicoplanin chiral stationary phase

Enantiomeric separation of amino acids derivatized with 7-fluoro-4-nitrobenzoxadiazole by capillary liquid chromatography/tandem mass spectrometry 1091(2005)102

Temperature effect

A thermodynamic study of retention of poly(ethylene glycol)s in liquid adsorption chromatography on reversed phases 1091(2005)110

Ternary mobile phases

Retention prediction in ternary solvent reversed-phase liquid chromatography systems based on the variation of retention with binary mobile phase composition 1091(2005)21

Tertiary amine label

Microfluidic chip with electrochemiluminescence detection using 2-(2-aminoethyl)-1-methylpyrrolidine labeling 1091(2005)158

2,2,2-Trifluoro-1-(9-anthryl)ethanol

Chromatographic behavior of the enantiomers of 2,2,2-trifluoro-1-(9-anthryl)ethanol on a quinidine-carbamate chiral stationary phase 1091(2005)183

Urine sample

Indirect chemiluminescence detection for capillary zone electrophoresis of monoamines and catechol using luminol- $\text{K}_3[\text{Fe}(\text{CN})_6]$ system 1091(2005)194

Wax sculptures

Characterisation of wax works of art by gas chromatographic procedures 1091(2005)124