

### Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1092 (2005) 265-270

www.elsevier.com/locate/chroma

# Subject index of volume 1092

### Adsorption equilibria

Adsorbed solution model for prediction of normal-phase chromatography process with varying composition of the mobile phase 1092(2005)65

### Adsorption isotherm

Enantioseparation of 1-phenyl-1-propanol by supercritical fluid-simulated moving bed chromatography 1092(2005)55

### Adsorptive membranes

Binding Aedes aegypti densonucleosis virus to ion exchange membranes 1092(2005)114

### Aedes aegypti densonucleosis virus

Binding Aedes aegypti densonucleosis virus to ion exchange membranes 1092(2005)114

### **Affinity separation**

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

#### Amino acid

Kinetic studies for sorption of amino acids using a strong anion-exchange resin. Effect of ionic strength 1092(2005)101

### Antibiotics

Influence of polyfunctional interactions between organic zwitter-ion eremomycin and carboxylic cation exchangers on forming concentration front 1092(2005)135

## Aquatic ecosystem

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

## Band splitting

Analysis of applying different solvents for the mobile phase and for sample injection 1092(2005)142

### Batch solute exclusion method

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand 1092(2005)107

### Beauveria brongniartii

High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers 1092(2005)254

# Bilobalide

Preparative isolation of terpene trilactones from  ${\it Ginkgo~biloba}$  leaves 1092(2005)125

# Biochromatography

Generic method for systematic phase selection and method development of biochromatographic processes. Part I. Selection of a suitable cation-exchanger for the purification of a pharmaceutical protein 1092(2005)89

### **Biological pest control formulation**

High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers 1092(2005)254

#### **Brominated flame retardants**

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

# Calibration linearity

High-speed ion-exclusion chromatography of dissolved carbon dioxide on a small weakly acidic cation-exchange resin column with ion-exchange enhancement columns of conductivity detection 1092(2005)250

### Caolumn overloading

Analysis of applying different solvents for the mobile phase and for sample injection 1092(2005)142

### Carboxylic sorbents

Influence of polyfunctional interactions between organic zwitter-ion eremomycin and carboxylic cation exchangers on forming concentration front 1092(2005)135

# (+) Cate chin

Preparative isolation and purification of *trans*-3,5,4'-trihydroxystilbene-4'-O- $\beta$ -D-glucopyranoside and (+)catechin from *Rheum tanguticum* Maxim. ex Balf. using high-speed counter-current chromatography by stepwise elution and stepwise increasing the flow-rate of the mobile phase 1092(2005)241

### Cellulose gel

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand 1092(2005)107

### Cellulose

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

### Centrifugal partition chromatography (CPC)

Enantiomer separation by counter-current chromatography. Optimisation and drawbacks in the use of L-proline derivatives as chiral selectors 1092(2005)36

### Chiral discrimination

Less common applications of simulated moving bed chromatography in the pharmaceutical industry 1092(2005)24

### Chiral separation

Less common applications of simulated moving bed chromatography in the pharmaceutical industry 1092(2005)24

### Chirobiotic T

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

#### Chromatogram

Comparison of chromatographic band profiles obtained under microwave irradiated and non-irradiated reversed-phase liquid chromatography column 1092(2005)222

### Comprehensive two-dimensional separation

Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights 1092(2005)191

#### ConA

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

### **Concentration profiles**

Influence of polyfunctional interactions between organic zwitter-ion eremomycin and carboxylic cation exchangers on forming concentration front 1092(2005)135

### Conductivity

High-speed ion-exclusion chromatography of dissolved carbon dioxide on a small weakly acidic cation-exchange resin column with ion-exchange enhancement columns of conductivity detection 1092(2005)250

### Counter-current chromatography (CCC)

Enantiomer separation by counter-current chromatography. Optimisation and drawbacks in the use of L-proline derivatives as chiral selectors 1092(2005)36

#### Counter-current chromatography

Preparative isolation and separation of a novel and two known flavonoids from *Patrinia villosa* Juss by high-speed counter-current chromatography 1092(2005)235

Isolation and purification of flavonoid glycosides from *Trollius ledebouri* using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 1092(2005)216

# Crystallisation

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

Analysis of applying different solvents for the mobile phase and for sample injection 1092(2005)142

### Data treatment

Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights 1092(2005)191

### Dextran

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand 1092(2005)107

### Dielectric polarization

Comparison of chromatographic band profiles obtained under microwave irradiated and non-irradiated reversed-phase liquid chromatography column 1092(2005)222

# Dienestrol

Separation of structurally related estrogens using isocratic elution pressurized capillary electrochromatography 1092(2005)258

### Diethylstilbestrol

Separation of structurally related estrogens using isocratic elution pressurized capillary electrochromatography 1092(2005)258

### Diffusivity

Comparison of chromatographic band profiles obtained under microwave irradiated and non-irradiated reversed-phase liquid chromatography column 1092(2005)222

#### Dissolved carbon dioxide

High-speed ion-exclusion chromatography of dissolved carbon dioxide on a small weakly acidic cation-exchange resin column with ion-exchange enhancement columns of conductivity detection 1092(2005)250

#### DNR-leucine

Enantiomer separation by counter-current chromatography. Optimisation and drawbacks in the use of L-proline derivatives as chiral selectors 1092(2005)36

### **Efficiency**

Effect of pressure drop on solute retention and column efficiency in supercritical fluid chromatography 1092(2005)149

### **Enantiomer separation**

Less common applications of simulated moving bed chromatography in the pharmaceutical industry 1092(2005)24

Enantiomer separation by counter-current chromatography. Optimisation and drawbacks in the use of L-proline derivatives as chiral selectors 1092(2005)36

### Enantioseparation

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

Enantioseparation of 1-phenyl-1-propanol by supercritical fluid-simulated moving bed chromatography 1092(2005)55

### **Equilibrium partitioning**

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand 1092(2005)107

### Eremomycin

Influence of polyfunctional interactions between organic zwitter-ion eremomycin and carboxylic cation exchangers on forming concentration front 1092(2005)135

# Estrogens

Separation of structurally related estrogens using isocratic elution pressurized capillary electrochromatography 1092(2005)258

### Evaporative light scattering detection (ELSD)

Separation of monosaccharides by hydrophilic interaction chromatography with evaporative light scattering detection 1092(2005)246

### Flavonoid glycoside

Isolation and purification of flavonoid glycosides from *Trollius ledebouri* using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 1092(2005)216

### Flavonoid

Preparative isolation and separation of a novel and two known flavonoids from *Patrinia villosa* Juss by high-speed counter-current chromatography 1092(2005)235

## Fraction analysis

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### Gel structure

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand 1092(2005)107

#### Ginkgo biloba leaves

Preparative isolation of terpene trilactones from Ginkgo biloba leaves 1092(2005)125

### Ginkgolides

Preparative isolation of terpene trilactones from Ginkgo biloba leaves 1092(2005)125

### Glycoprotein purification

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

### **Graft polymerization**

Anion-exchange supermacroporous monolithic matrices with grafted polymer brushes of *N*,*N*-dimethylaminoethyl-methacrylate 1092(2005)199

### Hexabromocyclododecane

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

#### Hexestrol

Separation of structurally related estrogens using isocratic elution pressurized capillary electrochromatography 1092(2005)258

# High throughput purification and analysis

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### High throughput purification

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

# $\label{thm:constraint} \begin{tabular}{ll} High-pressure & liquid & chromatography & tandem & mass & spectrometry \\ (HPLC-MS-MS) & \end{tabular}$

A multiresidue analytical method using solid-phase extraction and high-pressure liquid chromatography tandem mass spectrometry to measure pharmaceuticals of different therapeutic classes in urban wastewaters 1092(2005)206

# High-speed counter-current chromatography

Preparative isolation and purification of *trans*-3,5,4'-trihydroxystilbene-4'-O- $\beta$ -D-glucopyranoside and (+)catechin from *Rheum tanguticum* Maxim. ex Balf. using high-speed counter-current chromatography by stepwise elution and stepwise increasing the flow-rate of the mobile phase 1092(2005)241

### **HPLC/MS** purification

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### **HPLC-DAD**

High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers 1092(2005)254

### Human milk oligosaccharides

Separation of lactose from human milk oligosaccharides with simulated moving bed chromatography 1092(2005)17

### Hybrid processes

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

### Hydrophilic interaction liquid chromatography (HILIC)

Separation of monosaccharides by hydrophilic interaction chromatography with evaporative light scattering detection 1092(2005)246

### Ion exchange membrane

Binding Aedes aegypti densonucleosis virus to ion exchange membranes 1092(2005)114

#### Ion exchange

Kinetic studies for sorption of amino acids using a strong anion-exchange resin. Effect of ionic strength 1092(2005)101

### Ion-exchange chromatography

Generic method for systematic phase selection and method development of biochromatographic processes. Part I. Selection of a suitable cation-exchanger for the purification of a pharmaceutical protein 1092(2005)89

### Ion-exchange gel

Separation of lactose from human milk oligosaccharides with simulated moving bed chromatography 1092(2005)17

### Ion-exchange

High-speed ion-exclusion chromatography of dissolved carbon dioxide on a small weakly acidic cation-exchange resin column with ion-exchange enhancement columns of conductivity detection 1092(2005)250

### Ion-exclusion chromatography

High-speed ion-exclusion chromatography of dissolved carbon dioxide on a small weakly acidic cation-exchange resin column with ion-exchange enhancement columns of conductivity detection 1092(2005)250

### Ionic strength

Kinetic studies for sorption of amino acids using a strong anion-exchange resin. Effect of ionic strength 1092(2005)101

### **Kinetics**

Kinetic studies for sorption of amino acids using a strong anion-exchange resin. Effect of ionic strength 1092(2005)101

### L-Proline derivatives

Enantiomer separation by counter-current chromatography. Optimisation and drawbacks in the use of L-proline derivatives as chiral selectors 1092(2005)36

### Lactose separation

Separation of lactose from human milk oligosaccharides with simulated moving bed chromatography 1092(2005)17

## LC/MS purification

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### Lectin

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

### Liquid chromatography

Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights 1092(2005)191

# Liquid-liquid extraction

Preparative isolation of terpene trilactones from Ginkgo biloba leaves 1092(2005)125

### Liquid-liquid-liquid microextraction

Orthogonal array designs for the optimization of liquid–liquid–liquid microextraction of nonsteroidal anti-inflammatory drugs combined with highperformance liquid chromatography-ultraviolet detection 1092(2005)182

### Liquid-phase microextraction

Orthogonal array designs for the optimization of liquid–liquid–liquid microextraction of nonsteroidal anti-inflammatory drugs combined with highperformance liquid chromatography-ultraviolet detection 1092(2005)182

#### Low-abundant components

Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights 1092(2005)191

### Macroporous resin

Isolation and purification of flavonoid glycosides from *Trollius ledebouri* using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 1092(2005)216

### Mandelic acid

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

#### Mass balance

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

### Mass-directed fraction collection

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### Membrane chromatography

Binding Aedes aegypti densonucleosis virus to ion exchange membranes 1092(2005)114

### Microwave irradiation

Comparison of chromatographic band profiles obtained under microwave irradiated and non-irradiated reversed-phase liquid chromatography column 1092(2005)222

### Mobile phase composition

Adsorbed solution model for prediction of normal-phase chromatography process with varying composition of the mobile phase 1092(2005)65

# Modeling

Effect of pressure drop on solute retention and column efficiency in supercritical fluid chromatography 1092(2005)149

### Molecularly imprinted polymers

Selective solid-phase extraction using molecularly imprinted polymer for the analysis of polar organophosphorus pesticides in water and soil samples 1092(2005)161

### Monocrotophos

Selective solid-phase extraction using molecularly imprinted polymer for the analysis of polar organophosphorus pesticides in water and soil samples 1092(2005)161

### Monosaccharides

Separation of monosaccharides by hydrophilic interaction chromatography with evaporative light scattering detection 1092(2005)246

### Musk compounds

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

### N,N-dimethylaminoethylmethacrylate

Anion-exchange supermacroporous monolithic matrices with grafted polymer brushes of *N,N*-dimethylaminoethyl-methacrylate 1092(2005)199

### Non-linear chromatography

Adsorbed solution model for prediction of normal-phase chromatography process with varying composition of the mobile phase 1092(2005)65

### Nonsteroidal anti-inflammatory drugs

Orthogonal array designs for the optimization of liquid–liquid–liquid microextraction of nonsteroidal anti-inflammatory drugs combined with highperformance liquid chromatography-ultraviolet detection 1092(2005)182

#### Octachlorostyrene

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

### Ogston model

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand 1092(2005)107

## Online optimization

Optimizing control of simulated moving beds—experimental implementation 1092(2005)2

### Oosporein

High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers 1092(2005)254

### Optimization

Orthogonal array designs for the optimization of liquid–liquid microextraction of nonsteroidal anti-inflammatory drugs combined with highperformance liquid chromatography-ultraviolet detection 1092(2005)182

### **Optimizing control**

Optimizing control of simulated moving beds—experimental implementation 1092(2005)2

### Organochlorine pesticides

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

### Organophophorus pesticides

Selective solid-phase extraction using molecularly imprinted polymer for the analysis of polar organophosphorus pesticides in water and soil samples 1092(2005)161

### Orthogonal array design

Orthogonal array designs for the optimization of liquid—liquid—liquid microextraction of nonsteroidal anti-inflammatory drugs combined with high-performance liquid chromatography-ultraviolet detection 1092(2005)182

# Partition coefficient

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand  $\ 1092(2005)107$ 

### Patrinia villosa Juss

Preparative isolation and separation of a novel and two known flavonoids from *Patrinia villosa* Juss by high-speed counter-current chromatography 1092(2005)235

### Pharmaceutical protein

Generic method for systematic phase selection and method development of biochromatographic processes. Part I. Selection of a suitable cation-exchanger for the purification of a pharmaceutical protein 1092(2005)89

### Pharmaceuticals

A multiresidue analytical method using solid-phase extraction and high-pressure liquid chromatography tandem mass spectrometry to measure pharmaceuticals of different therapeutic classes in urban wastewaters 1092(2005)206

### Phase screening

Generic method for systematic phase selection and method development of biochromatographic processes. Part I. Selection of a suitable cation-exchanger for the purification of a pharmaceutical protein 1092(2005)89

### Phase selection

Generic method for systematic phase selection and method development of biochromatographic processes. Part I. Selection of a suitable cation-exchanger for the purification of a pharmaceutical protein 1092(2005)89

### 1-Phenyl-1-propanol

Enantioseparation of 1-phenyl-1-propanol by supercritical fluid-simulated moving bed chromatography 1092(2005)55

### Polybrominated diphenyl ethers

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

### Polychlorinated biphenyls

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

## Polyfunctional binding

Influence of polyfunctional interactions between organic zwitter-ion eremomycin and carboxylic cation exchangers on forming concentration front 1092(2005)135

#### Potato tubers

High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers 1092(2005)254

### Prenylated flavonoid

Preparative isolation and separation of a novel and two known flavonoids from *Patrinia villosa* Juss by high-speed counter-current chromatography 1092(2005)235

#### Prep LC/MS

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### Preparative chromatography

Generic method for systematic phase selection and method development of biochromatographic processes. Part I. Selection of a suitable cation-exchanger for the purification of a pharmaceutical protein 1092(2005)89

Influence of polyfunctional interactions between organic zwitter-ion eremomycin and carboxylic cation exchangers on forming concentration front 1092(2005)135

Analysis of applying different solvents for the mobile phase and for sample injection 1092(2005)142

Preparative isolation and separation of a novel and two known flavonoids from *Patrinia villosa* Juss by high-speed counter-current chromatography 1092(2005)235

Isolation and purification of flavonoid glycosides from *Trollius ledebouri* using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 1092(2005)216

### **Preparative HPLC**

Less common applications of simulated moving bed chromatography in the pharmaceutical industry 1092(2005)24

### Preparative isolation

Preparative isolation of terpene trilactones from  $Ginkgo\ biloba\$ leaves 1092(2005)125

### Pressure drop

Effect of pressure drop on solute retention and column efficiency in supercritical fluid chromatography 1092(2005)149

### Pressurized capillary electrochromatography

Separation of structurally related estrogens using isocratic elution pressurized capillary electrochromatography 1092(2005)258

#### **Protein binding**

Anion-exchange supermacroporous monolithic matrices with grafted polymer brushes of *N*,*N*-dimethylaminoethyl-methacrylate 1092(2005)199

#### Protein ligand

Quantitative characterization of pore structure of cellulose gels with or without bound protein ligand 1092(2005)107

### Purity

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### Repetitive model predictive control

Optimizing control of simulated moving beds—experimental implementation 1092(2005)2

### Representative flow stream sampling

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### Representative sampling

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

#### Rheum tanguticum

Preparative isolation and purification of *trans*-3,5,4'-trihydroxystilbene-4'-*O*-β-D-glucopyranoside and (+)catechin from *Rheum tanguticum* Maxim. ex Balf. using high-speed counter-current chromatography by stepwise elution and stepwise increasing the flow-rate of the mobile phase 1092(2005)241

#### Risk assessment

High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers 1092(2005)254

### **RPLC**

Comparison of chromatographic band profiles obtained under microwave irradiated and non-irradiated reversed-phase liquid chromatography column 1092(2005)222

### Sampling

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

### Segregation factor

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

# Selective adsorbents

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

### Semipermeable membrane devices

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

### Sewage treatment plant (STP)

A multiresidue analytical method using solid-phase extraction and highpressure liquid chromatography tandem mass spectrometry to measure pharmaceuticals of different therapeutic classes in urban wastewaters 1092(2005)206

### Shortcut method

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

### Silica monolithic column

Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights 1092(2005)191

### Silica

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

### Simulated moving bed chromatography

Optimizing control of simulated moving beds—experimental implementation 1092(2005)2

Separation of lactose from human milk oligosaccharides with simulated moving bed chromatography 1092(2005)17

Less common applications of simulated moving bed chromatography in the pharmaceutical industry 1092(2005)24

### Simulation

Effect of pressure drop on solute retention and column efficiency in supercritical fluid chromatography 1092(2005)149

### Single pass purification and analysis

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

#### Size-exclusion gel

Separation of lactose from human milk oligosaccharides with simulated moving bed chromatography 1092(2005)17

### SMB chromatography

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

### Solanum tuberosum

High-performance liquid chromatography-diode array detection assay for the detection and quantification of the *Beauveria* metabolite oosporein from potato tubers 1092(2005)254

### Solid-phase extraction

Selective solid-phase extraction using molecularly imprinted polymer for the analysis of polar organophosphorus pesticides in water and soil samples 1092(2005)161

### Solubility limits

Analysis of applying different solvents for the mobile phase and for sample injection 1092(2005)142

### SPACPASS

A novel method for immediate post-purification purity determination of fractions collected during high-throughput purification 1092(2005)228

### SPMDs

Fast isolation of hydrophobic organic environmental contaminants from exposed semipermeable membrane devices (SPMDs) prior to GC analysis 1092(2005)170

### Supercritical fluid chromatography

Effect of pressure drop on solute retention and column efficiency in supercritical fluid chromatography 1092(2005)149

# Supercritical fluid-simulated moving bed chromatography

Enantioseparation of 1-phenyl-1-propanol by supercritical fluid-simulated moving bed chromatography 1092(2005)55

### Supermacroporous polyacrylamide

Anion-exchange supermacroporous monolithic matrices with grafted polymer brushes of *N,N*-dimethylaminoethyl-methacrylate 1092(2005)199

#### Supports

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

### Surface heterogeneity

Adsorbed solution model for prediction of normal-phase chromatography process with varying composition of the mobile phase 1092(2005)65

#### Surface modification

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092(2005)76

## Terpene trilactones

Preparative isolation of terpene trilactones from Ginkgo biloba leaves 1092(2005)125

### **TMB**

Shortcut method for evaluation and design of a hybrid process for enantioseparations 1092(2005)43

### **Traditional Chinese medicines**

Improved performance of comprehensive two-dimensional HPLC separation of traditional Chinese medicines by using a silica monolithic column and normalization of peak heights 1092(2005)191

### Trans-3,5,4'-trihydroxystilbene-4'-O-β-D-glucopyranoside

Preparative isolation and purification of *trans*-3,5,4'-trihydroxystilbene-4'-O- $\beta$ -D-glucopyranoside and (+)catechin from *Rheum tanguticum* Maxim. ex Balf. using high-speed counter-current chromatography by stepwise elution and stepwise increasing the flow-rate of the mobile phase 1092(2005)241

### Triangle theory

Enantioseparation of 1-phenyl-1-propanol by supercritical fluid-simulated moving bed chromatography 1092(2005)55

### Trollius ledebouri Reichb.

Isolation and purification of flavonoid glycosides from *Trollius ledebouri* using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 1092(2005)216

### Urban wastewaters

A multiresidue analytical method using solid-phase extraction and high-pressure liquid chromatography tandem mass spectrometry to measure pharmaceuticals of different therapeutic classes in urban wastewaters 1092(2005)206

### Water analysis

Orthogonal array designs for the optimization of liquid—liquid—liquid microextraction of nonsteroidal anti-inflammatory drugs combined with high-performance liquid chromatography-ultraviolet detection 1092(2005)182

High-speed ion-exclusion chromatography of dissolved carbon dioxide on a small weakly acidic cation-exchange resin column with ion-exchange enhancement columns of conductivity detection 1092(2005)250

### Water and soil samples

Selective solid-phase extraction using molecularly imprinted polymer for the analysis of polar organophosphorus pesticides in water and soil samples 1092(2005)161

### WGA

Comparison of modified supports on the base of glycoprotein interaction studies and of adsorption investigations 1092 (2005) 76