

Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1093 (2005) 219-223

www.elsevier.com/locate/chroma

Subject index of volume 1093

Acid hydrolysis

Application of high-performance anion-exchange chromatography with pulsed amperometric detection and statistical analysis to study oligosaccharide distributions – a complementary method to investigate the structure and some properties of alginates 1093(2005)59

Acid-base

Determination of acidic and basic species by headspace gas chromatography 1093(2005)212

Aconite roots

Simultaneous determination of six *Aconitum* alkaloids in proprietary Chinese medicines by high-performance liquid chromatography 1093(2005)195

Aconitum alkaloids

Simultaneous determination of six *Aconitum* alkaloids in proprietary Chinese medicines by high-performance liquid chromatography 1093(2005)195

Allium plant

Simultaneous speciation of selenium and sulfur species in selenized odorless garlic (*Allium sativum* L. Shiro) and shallot (*Allium ascalonicum*) by HPLC-inductively coupled plasma-(octopole reaction system)-mass spectrometry and electrospray ionization-tandem mass spectrometry 1093(2005)118

Aminomethylphosphonic acid

Determination of glyphosate and its metabolite aminomethylphosphonic acid in fruit juices using supported-liquid membrane preconcentration method with high-performance liquid chromatography and UV detection after derivatization with *p*-toluenesulphonyl chloride 1093(2005)111

AMPA

Matrix solid-phase dispersion extraction and determination by high-performance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

Amvlase

Sedimentation field flow fractionation monitoring of rice starch amylolysis 1093(2005)147

Analysis

Single-drop liquid-phase microextraction for the determination of hypericin, pseudohypericin and hyperforin in biological fluids by high performance liquid chromatography 1093(2005)1

Anion exchange cleanup

Matrix solid-phase dispersion extraction and determination by high-performance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

Antibody

Comparison of protein A affinity sorbents. II. Mass transfer properties 1093(2005)98

APC

Solid-phase extraction gas chromatography-ion trap-mass spectrometry qualitative method for evaluation of phenolic compounds in virgin olive oil and structural confirmation of oleuropein and ligstroside aglycons and their oxidation products 1093(2005)167

Artificial neural networks

Optimization of gradient elution conditions in multicomponent preparative liquid chromatography 1093(2005)47

Artwork

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography—mass spectrometry and pyrolysis-gas chromatography—mass spectrometry 1093(2005)177

ATRC

Determination of diethylhexyladipate and acetyltributylcitrate in aqueous extracts after cloud point extraction coupled with microwave assisted back extraction and gas chromatographic separation 1093(2005)29

Atomic fluorescence spectrometry

Determination of mercury species in fish reference materials by gas chromatography-atomic fluorescence detection after closed-vessel microwave-assisted extraction 1093(2005)21

Bicarbonate

Determination of acidic and basic species by headspace gas chromatography 1093(2005)212

Biological fluids

Single-drop liquid-phase microextraction for the determination of hypericin, pseudohypericin and hyperforin in biological fluids by high performance liquid chromatography 1093(2005)1

Biological samples

Determination of mercury species in fish reference materials by gas chromatography-atomic fluorescence detection after closed-vessel microwave-assisted extraction 1093(2005)21

Bursera cuneata

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography-mass spectrometry and pyrolysis-gas chromatography-mass spectrometry 1093(2005)177

Burseraceae resin

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography–mass spectrometry and pyrolysis-gas chromatography–mass spectrometry 1093(2005)177

Canarium luzonicum

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography–mass spectrometry and pyrolysis-gas chromatography–mass spectrometry 1093(2005)177

Capillary electrophoresis

Isolation from *Gluconacetobacter diazotrophicus* cell walls of specific receptors for sugarcane glycoproteins, which act as recognition factors 1093(2005)204

Carbohydrate

Application of high-performance anion-exchange chromatography with pulsed amperometric detection and statistical analysis to study oligosaccharide distributions – a complementary method to investigate the structure and some properties of alginates 1093(2005)59

Carbon dioxide

Determination of acidic and basic species by headspace gas chromatography 1093(2005)212

Cattle

Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle 1093(2005)69

Chain-length distribution

Application of high-performance anion-exchange chromatography with pulsed amperometric detection and statistical analysis to study oligosaccharide distributions – a complementary method to investigate the structure and some properties of alginates 1093(2005)59

Chiral recognition

Peptide enantiomer separations: Influence of sequential isomerism and the introduction of achiral glycine moieties on chiral recognition 1093(2005)81

Chromatography models

Rational methods for predicting human monoclonal antibodies retention in protein A affinity chromatography and cation exchange chromatography. Structure-based chromatography design for monoclonal antibodies 1093(2005)126

Closed-vessel microwave-assisted extraction

Determination of mercury species in fish reference materials by gas chromatography-atomic fluorescence detection after closed-vessel microwave-assisted extraction 1093(2005)21

Cloud point extraction

Determination of diethylhexyladipate and acetyltributylcitrate in aqueous extracts after cloud point extraction coupled with microwave assisted back extraction and gas chromatographic separation 1093(2005)29

Degree of polymerisation

Application of high-performance anion-exchange chromatography with pulsed amperometric detection and statistical analysis to study oligosaccharide distributions – a complementary method to investigate the structure and some properties of alginates 1093(2005)59

DEHA

Determination of diethylhexyladipate and acetyltributylcitrate in aqueous extracts after cloud point extraction coupled with microwave assisted back extraction and gas chromatographic separation 1093(2005)29

DHEA

Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle 1093(2005)69

Enantiomers

Peptide enantiomer separations: Influence of sequential isomerism and the introduction of achiral glycine moieties on chiral recognition 1093(2005)81

Equilibrium stage model

Optimization of gradient elution conditions in multicomponent preparative liquid chromatography 1093(2005)47

Estradiol

Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle 1093(2005)69

Film diffusion

Comparison of protein A affinity sorbents. II. Mass transfer properties 1093(2005)98

FIFFE

Natural sample fractionation by FIFFF-MALLS-TEM: Sample stabilization, preparation, pre-concentration and fractionation 1093(2005)156

Fluorotelomer alcohols

Analysis of fluorotelomer alcohols, fluorotelomer acids, and short- and long-chain perfluorinated acids in water and biota 1093(2005)89

FMOC derivatization

Matrix solid-phase dispersion extraction and determination by highperformance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

Fruit juice

Determination of glyphosate and its metabolite aminomethylphosphonic acid in fruit juices using supported-liquid membrane preconcentration method with high-performance liquid chromatography and UV detection after derivatization with *p*-toluenesulphonyl chloride 1093(2005)111

Garlio

Simultaneous speciation of selenium and sulfur species in selenized odorless garlic (*Allium sativum* L. Shiro) and shallot (*Allium ascalonicum*) by HPLC–inductively coupled plasma-(octopole reaction system)-mass spectrometry and electrospray ionization-tandem mass spectrometry 1093(2005)118

Gas chromatography

Determination of mercury species in fish reference materials by gas chromatography-atomic fluorescence detection after closed-vessel microwave-assisted extraction 1093(2005)21

Determination of diethylhexyladipate and acetyltributylcitrate in aqueous extracts after cloud point extraction coupled with microwave assisted back extraction and gas chromatographic separation 1093(2005)29

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography–mass spectrometry and pyrolysis-gas chromatography–mass spectrometry 1093(2005)177

Determination of acidic and basic species by headspace gas chromatography 1093(2005)212

GC/C/IRMS

Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle 1093(2005)69

GC/MS

Validation of a gas chromatography/mass spectrometry method for the quantification of aerosolized Jet Propellant 8 1093(2005)11

Gluconacetobarter

Isolation from *Gluconacetobacter diazotrophicus* cell walls of specific receptors for sugarcane glycoproteins, which act as recognition factors 1093(2005)204

Glycine

Peptide enantiomer separations: Influence of sequential isomerism and the introduction of achiral glycine moieties on chiral recognition 1093(2005)81

Glycoproteins

Isolation from *Gluconacetobacter diazotrophicus* cell walls of specific receptors for sugarcane glycoproteins, which act as recognition factors 1093(2005)204

Glyphosate

Determination of glyphosate and its metabolite aminomethylphosphonic acid in fruit juices using supported-liquid membrane preconcentration method with high-performance liquid chromatography and UV detection after derivatization with *p*-toluenesulphonyl chloride 1093(2005)111

Matrix solid-phase dispersion extraction and determination by high-performance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

Gradient elution

Optimization of gradient elution conditions in multicomponent preparative liquid chromatography 1093(2005)47

Headspace

Determination of acidic and basic species by headspace gas chromatography 1093(2005)212

Herbicides

Matrix solid-phase dispersion extraction and determination by highperformance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

Hexamethyldisilazane

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography–mass spectrometry and pyrolysis-gas chromatography–mass spectrometry 1093(2005)177

High-performance liquid chromatography (HPLC)

Simultaneous determination of six *Aconitum* alkaloids in proprietary Chinese medicines by high-performance liquid chromatography 1093(2005)195

HPLC

Determination of glyphosate and its metabolite aminomethylphosphonic acid in fruit juices using supported-liquid membrane preconcentration method with high-performance liquid chromatography and UV detection after derivatization with *p*-toluenesulphonyl chloride 1093(2005)111

Matrix solid-phase dispersion extraction and determination by highperformance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

HPLC-MS/MS

Analysis of fluorotelomer alcohols, fluorotelomer acids, and short- and long-chain perfluorinated acids in water and biota 1093(2005)89

Human antibodies

Rational methods for predicting human monoclonal antibodies retention in protein A affinity chromatography and cation exchange chromatography. Structure-based chromatography design for monoclonal antibodies 1093(2005)126

Hydrocarbon analysis

Validation of a gas chromatography/mass spectrometry method for the quantification of aerosolized Jet Propellant 8 1093(2005)11

Hyperforin

Single-drop liquid-phase microextraction for the determination of hypericin, pseudohypericin and hyperforin in biological fluids by high performance liquid chromatography 1093(2005)1

Hypericin

Single-drop liquid-phase microextraction for the determination of hypericin, pseudohypericin and hyperforin in biological fluids by high performance liquid chromatography 1093(2005)1

ICP-MS

Simultaneous speciation of selenium and sulfur species in selenized odorless garlic (*Allium sativum* L. Shiro) and shallot (*Allium ascalonicum*) by HPLC-inductively coupled plasma-(octopole reaction system)-mass spectrometry and electrospray ionization-tandem mass spectrometry 1093(2005)118

Immunoglobulin

Comparison of protein A affinity sorbents. II. Mass transfer properties 1093(2005)98

Inhalation studies

Validation of a gas chromatography/mass spectrometry method for the quantification of aerosolized Jet Propellant 8 1093(2005)11

Ion exchange chromatography

Rational methods for predicting human monoclonal antibodies retention in protein A affinity chromatography and cation exchange chromatography. Structure-based chromatography design for monoclonal antibodies 1093(2005)126

Ion trap- gas chromatography

Solid-phase extraction gas chromatography-ion trap-mass spectrometry qualitative method for evaluation of phenolic compounds in virgin olive oil and structural confirmation of oleuropein and ligstroside aglycons and their oxidation products 1093(2005)167

Jet fuel

Validation of a gas chromatography/mass spectrometry method for the quantification of aerosolized Jet Propellant 8 1093(2005)11

JP-8

Validation of a gas chromatography/mass spectrometry method for the quantification of aerosolized Jet Propellant 8 1093(2005)11

Ligand-exchange

Screening for metal ligands by liquid chromatography-ligand-exchange-electrospray mass spectrometry 1093(2005)36

Liquid chromatography

Screening for metal ligands by liquid chromatography-ligand-exchange-electrospray mass spectrometry 1093(2005)36

Liquid chromatography-mass spectrometry

Peptide enantiomer separations: Influence of sequential isomerism and the introduction of achiral glycine moieties on chiral recognition 1093(2005)81

MALLS

Natural sample fractionation by FIFFF-MALLS-TEM: Sample stabilization, preparation, pre-concentration and fractionation 1093(2005)156

Manila elemi

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography–mass spectrometry and pyrolysis-gas chromatography–mass spectrometry 1093(2005)177

Mass spectrometry

Screening for metal ligands by liquid chromatography-ligand-exchange-electrospray mass spectrometry 1093(2005)36

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography-mass spectrometry and pyrolysis-gas chromatography-mass spectrometry 1093(2005)177

Matrix solid-phase dispersion

Matrix solid-phase dispersion extraction and determination by high-performance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

Mercury speciation

Determination of mercury species in fish reference materials by gas chromatography-atomic fluorescence detection after closed-vessel microwave-assisted extraction 1093(2005)21

Metal ligands

Screening for metal ligands by liquid chromatography-ligand-exchange-electrospray mass spectrometry 1093(2005)36

Methyl chloroformate

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography–mass spectrometry and pyrolysis-gas chromatography–mass spectrometry 1093(2005)177

Mexican copal

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography–mass spectrometry and pyrolysis-gas chromatography–mass spectrometry 1093(2005)177

Microwave back extraction

Determination of diethylhexyladipate and acetyltributylcitrate in aqueous extracts after cloud point extraction coupled with microwave assisted back extraction and gas chromatographic separation 1093(2005)29

Native starch

Sedimentation field flow fractionation monitoring of rice starch amylolysis 1093(2005)147

Natural hormone

Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle 1093(2005)69

Optimization of gradient shapes

Optimization of gradient elution conditions in multicomponent preparative liquid chromatography 1093(2005)47

Oxidized aglycons

Solid-phase extraction gas chromatography-ion trap-mass spectrometry qualitative method for evaluation of phenolic compounds in virgin olive oil and structural confirmation of oleuropein and ligstroside aglycons and their oxidation products 1093(2005)167

Oxidized phenols

Solid-phase extraction gas chromatography-ion trap-mass spectrometry qualitative method for evaluation of phenolic compounds in virgin olive oil and structural confirmation of oleuropein and ligstroside aglycons and their oxidation products 1093(2005)167

Peptides

Peptide enantiomer separations: Influence of sequential isomerism and the introduction of achiral glycine moieties on chiral recognition 1093(2005)81

Perfluorinated chemicals

Analysis of fluorotelomer alcohols, fluorotelomer acids, and short- and long-chain perfluorinated acids in water and biota 1093(2005)89

Pesticides

Determination of glyphosate and its metabolite aminomethylphosphonic acid in fruit juices using supported-liquid membrane preconcentration method with high-performance liquid chromatography and UV detection after derivatization with *p*-toluenesulphonyl chloride 1093(2005)111

PFOS

Analysis of fluorotelomer alcohols, fluorotelomer acids, and short- and long-chain perfluorinated acids in water and biota 1093(2005)89

Phenolic compounds

Solid-phase extraction gas chromatography-ion trap-mass spectrometry qualitative method for evaluation of phenolic compounds in virgin olive oil and structural confirmation of oleuropein and ligstroside aglycons and their oxidation products 1093(2005)167

Pore diffusion

Comparison of protein A affinity sorbents. II. Mass transfer properties 1093(2005)98

Pre-concentration

Natural sample fractionation by FIFFF-MALLS-TEM: Sample stabilization, preparation, pre-concentration and fractionation 1093(2005)156

Preparative chromatography

Optimization of gradient elution conditions in multicomponent preparative liquid chromatography 1093(2005)47

Proprietary Chinese medicines

Simultaneous determination of six *Aconitum* alkaloids in proprietary Chinese medicines by high-performance liquid chromatography 1093(2005)195

Protein separation

Rational methods for predicting human monoclonal antibodies retention in protein A affinity chromatography and cation exchange chromatography. Structure-based chromatography design for monoclonal antibodies 1093(2005)126

Pseudohypericin

Single-drop liquid-phase microextraction for the determination of hypericin, pseudohypericin and hyperforin in biological fluids by high performance liquid chromatography 1093(2005)1

Pyrolysis

Study of *Burseraceae* resins used in binding media and varnishes from artworks by gas chromatography-mass spectrometry and pyrolysis-gas chromatography-mass spectrometry 1093(2005)177

Quantitative analysis

Simultaneous determination of six *Aconitum* alkaloids in proprietary Chinese medicines by high-performance liquid chromatography 1093(2005)195

Receptors

Isolation from *Gluconacetobacter diazotrophicus* cell walls of specific receptors for sugarcane glycoproteins, which act as recognition factors 1093(2005)204

Residues

Matrix solid-phase dispersion extraction and determination by high-performance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

River colloids

Natural sample fractionation by FIFFF-MALLS-TEM: Sample stabilization, preparation, pre-concentration and fractionation 1093(2005)156

Screening

Screening for metal ligands by liquid chromatography-ligand-exchange-electrospray mass spectrometry 1093(2005)36

Sedimentation field flow fractionation

Sedimentation field flow fractionation monitoring of rice starch amylolysis 1093(2005)147

Selenium

Simultaneous speciation of selenium and sulfur species in selenized odorless garlic (*Allium sativum* L. Shiro) and shallot (*Allium ascalonicum*) by HPLC-inductively coupled plasma-(octopole reaction system)-mass spectrometry and electrospray ionization-tandem mass spectrometry 1093(2005)118

SEM

Natural sample fractionation by FIFFF–MALLS–TEM: Sample stabilization, preparation, pre-concentration and fractionation 1093(2005)156

Sequence isomers

Peptide enantiomer separations: Influence of sequential isomerism and the introduction of achiral glycine moieties on chiral recognition 1093(2005)81

Single-drop liquid-phase microextraction

Single-drop liquid-phase microextraction for the determination of hypericin, pseudohypericin and hyperforin in biological fluids by high performance liquid chromatography 1093(2005)1

Speciation

Simultaneous speciation of selenium and sulfur species in selenized odorless garlic (*Allium sativum* L. Shiro) and shallot (*Allium ascalonicum*) by HPLC-inductively coupled plasma-(octopole reaction system)-mass spectrometry and electrospray ionization-tandem mass spectrometry 1093(2005)118

Staphylococcus protein A

Comparison of protein A affinity sorbents. II. Mass transfer properties 1093(2005)98

Steric elution

Natural sample fractionation by FIFFF-MALLS-TEM: Sample stabilization, preparation, pre-concentration and fractionation 1093(2005)156

Steroid

Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle 1093(2005)69

Sugarcane

Isolation from *Gluconacetobacter diazotrophicus* cell walls of specific receptors for sugarcane glycoproteins, which act as recognition factors 1093(2005)204

Sulfur

Simultaneous speciation of selenium and sulfur species in selenized odorless garlic (*Allium sativum* L. Shiro) and shallot (*Allium ascalonicum*) by HPLC-inductively coupled plasma-(octopole reaction system)-mass spectrometry and electrospray ionization-tandem mass spectrometry 1093(2005)118

Supported-liquid membrane extraction

Determination of glyphosate and its metabolite aminomethylphosphonic acid in fruit juices using supported-liquid membrane preconcentration method with high-performance liquid chromatography and UV detection after derivatization with *p*-toluenesulphonyl chloride 1093(2005)111

TEM

Natural sample fractionation by FIFFF-MALLS-TEM: Sample stabilization, preparation, pre-concentration and fractionation 1093(2005)156

Thermal conductivity detector

Determination of acidic and basic species by headspace gas chromatography 1093(2005)212

Tomato fruit

Matrix solid-phase dispersion extraction and determination by high-performance liquid chromatography with fluorescence detection of residues of glyphosate and aminomethylphosphonic acid in tomato fruit 1093(2005)139

Urine

Application of stable carbon isotope analysis to the detection of 17β -estradiol administration to cattle 1093(2005)69

Virgin olive oil

Solid-phase extraction gas chromatography-ion trap-mass spectrometry qualitative method for evaluation of phenolic compounds in virgin olive oil and structural confirmation of oleuropein and ligstroside aglycons and their oxidation products 1093(2005)167