

Subject index of volume 1096

Acenaphthene

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Aligning

Prediction of total green tea antioxidant capacity from chromatograms by multivariate modeling 1096(2005)177

Alignment

Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis 1096(2005)101

Alternating least squares

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Amitriptyline

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

ANN

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

ANOVA

Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis 1096(2005)101

Antioxidant capacity

Prediction of total green tea antioxidant capacity from chromatograms by multivariate modeling 1096(2005)177

Artificial neural networks

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

Artificial neural network modeling of peptide mobility and peptide mapping in capillary zone electrophoresis 1096(2005)58

Augmentation

Simultaneous resolution of overlapping peaks in high-performance liquid chromatography and micellar electrokinetic chromatography with diode array detection using augmented iterative target transformation factor analysis 1096(2005)165

Biocides

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Butylparaben

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Capillary zone electrophoresis

Artificial neural network modeling of peptide mobility and peptide mapping in capillary zone electrophoresis 1096(2005)58

CART

Selection of orthogonal reversed-phase HPLC systems by univariate and auto-associative multivariate regression trees 1096(2005)187

Chemical taxonomy

Identification of Africanized honeybees 1096(2005)69

Chemometrics

Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis 1096(2005)101

Temperature-programmed retention indices for gas chromatography–mass spectroscopy analysis of plant essential oils 1096(2005)76

Use of Legendre moments for the fast comparison of two-dimensional polyacrylamide gel electrophoresis maps images 1096(2005)86

Chromatographic one-way signals

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part I: Peak detection 1096(2005)133

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part II: Peak model and deconvolution algorithms 1096(2005)146

Classification

Identification of Africanized honeybees 1096(2005)69

Cluster analysis

Use of Legendre moments for the fast comparison of two-dimensional polyacrylamide gel electrophoresis maps images 1096(2005)86

Clustering

Classification of highly similar crude oils using data sets from comprehensive two-dimensional gas chromatography and multivariate techniques 1096(2005)156

Coelution

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Column capacity

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

***n*-Column separation**

Probability theory for number of mixture components resolved by *n* independent columns 1096(2005)28

Complex mixtures

The chemometric resolution and quantification of overlapped peaks form comprehensive two-dimensional liquid chromatography 1096(2005)40

Crude oil characterization

Classification of highly similar crude oils using data sets from comprehensive two-dimensional gas chromatography and multivariate techniques 1096(2005)156

Diode array detection

Simultaneous resolution of overlapping peaks in high-performance liquid chromatography and micellar electrokinetic chromatography with diode array detection using augmented iterative target transformation factor analysis 1096(2005)165

Discrimination

Classification of highly similar crude oils using data sets from comprehensive two-dimensional gas chromatography and multivariate techniques 1096(2005)156

Electrophoretic mobility

Artificial neural network modeling of peptide mobility and peptide mapping in capillary zone electrophoresis 1096(2005)58

Environmental samples

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Essential oil

Temperature-programmed retention indices for gas chromatography–mass spectroscopy analysis of plant essential oils 1096(2005)76

Experimental design

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

Factor analysis

Application of multivariate curve resolution methods to on-flow LC-NMR 1096(2005)2

Fast chromatography

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Feature selection

Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis 1096(2005)101

Fractional experimental design

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

Fuel

Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis 1096(2005)101

Gas chromatography

Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis 1096(2005)101

Gas chromatography–mass spectrometry (GC–MS)

Temperature-programmed retention indices for gas chromatography–mass spectroscopy analysis of plant essential oils 1096(2005)76

GC×GC

Classification of highly similar crude oils using data sets from comprehensive two-dimensional gas chromatography and multivariate techniques 1096(2005)156

Genetic algorithms

Identification of Africanized honeybees 1096(2005)69

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part II: Peak model and deconvolution algorithms 1096(2005)146

GRAM

The chemometric resolution and quantification of overlapped peaks form comprehensive two-dimensional liquid chromatography 1096(2005)40

Green tea

Prediction of total green tea antioxidant capacity from chromatograms by multivariate modeling 1096(2005)177

Heuristic evolving latent projections (HELP)

Temperature-programmed retention indices for gas chromatography–mass spectroscopy analysis of plant essential oils 1096(2005)76

High performance liquid chromatography

Simultaneous resolution of overlapping peaks in high-performance liquid chromatography and micellar electrokinetic chromatography with diode array detection using augmented iterative target transformation factor analysis 1096(2005)165

HPLC

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Interpretive optimisation

Robust interpretive optimisation in high-performance liquid chromatography considering uncertainties in peak position 1096(2005)123

Iterative target transformation factor analysis

Simultaneous resolution of overlapping peaks in high-performance liquid chromatography and micellar electrokinetic chromatography with diode array detection using augmented iterative target transformation factor analysis 1096(2005)165

LC–MS

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Legendre moments

Use of Legendre moments for the fast comparison of two-dimensional polyacrylamide gel electrophoresis maps images 1096(2005)86

Liquid chromatography

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

Liquid chromatography, two-dimensional

The chemometric resolution and quantification of overlapped peaks form comprehensive two-dimensional liquid chromatography 1096(2005)40

Load capacity

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

MCKVR

Application of multivariate curve resolution methods to on-flow LC-NMR 1096(2005)2

MCR-ALS

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Method development

Selection of orthogonal reversed-phase HPLC systems by univariate and auto-associative multivariate regression trees 1096(2005)187

Micellar electrokinetic chromatography

Simultaneous resolution of overlapping peaks in high-performance liquid chromatography and micellar electrokinetic chromatography with diode array detection using augmented iterative target transformation factor analysis 1096(2005)165

Modeling

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Modelling of retention

Robust interpretive optimisation in high-performance liquid chromatography considering uncertainties in peak position 1096(2005)123

monolithic

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Monolithic channels rod monolithic HPLC columns

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Monolithic columns

Prediction of total green tea antioxidant capacity from chromatograms by multivariate modeling 1096(2005)177

Monolithic silica

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part II: Peak model and deconvolution algorithms 1096(2005)146

Moving subwindow searching (MSS)

Temperature-programmed retention indices for gas chromatography-mass spectroscopy analysis of plant essential oils 1096(2005)76

Multi-column separation

Probability theory for number of mixture components resolved by n independent columns 1096(2005)28

Multidimensional separational

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Multivariate calibration

Prediction of total green tea antioxidant capacity from chromatograms by multivariate modeling 1096(2005)177

Multivariate curve resolution

Application of multivariate curve resolution methods to on-flow LC-NMR 1096(2005)2

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Multivariate optimisation

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Multivariate regression trees

Selection of orthogonal reversed-phase HPLC systems by univariate and auto-associative multivariate regression trees 1096(2005)187

Naphthalene

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Neuroprotective peptides

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

On-flow LC-NMR

Application of multivariate curve resolution methods to on-flow LC-NMR 1096(2005)2

Optimisation of separation

Optimisation of high performance liquid chromatography separation of neuroprotective peptides. Fractional experimental designs combined with artificial neural networks 1096(2005)50

Optimization

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Orthogonal chromatographic systems

Selection of orthogonal reversed-phase HPLC systems by univariate and auto-associative multivariate regression trees 1096(2005)187

Orthogonal moments

Use of Legendre moments for the fast comparison of two-dimensional polyacrylamide gel electrophoresis maps images 1096(2005)86

Overlapped peaks

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part I: Peak detection 1096(2005)133

PARAFAC

The chemometric resolution and quantification of overlapped peaks form comprehensive two-dimensional liquid chromatography 1096(2005)40

Parallel linked monolithic

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Particle diameter

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Pattern recognition

Identification of Africanized honeybees 1096(2005)69

Peak capacity

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Peak deconvolution

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part II: Peak model and deconvolution algorithms 1096(2005)146

Peak detection

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part I: Peak detection 1096(2005)133

Peptide mapping

Artificial neural network modeling of peptide mobility and peptide mapping in capillary zone electrophoresis 1096(2005)58

PLS

Prediction of total green tea antioxidant capacity from chromatograms by multivariate modeling 1096(2005)177

Preparative HPLC

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Pressure

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Principal component analysis

Classification of gasoline data obtained by gas chromatography using a piecewise alignment algorithm combined with feature selection and principal component analysis 1096(2005)101

Propranolol

A virtual-modeling and multivariate-optimization examination of HPLC parameter interactions and opportunities for saving analysis time 1096(2005)16

Proteomics

Use of Legendre moments for the fast comparison of two-dimensional polyacrylamide gel electrophoresis maps images 1096(2005)86

Reversed-phase liquid chromatography

Robust interpretive optimisation in high-performance liquid chromatography considering uncertainties in peak position 1096(2005)123

Robustness

Robust interpretive optimisation in high-performance liquid chromatography considering uncertainties in peak position 1096(2005)123

Serial linked monolithic

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Short column

Solving liquid chromatography mass spectrometry coelution problems in the analysis of environmental samples by multivariate curve resolution 1096(2005)111

Smoothing

Automatic program for peak detection and deconvolution of multi-overlapped chromatographic signals. Part I: Peak detection 1096(2005)133

Statistical-overlap theory

Probability theory for number of mixture components resolved by n independent columns 1096(2005)28

Stepwise linear discriminant analysis

Use of Legendre moments for the fast comparison of two-dimensional polyacrylamide gel electrophoresis maps images 1096(2005)86

***Syringa oblata* Lindl (lilac)**

Temperature-programmed retention indices for gas chromatography–mass spectroscopy analysis of plant essential oils 1096(2005)76

Temperature-programmed retention indices (PTRIs)

Temperature-programmed retention indices for gas chromatography–mass spectroscopy analysis of plant essential oils 1096(2005)76

Three-way data

The chemometric resolution and quantification of overlapped peaks form comprehensive two-dimensional liquid chromatography 1096(2005)40

Trilinear

The chemometric resolution and quantification of overlapped peaks form comprehensive two-dimensional liquid chromatography 1096(2005)40

Univariate regression trees

Selection of orthogonal reversed-phase HPLC systems by univariate and auto-associative multivariate regression trees 1096(2005)187

Unsupervised

Selection of orthogonal reversed-phase HPLC systems by univariate and auto-associative multivariate regression trees 1096(2005)187

Validation

Classification of highly similar crude oils using data sets from comprehensive two-dimensional gas chromatography and multivariate techniques 1096(2005)156

Volume load capacity

A column capacity study of single, serial, and parallel linked rod monolithic high performance liquid chromatography columns 1096(2005)92

Warping

Prediction of total green tea antioxidant capacity from chromatograms by multivariate modeling 1096(2005)177

Wavelength shift eigenstructure tracking

Simultaneous resolution of overlapping peaks in high-performance liquid chromatography and micellar electrokinetic chromatography with diode array detection using augmented iterative target transformation factor analysis 1096(2005)165