


### Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1098 (2005) 201-206

www.elsevier.com/locate/chroma

# Subject index of volume 1098

### **Activation energy**

Determination of the hydrolysis rate constants and activation energy of aesculin with capillary electrophoresis end-column amperometric detection 1098(2005)194

## Adsorption equilibrium

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

#### Aesculetin

Determination of the hydrolysis rate constants and activation energy of aesculin with capillary electrophoresis end-column amperometric detection 1098(2005)194

### Aesculin

Determination of the hydrolysis rate constants and activation energy of aesculin with capillary electrophoresis end-column amperometric detection 1098(2005)194

### Affinity energy distribution

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

### Albumin

Oscillatory transverse electric field enhances mass transfer and protein capacity in ion-exchange electrochromatography 1098(2005)131

## Amino acid composition

Prediction of retention times of proteins in hydrophobic interaction chromatography using only their amino acid composition 1098(2005)44

## **Amperometric detection**

Determination of the hydrolysis rate constants and activation energy of aesculin with capillary electrophoresis end-column amperometric detection 1098(2005)194

### Analysis

Determination of the limits of identification and quantitation of selected organochlorine and organophosphorous pesticide residues in surface water by full-scan gas chromatography/mass spectrometry 1098(2005)150

## Antidepressants

Development of a solid phase extraction for 13 'new' generation antidepressants and their active metabolites for gas chromatographic—mass spectrometric analysis 1098(2005)19

## Au disposable electrode

Determination of biogenic amines in chocolate by ion chromatographic separation and pulsed integrated amperometric detection with implemented waveform at Au disposable electrode 1098(2005)111

## Bicalutamide

High-performance liquid chromatographic enantioseparation of bicalutamide and its related compounds  $\ 1098(2005)75$ 

### Biogenic amines

Determination of biogenic amines in chocolate by ion chromatographic separation and pulsed integrated amperometric detection with implemented waveform at Au disposable electrode 1098(2005)111

### 4-tert-Butylphenol

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

## Caffeic acid

Separation and purification of chlorogenic acid by molecularly imprinted polymer monolithic stationary phase 1098(2005)66

### Caffeine

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm  $\,\,$  1098(2005)82

Separation of caffeine and theophylline in poly(dimethylsiloxane) microchannel electrophoresis with electrochemical detection 1098(2005)172

### Capillary electrophoresis

Separation and determination of norepinephrine, epinephrine and isoprinaline enantiomers by capillary electrophoresis in pharmaceutical formulation and human serum 1098(2005)166

Determination of the hydrolysis rate constants and activation energy of aesculin with capillary electrophoresis end-column amperometric detection 1098(2005)194

## Capillary gas chromatography-mass spectrometry

Direct quantitative determination of cyanamide by stable isotope dilution gas chromatography–mass spectrometry 1098(2005)138

## Cellulose-tris-3,5-dimethylphenyl carbamate-based stationary phase

High-performance liquid chromatographic enantioseparation of bicalutamide and its related compounds 1098(2005)75

### Central composite design

Analysis of chemical warfare agents. III. Use of bis-nucleophiles in the trace level determination of phosgene and perfluoroisobutylene 1098(2005)156

Rapid separation of Sudan dyes by reverse-phase high performance liquid chromatography through statistically designed experiments 1098(2005)183

### Chemical ionization

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography-mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## Chemical warfare agents

Analysis of chemical warfare agents. III. Use of bis-nucleophiles in the trace level determination of phosgene and perfluoroisobutylene 1098(2005)156

### Chiralcel OD-H

High-performance liquid chromatographic enantioseparation of bicalutamide and its related compounds 1098(2005)75

## Chirobiotic phases

High-performance liquid chromatographic enantioseparation of bicalutamide and its related compounds 1098(2005)75

### Chlorogenic acid

Separation and purification of chlorogenic acid by molecularly imprinted polymer monolithic stationary phase 1098(2005)66

#### Chocolate

Determination of biogenic amines in chocolate by ion chromatographic separation and pulsed integrated amperometric detection with implemented waveform at Au disposable electrode 1098(2005)111

### Column heterogeneity

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

#### Copolymers

Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers 1098(2005)104

### Cyanamide

Direct quantitative determination of cyanamide by stable isotope dilution gas chromatography-mass spectrometry 1098(2005)138

## (15N2)Cyanamide

Direct quantitative determination of cyanamide by stable isotope dilution gas chromatography–mass spectrometry 1098(2005)138

## 4-Cyanimido-1,2-naphthoquinone

Direct quantitative determination of cyanamide by stable isotope dilution gas chromatography-mass spectrometry 1098(2005)138

## Cyclodextrin

Separation and determination of norepinephrine, epinephrine and isoprinaline enantiomers by capillary electrophoresis in pharmaceutical formulation and human serum 1098(2005)166

### Derivatization

Determination of phenols in water samples by single-drop microextraction followed by in-syringe derivatization and gas chromatography–mass spectrometric detection 1098(2005)30

Analysis of chemical warfare agents. III. Use of bis-nucleophiles in the trace level determination of phosgene and perfluoroisobutylene 1098(2005)156

## Dipole-dipole interaction

Relevance of  $\pi$ - $\pi$  and dipole-dipole interactions for retention on cyano and phenyl columns in reversed-phase liquid chromatography 1098(2005)123

## Direct enantiomeric separation

High-performance liquid chromatographic enantioseparation of bicalutamide and its related compounds 1098(2005)75

## Dynamic binding capacity

Oscillatory transverse electric field enhances mass transfer and protein capacity in ion-exchange electrochromatography 1098(2005)131

## **Echinocandin**

Influence of mobile phase composition and thermodynamics on the normal phase chromatography of echinocandins 1098(2005)55

## **Electrochemical detection**

Separation of caffeine and theophylline in poly(dimethylsiloxane) microchannel electrophoresis with electrochemical detection 1098(2005)172

#### **Electron impact**

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography—mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## Electroosmosis

Oscillatory transverse electric field enhances mass transfer and protein capacity in ion-exchange electrochromatography 1098(2005)131

### Electrophoresis

Oscillatory transverse electric field enhances mass transfer and protein capacity in ion-exchange electrochromatography 1098(2005)131

## **Enantiomer separation**

Separation and determination of norepinephrine, epinephrine and isoprinaline enantiomers by capillary electrophoresis in pharmaceutical formulation and human serum 1098(2005)166

## **End-capping**

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

### **Environmental analysis**

Determination of phenols in water samples by single-drop microextraction followed by in-syringe derivatization and gas chromatography-mass spectrometric detection 1098(2005)30

### Epinephrine (EP)

Separation and determination of norepinephrine, epinephrine and isoprinaline enantiomers by capillary electrophoresis in pharmaceutical formulation and human serum 1098(2005)166

## Essential oils

Hydrodistillation-headspace solvent microextraction, a new method for analysis of the essential oil components of *Lavandula angustifolia* Mill. 1098(2005)14

## **Extraction method**

Hydrodistillation-headspace solvent microextraction, a new method for analysis of the essential oil components of *Lavandula angustifolia* Mill. 1098(2005)14

### **FAMEs**

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography-mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## Fangchinoline

Separation and determination of tetrandrine and fangchinoline in herbal medicines by flow injection-micellar electrokinetic capillary chromatography with internal standard method 1098(2005)177

## Fatty acids

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography-mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## Fish

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography—mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

### Flow cel

Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers 1098(2005)104

### Flow injection-micellar electrokinetic capillary chromatography

Separation and determination of tetrandrine and fangchinoline in herbal medicines by flow injection-micellar electrokinetic capillary chromatography with internal standard method 1098(2005)177

#### Food analysis

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography—ion trap—triple stage mass spectrometry 1098(2005)37

## Fourier-transform-infrared-spectroscopy

Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers 1098(2005)104

### Frontal analysis

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

#### Fruits

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography-ion trap-triple stage mass spectrometry 1098(2005)37

## Gas chromatography

Response surface optimization for determination of pesticide multiresidues by matrix solid-phase dispersion and gas chromatography 1098(2005)188

### Gas chromatography-mass spectrometry

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography—mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## GC/MS

Determination of the limits of identification and quantitation of selected organochlorine and organophosphorous pesticide residues in surface water by full-scan gas chromatography/mass spectrometry 1098(2005)150

## GC-MS

Simultaneous picogram determination of "earthy-musty" odorous compounds in water using solid-phase microextraction and gas chromatography-mass spectrometry coupled with initial cool programmable temperature vaporizer inlet 1098(2005)7

Development of a solid phase extraction for 13 'new' generation antidepressants and their active metabolites for gas chromatographic-mass spectrometric analysis 1098(2005)19

## Geochemistry

Detection of phosphorus oxyanions in synthetic geothermal water using ion chromatography-mass spectrometry techniques 1098(2005)95

## Hairy vetch

Direct quantitative determination of cyanamide by stable isotope dilution gas chromatography-mass spectrometry 1098(2005)138

### Headspace solvent microextraction (HSME)

Hydrodistillation-headspace solvent microextraction, a new method for analysis of the essential oil components of *Lavandula angustifolia* Mill. 1098(2005)14

## Herbal medicines

Separation and determination of tetrandrine and fangchinoline in herbal medicines by flow injection-micellar electrokinetic capillary chromatography with internal standard method 1098(2005)177

## High-performance liquid chromatography

High-performance liquid chromatographic enantioseparation of bicalutamide and its related compounds 1098(2005)75

### **HPLC**

Selective high performance liquid chromatography imprinted-stationary phases for the screening of phenylurea herbicides in vegetable samples 1098(2005)116

## Hydrodistillation

Hydrodistillation-headspace solvent microextraction, a new method for analysis of the essential oil components of *Lavandula angustifolia* Mill. 1098(2005)14

### Hydrolysis rate constant

Determination of the hydrolysis rate constants and activation energy of aesculin with capillary electrophoresis end-column amperometric detection 1098(2005)194

## Hydrophobic interaction chromatography

Prediction of retention times of proteins in hydrophobic interaction chromatography using only their amino acid composition 1098(2005)44

#### Hydrophobicity

Prediction of retention times of proteins in hydrophobic interaction chromatography using only their amino acid composition 1098(2005)44

## Hypophosphite

Detection of phosphorus oxyanions in synthetic geothermal water using ion chromatography-mass spectrometry techniques 1098(2005)95

#### Identification

Determination of the limits of identification and quantitation of selected organochlorine and organophosphorous pesticide residues in surface water by full-scan gas chromatography/mass spectrometry 1098(2005)150

### Immunoglobulin

Oscillatory transverse electric field enhances mass transfer and protein capacity in ion-exchange electrochromatography 1098(2005)131

## In situ synthesis

Separation and purification of chlorogenic acid by molecularly imprinted polymer monolithic stationary phase 1098(2005)66

## Integrated pulsed amperometric detection

Determination of biogenic amines in chocolate by ion chromatographic separation and pulsed integrated amperometric detection with implemented waveform at Au disposable electrode 1098(2005)111

## π–π Interactions

Relevance of  $\pi$ - $\pi$  and dipole–dipole interactions for retention on cyano and phenyl columns in reversed-phase liquid chromatography 1098(2005)123

## Internal standard method

Separation and determination of tetrandrine and fangchinoline in herbal medicines by flow injection-micellar electrokinetic capillary chromatography with internal standard method 1098(2005)177

## Ion chromatography

Determination of biogenic amines in chocolate by ion chromatographic separation and pulsed integrated amperometric detection with implemented waveform at Au disposable electrode 1098(2005)111

## Ion exchange electrochromatography

Oscillatory transverse electric field enhances mass transfer and protein capacity in ion-exchange electrochromatography 1098(2005)131

## Ion trap

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography—ion trap–triple stage mass spectrometry 1098(2005)37

#### Irregular silica

Influence of mobile phase composition and thermodynamics on the normal phase chromatography of echinocandins 1098(2005)55

### Isoprinaline (IP)

Separation and determination of norepinephrine, epinephrine and isoprinaline enantiomers by capillary electrophoresis in pharmaceutical formulation and human serum 1098(2005)166

## Isotope dilution method

Direct quantitative determination of cyanamide by stable isotope dilution gas chromatography–mass spectrometry 1098(2005)138

## Lavandula angustifolia Mill.

Hydrodistillation-headspace solvent microextraction, a new method for analysis of the essential oil components of *Lavandula angustifolia* Mill. 1098(2005)14

### Liquid chromatography

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography—ion trap-triple stage mass spectrometry 1098(2005)37

Rapid separation of Sudan dyes by reverse-phase high performance liquid chromatography through statistically designed experiments 1098(2005)183

## Macrocyclic glycopeptide type stationary phases

High-performance liquid chromatographic enantioseparation of bicalutamide and its related compounds 1098(2005)75

### Mass spectrometry

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography—ion trap–triple stage mass spectrometry 1098(2005)37

## Mathematical modelling

Prediction of retention times of proteins in hydrophobic interaction chromatography using only their amino acid composition 1098(2005)44

## Matrix solid-phase dispersion

Response surface optimization for determination of pesticide multiresidues by matrix solid-phase dispersion and gas chromatography 1098(2005)188

## Metabolites

Development of a solid phase extraction for 13 'new' generation antidepressants and their active metabolites for gas chromatographic–mass spectrometric analysis 1098(2005)19

## Molecular imprinting

Selective high performance liquid chromatography imprinted-stationary phases for the screening of phenylurea herbicides in vegetable samples 1098(2005)116

## Molecularly imprinted polymer monolith

Separation and purification of chlorogenic acid by molecularly imprinted polymer monolithic stationary phase 1098(2005)66

## Multi-criteria decision

Rapid separation of Sudan dyes by reverse-phase high performance liquid chromatography through statistically designed experiments 1098(2005)183

## Norepinephrine (NE)

Separation and determination of norepinephrine, epinephrine and isoprinaline enantiomers by capillary electrophoresis in pharmaceutical formulation and human serum 1098(2005)166

## Normal phase HPLC

Influence of mobile phase composition and thermodynamics on the normal phase chromatography of echinocandins 1098(2005)55

#### Oak-aged wines

Stir bar sorptive extraction for the determination of volatile compounds in oakaged wines 1098(2005)1

#### **Odorous**

Simultaneous picogram determination of "earthy-musty" odorous compounds in water using solid-phase microextraction and gas chromatography-mass spectrometry coupled with initial cool programmable temperature vaporizer inlet 1098(2005)7

#### Ohio River

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography-mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## Optimization

Rapid separation of Sudan dyes by reverse-phase high performance liquid chromatography through statistically designed experiments 1098(2005)183

## Organochlorine pesticides

Determination of the limits of identification and quantitation of selected organochlorine and organophosphorous pesticide residues in surface water by full-scan gas chromatography/mass spectrometry 1098(2005)150

## Organphosphorous pesticides

Determination of the limits of identification and quantitation of selected organochlorine and organophosphorous pesticide residues in surface water by full-scan gas chromatography/mass spectrometry 1098(2005)150

### Overloaded band profiles

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

## Paddlefish

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography—mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## PDMS microchannel electrophoresis

Separation of caffeine and theophylline in poly(dimethylsiloxane) microchannel electrophoresis with electrochemical detection 1098(2005)172

## Perfluoroisobutylene

Analysis of chemical warfare agents. III. Use of bis-nucleophiles in the trace level determination of phosgene and perfluoroisobutylene 1098(2005)156

## Pesticide multiresidues

Response surface optimization for determination of pesticide multiresidues by matrix solid-phase dispersion and gas chromatography 1098(2005)188

## Pesticides

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography—ion trap–triple stage mass spectrometry 1098(2005)37

## Phenols

Determination of phenols in water samples by single-drop microextraction followed by in-syringe derivatization and gas chromatography–mass spectrometric detection 1098(2005)30

### Phenylureas

Selective high performance liquid chromatography imprinted-stationary phases for the screening of phenylurea herbicides in vegetable samples 1098(2005)116

## Phosgene

Analysis of chemical warfare agents. III. Use of bis-nucleophiles in the trace level determination of phosgene and perfluoroisobutylene 1098(2005)156

#### **Phosphate**

Detection of phosphorus oxyanions in synthetic geothermal water using ion chromatography-mass spectrometry techniques 1098(2005)95

#### **Phosphite**

Detection of phosphorus oxyanions in synthetic geothermal water using ion chromatography-mass spectrometry techniques 1098(2005)95

## Phosphorus compounds

Detection of phosphorus oxyanions in synthetic geothermal water using ion chromatography-mass spectrometry techniques 1098(2005)95

#### Pneumocandin

Influence of mobile phase composition and thermodynamics on the normal phase chromatography of echinocandins 1098(2005)55

#### Polymer analysis

Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers 1098(2005)104

## **Preparative HPLC**

Influence of mobile phase composition and thermodynamics on the normal phase chromatography of echinocandins 1098(2005)55

## Pressurized liquid extraction

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography—ion trap–triple stage mass spectrometry 1098(2005)37

## Programmable temperature vaporizer

Simultaneous picogram determination of "earthy-musty" odorous compounds in water using solid-phase microextraction and gas chromatography-mass spectrometry coupled with initial cool programmable temperature vaporizer inlet 1098(2005)7

## Propylbenzoate

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

### Proteins

Prediction of retention times of proteins in hydrophobic interaction chromatography using only their amino acid composition 1098(2005)44

## Resolve-C<sub>18</sub>

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

## Response surface methodology

Response surface optimization for determination of pesticide multiresidues by matrix solid-phase dispersion and gas chromatography 1098(2005)188

## Retention time prediction

Prediction of retention times of proteins in hydrophobic interaction chromatography using only their amino acid composition 1098(2005)44

## Sauger

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography-mass spectrometry in chemical ionization and electron impact modes 1098(2005)144

## Screening

Selective high performance liquid chromatography imprinted-stationary phases for the screening of phenylurea herbicides in vegetable samples 1098(2005)116

## Separation

Separation and purification of chlorogenic acid by molecularly imprinted polymer monolithic stationary phase 1098(2005)66

Oscillatory transverse electric field enhances mass transfer and protein capacity in ion-exchange electrochromatography 1098(2005)131

### Single-drop microextraction

Determination of phenols in water samples by single-drop microextraction followed by in-syringe derivatization and gas chromatography-mass spectrometric detection 1098(2005)30

## Size-exclusion chromatography

Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers 1098(2005)104

## Solid phase extraction

Development of a solid phase extraction for 13 'new' generation antidepressants and their active metabolites for gas chromatographic–mass spectrometric analysis 1098(2005)19

### Solid-phase microextraction

Simultaneous picogram determination of "earthy-musty" odorous compounds in water using solid-phase microextraction and gas chromatography-mass spectrometry coupled with initial cool programmable temperature vaporizer inlet 1098(2005)7

## Solvent-elimination interfaces

Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers 1098(2005)104

#### Stationary phases

Selective high performance liquid chromatography imprinted-stationary phases for the screening of phenylurea herbicides in vegetable samples 1098(2005)116

## Stir bar sorptive extraction (SBSE)

Stir bar sorptive extraction for the determination of volatile compounds in oakaged wines 1098(2005)1

## Sudan dyes

Rapid separation of Sudan dyes by reverse-phase high performance liquid chromatography through statistically designed experiments 1098(2005)183

## Surface water

Determination of the limits of identification and quantitation of selected organochlorine and organophosphorous pesticide residues in surface water by full-scan gas chromatography/mass spectrometry  $1098(2005)150\,$ 

## Symmetry-C<sub>18</sub>

Effect of the endcapping of reversed-phase high-performance liquid chromatography adsorbents on the adsorption isotherm 1098(2005)82

### Tea

Response surface optimization for determination of pesticide multiresidues by matrix solid-phase dispersion and gas chromatography 1098(2005)188

## Ternary mobile phase

Influence of mobile phase composition and thermodynamics on the normal phase chromatography of echinocandins 1098(2005)55

## **Tetrandrine**

Separation and determination of tetrandrine and fangchinoline in herbal medicines by flow injection-micellar electrokinetic capillary chromatography with internal standard method 1098(2005)177

## Theophylline

Separation of caffeine and theophylline in poly(dimethylsiloxane) microchannel electrophoresis with electrochemical detection 1098(2005)172

## Triple stage mass spectrometry

Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography—ion trap—triple stage mass spectrometry 1098(2005)37

### Two-dimensional liquid chromatography

Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers 1098(2005)104

## van't Hoff

Influence of mobile phase composition and thermodynamics on the normal phase chromatography of echinocandins 1098(2005)55

### Vegetable samples

Selective high performance liquid chromatography imprinted-stationary phases for the screening of phenylurea herbicides in vegetable samples 1098(2005)116

## Vicia villosa

Direct quantitative determination of cyanamide by stable isotope dilution gas chromatography–mass spectrometry 1098(2005)138

### Volatile compounds

Stir bar sorptive extraction for the determination of volatile compounds in oakaged wines 1098(2005)1

#### Water

Simultaneous picogram determination of "earthy-musty" odorous compounds in water using solid-phase microextraction and gas chromatography-mass spectrometry coupled with initial cool programmable temperature vaporizer inlet 1098(2005)7

### Water analysis

Detection of phosphorus oxyanions in synthetic geothermal water using ion chromatography-mass spectrometry techniques 1098(2005)95

#### White bas

Identification of fatty acids in fishes collected from the Ohio River using gas chromatography-mass spectrometry in chemical ionization and electron impact modes 1098(2005)144