

Author Index

- Adamson, R.H., see Lakings, D.B. 512
- Allen, R.C.
Applications of polyacrylamide gel electrophoresis and polyacrylamide gel isoelectric focusing in clinical chemistry (Review) 1
- Allenmark, S.
—, Hjelm, E. and Larsson-Cohn, U.
New method for quantitative analysis of pyridoxal-5'-phosphate in biological material 485
- Anders, M.W., see Merriman, R.L. 85
- Anderson, P.J.
—, Fitch, W.L. and Halpern, B.
Rapid and simplified procedure for gas chromatographic—mass spectrometric profiling of urinary organic acids 481
- Andrist, A.H., see Roser, R.L. 43
- Azarnoff, D.L., see Straughan, J.L. 473
- Baars, A.M., see Hekster, Y.A. 103
- Baker, R.W.R.
—, Ferrett, J. and Murphy, G.M.
Quantitative separation of bile salts from mixtures by gradient-elution high-pressure liquid chromatography 137
- Bartsch, G., see Laufen, H. 457
- Bayer, E., see Frank, H. 197
- Bojasch, M., see Jakobs, C. 494
- Boutagy, J.
— and Harvey, D.J.
Determination of cytosine arabinoside in human plasma by gas chromatography with a nitrogen-sensitive detector and by gas chromatography—mass spectrometry 283
- Braithwaite, R.A., see Dawling, S. 449
- Breckenridge, W.C., see Kuksis, A. 393
- Brendel, K., see Nau, H. 227
- Brodie, R.R.
—, Chasseaud, L.F., Taylor, T., O'Kelly, D.A. and Darragh, A.
Determination of the thiazide diuretic bemetizide in the plasma and urine of humans by high-performance liquid chromatography 152
- Brohon, J.
— and Noel, M.
Determination of metformin in plasma at therapeutic levels by gas—liquid chromatography using a nitrogen detector 148
- Brooks, D.E., see Reid, P.E. 297
- Bury, R.W.
— and Keary, P.J.
Determination of cytosine arabinoside in human plasma by high-pressure liquid chromatography 350
- Bye, A., see Land, G. 143
- Cathcart-Rake, W.F., see Straughan, J.L. 473
- Chamberlain, J., see Dell, D. 465
- Chasseaud, L.F., see Brodie, R.R. 152
- Chiou, W.L., see Nation, R.L. 121
- Colussi, D., see Sioufi, A. 503
- Čoupek, J., see Jandová, A. 253
- Cueille, G.
Mise en évidence et évaluation des "moyennes molécules" de la taille de la vitamine B₁₂ présentes dans les liquides biologiques de sujets normaux et de patients urémiques 55
- Damsma, J.E., see Vree, T.B. 103
- Darragh, A., see Brodie, R.R. 152
- Dawling, S.
— and Braithwaite, R.A.
Simplified method for monitoring tricyclic antidepressant therapy using gas—liquid chromatography with nitrogen detection 449
- Davisson, J.N.
Rapid gas chromatographic analysis of plasma levels of ketamine and major metabolites employing either nitrogen selective or mass spectroscopic detection 344
- Dea, P., see Ruiz, R. 321
- Dean, K., see Land, G. 143
- Dell, D.
— and Chamberlain, J.
Determination of molsidomine in plasma by high-performance liquid column chromatography 465
- De Ridder, J.J.
— and Van Hal, H.J.M.
Automation of high-performance liquid chromatographic sample clean-up for mass fragmentographic assays 425
- Desgres, J., see Jo, D.-H. 413
- Diasio, R.B., see Lakings, D.B. 512
- Dittmar, K., see Heckers, H. 85

- Dolezalova, H.
 —, Stepita-Klauco, M., Kucera, J., Uchimura, H. and Hirano, M.
 Monoacylcadaverines in the blood of schizophrenic patients 67
- Emanuelsson, B.
 — and Moore, R.G.
 Quantitation of zimelidine and norzimelidine in plasma using high-performance liquid chromatography 113
- Evans, J.E., see Lee, G.J.-L. 439
- Ferrett, J., see Baker, R.W.R. 137
- Fischer, C.
 — and Klotz, U.
 Determination of sulfapyridine and its major metabolites in plasma by high-pressure liquid chromatography 157
- Fitch, W.L., see Anderson, P.J. 481
- Flatmark, T.
 —, Skotland, T., Ljones, T. and Ingebretsen, O.C.
 Fluorimetric detection of octopamine in high-performance liquid chromatography and its application to the assay of dopamine β -monooxygenase in human serum 433
- Flynn, N., see Marques, R.A. 163
- Forman, W.B.
 — and Shlaes, J.
 Comparison of high-performance liquid chromatography and a spectrophotometric technique for determining plasma warfarin 522
- Frank, H.
 —, Nicholson, G.J. and Bayer, E.
 Gas chromatographic-mass spectrometric analysis of optically active metabolites and drugs on a novel chiral stationary phase 197
- Franke, K., see Greenblatt, D.J. 311
- Geher, K., see Kuksis, A. 393
- Geissler, H.E.
 —, Mutschler, E. and Schumacher, A.
 Fluorimetrische Bestimmung von Flu-fenaminsäure aus Plasma durch direkte Auswertung von Dünnschichtchromatogrammen 169
- Greenblatt, D.J.
 —, Franke, K. and Shader, R.I.
 Analysis of lorazepam and its glucuronide metabolite by electron-capture gas-liquid chromatography. Use in pharmacokinetic studies of lorazepam 311
- Hal, H.J.M. van, see De Ridder, J.J. 425
- Halpern, B., see Anderson, P.J. 481
- Hanefeld, F., see Jakobs, C. 494
- Harrington, W.H., see Roser, R.L. 43
- Harvey, D.J., see Boutagy, J. 283
- Heckers, H.
 —, Melcher, F.-W., Dittmar, K. and Kalinowski, H.O.
 Paraffin oil pneumonia. Analysis of saturated hydrocarbons in different human tissues 85
- Hekster, Y.A., see Vree, T.B. 103
- Heiland, P., see Stokke, O. 132
- Herkner, K.
 —, Nowotny, P. and Waldhäusl, W.
 Die Bestimmung von Aldosteron in Harn und Plasma 273
- Hirano, M., see Dolezalova, H. 67
- Hjelm, E., see Allenmark, S. 485
- Hobara, N.
 — and Watanabe, A.
 Rapid determination of 1-(2-tetrahydrofuryl)-5-fluorouracil in human blood by high-pressure liquid chromatography 518
- Hoffman, A.G.D., see Kuksis, A. 393
- Hradecký, P.
 —, Jagoš, P. and Janák, J.
 Gas chromatographic head-space analysis of clinically interesting ketone bodies 327
- Huck, H.
 Dünnschichtchromatographische Bestimmung von Acylaminoäthylarylsulfonylharnstoffen im Serum nach Hydrolyse und Dansylierung 533
- Ingebretsen, O.C., see Flatmark, T. 433
- Jacob, K.
 —, Vogt, W., Knedel, M. and Schwertfeger, G.
 Quantitation of adrenaline and noradrenaline from human plasma by combined gas chromatography-high-resolution mass fragmentography 221
- Jagoš, P., see Hradecký, P. 327
- Jakobs, C.
 —, Bojasch, M. and Hanefeld, F.
 New direct micro-method for determination of valproic acid in serum by gas chromatography 494
- Janák, J., see Hradecký, P. 327
- Jandová, A.
 —, Sanitřák, J., Motyčka, K., Pezlarová, J. and Coupek, J.
 Isolation of immunoreactive components from experimental and human tumour tissues and serums by high-performance gel chromatography 253

- Jesdinsky, D., see Nau, H. 227
- Jo, D.-H.
—, Desgres, J. and Padieu, P.
Mass-spectrometric study of the transesterification of O,N^α-bis(trifluoroacetyl) *n*-butyl esters of some hydroxylated amino acids into their O-carbethoxy, N^α-trifluoroacetyl, *n*-butyl ester derivatives during the N^γ-carbethoxy derivatization of histidine 413
- Jones, G.J.L., see Kuksis, A. 393
- Joseph, M.H.
Determination of kynurenine by a simple gas-liquid chromatographic method applicable to urine, plasma, brain and cerebrospinal fluid 33
- Kalinowski, H.O., see Heckers, H. 85
- Keary, P.J., see Bury, R.W. 350
- Khan, R.A.A.
In vitro and in vivo studies with sodium pertechnetate and technetium-labelled methylene diphosphonate 527
- Kleijn, E. van der, see Vree, T.B. 103
- Klotz, U., see Fischer, C. 157
- Knedel, M., see Jacob, K. 221
- Kohashi, K., see Tsuruta, Y. 490
- Koss, F.W., see Schmid, J. 498
- Kucera, J., see Dolezalova, H. 67
- Kuksis, A.
—, Myher, J.J., Geher, K., Hoffman, A. G.D., Breckenridge, W.C., Jones, G.J. L. and Little, J.A.
Comparative determination of plasma cholesterol and triacylglycerol levels by automated gas-liquid chromatographic and AutoAnalyzer methods 393
- Kupke, I.R.
— and Zeugner, S.
Quantitative high-performance thin-layer chromatography of lipids in plasma and liver homogenates after direct application of 0.5- μ l samples to the silica-gel layer 261
- Lakings, D.B.
—, R.H. Adamson and Diasio, R.B.
Quantitative analysis of 5-fluorouracil in human serum by selected ion monitoring gas chromatography-mass spectrometry 512
- Land, G.
—, Dean, K. and Bye, A.
The gas-liquid chromatographic analysis of trimethoprim in plasma and urine 143
- Langenbeck, U.
—, Mench-Hoinowski, A. and Rød-Urban, I.
Quantitative analysis of β -phenylpyruvic acid by single ion monitoring. Evaluation of isomeric internal standards 213
- Larsson-Cohn, U., see Allenmark, S. 485
- Laufen, H.
—, Scharpf, F. and Bartsch, G.
Improved method for the rapid determination of isosorbide dinitrate in human plasma and its application in pharmacokinetic studies 457
- Lee, G.J.-L.
—, Evans, J.E. and Tieckelmann, H.
Rapid and sensitive determination of enzymatic degradation products of isomeric chondroitin sulfates by high-performance liquid chromatography 439
- Lee, R.M.
— and Osborne, P.M.
High-pressure liquid chromatographic determination of cimetidine sulphoxide in human blood and urine 354
- Leighton, K.M., see Reid, P.E. 297
- Leunissen, W.J.J.
— and Thijssen, J.H.H.
Quantitative analysis of steroid profiles from urine by capillary gas chromatography. I. Accuracy and reproducibility of the sample preparation 365
- Liddiard, C., see Nau, H. 227
- Liebich, H.M.
The place of gas chromatography-mass spectrometry in clinical chemistry (Review) 185
- Little, J.A., see Kuksis, A. 393
- Ljones, T., see Flatmark, T. 433
- Lonsdale, D., see Roser, R.L. 43
- Ludwig, H.
—, Spittler, G., Matthaei, D. and Scheller, F.
Profile bei chronischen Erkrankungen. I. Steroidprofiluntersuchungen bei Urämie 381
- Mareš, P.
—, Trzická, E. and Tamchyna, V.
Automated quantitative gas-liquid chromatography of intact lipids. I. Preparation and calibration of the column 241
- Marfil, F., see Sioufi, A. 508

- Marques, R.A.
 —, Stafford, B., Flynn, N. and Sadee, W.
 Determination of metronidazole and
 misonidazole and their metabolites in
 plasma and urine by high-performance
 liquid chromatography 163
- Matasović, A., see Niederwieser, A. 207
- Matthaei, D., see Ludwig, H. 381
- Melcher, F.-W., see Heckers, H. 85
- Mench-Hoinowski, A., see Langenbeck,
 U. 213
- Merriman, R.L.
 —, Swanson, A., Anders, M.W. and Sla-
 dek, N.E.
 Microdetermination of caffeine in
 blood by gas chromatography-mass
 spectrometry 85
- Moczar, E.
 Two-dimensional separation of glyco-
 peptides and charged oligosaccharides
 on silica thin layers 337
- Moore, R.G., see Emanuelsson, B. 113
- Motyčka, K., see Jandová, A. 253
- Muckle, T.J.
 Electrophoretic bimorphism of serum
 albumin in the presence of indocya-
 nine green 77
- Muelchen, R., see Reid, P.E. 297
- Murphy, G.M., see Baker, R.W.R. 137
- Mutschler, E., see Geissler, H.E. 169
- Myher, J.J., see Kuksis, A. 393
- Naito, H.K., see Roser, R.L. 43
- Nation, R.L.
 —, Peng, G.W. and Chiou, W.L.
 Simple, rapid and micro high-pressure
 liquid chromatographic method for
 the simultaneous determination of tol-
 butamide and carboxy tolbutamide in
 plasma 121
- Nau, H.
 —, Liddiard, C., Jeddinsky, D., Witt-
 foht, W. and Brendel, K.
 Quantitative analysis of prazepam and
 its metabolites by electron capture gas
 chromatography and selected ion
 monitoring. Application to diaplacen-
 tal passage and fetal hepatic metab-
 olism in early human pregnancy 227
- Neuheiser, F., see Niederwieser, A. 207
- Nicholson, G.J., see Frank, H. 197
- Niederwieser, A.
 —, Matasović, A., Neuheiser, F. and
 Wetzal, E.
 New tyrosine metabolites in humans:
 hawkinsin and *cis*- and *trans*-4-hy-
 droxycyclohexylacetic acids. Unusual
 adsorption of deuterated and non-
 deuterated hawkinsin during gas chro-
 matography 207
- Noel, M., see Brohon, J. 148
- Nowotny, P., see Herkner, K. 273
- Ohkura, Y., see Tsuruta, Y. 490
- O'Kelly, D.A., see Brodie, R.R. 152
- Osborne, P.M., see Lee, R.M. 354
- Padieu, P., see Jo, D.-H. 413
- Pang, Y.C., see Reid, P.E. 297
- Peng, G.W., see Nation, R.L. 121
- Pezlarová, J., see Jandová, A. 253
- Putz, G., see Sippell, W.G. 333
- Reid, P.E.
 —, Brooks, D.E., Pang, Y.C., Muelchen,
 R. and Leighton, K.M.
 Routine direct injection gas-liquid
 chromatographic procedure for the
 analysis of volatile halogenated anaes-
 thetics in whole blood using a new ex-
 ternal injection port 297
- Ridder, J.J. de, see de Ridder, J.J. 425
- Riechert, M.
 Micro-method for the determination
 of caffeine and theophylline allowing
 direct application of biological fluids
 to thin-layer chromatography plates
 175
- Rød-Urban, I., see Langenbeck, U. 213
- Rosenmund, H., see Wad, N. 167
- Rosenmund, H., see Wad, N.T. 361
- Roser, R.L.
 —, Andrist, A.H., Harrington, W.H., Nai-
 to, H.K. and Lonsdale, D.
 Determination of urinary thiamine by
 high-pressure liquid chromatography
 utilizing the thiochrome fluorescent
 method 43
- Ruiz, R.
 — and Dea, P.
 Quantitative analysis of human and
 rabbit tear cholesterol by gas-liquid
 chromatography 321
- Sadee, W., see Marques, R.A. 163
- Sanitrák, J., see Jandová, A. 253
- Scharpf, F., see Laufen, H. 457
- Scheler, F., see Ludwig, H. 381
- Scheurecker, M., see Sippell, W.G. 333
- Schmid, J.
 — and Koss, F.W.
 Rapid sensitive gas chromatography
 analysis of 8-methoxypsoralen in hu-
 man plasma 498
- Schumacher, A., see Geissler, H.E. 169
- Schwertfeger, G., see Jacob, K. 221
- Shader, R.I., see Greenblatt, D.J. 311
- Shlaes, J., see Forman, W.B. 522
- Shoeman, D.W., see Straughan, J.L. 473

- Sioufi, A.
— and Colussi, D.
Gas chromatographic determination of phenazone derivatives in human plasma. I. Aminophenazone 503
- and Marfil, F.
Gas chromatographic determination of phenazone derivatives in human plasma. II. Propyphenazone 508
- Sippell, W.G.
—, Putz, G. and Scheuerecker, M.
Convenient system for the simultaneous separation of 11-deoxycortisol and aldosterone by Sephadex LH-20 multiple column chromatography 333
- Skotland, T., see Flatmark, T. 433
- Sladek, N.E., see Merriman, R.L. 85
- Spiteller, G., see Ludwig, H. 381
- Stafford, B., see Marques, R.A. 163
- Stepita-Klauco, M., see Dolezalova, H. 67
- Stokke, O.
— and Helland, P.
Analysis of sulfonic acids by gas chromatography—mass spectrometry of trimethylsilyl derivatives 132
- Straughan, J.L.
—, Cathcart-Rake, W.F., Shoeman, D.W. and Azarnoff, D.L.
Quantitation of chlordiazepoxide and its metabolites in biological fluids by thin-layer chromatography 473
- Swanson, A., see Merriman, R.L. 85
- Tamchyna, V., see Mareš, P. 241
- Taylor, T., see Brodie, R.R. 152
- Thijssen, J.H.H., see Leunissen, W.J.J. 365
- Tieckelmann, H., see Lee, G.J.-L. 439
- Tsuruta, Y.
—, Kohashi, K. and Ohkura, Y.
Determination of histamine in plasma by high-speed liquid chromatography 490
- Tvrzická, E., see Mareš, P. 241
- Uchimura, H., see Dolezalova, H. 67
- Van der Kleijn, E., see Vree, T.B. 103
- Van Hal, H.J.M., see De Ridder, J.J. 425
- Vogt, W., see Jacob, K. 221
- Vree, T.B.
—, Hekster, Y.A., Baars, A.M., Damsma, J.E. and Van der Kleijn, E.
Determination of trimethoprim and sulfamethoxazole (co-trimoxazole) in body fluids of man by means of high-performance liquid chromatography 103
- Wad, N.
— and Rosenmund, H.
Rapid quantitative method for the simultaneous determination of carbamazepine, carbamazepine-10,11-epoxide, diphenylhydantoin, mephenytoin, phenobarbital and primidone in serum by thin-layer chromatography 167
- Wad, N.T.
— and Rosenmund, H.
Rapid quantitative method for the simultaneous determination of carbamazepine, carbamazepine-10,11-epoxide, diphenylhydantoin, mephenytoin, phenobarbital and primidone in serum by thin-layer chromatography. Improvement of the buffer system 361
- Waldhäusl, W., see Herkner, K. 273
- Watanabe, A., see Hobara, N. 518
- Wetzel, E., see Niederwieser, A. 207
- Wittfont, W., see Nau, H. 227
- Zeugner, S., see Kupke, I.R. 261