

Subject Index

- 6-Acetylmorphine
 Determination of heroin and its metabolites by HPLC 213
- Acetylpolyamines
 GC method for the determination of urinary acetylpolyamines 29
- Adrenocorticotrophic hormone
 Reversed-phase HPLC of neuropeptides related to adrenocorticotropin, including a potent adrenocorticotropin 4-9 analogue (ORG 2766) 317
- Alkaloids
 Quantitation of harringtonine and homoharringtonine in serum by HPLC 203
- α -Amanitin
 Determination of α -amanitin by HPLC 398
- Amiloride
 Fluorimetric determination of amiloride in human plasma by TLC 432
- Amines, aliphatic
 Amine metabolite profile of normal and uremic urine using GC-MS 1
- Amines, phenolic
 Amine metabolite profile of normal and uremic urine using GC-MS 1
- Amino acids
 Practical GLC method for the determination of amino acids in human serum 39
- Amino acids
 Quantitation of the urinary methyl-histidine isomers by a combination of thin-layer and fluorometric techniques 355
- Amino acids
 Rapid, simultaneous and sensitive determination of free hydroxyproline and proline in human serum by HPLC 313
- γ -Aminobutyric acid
 Determination of γ -aminobutyric acid in brain areas by HPLC of dansyl derivatives with ultraviolet detection 307
- γ -Aminobutyric acid
 Determination of γ -aminobutyric acid in rat brain using an isotachopheretic analyzer 361
- Angiotensin-converting enzyme activity
 Method for determination of angiotensin-converting enzyme activity in blood and tissue by HPLC 123
- Barbiturates
 Analysis of barbiturates in blood by HPLC 437
- Barbiturates
 Analysis of barbiturates in blood by HPLC 438
- Benzodiazepines
 Determination of imidazodiazepine-3-carboxamide, a new anxiolytic agent, in human plasma by GC-negative chemical-ionization MS 167
- Benzodiazepines
 Determination of midazolam and two metabolites in human plasma by GC-negative chemical-ionization MS 157
- Bisantrene
 Improved HPLC of the new antineoplastic agents bisantrene and mitoxantrone 235
- Butanediol
 Electron-capture, capillary column GC determination of low-molecular-weight diols in serum 9
- Cadaverine
 GC method for the determination of urinary acetylpolyamines 29
- Caffeine
 Reversed-phase LC investigation of UV-absorbing low-molecular-weight compounds in saliva 51
- Catecholamines
 Assay of free and conjugated catecholamines by HPLC with electrochemical detection 79
- Catecholamines
 Correlation between HPLC and automated fluorimetric methods for the determination of dopamine, 3,4-dihydroxyphenylacetic acid, homovanillic acid and 5-hydroxyindoleacetic acid in nervous tissue and cerebrospinal fluid 69
- Catecholamines
 Simultaneous determination of free 3-methoxy-4-hydroxymandelic acid and free 3-methoxy-4-hydroxyphenyl-

- ethyleneglycol in plasma by LC with electrochemical detection 97
- Catecholamines**
 Urinary 3-methoxy-4-hydroxyphenylglycol determination using reversed-phase chromatography with amperometric detection 89
- Chlorambucil**
 Studies on the quantitation of chlorambucil in plasma by reversed-phase HPLC 392
- (-)-*threo*-Chlorocitric acid**
 Determination of (-)-*threo*-chlorocitric acid in human plasma by GC-positive chemical-ionization MS 149
- Chromatographic profiles**
 Amine metabolite profile of normal and uremic urine using GC-MS 1
- Chromatographic profiles**
 Profiling of urinary medium-sized peptides in normal and uremic urine by HPLC 107
- Chromatographic profiles**
 Reversed-phase LC investigation of UV-absorbing low-molecular-weight compounds in saliva 51
- Clofilium**
 Determination of clofilium, a new antifibrillatory agent, in plasma by GC-MS 175
- Coproporphyrins**
 Determination of coproporphyrin I and III isomers by HPLC 338
- Cyclohexanecarboxylic acid**
 GC-MS determination of aromatization of cyclohexanecarboxylic acid in guinea pig liver 301
- Cytosine arabinoside 5'-triphosphate**
 Two simple HPLC methods for simultaneous determination of 2'-deoxycytidine 5'-triphosphate and cytosine arabinoside 5'-triphosphate concentrations in biological samples 141
- 2'-Deoxycytidine 5'-triphosphate**
 Two simple HPLC methods for simultaneous determination of 2'-deoxycytidine 5'-triphosphate and cytosine arabinoside 5'-triphosphate concentrations in biological samples 141
- Dihydralazine**
 Determination of apparent dihydralazine in plasma by GLC and electron-capture detection 375
- 3,4-Dihydroxyphenylacetic acid**
 Correlation between HPLC and automated fluorimetric methods for the determination of dopamine, 3,4-dihydroxyphenylacetic acid, homovanillic acid and 5-hydroxyindoleacetic acid in nervous tissue and cerebrospinal fluid 69
- Diols**
 Electron-capture, capillary column GC determination of low-molecular-weight diols in serum 9
- n*-Dipropylacetamide**
 Quantitative determination of *n*-dipropylacetamide in the plasma of epileptic patients by GLC with nitrogen-selective detection 371
- Dopamine**
 Assay of free and conjugated catecholamines by HPLC with electrochemical detection 79
- Dopamine**
 Correlation between HPLC and automated fluorimetric methods for the determination of dopamine, 3,4-dihydroxyphenylacetic acid, homovanillic acid and 5-hydroxyindoleacetic acid in nervous tissue and cerebrospinal fluid 69
- Dopamine β -hydroxylase**
 Assay of dopamine β -hydroxylase in human serum as a modification of the assay for the enzyme in rat serum by HPLC 324
- Enkephalin**
 Study of leucine-enkephalin in rat brain by a new HPLC method 115
- Epinephrine**
 Assay of free and conjugated catecholamines by HPLC with electrochemical detection 79
- Etoferidone**
 GLC determination of etoferidone in plasma, serum, and urine 381
- Fatty acids**
 Capillary GC analysis of human skin surface lipids after microsampling on ground-glass platelets 19
- Glycosaminoglycuronans**
 Simple electrophoresis of glycosaminoglycuronans and the distinction of lung heparins from mucosal heparins 365
- Guanfacine**
 Determination of 3-hydroxy-guanfacine in biological fluids by electron-capture GLC 181
- Harringtonine**
 Quantitation of harringtonine and homoharringtonine in serum by HPLC 203

Hemoglobin A_{1c}

Enhanced HPLC resolution of hemoglobin A_{1c} at low temperatures 334

Heparins

Simple electrophoresis of glycosaminoglycuronans and the distinction of lung heparins from mucosal heparins 365

Heroin

Determination of heroin and its metabolites by HPLC 213

Histidine

Quantitation of the urinary methyl-histidine isomers by a combination of thin-layer and fluorometric techniques 355

Homoharringtonine

Quantitation of harringtonine and homoharringtonine in serum by HPLC 203

Homovanillic acid

Correlation between HPLC and automated fluorimetric methods for the determination of dopamine, 3,4-dihydroxyphenylacetic acid, homovanillic acid and 5-hydroxyindoleacetic acid in nervous tissue and cerebrospinal fluid 69

3-Hydroxy-guanfacine

Determination of 3-hydroxy-guanfacine in biological fluids by electron-capture GLC 181

5-Hydroxyindoleacetic acid

Correlation between HPLC and automated fluorimetric methods for the determination of dopamine, 3,4-dihydroxyphenylacetic acid, homovanillic acid and 5-hydroxyindoleacetic acid in nervous tissue and cerebrospinal fluid 69

Hydroxyproline

Rapid, simultaneous and sensitive determination of free hydroxyproline and proline in human serum by HPLC 313

Hypoxanthine

HPLC determination of hypoxanthine and xanthine in biological fluids 131

Imidazobenzodiazepine-3-carboxamide

Determination of imidazodiazepine-3-carboxamide, a new anxiolytic agent, in human plasma by GC-negative chemical-ionization MS 167

Imipramine derivatives

Sensitive assay for the tricyclic antidepressant Ro 11-2465 in biological fluids by HPLC and fluorescence detection 269

Indomethacin

HPLC assay of indomethacin and its application in pharmacokinetics in healthy volunteers 289

Indomethacin

Sensitive HPLC determination of indomethacin in human plasma. Pharmacokinetic studies after single oral dose 279

Leucine-enkephalin

Study of leucine-enkephalin in rat brain by a new HPLC method 115

Leukotrienes

Rapid extraction of leukotrienes from biologic fluids and quantitation by HPLC 193

Lipids

Capillary GC analysis of human skin surface lipids after microsampling on ground-glass platelets 19

Lipids

Rapid method for the determination of the phospholipid subclass distribution in human breast milk samples 349

6-Mercaptopurine

Analysis of 6-mercaptopurine in human plasma with a HPLC method including post-column derivatization and fluorimetric detection 249

Methacrylic acid

Simultaneous analysis of methyl methacrylate and methacrylic acid in blood by double isotope derivative dilution analysis 404

3-Methoxy-4-hydroxymandelic acid

Simultaneous determination of free 3-methoxy-4-hydroxymandelic acid and free 3-methoxy-4-hydroxyphenylethyleneglycol in plasma by LC with electrochemical detection 97

3-Methoxy-4-hydroxyphenylethyleneglycol

Simultaneous determination of free 3-methoxy-4-hydroxymandelic acid and free 3-methoxy-4-hydroxyphenylethyleneglycol in plasma by LC with electrochemical detection 97

3-Methoxy-4-hydroxyphenylglycol

Urinary 3-methoxy-4-hydroxyphenylglycol determination using reversed-phase chromatography with amperometric detection 89

Methylhistidine

Quantitation of the urinary methylhistidine isomers by a combination of thin-layer and fluorometric techniques 355

Methyl methacrylate

Simultaneous analysis of methyl methacrylate and methacrylic acid in blood by double isotope derivative dilution analysis 404

Midazolam

Determination of midazolam and two metabolites of midazolam in human plasma by GC-negative chemical-ionization MS 157

Mitoxantrone

Improved HPLC of the new antineoplastic agents bisantrene and mitoxantrone 235

Morphine

Determination of heroin and its metabolites by HPLC 213

Moxalactam

Sensitive HPLC analysis of moxalactam in biological fluids 386

Nalbuphine

HPLC analysis of plasma levels of nalbuphine in cardiac surgical patients 410

Neuropeptides

Reversed-phase HPLC of neuropeptides related to adrenocorticotropin, including a potent adrenocorticotropin 4-9 analogue (ORG 2766) 317

Nicotinamide

HPLC determination of nicotinic acid and its metabolites, nicotinic acid and nicotinamide, in plasma 343

Nicotinic acid

HPLC determination of nicotinic acid and its metabolites, nicotinic acid and nicotinamide, in plasma 343

Nicotinic acid

HPLC determination of nicotinic acid and its metabolites, nicotinic acid and nicotinamide, in plasma 343

Norepinephrine

Assay of free and conjugated catecholamines by HPLC with electrochemical detection 79

Organic acids

Analysis of oxime-trimethylsilyl derivatives of organic acids on OV-1701 fused silica capillary column 297

17-Oxosteroids, conjugated

Determination of 17-oxosteroid glucuronides and sulfates in urine and serum by fluorescence HPLC using dansyl hydrazine as a pre-labeling reagent 61

Penicillins

Analysis of piperacillin using HPLC 423

Peptides

Profiling of urinary medium-sized peptides in normal and uremic urine by HPLC 107

Peptides

Reversed-phase HPLC of neuropeptides related to adrenocorticotropin, including a potent adrenocorticotropin 4-9 analogue (ORG 2766) 317

Peptides

Study of leucine-enkephalin in rat brain by a new HPLC method 115

Phenothiazines

Simple and sensitive HPLC procedure with electrochemical detection for the determination of plasma concentrations of trimeprazine following single oral doses 417

Phenylethanolamine N-methyltransferase activity

Determination of phenylethanolamine N-methyltransferase activity in rat brain by HPLC with fluorometric detection 328

Phospholipids

Rapid method for the determination of the phospholipid subclass distribution in human breast milk samples 349

Piperacillin

Analysis of piperacillin using HPLC 423

Polyamines

GC method for the determination of urinary acetylpolyamines 29

Proline

Rapid, simultaneous and sensitive determination of free hydroxyproline and proline in human serum by HPLC 313

Propanediol

Electron-capture, capillary column GC determination of low-molecular-weight diols in serum 9

Putrescine

GC method for the determination of urinary acetylpolyamines 29

Ro 11-2465

Sensitive assay for the tricyclic antidepressant Ro 11-2465 in biological fluids by HPLC and fluorescence detection 269

Spermidine

GC method for the determination of urinary acetylpolyamines 29

Steroids

Determination of 17-oxosteroid gluc-

uronides and sulfates in urine and serum by fluorescence HPLC using dansyl hydrazine as a pre-labeling reagent 61

Thiothixene

Separation and quantitation of *cis*- and *trans*-thiothixene in human plasma by HPLC 257

Tricyclic nucleoside 5'-phosphate

HPLC assay of the antineoplastic agent tricyclic nucleoside 5'-phosphate and its disposition in rabbit 227

Trimeprazine

Simple and sensitive HPLC procedure with electrochemical detection for the determination of plasma concentrations of trimeprazine following single oral doses 417

Trimethoprim

Assay of trimethoprim in plasma and urine by HPLC using electrochemical detection 427

Xanthine


HPLC determination of hypoxanthine and xanthine in biological fluids 131

Errata

J. Chromatogr., 230 (1982) 409–414

Page 412, Table I: Relative molecular mass of No. 6, $[\alpha_1(\text{III})]_3$ should be 300,000 and retention time (min) should be 14.0.

Page 413, Fig. 4 should read:



J. Chromatogr., 232 (1982) 197–202

Page 198, 10th line: “(70:20:20:20, v/v)” should read “(70:20:20:10, v/v)”.