N⁴-Acetylsulfadoxine

HPLC assay of pyrimethamine, sulfadoxine and its N⁴-acetyl metabolite in serum and urine after ingestion of Suldox 217

Actinobacillus actinomycetemcomitans Determination of acids in whole lipopolysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

Actinobacillus actinomycetemcomitans Determination of bound cellular fatty acids in Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus by GC and GC-MS 282

Adrenaline

HPLC determination of plasma catecholamines during α -methyldopa therapy 301

Amines

An integrated scheme for the simultaneous determination of biogenic amines, precursor amino acids, and related metabolites by LC with electrochemical detection 43

Amino acids

An integrated scheme for the simultaneous determination of biogenic amines, precursor amino acids, and related metabolites by LC with electrochemical detection 43

Amitriptyline

Amitriptyline and its basic metabolites determined in plasma by GC 165

 3α -Androstanediol

Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11

Androstenediol

Quantitative metabolic profiling of testilucar steroid secretions with bondedphase capillary GC 11

Androstenedione

Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11

Arachidonic acid

Simple single-step HPLC method for the separation of cyclooxygenase and lipoxygenase enzyme metabolites of arachidonic acid 316

Ascorbic acid-2-sulfate

Quantitative analysis of ascorbic acid-2sulfate by HPLC with electrochemical detection 306 **Bevantolol**

GC determination of bevantolol in plasma 345

 γ -Carboxyglutamic acid

An improved method for the determination of γ -carboxyglutamic acid in human urine by HPLC 398

Catecholamines

An integrated scheme for the simultaneous determination of biogenic amines, precursor amino acids, and related metabolites by LC with electrochemical detection 43

Catecholamines

HPLC determination of plasma catecholamines during α -methyldopa therapy 301

Catechol-O-methyltransferase

Assay for catechol-O-methyltransferase in erythrocytes using a new fluorogenic substrate, 2-(3,4-dihydroxyphenyl)naphtho[1,2-d]thiazole 93

Cefpimizole

HPLC methods for the determination of cefpimizole in plasma and urine 261

 5α -Cholestane

Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11

Citalopram

HPLC determination of citalopram and four of its metabolites in plasma and urine samples from psychiatric patients 199

Collagen

The separation of collagen α -chains by reversed-phase HPLC. Comparison of column alkyl stationary phases and temperature effects 111

Corticosteroids

Application of reversed-phase HPLC for radioimmunoassay of plasma 18-hydroxycorticosterone 295

Cyanide

Determination of cyanide and thiocyanate in blood plasma and red cells by HPLC with fluorometric detection 133 Cysteine

Analysis of hepatic reduced glutathione, cysteine and homocysteine by cationexchange HPLC with electrochemical detection 83

Cysteinylglycine

Cysteinylglycine in urine determined by HPLC 75

Dehydroepiandrosterone

Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11

3-Deoxy-D-manno-2-octulosonic acid Determination of acids in whole lipopolysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

Deoxynucleotides

Rapid isolation, hydrolysis and chromatography of formaldehyde-modified DNA 121

Diclofenac

Sensitive method for the determination of diclofenac in human plasma by GC-MS 329

Dicyclomine

Determination of nanogram amounts of dicyclomine with GC and nitrogenselective detection 341

Diethylcarbamazine

Determination of diethylcarbamazine in blood using GC with alkali flame ionization detection 334

Dihydrotestosterone

Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11

3,4-Dihydroxyphenylacetic acid Rapid and simple method for the simultaneous determination of 3,4-dihydroxyphenylacetic acid, 5-hydroxyindole-3-acetic acid and 4-hydroxy-3methoxyphenylacetic acid in human plasma by HPLC with electrochemical detection 55

2-(3,4-Dihydroxyphenyl)naphtho[1,2-d]thiazole

Assay for catechol-O-methyltransferase in erythrocytes using a new fluorogenic substrate, 2-(3,4-dihydroxyphenyl)naphtho[1,2-d]thiazole 93

5,5-Dimethyl-2,4-oxazolidinedione Simultaneous determination of trimethadione and its metabolite in rat and human serum by HPLC 393

DNA

Rapid isolation, hydrolysis and chromatography of formaldehyde-modified DNA 121

Eicosanoids

Picogram detection of eicosanoids by ultraviolet absorbance after narrowbore HPLC. Comparison with conventional-bore column 31

Fatty acids

Determination of acids in whole lipo-

polysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

Fatty acids

Determination of bound cellular fatty acids in Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus by GC and GC-MS 282

Flordipine

HPLC analysis of flordipine in human plasma 382

Furosemide

Quantitative determination of furosemide in plasma, plasma water, urine and ascites fluid by HPLC 241

Galactosyl hydroxylysine

Measurement of hydroxylysine glycosides in urine and its application to spinal cord injury 65

Glaucine

Determination of glaucine in plasma and urine by HPLC 273

Glucosylgalactosyl hydroxylysine

Measurement of hydroxylysine glycosides in urine and its application to spinal cord injury 65

Glutathione

Analysis of hepatic reduced glutathione, cysteine and homocysteine by cationexchange HPLC with electrochemical detection 83

Glycoproteins

Isolation and purification of HLA-DR antigens from tumour cells by affinity chromatography and chromatofocusing 322

Glycopyrronium

Quantitative capillary column GC method for the determination of glycopyrronium in human plasma 143 Glycosides

Measurement of hydroxylysine glycoside in urine and its application to spinal cord injury 65

Haemophilus aphrophilus

Determination of acids in whole lipopolysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

Haemophilus aphrophilus

Determination of bound cellular fatty acids in Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus by GC and GC-MS 282

Haloperidol

HPLC of haloperidol in serum at the concentrations achieved during chronic therapy 387

HLA-DR antigens

Isolation and purification of HLA-DR antigens from tumour cells by affinity chromatography and chromatofocusing 322

Homocysteine

Analysis of hepatic reduced glutathione, cysteine and homocysteine by cationexchange HPLC with electrochemical detection 83

- 10-Hydroxyamitriptyline Amitriptyline and its basic metabolites determined in plasma by GC 165
- 18-Hvdroxvcorticosterone

Application of reversed-phase HPLC for radioimmunoassay of plasma 18hydroxycorticosterone 295

Hydroxyeicosatetranoic acids Simple single-step HPLC method for the separation of cyclooxygenase and lipoxygenase enzyme metabolites of arachidonic acid 316

- 5-Hydroxyindole-3-acetic acid
 - Rapid and simple method for the simultaneous determination of 3,4-dihydroxyphenylacetic acid, 5-hydroxyindole-3-acetic acid and 4-hydroxy-3methoxyphenylacetic acid in human plasma by HPLC with electrochemical detection 55
- Hydroxylysine glycosides Measurement of hydroxylysine glycosides in urine and its application to spinal cord injury 65
- 4-Hydroxy-3-methoxyphenylacetic acid Rapid and simple method for the simultaneous determination of 3.4-dihydroxyphenylacetic acid, 5-hydroxyindole-3-acetic acid and 4-hydroxy-3methoxyphenylacetic acid in human plasma by HPLC with electrochemical detection 55
- 3-Hydroxymyristic acid Determination of acids in whole lipopolysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

10-Hydroxynortriptyline Amitriptyline and its basic metabolites determined in plasma by GC 165 Ibuprofen

Determination of ibuprofen by HPLC 350

Imidazole

HPLC determination of imidazole in biological fluids 310

Isorbide dinitrate

Determination of the partitioning, stability, and metabolite formation of isosorbide dinitrate in human and rat blood using an improved GLC assay 153

Leukotrienes

Simple single-step HPLC method for the separation of cyclooxygenase and lipoxygenase enzyme metabolites of arachidonic acid 316

Lipid A

Determination of acids in whole lipopolysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

Lipids

Determination of bound cellular fatty acids in Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus by GC and GC-MS 282

Lipopolysaccharides

Determination of acids in whole lipopolysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

Lipoproteins

Detection of an abnormal lipoprotein in a large colony of pedigreed baboons using high-performance gel exclusion chromatography 101

α-Methyldopa

HPLC determination of plasma catecholamines during α -methyldopa therapy 301

Methyldopa, pyvaloyloxyethyl ester Sensitive HPLC assay using electrochemical detection of a novel prodrug ester of methyldopa, pivaloyloxyethyl 3-(3,4-dihydroxyphenyl)-2-methylalaninate in plasma and urine 251

α-Methylnoradrenaline HPLC determination of plasma catecholamines during α -methyldopa therapy 301

Myristic acid

Determination of acids in whole lipopolysaccharide and in free lipid A from Actinobacillus actinomycetemcomitans and Haemophilus aphrophilus 19

Nifedipine

LC determination of nifedipine in plasma and of its main metabolite in urine 209

Noradrenaline

HPLC determination of plasma catecholamines during a-methyldopa therapy 301

Nortriptyline Amitriptyline and its basic metabolites determined in plasma by GC 165 Oxycodone Determination of oxycodone in human plasma by HPLC with electrochemical detection 359 Pivaloyloxyethyl 3-(3,4-dihydroxyphenyl)-2-methylalaninate Sensitive HPLC assay using electrochemical detection for a novel prodrug ester pivalovloxyethyl of methyldopa. 3-(3,4-dihydroxyphenyl)-2-methylalaninate in plasma and uring 251 Pregnenolone Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11 Progabide Determination of progabide and its main acid metabolite in biological fluids using HPLC and electrochemical detection. Application to the measurement of blood/plasma partition ratio 229 Progesterone Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11 Propanidid HPLC of propanidid in rat plasma 376 Prostaglandins Picogram detection of eicosanoids by ultraviolet absorbance after narrow-bore HPLC. Comparison with conventionalbore column 31 Prostaglandins Simple single-step HPLC method for the separation of cyclooxygenase and lipoxygenase enzyme metabolites of arachidonic acid 316 **Pyrimethamine** HPLC assay of pyrimethamine, sulfadoxine and its N⁴-acetyl metabolite in serum and urine after ingestion of Suldox 217 **Pvrimethamine** HPLC method for the determination of pyrimethamine and its 3-N-oxide metabolite in biological fluids 363 Sobrerol Sensitive GLC-electron-capture detection method for determination of sobrerol in biological fluids 189 Steroids

Application of reversed-phase HPLC for radioimmunoassay of plasma 18-hydroxycorticosterone 295 Steroids Effects of starvation and refeeding on the excretion of urinary steroid metabolites in mice with different genetic background 1 Steroids Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11 Steroids Rapid analysis of C19-steroid metabolism by HPLC and in-line monitoring of radioactivity 289 Sulfadoxine HPLC assay of pyrimethamine, sulfadoxine and its N⁴-acetyl metabolite in serum and urine after ingestion of Suldox 217 Testosterone Quantitative metabolic profiling of testicular steroid secretions with bondedphase capillary GC 11 Theophylline Therapeutic drug monitoring using highspeed LC and rapid sample preparation: an assay for serum theophylline 354 Thiocyanate Determination of cyanide and thiocyanate in blood plasma and red cells by HPLC with fluorometric detection 133 Thromboxane B, Picogram detection of elcosanoids by ultraviolet absorbance after narrow-bore HPLC. Comparison with conventionalbore column 31 Thromboxane B, Simple single-step HPLC method for the separation of cyclooxygenase and lipoxygenase enzyme metabolites of arachidonic acid 316 Tocainide Monitoring of S- and R-tocainide in human plasma afterheptafluorobutyrylation, separation on Chirasil-Val[®] and electron-capture detection 181 Trimethadione Simultaneous determination of trimethadione and its metabolite in rat

and human serum by HPLC 393 Xamoterol Measurement of xamoterol in plasma and urine by HPLC 370