

Author Index

- Al-Ahmad, R.K., see Steven, F.S. 211.
 Alakhov, Yu.B., see Turková, J. 315
 Amourache, L., see Kanoun, S. 259
 Anderson, D.J.
 — and Walters, R.R.
 Equilibrium and rate constants of immobilized concanavalin A determined by high-performance affinity chromatography 69
 Barnett, A.L., see Inmar, J.K. 273
 Ber, E., see Dobrowolska, G. 421
 Beranová, J., see Káš, J. 269
 Birkenmeier, G., see Kopperschläger, G. 141
 Bóg-Hansen, T.C., see Linme, A. 299
 Boitieux, J.L.
 —, Desmet, G. and Thomas, D.
 Immobilisation d'inhibiteurs enzymatiques pour la réalisation de capteurs immunologiques réversibles 199
 Breemhaar, W., see Lensen, H.G.W. 191
 Breier, A.
 —, Gemeiner, P., Ziegelhöffer, A., Monošíková, R. and Sedláková, E.
 Quantitative criterion for evaluation of hydrophobic sorbents 95
 Brochier, J., see Tlaskalová-Hogenová, H. 401
 Bros, A., see Yu, X.J. 429
 Burton, S.J., see Lowe, C.R. 121
 Cacace, M.G.
 — and Sada, A.
 Adsorption of aromatic molecules on hydrophilic gel chromatography media. A thermodynamic study 103
 Čechová, D., see Veselský, L. 395
 Chaiken, I.M.
 Analytical affinity chromatography in studies of molecular recognition in biology: a review 11
 —, see Fassina, G. 87
 Chaudhury, M.K., see Van Oss, C.J. 111
 Chiancone, E.
 — and Gattoni, M.
 Subunit exchange chromatography: a tool for the purification of oligomeric and self-associating protein systems 343
 Clonis, Y.D., see Lowe, C.R. 121
 Cordes, A.
 — and Kula, M.-R.
 Process design for large-scale purification of formate dehydrogenase from *Candida boidinii* by affinity partition 375
 Čoupek, J., see Tlaskalová-Hogenová, H. 401
 Dekker, M., see Scouten, W.H. 289
 Delhaes, D., see Scouten, W.H. 289
 Desmet, G., see Boitieux, J.L. 199
 Dobrowolska, G.
 —, Ber, E. and Muszyńska, G.
 Separation and purification of maize casein kinases by affinity chromatography 421
 Fassina, G.
 —, Swaisgood, H.E. and Chaiken, I.M.
 Quantitative high-performance affinity chromatography: evaluation of use for analyzing peptide and protein interactions 87
 Feijen, J., see Lensen, H.G.W. 191
 Fiebig, H., see Tlaskalová-Hogenová, H. 401
 Filka, K., see Rexová-Benková, L. 413
 Fischer, A.M., see Yu, X.J. 429
 Fornůsek, L., see Tlaskalová-Hogenová, H. 401
 Frydrychová, A., see Tlaskalová-Hogenová, H. 401
 Fujita, A., see Honda, T. 385
 Fusek, M., see Turková, J. 315
 Gattoni, M., see Chiancone, E. 343
 Gemeiner, P., see Breier, A. 95
 Good, R.J., see Van Oss, C.J. 111
 Gribnau, T.C.J.
 —, Leuvering, J.H.W. and Van Hell, H.
 Particle-labelled immunoassays: a review 175
 Griffin, M.M., see Steven, F.S. 211
 Grunow, M., see Schöpp, W. 349
 Hais, I.M.
 Biospecific sorption, Prague, 1910: Emil Starkenstein (1884–1942) 5
 Hayet, M.
 — and Vijayalakshmi, M.A.
 Affinity precipitation of proteins using bis-dyes 157
 Hearn, M.T.W.
 Application of 1,1'-carbonyldiimidazole-activated matrices for the purification of proteins. IX. Dynamic multizoning effects in biospecific affinity chromatography on porous supports: evaluation of activation and ligand coupling effects with different support materials 245
 Hell, H. van, see Gribnau, T.C.J. 175
 Honda, T.
 —, Fujita, A., Tsubakihara, Y. and Morihara, K.

- Affinity purification of kallikrein and elastase from hog pancreas powder 385
- Hořejší, V.
— and Tichá, M.
Qualitative and quantitative applications of affinity electrophoresis for the study of protein—ligand interactions: a review 49
- Inman, J.K.
— and Barnett, A.L.
Controlled primary functionalization of agarose affinity supports by carboxymethylation and subsequent addition of spacer units 273
- Ishii, S.-I., see Kasai, K.-I. 33
- Jonaková, V., see Veselský, L. 395
- Jozefonvicz, J., see Yu, X.J. 429
- Kanoun, S.
—, Amourache, L., Krishnan, S. and Vijayalakshmi, M.A.
New support for the large-scale purification of proteins 259
- Káš, J.
—, Marek, M., Beranová, J. and Švec, F.
Glycidyl methacrylate copolymers as suitable supports for immobilizing antigens and antibodies 269
- Kasai, K.-I.
—, Oda, Y., Nishikata, M. and Ishii, S.-I.
Frontal affinity chromatography: theory for its application to studies on specific interactions of biomolecules 33
—, see Shimura, K. 323
- Kester, H.C.M., see Visser, J. 163
- Knopp, D., see Schöpp, W. 349
- Kocourek, J., see Rexová-Benková, L. 413
- Kopeček, J., see Řihová, B. 221
—, see Tlaskalová-Hogenová, H. 401
- Kopečková-Rejmanová, P., see Řihová, B. 221
- Kopperschlager, G.
— and Birkenmeier, G.
Affinity partitioning: a new approach for studying dye—protein interactions 141
- Korbová, L., see Kučerová, Z. 409
- Kovács, K., see Penke, B. 307
- Kranenberg, H., see Scouten, W.H. 289
- Krishnan, S., see Kanoun, S. 259
- Kučerová, Z.
—, Pohl, J. and Korbová, L.
Separation of human pepsin and gastrin by affinity chromatography with an immobilized synthetic inhibitor 409
- Kula, M.-R., see Cordes, A. 375
- Larsen, K.P., see Lihme, A. 299
- Lensen, H.G.W.
—, Broomhaar, W., Smolders, C.A. and Feijen, J.
Competitive adsorption of plasma proteins at solid—liquid interfaces 191
- Leuvering, J.H.W., see Gribnau, T.C.J. 175
- Lihme, A.
—, Schafer-Nielsen, C., Larsen, K.P., Müller, K.G. and Bøgg-Hansen, T.C.
Divinylsulphone-activated agarose. Formation of stable and non-leaking affinity matrices by immobilization of immunoglobulins and other proteins 299
- Ling, T.G.I., see Mattiasson, B. 235
- Liu, Y.C.
— and Stellwagen, E.
Zonal chromatographic analysis of the interaction of alcohol dehydrogenase with Blue-Sepharose 149
- Lorenz, R., see Schöpp, W. 349
- Lowe, C.R.
—, Burton, S.J., Pearson, J.C., Clonis, Y.D. and Stead, V.
Design and application of bio-mimetic dyes in biotechnology 121
- Maksimov, J.J., see Turková, J. 315
- Mančal, P., see Tlaskalová-Hogenová, H. 401
- Marek, M., see Káš, J. 269
- Mattiasson, B.
— and Ling, T.G.I.
Efforts to integrate affinity interactions with conventional separation technologies. Affinity partition using biospecific chromatographic particles in aqueous two-phase systems 235
- Monošková, R., see Breier, A. 95
- Morihara, K., see Honda, T. 385
- Müller, K.G., see Lihme, A. 299
- Muller, D., see Yu, X.J. 429
- Muszyńska, G., see Dobrowolska, G. 421
- Nishikata, M., see Kasai, K.-I. 33
- Oda, Y., see Kasai, K.-I. 33
- Oss, C.J. van, see Van Oss, C.J. 111
- Pearson, J.C., see Lowe, C.R. 121
- Penke, B.
—, Zarándi, M., Varga, J.R., Tóth, G.K., Kovács, K. and Szajáni, B.
Targeted immobilization of neurotransmitters and neuropeptides on agarose and on Acrylex polymers 307
- Plocová, D., see Řihová, B. 221
- Pohl, J., see Kučerová, Z. 409

- Porath, J.
Salt-promoted adsorption: recent developments 331
- Pospíšil, M., see Tlaskalová-Hogenová, H. 401
- Prokešova, L., see Tlaskalová-Hogenová, H. 401
- Rexová-Benková, L.
—, Filka, K. and Kocourek, J.
Oligo-D-galactosiduronic acid—Separon: selective bioaffinity adsorbents of endopolygalacturonase 413
- Řihová, B.
—, Kopeček, J., Kopečková-Rejmanová, P., Strohalm, J., Placová, D. and Semorádová, H.
Bioaffinity therapy with antibodies and drugs bound to soluble synthetic polymers 221
- Sada, A., see Cacaе, M.G. 103
- Schäfer, A., see Schöpp, W. 349
- Schafer-Nielsen, C., see Lihme, A. 299
- Schöpp, W.
—, Grunow, M., Stolarski, K., Schäfer, A., Knopp, D. and Lorenz, R.
Ladungskontrollierte hydrophobe Chromatographie: ein effektives Trennprinzip für Proteine 349
- Scopes, R.K.
Strategies for enzyme isolation using dye-ligand and related adsorbents 131
- Scouten, W.H.
—, Van den Tweel, W., Delhaes, D., Krannenbergh, H. and Dekker, M.
Sulphonyl chloride activation of hydroxylic materials 289
- Sedláková, E., see Brejer, A. 95
- Semorádová, H., see Řihová, B. 221
- Shimura, K.
— and Kasai, K.-I.
Affinophoresis of anhydrochymotrypsin with an affinophore based on poly-L-lysine as a matrix 323
- Smolders, C.A., see Lensen, H.G.W. 191
- Stead, V., see Lowe, C.R. 121
- Stellwagen, E., see Liu, Y.C. 149
- Steven, F.S.
—, Griffin, M.M. and Al-Ahmad, R.K.
Design of fluorescent probes for an enzyme on the surface of tumour cells 211
- Stolarski, K., see Schöpp, W. 349
- Strohalm, J., see Řihová, B. 221
- Švec, F., see Káš, J. 269
- Swaigood, H.E., see Fassina, G. 87
- Szajáni, B., see Penke, B. 307
- Tapon-Bretauđiere, J., see Yu, X.J. 429
- Thomas, D., see Boitieux, J.L. 199
- Tichá, M., see Hořejší, V. 49
- Tlaskalová-Hogenová, H.
—, Vétvička, V., Pospíšil, M., Fornůsek, L., Prokešova, L., Čoupek, J., Frydrychová, A., Kopeček, J., Fiebig, H., Brochier, J. and Mančal, P.
Separation of human lymphoid cells by affinity chromatography and cells surface labelling by hydroxyethyl methacrylate particles using monoclonal antibodies 401
- Tóth, G.K., see Penke, B. 307
- Tsubakihara, Y., see Honda, T. 385
- Turková, J.
—, Fusek, M., Maksimov, J.J. and Alakhov, Yu.B.
Reversible and irreversible immobilization of carboxypeptidase Y using biospecific adsorption 315
- Tweel, W. van den, see Scouten, W.H. 289
- Van den Tweel, W., see Scouten, W.H. 289
- Van Hell, H., see Gribnau, T.C.J. 175
- Van Oss, C.J.
—, Good, R.J. and Chaudhury, M.K.
Nature of the antigen—antibody interaction. Primary and secondary bonds: optimal conditions for association and dissociation 111
- Varga, J.R., see Penke, B. 307
- Veselský, L.
—, Jonáková, V. and Čechová, D.
Detection of antigen immunologically related to basic pancreatic inhibitor (Kunitz) in porcine blood plasma by immunoaffinity chromatography 395
- Vétvička, V., see Tlaskalová-Hogenová, H. 401
- Vijayalakshmi, M.A., see Hayet, M. 157
- , see Kanoun, S. 259
- Visser, J.
— and Kester, H.C.M.
Crossed affinity immunoelectrophoresis of the *Escherichia coli* pyruvate dehydrogenase complex 163
- Walters, R.R., see Anderson, D.J. 69
- Yu, X.J.
—, Fischer, A.M., Muller, D., Bros, A., Tapon-Bretauđiere, J. and Jozefonvicz, J.
Affinity chromatography of thrombin on modified polystyrene resins 429
- Zarándi, M., see Penke, B. 307
- Ziegelhöffer, A., see Breier, A. 95